

This information is subject to all Federal and State laws regarding confidentiality and privacy and to the policies and procedures of information. Any unauthorized use, disclosure, or reproduction of this information is strictly prohibited.

regarding patient

## Anat Path Reports

\* Final Report \*


Document Type: Anat Path Reports  
Document Date:  
Document Status: Aut. (vermed)  
Document Title: Histology  
Encounter info:

ICD O-3  
Carcinoma, squamous cell NOS  
8070/3  
Site Floor of mouth  
path C04.9  
Hard palate C05.0

\* Final Report \*

(Verified)

UUID:C2A57619-3A37-428A-8165-A63FC8725DDD  
TCGA-QK-A64Z-01A-PR Redacted



Patient Name: [REDACTED] Acc #: [REDACTED]  
MRN: [REDACTED] DOB: [REDACTED]  
Location: [REDACTED] Gender: F Collected: [REDACTED]  
Client: [REDACTED] Received: [REDACTED]  
Submitting Phys: [REDACTED] Reported: [REDACTED]

## Final Surgical Pathology Report

### Final Pathologic Diagnosis

#### A. MAXILLA, RIGHT, PARTIAL MAXILECTOMY:

- SQUAMOUS CELL CARCINOMA, WELL-DIFFERENTIATED (3.8 CM).
- DEPTH OF INVASION MEASURES 0.55 CM.
- CARCINOMA INVADES INTO UNDERLYING BONE.
- NO LYMPHOVASCULAR INVASION IDENTIFIED.
- SURGICAL MARGINS ARE NEGATIVE FOR IN SITU AND INVASIVE CARCINOMA.
- SEE SYNOPTIC REPORT.

#### B. TEETH, EXTRACTION:

- GROSSLY UNREMARKABLE TEETH.
- GROSS EXAMINATION ONLY.

Electronically Signed by

Assisted by:

Printed by:  
Printed on:

Page 1 of 4  
(Continued)

hw 5/5/13

Criteria	Yes	No
Diagnosis Discrepancy	/	/
Prior Tumor Site Discrepancy	/	/
HIPAA Discrepancy	/	/
Prior Multigenerality	/	/
Doc/Synchronous Print: Noted	/	/
Case is Unlikely - Notable	/	/
Reviewer Initials	M6	4/4/13
Date Reviewer		

## Anat Path Reports

\* Final Report \*

### **Synoptic Worksheet**

#### **A. Right maxillectomy:**

Specimen:	Upper gingiva (gum) Hard palate Maxilla
Received:	Fresh
Procedure:	Maxillectomy: RIGHT PARTIAL
Specimen Integrity:	Intact
Specimen Size:	Greatest dimension: 5.7 cm Additional dimension: 4.4 cm Additional dimension: 2.0 cm
Specimen Laterality:	Right
Tumor Site:	Hard palate Maxilla
Tumor Focality:	Single focus
Tumor Size:	Greatest dimension: 3.8 cm
Tumor Thickness (pT1 and pT2 tumors):	Tumor thickness: 55 mm Measured from ulcerated surface
Tumor Description:	Ulcerated
Histologic Type:	Squamous cell carcinoma, conventional
Histologic Grade:	G1: Well differentiated
Microscopic Tumor Extension:	into maxilla bone
Margins:	Margins uninvolved by invasive carcinoma Distance from closest margin: 0.4 Unit of measurement: cm Margin(s): lateral mucosal
Treatment Effect:	Margins uninvolved by carcinoma in situ (includes moderate and severe dysplasia)
Lymph-Vascular Invasion:	Distance from closest margin: 0.4 Unit of measurement: cm
Perineural Invasion:	Margin(s): lateral mucosal
Lymph Nodes, Extranodal Extension:	Not identified
Pathologic Staging (pTNM):	Not identified
TNM Descriptors:	Not applicable
Primary Tumor (pT):	pT2:Tumor more than 2 cm but not more than 4 cm in greatest dimension
Regional Lymph Nodes (pN):	pNX: Cannot be assessed
Distant Metastasis (pM):	Not applicable

## Anat Path Reports

\* Final Report \*

### Clinical History

Right maxillectomy. Right palate cancer.

### Specimen(s) Received

A: Right maxillectomy  
B: Teeth

### Gross Description

Specimen A is received fresh for intraoperative consultation, labeled "right maxillectomy" along with the patient's name and medical record number. It consists of a segment of maxilla measuring 5.7 x 4.4 x 2.0 cm. The specimen includes three teeth. Within the region of the hard palate there is an ulcerative mass measuring 3.8 x 2.1 cm extending to a depth of 1.0 cm. This mass is located 0.7 cm from the anterior mucosal margin of resection, 0.5 cm from the posterior margin of resection, 0.6 cm from the medial mucosal margin of resection, and 0.4 cm from the lateral mucosal margin of resection. The tumor is located 1.2 cm from the superior bony margin of resection. The tumor is located 2.5 cm from the posterior soft tissue margin of resection. The uninvolved bone and mucosa are grossly unremarkable. The superior bony margin of resection is inked black. Sections are submitted as follows. Representative sections of tumor and normal tissue are submitted for Tumor Banking. (Dictated by [REDACTED])

Specimen B is received fresh, labeled "teeth" along with the patient's name and medical record number. It consists of two teeth measuring 1.3 x 1.0 x 1.0 cm in aggregate. No cassettes are submitted. Dictated by [REDACTED]

### Cassette Summary:

A1FS:	Anterior lateral margin
A2FS:	Anterior margin
A3FS:	Medial margin
A4FS:	Posterior margin
A5FS:	Posterior lateral margin
A6:	Posterior soft tissue margin of resection
A7:	Mid lateral mucosal margin of resection
A8,9:	Full thickness cross section with deep margin, submitted for decalcification

### Intraoperative Consult Diagnosis

A1FS: RIGHT MAXILLA, ANTERIOR LATERAL MARGIN (FROZEN SECTION): NEGATIVE FOR CARCINOMA.  
A2FS: ANTERIOR MARGIN (FROZEN SECTION): NEGATIVE FOR CARCINOMA.  
A3FS: MEDIAL MARGIN (FROZEN SECTION): NEGATIVE FOR CARCINOMA.  
A4FS: POSTERIOR MARGIN (FROZEN SECTION): NEGATIVE FOR CARCINOMA.  
A5FS: POSTERIOR LATERAL MARGIN (FROZEN SECTION): NEGATIVE FOR CARCINOMA.  
Frozen section results were communicated to the surgical team and were repeated back by Dr. [REDACTED]

Pathologist:

### Microscopic Description

Microscopic examination performed.

Printed by:

Printed on:

Page 3 of 4  
(Continued)

This information is subject to all Federal and State laws regarding confidentiality and privacy and to the policies and procedures of information. Any unauthorized use, disclosure, or reproduction of this information is strictly prohibited.

regarding patient

## Anat Path Reports

\* Final Report \*

Printed by:  
Printed on:

Page 4 of 4  
(End of Report)