

ICD-0-3

Carcinoma, infiltrating lobular, NOS 8520/3

Pdx Site: Breast, Central C50.1
portion

1/19/11 lw

cQCF Site: Breast, NOS C50.9

Diagnosis:

1. Invasive lobular breast carcinoma in the classical differentiation variant (G II) with extensive infiltration of the skin but no ulceration of the skin (tumor diameter 3 cm, minimum distance from dorsal resection margin 2.5 cm).

Summary tumor classification: invasive lobular breast carcinoma, G II, pT2pN0(0/10)LOV0R0, positive for estrogen and progesterone receptors, negative for C-erb B-2 oncoprotein.

Follow-up finding:

(/ three times) A metastatic infiltration and also an influx of individual cells of the invasive lobular breast carcinoma into the excised axillary lymph node is definitely excluded. The pN0 status is thus confirmed

UUID:25F8F043-2CD0-4344-9B4A-5B8B69185BF9
TCGA-A8-A0A4-01A-PR

Redacted



Criteria	Yes	No
Diagnosis Discrepancy		X
Primary Tumor Site Discrepancy		X
HIPAA Discrepancy		X
Prior Malignancy History		X
Dual/Synchronous Primary Noted		X
Case is (circle):	QUALIFIED	DISQUALIFIED
Reviewer Initials	lw	01/19/11
Date Reviewed:		