



FINAL DIAGNOSIS:

PART 1: THYROID GLAND, TOTAL THYROIDECTOMY (21 GRAMS) -

- A. PAPILLARY THYROID CARCINOMA, 1.5 CM, ISTHMIC, CONVENTIONAL, INFILTRATIVE (see comment).
- B. ADDITIONAL 0.3 CM FOCUS OF PAPILLARY THYROID CARCINOMA, CONFINED TO LEFT LOBE.
- C. VASCULAR INVASION IS ABSENT.
- D. MINIMAL EXTRATHYROIDAL EXTENSION IS PRESENT.
- E. CARCINOMA IS ABOUT 0.1 CM FROM MARGIN.
- F. CHRONIC LYMPHOCYTIC THYROIDITIS.
- G. PATHOLOGIC STAGE: pT3N1a.

PART 2: CENTRAL COMPARTMENT NODES, DISSECTION -

- A. METASTATIC PAPILLARY THYROID CARCINOMA, UP TO 0.2 CM, IN SIX OF FOURTEEN LYMPH NODES (6/14).
- B. EXTRACAPSULAR SPREAD IS ABSENT.

PART 3: LEFT ABDOMINAL WALL NODULE, EXCISION - TRICHILEMMAL (PILAR) CYST, 1 CM.

PART 4: RIGHT INFERIOR PARATHYROID, BIOPSY (8 MG) - NORMOCELLULAR PARATHYROID.

COMMENT:

Prior molecular testing of the right isthmus thyroid fine needle aspirated revealed BRAF p.V600E mutation

SYNOPTIC DATA - PRIMARY THYROID TUMORS

SPECIMEN TYPE:	Total Thyroidectomy
TUMOR SITE:	Left Lobe, Isthmus
TUMOR FOCALITY:	Multifocal
TUMOR SIZE (largest nodule):	Greatest Dimension: 1.5 cm
HISTOLOGIC TYPE**:	Papillary carcinoma
PRIMARY TUMOR (pT):	pT3
REGIONAL LYMPH NODES (pN):	pN1a
	Number of regional lymph nodes examined: 14
	Number of regional lymph nodes involved: 6
EXTRANODAL EXTENSION:	Not identified
DISTANT METASTASIS (pM):	Not applicable
EXTRATHYROIDAL EXTENSION:	Present
	Extent: Minimal
MARGINS:	Margins uninvolved by carcinoma
LYMPH-VASCULAR INVASION:	Not identified

ICD-0-3

carcinoma, papillary, thyroid 8260/3
Site: thyroid NOS C73.9

hw
10/7/12

Criteria	Yes	No
Diagnosis Discrepancy		<input checked="" type="checkbox"/>
Primary Tumor Site Discrepancy		<input checked="" type="checkbox"/>
HPVAA Discrepancy		<input checked="" type="checkbox"/>
Prior Malignancy History		<input checked="" type="checkbox"/>
Dual/Synchronous Primary Noted		<input checked="" type="checkbox"/>
Case is (circle):	Q-Add'l	7 - DISQUALIFIED
Reviewer Initials	BLA	Date Reviewed: 9/21/2012

hw
9/23/12