


Criteria	Yes	No
Diagnosis Discrepancy		✓
Primary Tumor Site Discrepancy		✓
HIPAA Discrepancy		✓
Prior Malignancy History		✓
Dual/Synchronous Primary Noted		✓
Case is (circle):	QUALIFIED	DISQUALIFIED
Reviewer Initials	RB	Date Reviewed: 4/19/11
		4/25/11

UUID: AAF32BB7-716A-4C8E-AE7E-04F6A5BF5628
TCGA-AR-A24N-01A-PR

Redacted



Final Diagnosis

Breast, left, simple mastectomy: Infiltrating ductal carcinoma, Nottingham grade II (of III), forming a 1.9 x 1.2 x 1.0 cm mass in the superior breast (AJCC pT1c). A minor component of ductal carcinoma in situ, intermediate nuclear grade, is also present. Surgical resection margins are negative for tumor. The nearest (deep) margin is free by 0.2 cm.

Lymph nodes, left axillary sentinel, excision: Multiple (3) left axillary sentinel lymph nodes are negative for tumor. Lymph nodes No.1, and No.2A contain no blue dye, lymph node No.2B contains blue dye. Immunohistochemical cytokeratin stain was performed on the paraffin embedded sentinel lymph node tissue and confirms the H&E impression.

Lymph node, left axillary, excision: A single left axillary lymph node is negative for tumor (AJCC pN0).

Her-2/NEU analysis has been ordered on paraffin embedded tissue.

1CD-0-3

carcinoma, infiltrating duct, NOS 8500/3

Site: breast, NOS C50.9 lw
4/25/11