DIAGNOSIS

(A) RIGHT NECK DISSECTION, LEVEL IV:
   One lymph node, no tumor present.

(B) LEFT NECK DISSECTION, LEVEL IV:
   One lymph node, no tumor present.

(C) LEFT NECK DISSECTION, LEVEL I:
   Four lymph nodes, no tumor present.
   Salivary gland, no tumor present.

(D) LEFT NECK DISSECTION, LEVEL II "A":
   Eight lymph nodes, no tumor present.

(E) LEFT NECK DISSECTION, LEVEL II "B":
   Five lymph nodes, no tumor present.

(F) LEFT NECK DISSECTION, LEVEL III:
   Six lymph nodes, no tumor present.
   Vascular ectasia with congestion in one lymph node.

(G) RIGHT NECK DISSECTION, LEVEL I:
   Three lymph nodes, no tumor present.
   Salivary gland, no tumor present.

(H) RIGHT NECK DISSECTION, LEVEL II "A":
   METASTATIC SQUAMOUS CARCINOMA (0.8 CM) IN ONE OF LYMPH NODE (1/9) WITH EXTRACAPSULAR
   EXTENSION.

(I) RIGHT NECK DISSECTION, LEVEL II "B":
   Four lymph nodes, no tumor present.

(J) RIGHT NECK DISSECTION, LEVEL III:
   Eleven lymph nodes, no tumor present

(K) RIGHT NECK DISSECTION, LEVEL V:
   Three lymph nodes, no tumor present.

(L) RIGHT LINGUAL NERVE:
   Nerve, no tumor present.

(M) TOTAL GLOSSECTOMY:
   INVASIVE SQUAMOUS CARCINOMA. MODERATE TO POORLY DIFFERENTIATED WITH PERINEURAL
   INVASION, margins negative for tumor.

(N) RIGHT BASE OF TONGUE:
   Skeletal muscle, no tumor present.

(O) TEETH:
   Multiple fragments of teeth (gross diagnosis only).

Entire report and diagnosis completed by ██████████████

GROSS DESCRIPTION

(A) RIGHT NECK DISSECTION LEVEL IV - One possible lymph node is identified (0.9 x 0.4 x 0.4 cm). It is trisected and submitted entirely in A. ███

(B) LEFT NECK DISSECTION LEVEL IV - One possible lymph node (1.3 x 0.7 x 0.6 cm). Trisected and submitted entirely in B ███

(C) LEFT NECK DISSECTION LEVEL I - An irregular fragment of adipose tissue (6.0 x 3.0 x 2.5 cm). It is serially sectioned to reveal a salivary gland (3.5 x 2.5 x 2.3 cm) and six possible lymph nodes, ranging from 0.5 x 0.5 x 0.5 cm to 1.4 x 0.7 x 0.5 cm. The salivary gland is serially sectioned and no tumor is grossly identified.
  SECTION CODE: C1, representative sections of salivary gland; C2, three possible lymph nodes. C3, one possible lymph node trisected; C4, one possible lymph node serially sectioned; C5, one possible lymph node trisected. ███

(D) LEFT NECK DISSECTION LEVEL II "A" - Multiple possible lymph nodes ranging from 0.6 x 0.5 x 0.5 cm to 2.8 x 0.6 x 0.5 cm.
  SECTION CODE: D1, three possible lymph nodes; D2, three possible lymph nodes; D3, one possible lymph node trisected; D4, one possible lymph node serially sectioned. ███

(E) LEFT NECK DISSECTION, LEVEL II "B" - Six possible lymph nodes are identified ranging from 0.6 x 0.3 x 0.3 cm to 0.9 x 0.7 x 0.6 cm.
  SECTION CODE: E1, three possible lymph nodes; E2, one possible lymph node bisected; E3, one possible lymph node bisected; E4, one possible lymph node bisected. ███

(F) LEFT NECK DISSECTION LEVEL III - Seven possible lymph nodes are identified ranging from (0.3 x 0.3 x 0.3 cm to 1.3 x 1.0 x 0.7 cm).
  SECTION CODE: F1, one possible lymph node; F2, three possible lymph nodes; F3, one possible lymph node; F4, one possible lymph node bisected; F5, one possible lymph node trisected. ███

(G) RIGHT NECK DISSECTION LEVEL I - A tan-pink soft tissue (4.0 x 4.0 x 1.5 cm) with salivary gland (3.5 x 2.0 x 1.5 cm). Three lymph nodes are identified ranging from (0.4 x 0.4 x 0.3 cm to 1.2 x 1.0 x 1.0 cm).
  ███ SECTION CODE: G1, one lymph node trisected; G2, two lymph nodes; G3, representative section of salivary gland.

(H) RIGHT NECK DISSECTION LEVEL II 'A" - Adipose tissue (4.0 x 2.5 x 1.5 cm). Total nine lymph nodes are identified, ranging from (0.3 x 0.2 x 0.2 cm to 2.4 x 1.0 x 1.0 cm).
  SECTION CODE: H1, H2, one lymph node serially sectioned; H3, one lymph node serially sectioned; H4, one lymph node serially sectioned; H5, one lymph node serially sectioned; H6, five lymph nodes. ███

(I) RIGHT NECK DISSECTION LEVEL II "B" - Adipose tissue (3.0 x 2.5 x 1.0 cm). Total four lymph nodes are identified, ranging from (0.3 x 0.3 x 0.3 cm to 0.5 x 0.5 x 0.4 cm). The lymph nodes totally submitted in cassette I. ███

(J) RIGHT NECK DISSECTION LEVEL III - Adipose tissue (3.5 x 3.0 x 1.5 cm). Total eleven lymph nodes are identified, ranging from (0.2 x 0.2 x 0.2 cm to 1.5 x 1.2 x 0.5 cm).
  SECTION CODE: J1, one lymph node serially sectioned; J2, one lymph node serially sectioned; J3, four lymph nodes; J4, five lymph nodes ███

(K) RIGHT NECK DISSECTION LEVEL V - Adipose tissue (3.5 x 2.0 x 1.2 cm). Total three lymph nodes are identified ranging from (0.2 x 0.2 x 0.2 cm to 0.3 x 0.3 x 0.3 cm). The lymph nodes are totally submitted in cassette K. ███

(L) RIGHT LINGUAL NERVE - A small white segment of nerve measures 0.3 x 0.3 x 0.1 cm and is submitted in toto for frozen section as L. ███
  *FS/DX: NO TUMOR PRESENT. ███

(M) (_____) - A fungating mass measuring 5.0 x 5.0 x 4.0 cm. The submitted mass involves the superior mucosal margin of the specimen and infiltrates throughout the muscles except for approximately 0.5 cm from the deep margin.

Surgical Pathology Report
File under: Pathology

The mucosal margin are grossly free and at least 1.0 cm from the edge of the mass. The specimen is submitted sequentially from anterior to posterior under M1-M20. ▮▮▮▮▮

(N) RIGHT BASE OF TONGUE - A soft red-tan fragment, with ink on true margin, measures 0.2 x 1.0 x 0.2 cm.

    SECTION CODE: N, specimen submitted in toto for frozen section. ▮▮▮▮▮

    *FS/DX: SKELETAL MUSCLE, NO TUMOR PRESENT. ▮▮▮▮▮

(O) TEETH - Multiple hemorrhagic fragment teeth measuring in aggregate 4.0 x 2.0 x 2.0 cm. The specimen is submitted for gross description only ▮▮▮▮▮

CLINICAL HISTORY

None given.

SNOMED CODES

T-53000, M-80703

Surgical Pathology Report
File under: Pathology