

Criteria	Yes	No
Diagnosis Discrepancy		<input checked="" type="checkbox"/>
Primary Tumor Site Discrepancy		<input checked="" type="checkbox"/>
HIPAA Discrepancy		<input checked="" type="checkbox"/>
Prior Malignancy History		<input checked="" type="checkbox"/>
Dual/Synchronous Primary Notes		<input checked="" type="checkbox"/>
Case Is (Circle):	QUALIFIED	DISQUALIFIED
Reviewer Initials	RB	Date Reviewed: 4/19/11

UUID:0BF7CB67-49F1-42EA-8B41-988BD7E0DE61
TCGA-AR-A24P-01A-PR Redacted



Final Diagnosis

Breast, left, wide local excision: Infiltrating ductal carcinoma, Nottingham grade II (of III), forming a 1.5 x 1.4 x 1.2 cm mass (AJCC pT1c). Associated ductal carcinoma in situ, intermediate nuclear grade, comprises approximately 20% of the tumor. Resection margins are free of tumor. Separately submitted lateral, deep, inferior and superior margins are free of tumor.

Lymph nodes, left axillary sentinel Nos. 1, 2, and 3, excision: Multiple (3) left axillary sentinel lymph nodes without blue dye are negative for tumor. [AJCCpNO(i-)] Immunohistochemical cytokeratin stain was performed on the paraffin embedded sentinel lymph node tissue and confirms the H&E impression.

1CD-0-3

carcinoma, infiltrating duct, nos 8500/3

Site: breast, nos C50.9

lw
4/25/11