

PathNet History Upload External
Client

DOB/Age/Sex:
Location:
Requested by:
Requested on:
Specimen Rcvd:
Accession No.:
Copies to:

UUID:39740028-D305-46D6-B11C-BEE7260FA18B
TCGA-EE-A2MC-06A-PR

Redacted

ARCHIVAL HISTOPATHOLOGY SUPPLEMENTARY REPORT

Accession Number:

Collected Date: /

SUPPLEMENTARY HISTOPATHOLOGY REQUEST DETAIL

SUPPLEMENTARY REPORT

Documentation of the extent of extranodal spread was requested by Prof J
Thompson and Dr . The extranodal spread involves an area of 8 x 4.5mm
and extends to about 4.5mm beyond the edge of the lymph node (A).

Electronic signature

SUPPLEMENTARY SUMMARY / KEY WORDS

Lymph node - malignant melanoma, metastatic.
Haematopathology resection

1CD-0-3

Melanoma, NOS 8720/3

Site: lymph node, axillary

C77.3

lw
8/24/11

Criteria	Yes	No
Diagnosis Discrepancy		
Primary Tumor Site Discrepancy		
HIPAA Discrepancy		
Prior Malignancy History		
Dual/Synchronous Primary Noted		
Case is (circle):	QUALIFIED	DISQUALIFIED
Reviewer Initials	lw	
Date Reviewed	8/24/11	

Requested by: N/A

MRN/Name:

Location: 1

Accession:

ARCHIVAL HISTOPATHOLOGY REPORT

Accession Number:

Collected Date:

HISTORICAL REQUEST DETAILS

CLINICAL NOTES

Imm melanoma (R) hand ->

Now palp (R) axilla mass

SPECIMEN INFORMATION

(R) axillary dissection.

MACROSCOPIC DESCRIPTION

"Right axillary contents". An irregularly shaped piece of fatty tissue, 190 x 150 x 120mm, including some attached skeletal muscle, 80 x 70 x 25mm. The specimen was examined for lymph nodes working from the end with the skeletal muscle. Sectioning reveals a well-demarcated firm, pale grey nodule, 60 x 40 x 30mm, which extends to 4mm from the nearest margin. The nodule has extensive areas of necrosis and haemorrhage centrally. In addition there is a second nodule with a firm, white cut surface up to 25mm across and well clear of the surgical margins.

- A. Representative slice from largest nodule.
- B. Second nodule.
- C. 1 node in 3 pieces.
- D. 1 node in 2 pieces.
- E. 3 nodes.
- F. 4 nodes.
- G. 2 nodes.
- H. 1 node in 2 pieces.
- J&K. Each 4 nodes.
- L. 3 nodes.

MICROSCOPIC REPORT

"Right axillary contents". Sections show metastatic malignant melanoma involving 10 out of 26 lymph nodes. One of the involved nodes show extranodal tumour extension.

SEE ADDENDUM REPORT:

Electronic signature

verified by:

COMMENT

"Right axillary contents". Metastatic malignant melanoma in 10/26 lymph nodes.

SUMMARY / KEY WORDS

Requested by: N/A

MRN/Name:

Location:

Accession:

ARCHIVAL HISTOPATHOLOGY REPORT

Accession Number:

Collected Date:

Lymph node - malignant melanoma, metastatic
Haematopathology resection