

CHIS 2022 DATA DICTIONARY

Source Data Dictionary

Adult

October 2023



CHIS 2022 DATA DICTIONARY

Adult Survey

Source

October 2023

adult.sas7bdat

Contact:

California Health Interview Survey UCLA Center for Health Policy Research 10960 Wilshire Blvd., Suite 1550 Los Angeles, CA 90024

Email: chis@ucla.edu

Copyright © 2023 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

California Health Interview Survey. CHIS 2022 Adult Survey. UCLA Center for Health Policy Research. Los Angeles, CA: October 2023

TABLE OF CONTENTS

1. Introduction	1
1.1 CHIS 2022 Adult Survey Data File1.2 Accompanying Files	
2. What's New in CHIS 2022	2
3. CHIS 2022 Sample Design and Methodology	6
1.1 Overview	6
1.2 Sample Additions and Data Collection Methodology Updates	
1.3 Sample Design Objectives	
1.4 Data Collection	
1.5 Response Rates	
1.6 Weighting the Sample	
1.7 Imputation Methods	21
4. Sample Code for Analysis and Pooling of CHIS Data	24
5. Restricted Variables	25
6. CHIS Data Dictionary	26

Click on the "Bookmarks" icon to navigate between sections of the data dictionary:

1. Introduction

1.1 CHIS 2022 Adult Survey Data File

The 2022 California Health Interview Survey (CHIS 2022) Adult Data File consists of individual records obtained from the 2022 data collection period of the CHIS 2021-2022 Adult survey.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (IRB# 17-000362) and the California Committee for the Protection of Human Subjects (12-05-0176). Organizations that receive CHIS data are required to complete a data use agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data use agreement between the recipient and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center (DAC) located at UCLA-CHPR. Researcher access to confidential data, including respondent latitude and longitude, is available by application to the DAC. For more information, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu.

1.2 Accompanying Files

In addition to the data file are several accompanying files that facilitate use of the data file; some are not necessary for data analysis but add convenience in utilizing the main data.

- a. Data file: ADULT.SAS7BDAT, ADULT.SAV, ADULT.DTA
- b. Proc format file: ADULT_PROC_FORMAT.SAS
- c. Format file: ADULT FORMAT.SAS
- d. Label file: ADULT_LABEL.SAS
- e. Imputation flag file: ADULTF.SAS7BDAT, ADULTF.SAV, ADULTF.DTA
- f. Others: ADULT.XPT, ADULTF.XPT

2. What's New in CHIS 2022

This document describes new and notable design features and data collected in California Health Interview Survey (CHIS) 2021-2022. CHIS data users should review the information below and detailed online documentation before analyzing or reporting CHIS data. For more details on CHIS methods, please visit the CHIS Methodology page.

Oversamples

As with previous cycles, CHIS 2021-2022 saw an oversample in San Diego County thanks to funds provided by the County of San Diego Health and Human Services Agency.

To provide researchers at Cedars-Sinai with sufficient sample to produce estimates for cancer screening questions, CHIS 2021 oversampled for a total target of 800 Latinos or Asians who are aged 50 or older in LA County Service Planning Areas (SPAs) 1, 2, 4, and 5.

CHIS 2021-2022 conducted an additional oversample of 250 adults (125 in each year) who identify as American Indian or Alaska Native (AIAN) and live in rural areas.

To better target populations not adequately covered by the primary address-based sample (ABS) frame, CHIS 2021-2022 utilized an additional prepaid cell phone frame and targeted 900 completes for this oversample.

To provide Santa Clara County with sufficient samples to produce estimates for a variety of topics, CHIS 2022 oversampled 1,925 respondents from the county.

CHIS 2022 also oversampled 400 adults from 13 ZIP codes in LA county SPAs 6, 7, 8 that surround the Martin Luther King Community Healthcare hospital.

New and Updated Survey Questions

Survey questions are added, removed, and modified in each two-year cycle of CHIS to meet stakeholders' needs and monitor emerging public health concerns. Questions are removed from the interview to reduce its length and save data collection costs when topics are no longer relevant for public health surveillance, or when sponsor funding is no longer available. For CHIS 2021-2022 approximately 80% of the content continued from CHIS 2020. Occasionally, changes to question wording are made based on methodological evaluations or when user feedback strongly suggests that changes will produce better data. Otherwise, questions are consistent

across years to aid in trending and pooling. Reinstated questions were asked in cycles prior to 2019-2020, and again in 2021-2022.

New Adult Questionnaire Topics in 2021-2022

- Climate change, and related impacts on physical health, mental health, and finance^{1,2}
- Presence of firearms in the home and storage practices, concerns about firearm victimization, quick access to firearm^{1,2,3}
- CBD (cannabidiol) use, frequency of use, method of use^{1,2}
- Housing security/stability^{1,2}
- Encounters with police or court system^{1,2,3}
- Adverse childhood experiences (ACEs), past ACEs assessment, importance of ACEs, positive childhood experiences ^{1,2,3}
- Paid family leave^{1,2}
- Notice of action from Medi-Cal¹
- COVID-19 vaccination status (2022 only)^{1,2,5}
- COVID-19 information source (2022 only)^{1,2,5}
- COVID-19 risk reduction practices^{1,2,4}
- Experienced hate incident (2022 only)^{1,2}
- Detailed White origin³: Middle East and North Africa¹
- Detailed Black origin³: Caribbean; Sub-Saharan African¹

• Reinstated content:

- o Alcohol use, last use, alcohol consumption in past month, binge drinking^{1,2}
- o Intimate partner violence^{2,3}
- o Pre-diabetes/borderline diabetes^{1,2}
- o Discrimination in a healthcare setting, recency of discrimination^{1,2}
- o Length of residency^{1,2}

New Child Questionnaire Topics in 2021-2022

- Past adverse childhood experiences (ACEs) assessment^{1,2}
- Book ownership, source of reading materials, challenges to reading to child^{1,2}
- Number of dental visits in past 12 months, dental service source^{1,2}
- COVID-19 vaccination status (2022 only)^{1,2,5}
- Detailed White origin³: Middle East and North Africa³
- Detailed Black origin³: Caribbean; Sub-Saharan African³
- Reinstated content:
 - o Sugar-sweetened beverages^{1,2}

New Adolescent Questionnaire Topics in 2021-2022

- Impact of climate change on mental health^{1,2}
- Encounters with police or court system^{1,2,3}
- Adverse childhood experiences (ACEs), past ACEs assessment, importance of ACEs, positive childhood experiences^{1,2,3}
- COVID-19 vaccination status (2022 only)^{1,2,5}
- Detailed White origin³: Middle East and North Africa³
- Detailed Black origin³: Caribbean; Sub-Saharan African³
- Reinstated content:
 - o Sugar-sweetened beverages^{1,2}
 - Presence of firearms in the home and storage practices, concerns about firearm victimization, quick access to firearm^{1,2,3}
 - o Number of school days missed due to dental problem^{1,2}

A full list of topics in CHIS 2021-2022 are available on the <u>CHIS Survey Topics page</u>. The full CHIS 2021-2022 questionnaires are available on the <u>CHIS Questionnaires page</u>.

Targeting Through Predictive Modeling

CHIS 2021-2022 employed Big Data techniques to help target specific, commonly underrepresented demographic groups. Individual sample flags and geographic density indicators of households with certain attributes were applied to predictive models evaluation in CHIS 2021-2022. For more details on the predictive modeling, see CHIS 2021-2022 Methodology Report 1 — Sample Design.

Data Collection Methodology Innovations

CHIS 2021 conducted an experiment with a visible cash incentive in the initial invitation letters to improve sample yield. Sampled households were evenly split and randomly assigned to envelope conditions: (1) a windowed envelope where a portion of the \$2 bill was visible; (2) a traditional envelope where the \$2 bill was not visible. Households that received the windowed envelope with visible cash were found to be significantly more likely to complete the survey than

¹Available in Public Use Files (PUFs)

²Available through AskCHISTM

³Confidential data only available through the Data Access Center (DAC). For more information, visit the <u>DAC</u> webpage.

⁴Preliminary 2021 COVID-19 estimates are available on the Center's <u>2021 CHIS COVID-19 Preliminary Estimates</u> <u>Dashboard</u>

⁵Preliminary 2022 COVID-19 estimates are available on the Center's <u>2022 CHIS COVID-19 Preliminary Estimates</u> Dashboard

those with a traditional envelope. The visible cash design was implemented for the remainder of the 2021 survey year and future CHIS survey cycles.

CHIS 2022 launched an experiment to test whether eliminating transition statements in survey questions leads to a reduction in break-offs. Respondents were randomly assigned to two conditions: (1) the transition statements were removed from the selected questions; (2) the original question wording, including transition statements. Results show that eliminating transition statements results in substantive survey break-offs reductions. As a result, all transition statements except an outlier have been removed in CHIS 2022 survey year.

Data Collection Timeline

CHIS 2021-2022 data were collected between March 2021 and November 2022. Approximately 90% of adult interviews were completed over the web with the remainder over the phone.

For small populations or rare conditions and characteristics, pooling two or more single-year datasets may be required to achieve sufficient sample size and statistical stability. Users who need more information about pooling or trending data over time should review the Analyze CHIS Data website or go to the CHIS FAQs page. You can also email questions to dacchpr@ucla.edu.

3. CHIS 2022 Sample Design and Methodology

1.1 Overview

A series of five methodology reports are available with more detail about the methods used in CHIS 2021-2022.

- Report 1 Sample Design;
- Report 2 Data Collection Methods;
- Report 3 Data Processing Procedures;
- Report 4 Response Rates; and
- Report 5 Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at http://www.chis.ucla.edu or contact CHIS at CHIS@ucla.edu or contact CHIS at CHIS@ucla.edu or contact CHIS at CHIS@ucla.edu or contact CHIS at https://www.chis.ucla.edu or contact CHIS at https://www.chis.ucla.edu or contact CHIS a

The CHIS is a population-based multimode (web and telephone) survey of California's residential, noninstitutionalized population conducted every other year since 2001 and continually beginning in 2011. CHIS is the nation's largest state-level health survey and one of the largest health surveys in the nation. The UCLA Center for Health Policy Research (UCLA-CHPR) conducts CHIS in collaboration with multiple funding sources from public, private, and non-profit organizations. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health-related issues.

The sample is designed and optimized to meet two objectives:

- 1) Provide estimates for large- and medium-sized counties in the state, and for groups of the smallest counties (based on population size), and
- 2) Provide statewide estimates for California's overall population, its major racial and ethnic groups, as well as several racial and ethnic subgroups.

The CHIS sample is representative of California's non-institutionalized population living in households. CHIS data and results are used extensively by federal and State agencies, local

public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. These data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health related issues (visit UCLA-CHPR's publication page at http://healthpolicy.ucla.edu/publications/Pages/default.aspx for examples of CHIS studies).

1.2 Sample Additions and Data Collection Methodology Updates

Starting in 2021, the CHIS added a prepaid cell phone sample to the primary ABS sample. A second innovation was altering the envelope for the initial mailing to have a window that would allow the incentive to be seen. The CHIS research team deemed these changes necessary to improve representation of California's diverse population and improve response rates.

For CHIS 2021-2022, respondents in the ABS sample are invited to either complete the survey online or call in to be interviewed by a member of the SSRS interviewing staff. Respondents receive an initial invitation letter with a \$2.00 pre-incentive. This is followed by a reminder postcard, a standard letter, and a final postcard. Where addresses can be matched to a listed telephone number, the nonresponding households are also called up to six times to attempt to complete an interview before the sampled household is considered to be a resolved nonresponse.

The prepaid cell phone sample followed the same dialing protocol of up to six dials before retiring the sample. In addition, the sampled phone number was screened for respondents who were either aged 18 to 24, Hispanic, African American, or would take the survey in one of the non-English languages offered for CHIS 2021-2022.

The CHIS design regularly includes additional samples for focused analysis of specific geographic areas or populations. The CHIS 2021-2022 included four oversamples:

1) In 2021 only, the Cedar-Sinai oversample was composed of ABS sample from LA County Service Planning Areas 1,2,4, and 5. These households were screened for Latinos or Asians who are aged 50 or older.

- 2) In both 2021 and 2022 American Indian and Alaska Natives (AIAN), were also oversampled in 2021. Respondents in this sample were asked in the screener whether they considered themselves to be American Indian or Alaska Native or to be of American Indian or Alaska Native decent.
- 3) CHIS 2022 oversampled households from 13 ZIP codes in LA County Service Planning Areas 6, 7, and 8 that surround the Martin Luther King Community Healthcare (MLKCH) hospital.
- 4) Lastly, CHIS 2022 oversampled Santa Clara County households.

In order to provide CHIS data users with more complete and up-to-date information to facilitate analyses of CHIS data, additional information on how to use the CHIS sampling weights, including sample statistical code, is available at https://healthpolicy.ucla.edu/our-work/training?keys=&gid%5B45%5D=45&sort_bef_combine=publish_date_DESC.

Additional documentation on constructing the CHIS sampling weights is available in the *CHIS* 2021-2022 Methodology Series: Report 5—Weighting and Variance Estimation posted at https://healthpolicy.ucla.edu/our-work/california-health-interview-survey-chis/chis-design-and-methods/chis-methodology-reports-repository. Other helpful information for understanding the CHIS sample design and data collection processing can be found in the four other methodology reports for each CHIS cycle and year.

1.3 Sample Design Objectives

The CHIS 2021-2022 sample was designed to meet the two sampling objectives discussed above: (1) provide estimates for adults in most counties and in groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller racial and ethnic subgroups.

To achieve these objectives, as with CHIS 2019-2020, CHIS 2021-2022 continued to employ an address-based sample design. For the ABS sample, the 58 counties in the state were grouped into 44 geographic sampling strata, and 14 sub-strata were created within the two most populous counties in the state (Los Angeles and San Diego). The same geographic stratification of the state has been used since CHIS 2005. The Los Angeles County stratum included eight sub-strata for Service Planning Areas, and the San Diego County stratum included six sub-strata for Health Service Districts. Most of the strata (39 of 44) consisted of a single county with no sub-strata (see counties 3-41 in Table 1-1). Three multi-county strata comprised the 17

remaining counties (see counties 42-44 in Table 1-1). A sufficient number of adult interviews were allocated to each stratum and sub-stratum to support the first sample design objective for the two-year cycle—to provide health estimates for adults at the local level.

As with CHIS 2019-2020, the address-based sample in CHIS 2021-2022 was stratified into different strata that had higher incidences of individuals with targeted characteristics. For CHIS 2021-2022, these strata were based on predictive models that employed Big Data techniques to identify household attributes such as demographics, spoken languages, and even attitudinal metrics that are correlated with important respondent characteristics. The process begins by taking prior data and building models with those data, and then scoring future samples with the outcomes of those models. In addition to evaluating the predictive models, for CHIS 2021-2022 we also investigated the utility of individual sample flags provided by MSG database information, including the surname flags, child indicator variables, and resident age information as well as PDB block-group characteristics including the density of households with African American residents and households with limited English proficiency.

For CHIS 2021-2022, the following strata were created¹:

- 1. Vietnamese
- 2. Korean
- 3. Likely Asian-language Interview
- 4. Likely Spanish-language interview
- 5. Hispanic
- 6. Other high-density non-English
- 7. Other Asian
- 8. High density African American
- 9. HH with children
- 10. Other 65+
- 11. Residual Match
- 12. Residual No match

¹ The Santa Clara oversample employs a slightly different strata, please refer to Methodology Report 1 – Sample Design for additional details.

This stratification scheme was deigned to make use of the most effective predictive variables to target key demographic subgroups in an efficient way that minimizes the impact of the disproportionate sampling on the design effect. Those models that were not sufficiently predictive to add value were excluded. It should be noted that this stratification includes two additional strata: 1) sample records for which none of the variables or models predicted any attribute, but for which auxiliary data could be matched to the address ("Residual - Match" sample) and sample for which no Big Data was found ("Residual - No match" sample). The final step in utilizing the models is to develop sampling fractions by which modelled households will be selected. The final sample fractions balanced the need to increase the frequency of the lowest incidence groups, while accounting for subgroups differences in response propensity and minimizing disproportionate weighting whenever possible.

Within each geographic and modeled stratum combination, residential addresses were selected, and within each household, one adult (age 18 and over) respondent was randomly selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child of the randomly selected parent/guardian were randomly selected. The adolescent was interviewed directly via CATI or Web. The child interview was completed by the randomly selected respondent who was the parent or guardian.

Table 1-1. California county and county group strata used in the CHIS 2021-2022 sample design

1. Los Angeles	7. Alameda	27. Shasta
1.1 Antelope Valley	8. Sacramento	28. Yolo
1.2 San Fernando Valley	9. Contra Costa	29. El Dorado
1.3 San Gabriel Valley	10. Fresno	30. Imperial
1.4 Metro	11. San Francisco	31. Napa
1.5 West	12. Ventura	32. Kings
1.6 South	13. San Mateo	33. Madera
1.7 East	14. Kern	34. Monterey
1.8 South Bay	15. San Joaquin	35. Humboldt
2. San Diego	16. Sonoma	36. Nevada
2.1 N. Coastal	17. Stanislaus	37. Mendocino
2.2 N. Central	18. Santa Barbara	38. Sutter
2.3 Central	19. Solano	39. Yuba

2.4 South	20. Tulare	40. Lake
2.5 East	21. Santa Cruz	41. San Benito
2.6 N. Inland	22. Marin	42. Colusa, Glenn, Tehama
3. Orange	23. San Luis Obispo	43. Del Norte, Lassen, Modoc,
4. Santa Clara	24. Placer	Plumas, Sierra, Siskiyou, Trinity
5. San Bernardino	25. Merced	44. Amador, Alpine, Calaveras, Inyo,
6. Riverside	26. Butte	Mariposa, Mono, Tuolumne

Source: UCLA Center for Health Policy Research, 2021-2022 California Health Interview Survey.

Prepaid cell phone numbers are associated with cell phones that are "pay-as-you-go" and do not require a contract. Prepaid numbers are more likely to be used by Hispanics, people with lower education and lower income, and other related groups that are often underrepresented in general population samples (e.g., the uninsured). To better target populations not adequately covered under the ABS frame in CHIS 2021-2022, we utilized a Prepaid cell oversample and targeted 900 completes to obtain additional in-language interviews, Hispanic and African American samples, and young adults. The CHIS ABS sample and the prepaid oversample were of sufficient size to accomplish the second objective, i.e., to produce statistically stable estimates for small population groups such as racial/ethnic subgroups, children, adolescents, etc.

1.4 Data Collection

To capture the rich diversity of the California population, interviews were conducted in six languages: English, Spanish, Chinese (Mandarin and Cantonese dialect), Vietnamese, Korean, and Tagalog. These languages were chosen based on analysis of 2010 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

SSRS collaborated with UCLA on the methodology and collected data for CHIS 2021-2022, under contract with the UCLA Center for Health Policy Research. SSRS is an independent research firm that specializes in innovative methodologies, optimized sample designs, and reaching low-incidence populations. For all sampled households, one randomly selected adult in each sampled household either completed an on-line survey or was interviewed by telephone by an SSRS interviewer. In addition, the study sampled one adolescent and one child if they were

present in the household and the sampled adult was their parent or legal guardian. Thus, up to three interviews could have been completed in each household. The child interview was moved in 2021-2022 to take place immediately after Section A of the adult survey and the rostering of the household. The adolescent survey took place either immediately after the adult with phone interviews or in a separate session online.

Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2021-2022 by mode of interview. Note that these figures were accurate as of data collection completion for 2021-2022 and may differ slightly from numbers in the data files due to data cleaning and edits. Sample sizes to compare against data files you are using are found online at https://healthpolicy.ucla.edu/our-work/california-health-interview-survey-chis/chis-design-and-methods/chis-design.

Table 1-2. Number of completed interviews by mode of interview and instrument ²

	Adult	Child	Adolescent
Totals ¹	46,810	7,505	2,177
Completes by Web	41,912	6,963	2,012
Completes by phone	4,898	542	165

Source: UCLA Center for Health Policy Research, 2021-2022 California Health Interview Survey.

Interviews in all languages were administered using SSRS's computer-assisted web interviewing and computer-assisted telephone interviewing (CAWI/CATI) system. As expected, the CATI interviews were longer in duration. The duration of the CATI interviews averaged almost 72 minutes, 19 minutes, and 30 minutes for the adult, child, and adolescent interviews, respectively; the duration of the CAWI interviews averaged around 47 minutes, 13 minutes, and 21 minutes for the adult, child, and adolescent interviews, respectively. Interviews in non-English languages typically took longer to complete across both modes: the non-English CATI interviews had an average length of about 83 minutes, 22 minutes, and 33 minutes for the adult, child, and adolescent interviews respectively; the non-English CAWI interviews had an average length of about 56 minutes, 16 minutes, and 23 minutes for the adult, child, and adolescent interviews, respectively. Nearly 8 percent of the adult interviews were completed in a language

¹ Includes interviews meeting the criteria as partially complete.

² This table excludes the Santa Clara oversample.

other than English, as were about 13 percent of all child (parent proxy) interviews and 2 percent of all adolescent interviews.

Table 1-3 shows the major topic areas for each of the three survey instruments (adult, child, and adolescent). If questions were asked in only one year of survey implementation, the specific year is indicated in the table.

Table 1-3. CHIS 2021-2022 survey topic areas by instrument

Health status	Adult	Adolescent	Child
General health status	✓	✓	✓
Days missed from work or school due to health problems	✓	\checkmark	\checkmark
Health conditions	Adult	Adolescent	Child
Asthma	✓	✓	✓
Diabetes, pre-diabetes/borderline diabetes	\checkmark		
Heart disease, high blood pressure	\checkmark		
Physical disability	\checkmark		
Mental health	Adult	Adolescent	Child
Mental health status	✓	✓	
Perceived need, access and utilization of mental health services	\checkmark	✓	
Functional impairment, stigma	\checkmark		
Suicide ideation and attempts	\checkmark	✓	
Mental health and technology	\checkmark	✓	
Climate Change	\checkmark	✓	
Health behaviors	Adult	Adolescent	Child
Dietary and nutritional intake, breastfeeding (younger than 3 years)	✓		✓
Sugar-sweetened beverages		✓	\checkmark
Alcohol use, Cigarette use, E-cigarette use, Marijuana use, CBD use		✓	
Opioid use	✓		
Exposure to second-hand smoke/vapor, Exposure to marijuana smoke	✓		
Sexual behaviors, HIV testing, HIV prevention medication	\checkmark	✓	
Caregiving	\checkmark		
Gun Violence	Adult	Adolescent	Child
Firearm ownership/presence, loaded, and secure, firearm	√	✓	√
victimization, quick access to firearm	<u> </u>	<u> </u>	,
Women's health	Adult	Adolescent	Child
Pregnancy status/plans and birth control	✓	✓	
Intimate Partner violence	Adult	Adolescent	Child
Intimate partner violence	✓		
Dental health	Adult	Adolescent	Child
Last dental visit, Main reason have not visited dentist, Number of	✓	✓	✓
dental visits, Location of dental service			
Current dental insurance coverage	✓		\checkmark
Condition of teeth	\checkmark	✓	

(continued)

Table 1-3. CHIS 2021-2022 survey topic areas by instrument (continued)

Neighborhood and housing	Adult	Adolescent	Child
Safety, social cohesion	✓	✓	✓
Housing security/stability, length of residency	✓		
Civic engagement, community involvement	\checkmark	\checkmark	
Encounters with police	\checkmark		
Adverse Childhood Experiences	Adult	Adolescent	Child
ACES Screener	✓	✓	
Past ACES screener	\checkmark	\checkmark	\checkmark
Positive Childhood Experiences	\checkmark	\checkmark	
Access to and use of health care	Adult	Adolescent	Child
Usual source of care, visits to medical doctor	✓	✓	✓
Emergency room visits	✓	\checkmark	\checkmark
Delays in getting care (prescriptions and medical care)	✓	\checkmark	\checkmark
Communication problems with doctor	✓		\checkmark
Contraception	\checkmark	\checkmark	
Timely appointment	\checkmark	✓	\checkmark
Access to specialist and general doctors	\checkmark		
Tele-medical care	\checkmark		
Mammogram screening, colon cancer screening, HPV vaccination	\checkmark		
(only administered in Los Angeles Service Planning Areas 1, 2, 4, 5)			
Care coordination	✓	✓	\checkmark
Discrimination in healthcare setting	✓		
Voter engagement	Adult	Adolescent	Child
Voter engagement	✓		
Voter attitudes	✓		
Food environment	Adult	Adolescent	Child
Availability of food in household over past 12 months, Hunger	✓		
Health insurance	Adult	Adolescent	Child
Current insurance coverage, spouse's coverage, who pays for	✓	✓	✓
coverage			
Health plan enrollment, characteristics and assessment of plan	\checkmark	✓	✓
Whether employer offers coverage, respondent/spouse eligibility	✓		
Coverage over past 12 months, reasons for lack of insurance	✓	✓	\checkmark
High deductible health plans	✓	✓	\checkmark
Partial scope Medi-Cal, medical debt, hospitalizations	\checkmark		

(continued)

Table 1-3. CHIS 2021-2022 survey topic areas by instrument (continued)

Public program eligibility	Adult	Adolescent	Child
Household poverty level	✓		
Program participation (CalWORKs, Food Stamps, SSI, SSDI, WIC, TANF)	✓	✓	✓
Assets, child support, Social security/pension, worker's compensation	✓		
Medi-Cal eligibility, Medi-Cal renewal, Notice of actions from Medi-Cal	✓		
Reason for Medi-Cal non-participation among potential	✓	✓	✓
beneficiaries Use of public benefits among immigrant residents	✓		
Parental involvement/adult supervision	Adult	Adolescent	Child
Parental involvement			✓
Book ownership, source of reading materials, challenges to readin to child	g		✓
Child care and school	Adult	Adolescent	Child
Current child care arrangements			✓
Paid child care	\checkmark		
First 5 California: Talk, Read, Sing Program / Kit for New Parents			\checkmark
Preschool/school attendance, school name		✓	\checkmark
Preschool quality			\checkmark
Employment	Adult	Adolescent	Child
Employment status, spouse's employment status	✓		
Hours worked at all jobs	\checkmark		
Industry and occupation, firm size	\checkmark		
Paid Family Leave	✓		
Income	Adult	Adolescent	Child
Respondent's and spouse's earnings last month before taxes	✓		
Household income, number of persons supported by household income	✓		

(continued)

Table 1-3. CHIS 2021-2022 survey topic areas by instrument (continued)

Respondent characteristics	Adult	Adolescent	Child
Race and ethnicity, age, gender, height, weight	✓	✓	✓
Veteran status	\checkmark		
Marital status, registered domestic partner status (same-sex	\checkmark		
couples)			
Sexual orientation	\checkmark		
Gender identity	\checkmark	✓	
Gender expression		✓	
Living with parents	✓		
Education, English language proficiency	✓		
Citizenship, immigration status, country of birth, length of time in	✓	✓	✓
U.S., languages spoken at home			
COVID-19	Adult	Adolescent	Child
Ever though had COVID-19	\checkmark		
Ever tested positive for COVID-19	\checkmark		
COVID-19 vaccine status	\checkmark	✓	\checkmark
Challenges experience due to COVID-19 pandemic	✓		
Risk reduction practices	✓		
Hate Incident (2022 only)	Adult	Adolescent	Child
Experienced hate incident	✓		

Source: UCLA Center for Health Policy Research, 2021-2022 California Health Interview Survey.

1.5 Response Rates

The overall response rates for CHIS 2021-2022 are composites of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). For CHIS 2021-2022, the overall household response rate was 9.2 percent (the product of the screener response rate of 13.3 percent and the extended interview response rate at the household level of 69.5 percent). CHIS uses the RR4 type response rate described in the AAPOR (The American Association for Public Opinion Research), 2016 guidelines (see more detailed in *CHIS 2021-2022 Methodology Series: Report 4 – Response Rates*).

The extended interview response rate for the ABS sample varied across the adult (64.6 percent), child (82.5 percent) and adolescent (28.6 percent) interviews. The adolescent rate includes the process of obtaining permission from a parent or guardian.

Multiplying these rates by the screener response rates used in the household rates above gives an overall response rate for each type of interview for 2021-2022 (see Table 1-4b).

Table 1-4a. CHIS response rates - Conditional

Type of Sample	Screener ¹	Household (given screened) ¹	Adult (given screened) ¹	Child (given screened & eligibility) ¹	Adolescent (given screened & permission) ¹
Overall	13.3%	69.5%	64.6%	82.5%	28.6%

Source: UCLA Center for Health Policy Research, 2021-2022 California Health Interview Survey.

Table 1-4b. CHIS response rates - Unconditional

Type of Sample	Screener ¹	Household (given screened) ¹	Adult (given screened) ¹	Child (given screened & eligibility) ¹	Adolescent (given screened & permission) ¹
Overall	13.3%	9.2%	8.6%	10.9%	3.8%

Source: UCLA Center for Health Policy Research, 2021-2022 California Health Interview Survey.

¹ The prepaid cell, Cedars-Sinai, MLKCH, Santa Clara, and AIAN oversamples are not included in these rates.

¹ The prepaid cell, Cedars-Sinai, MLKCH, Santa Clara, and AIAN oversamples are not included in these rates.

After all follow-up attempts to complete the full questionnaire were exhausted, adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K which covers employment, income, poverty status, and food security), were counted as "complete." At least some responses in the employment and income series, or public program eligibility and food insecurity series were missing from those cases that did not complete the entire interview. They were imputed to enhance the analytic utility of the data.

Proxy interviews were conducted for any adult who was unable to complete the extended adult interview for themselves, in order to avoid biases for health estimates of chronically ill or handicapped people. Eligible selected persons were re-contacted and offered a proxy option. In CHIS 2021-2022, either a spouse/partner or adult child completed a proxy interview for twenty-two adults. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered.

Further information about CHIS data quality and nonresponse bias is available at https://healthpolicy.ucla.edu/our-work/california-health-interview-survey-chis/chis-design-and-methods/chis-design/chis-2019-2020-redesign.

1.6 Weighting the Sample

To produce population estimates from CHIS data, weights were applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample was weighted to represent the noninstitutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2021-2022 accomplish the following objectives:

- Compensate for differential probabilities of selection for addresses (households) and persons within household;
- Reduce biases occurring because non-respondents may have different characteristics than respondents;
- Adjust, to the extent possible, for under coverage in the sampling frame and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the "base weight" (the inverse of the probability of selection of the address) and several adjustment factors. The household weight was used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and for nonresponse. The final step was to adjust the person-level weight using weight calibration, a procedure that forced the CHIS weights to sum to estimated population control totals simultaneously from an independent data source (see below).

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2021-2022 were primarily created from the California Department of Finance's (DOF) 2021 and 2022 Population Estimates, and associated population projections. The procedure used several dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area) in Los Angeles County, and Health and Human Services Agency (HHSA) region in San Diego County), and education. One limitation of using DOF data is that it includes about 2.4 percent of the population of California who live in "group quarters" (i.e., persons living with nine or more unrelated persons and includes, for example nursing homes, prisons, dormitories, etc.). These persons were excluded from the

CHIS target population and, as a result, the number of persons living in group quarters was estimated and removed from the DOF control totals prior to calibration.

The DOF control totals used to create the CHIS 2021-2022 weights are based on 2010 Census counts, as were those used for the 2019-2020 cycle. Please pay close attention when comparing estimates using CHIS 2021-2022 data with estimates using data from CHIS cycles before 2010. The most accurate California population figures are available when the U.S. Census Bureau conducts the decennial census. For periods between each census, population-based surveys like CHIS must use population projections based on the decennial count. For example, population control totals for CHIS 2009 were based on 2009 DOF estimates and projections, which were based on Census 2000 counts with adjustments for demographic changes within the state between 2000 and 2009. These estimates become less accurate and more dependent on the models underlying the adjustments over time. Using the most recent Census population count information to create control totals for weighting produces the most statistically accurate population estimates for the current cycle, but it may produce unexpected increases or decreases in some survey estimates when comparing survey cycles that use 2000 Census-based information and 2010 Census-based information.

1.7 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a substantial task designed to enhance the analytic utility of the files. SSRS imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly every other variable.

Three different imputation procedures were used by SSRS to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot-deck imputation. The hot-deck approach is one of the most used methods for assigning values for missing responses. Using a hot deck, a value reported by a respondent for a specific item was assigned or donated to a "similar" person who did not respond to that item. The characteristics defining "similar" vary for different variables. To carry out hot-deck imputation, the respondents

who answered a survey item formed a pool of donors, while the item non-respondents formed a group of recipients. A recipient was matched to the subset pool of donors based on household and individual characteristics. A value for the recipient was then randomly imputed from one of the donors in the pool. SSRS used hot-deck imputation to impute the same items that have been imputed in all CHIS cycles since 2003 (i.e., race, ethnicity, home ownership, and education). The last technique was external data assignment. This method was used for geocoding variables such as strata, Los Angeles SPA, San Diego HSSA region, and zip where the respondent provided inconsistent information. For such cases geocoding information was used for imputation.

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by SSRS and some sensitive variables for which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2021-2022 were low, with most variables missing valid responses for less than 1% of the sample. Questions that go to fewer overall respondents or that ask about more sensitive topics can have higher nonresponse.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation without donor replacement was used. This method replaced a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model corresponded to the nature of the variable being imputed (e.g. linear regression for continues variables, logistic regression for binary variables, etc.). Donors and recipients were grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included standard measures of demographic and socioeconomic characteristics, as well as geographic region; however, the full set of control variables varies depending on which variable is being imputed. Most imputation models included additional characteristics, such as health status or access to care, which are used to improve the quality of the donor-recipient match.

Among the standard list of control variables, gender, age, race/ethnicity, educational attainment and region of California were imputed by SSRS. UCLA-CHPR began their imputation process by imputing household income so that this characteristic was available for the imputation of other variables. Sometimes CHIS collects bracketed information about the range in which the respondent's value falls when the respondent will not or cannot report an exact amount. Household income, for example, was imputed using the hot-deck method within ranges defined by a set of auxiliary variables such as bracketed income range and/or poverty level.

The imputation order of the other variables generally followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process was performed once again to ensure consistency between the imputed and non-imputed values on a case-by-case basis.

4. Sample Code for Analysis and Pooling of CHIS Data

As previously noted, sample code to assist with analyses and pooling of CHIS data is available on the CHIS website at https://healthpolicy.ucla.edu/our-work/california-health-interview-survey-chis/access-chis-data/resources.

5. Restricted Variables

The following geographic variables are not located in the funder files, but may be accessible upon request and IRB approval (UCLA & CPHS). These variables are restricted due to their identifiable nature.

VARIABLE	LABEL	NOTE
LATITUDE	LATITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
LONGIT	LONGITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
	CENSUS BLOCK	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH
	INCLUDING	CENSUS DATA; USED FOR MULTILEVEL MODELING,
CBLK	CENSUS TRACT	NEIGHBORHOOD ANALYSIS.

Teen and child restricted variables:

VARIABLE	LABEL	NOTE
	SCHOOL CENSUS	
	TRACT	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH
	INCLUDING	CENSUS DATA; USED FOR MULTILEVEL MODELING, SCHOOL
SCH_BLK	BLOCK	NEIGHBORHOOD ANALYSIS.
	STATE SCHOOL	
SCH_CDS	ID NUMBER	
	SCHOOL	
SCH_LAT	LATITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.
	SCHOOL	
SCH_LON	LONGITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.

6. CHIS Data Dictionary

How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2022 data file. The index of the data dictionary lists variables first in alphabetical order and then in the order they were administered in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007, CHIS 2009, CHIS 2011-12, CHIS 2013-2014, CHIS 2015-16, CHIS 2017-18, CHIS 2019-20, and CHIS 2021-2022 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at http://healthpolicy.ucla.edu/our-work/california-health-interview-survey-chis/chis-design-and-methods/survey-topics-and-questionnaires.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
- -1: INAPPLICABLE.
- **-2:** PROXY SKIPPED.
- -5: CHILD/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
- -7: REFUSED.
- -8: DON'T KNOW.
- **-9:** NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES**: Additional information about the variable.

Navigation

Users can also navigate between data dictionary sections by clicking on the section listings on the next page.

TABLE OF CONTENTS

VARIABLE NAME (alphabetical)

VARIABLE NAME (location)

SECTION Q: SCREENING INFORMATION

SECTION A: DEMOGRAPHIC INFORMATION, PART I

SECTION B: GENERAL HEALTH CONDITION

SECTION C: HEALTH BEHAVIORS

SECTION D: GENERAL HEALTH, DISABILITY &

SEXUAL HEALTH

SECTION E: WOMEN'S HEALTH

SECTION F: MENTAL HEALTH

SECTION G: DEMOGRAPHIC INFORMATION, PART II

& CHILD CARE

SECTION H: HEALTH INSURANCE

SECTION I: CHILD & ADOLESCENT HEALTH INSURANCE

SECTION J: HEALTH CARE UTILIZATION/ACCESS &

DENTAL HEALTH

SECTION K: EMPLOYMENT, INCOME, POVERTY

STATUS & FOOD SECURITY

SECTION L: PUBLIC PROGRAM PARTICIPATION

SECTION M: HOUSING & COMMUNITY INVOLVEMENT

SECTION N: DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO.

SECTION O: FULL DESIGN & REPLICATE WEIGHT SERIES 0-80

SECTION P: VOTER ENGAGEMENT

SECTION S: SUICIDE IDEATION

SECTION CV: COVID-19

SECTION GV: GUN VIOLENCE

SECTION R: ADVERSE CHILDHOOD EXPERIENCES

Variable Name (alphabetical)

Variable	Label	Page
AA1AMON	ADULT DATE OF BIRTH MONTH (AA1A)	A-2
AA1AYR	ADULT DATE OF BIRTH YEAR (AA1A)	A-2
AA1MON	DATE OF BIRTH - MONTH	A-1
AA1YR	DATE OF BIRTH - YEAR	A-1
AA2	AGE	A-3
AA2A	AGE RANGE	A-3
AA4	LATINO/HISPANIC ORIGIN	A-9
AA5_1	LATINO/HISPANIC: MEXICAN/MEXICANO	A-9
AA5_10	LATINO/HISPANIC: PUERTO RICAN	A-13
AA5_11	LATINO/HISPANIC: CUBAN	A-13
AA5_12	LATINO/HISPANIC: SPANISH-AMERICAN	A-14
AA5_13	LATINO/HISPANIC: OTHER (SPECIFY) TEXT	A-14
AA5_14	LATINO/HISPANIC: COLOMBIAN	A-15
AA5_15	LATINO/HISPANIC: ARGENTINEAN	A-15
AA5_16	LATINO/HISPANIC: PERUVIAN	A-16
AA5_17	LATINO/HISPANIC: PORTUGUESE	A-16
AA5_18	LATINO/HISPANIC: OTHER CARIBBEAN ORIGIN	A-17
AA5_19	LATINO/HISPANIC: OTHER SOUTH AMERICA ORIGIN	A-17
AA5_20	LATINO/HISPANIC: OTHER EUROPEAN ORIGIN	A-18
AA5_21	LATINO/HISPANIC: OTHER LATINO/HISPANIC	A-18
AA5_4	LATINO/HISPANIC: SALVADORAN	A-10
AA5_5	LATINO/HISPANIC: GUATEMALAN	A-10
AA5_6	LATINO/HISPANIC: COSTA RICAN	A-11
AA5_7	LATINO/HISPANIC: HONDURAN	A-11
AA5_8	LATINO/HISPANIC: NICARAGUAN	A-12
AA5 9	LATINO/HISPANIC: PANAMANIAN	A-12

AA5A_1	RACE: NATIVE HAWAIIAN	A-20
AA5A_2	RACE: OTHER PACIFIC ISLANDER	A-20
AA5A_3	RACE: AMERICAN INDIAN OR ALASKA NATIVE	A-21
AA5A_4	RACE: ASIAN	A-21
AA5A_5	RACE: BLACK OR AFRICAN AMERICAN	A-22
AA5A_6	RACE: WHITE	A-22
AA5A_7	RACE: OTHER (SPECIFY) TEXT	A-23
AA5A_FLAG	RACE CODING CHANGE FLAG	A-23
AA5B_1	TRIBE: APACHE	A-53
AA5B_10	TRIBE: YAQUI	A-57
AA5B_11	TRIBE: OTHER SPECIFY	A-58
AA5B_2	TRIBE: BLACKFOOT/BLACKFEET	A-53
AA5B_3	TRIBE: CHEROKEE	A-54
AA5B_4	TRIBE: CHOCTAW	A-54
AA5B_5	TRIBE: MEXICAN AMERICAN INDIAN	A-55
AA5B_6	TRIBE: NAVAJO	A-55
AA5B_7	TRIBE: POMO	A-56
AA5B_8	TRIBE: PUEBLO	A-56
AA5B_9	TRIBE: SIOUX	A-57
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	A-59
AA5D	TRIBE ENROLLED IN	A-60
AA5E_1	ASIAN: BANGLADESHI	A-61
AA5E_10	ASIAN: KOREAN	A-65
AA5E_11	ASIAN: LAOTIAN	A-66
AA5E_12	ASIAN: MALAYSIAN	A-66
AA5E_13	ASIAN: PAKISTANI	A-67
AA5E_14	ASIAN: SRI LANKAN	A-67
AA5E_15	ASIAN: TAIWANESE	A-68
AA5E_16	ASIAN: THAI	A-68

AASE_17	ASIAN: VIEINAMESE	A-65
AA5E_18	ASIAN: OTHER SPECIFY	A-69
AA5E_19	ASIAN: MIDDLE EASTERN	A-70
AA5E_2	ASIAN: BURMESE	A-61
AA5E_20	ASIAN: NEPALESE	A-70
AA5E_21	ASIAN: MONGOLIAN	A-71
AA5E_22	ASIAN: SOUTH ASIAN	A-71
AA5E_23	ASIAN: OTHER ASIAN	A-72
AA5E_3	ASIAN: CAMBODIAN	A-62
AA5E_4	ASIAN: CHINESE	A-62
AA5E_5	ASIAN: FILIPINO	A-63
AA5E_6	ASIAN: HMONG	A-63
AA5E_7	ASIAN: INDIAN (INDIA)	A-64
AA5E_8	ASIAN: INDONESIAN	A-64
AA5E_9	ASIAN: JAPANESE	A-65
AA5E1_1	PACIFIC ISLANDER: SAMOAN/AMERICAN SAMOAN	A-72
AA5E1_2	PACIFIC ISLANDER: GUAMANIAN	A-73
AA5E1_3	PACIFIC ISLANDER: TONGAN	A-73
AA5E1_4	PACIFIC ISLANDER: FIJIAN	A-74
AA5E1_5	PACIFIC ISLANDER: OTHER (SPECIFY) TEXT	A-74
AA5E1_6	PACIFIC ISLANDER: POLYNESIAN	A-75
AA5E1_7	PACIFIC ISLANDER: OTHER PACIFIC ISLANDER	A-75
AA5F	RACE/ETHNICITY MOST IDENTIFIED WITH	A-80
AA5G	IDENTIFY WITH ONE RACE IN PARTICULAR	A-79
AA5H_A	WHITE ORIGIN: FIRST MENTION	A-24
AA5H_B	WHITE ORIGIN: SECOND MENTION	A-27
AA5H_C	WHITE ORIGIN: THIRD MENTION	A-30
AA5H D	WHITE ORIGIN: FOURTH MENTION	A-32

AA5H_E	WHITE ORIGIN: FIFTH MENTION	A-34
AA5H_F	WHITE ORIGIN: SIXTH MENTION	A-36
AA5I_A	BLACK ORIGIN: FIRST MENTION	A-37
AA5I_B	BLACK ORIGIN: SECOND MENTION	A-39
AA5I_C	BLACK ORIGIN: THIRD MENTION	A-40
AA5I_D	BLACK ORIGIN: FOURTH MENTION	A-40
AA5I_E	BLACK ORIGIN: FIFTH MENTION	A-41
AA5I_F	BLACK ORIGIN: SIXTH MENTION	A-41
AADATE_MM	DATE ADULT SECTION A DONE (YYYYMM)	Q-2
AADATEMM_P1	DATE ADULT SECTION A DONE (PUF 1 YR RECODE)	Q-2
AAPI18	EVER BEEN VICTIM OF HATE CRIME/INCIDENT IN US	F-28
AAPI19A	EXPERIENCED HATE CRIME/INCIDENT BEFORE 2020	F-28
AAPI19B	EXPERIENCED HATE CRIME/INCIDENT IN 2020	F-29
AAPI19C	EXPERIENCED HATE CRIME/INCIDENT IN 2021	F-29
AAPI19D	EXPERIENCED HATE CRIME/INCIDENT IN 2022	F-30
AB1	GENERAL HEALTH CONDITION	B-1
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN	B-11
AB17	DOCTOR EVER TOLD HAVE ASTHMA	B-1
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	B-4
AB22V2	DOCTOR EVER TOLD HAVE DIABETES	B-5
AB23	AGE FIRST TOLD HAVE DIABETES	B-7
AB23_P1	AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)	B-7
AB24	CURRENTLY TAKING INSULIN	B-9
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	B-10
AB27	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR	B-12
AB27_P	# OF TIMES DOC CHECKED HEMOGLOBIN A1C LAST YR (PUF RECODE)	B-13
AB27_P1	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECOD	B-13
AB29V2	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	B-11

AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	B-12
AB40	STILL HAS ASTHMA	B-2
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	B-2
AB42V2	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS	B-3
AB42V2_P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	В-3
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	B-5
AB51	TYPE 1 OR TYPE 2 DIABETES	B-8
AB51_P1	TYPE 1 OR TYPE 2 DIABETES (PUF 1 YR RECODE)	B-9
AB61V2	TYPE OF MOST RECENT RECTAL EXAM	J-52
AB63	LAST EYE EXAM DILATED PUPILS	B-10
AB99	DOCTOR EVER TOLD HAVE PRE/BORDERLINE DIABETES	B-6
AC115	EVER TRIED MARIJUANA OR HASHISH	C-33
AC116	HOW LONG SINCE LAST MARIJUANA/HASHISH USE	C-34
AC116_P1	HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE)	C-34
AC117V2	FREQUENCY OF MARIJUANA/HASHISH/THC PRODUCT USE IN PAST 30 DAYS	C-35
AC118V2	HOW OFTEN USE TOBACCO WITH MARIJUANA	C-35
AC119V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE	C-36
AC120V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT	C-36
AC121V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT	C-37
AC122V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK	C-37
AC123V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE	C-38
AC124V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB	C-38
AC126V2	ANY MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER	C-42
AC127V2	ALL MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER	C-43
AC128	EVER USED HEROIN IN PAST 12 MOS	C-62

AC129	EVER MISUSE PRESCRIPTION PAIN KILLER	C-62
AC131	RECEIVE PRESCRIPTION FROM ONE DOCTOR OR MORE THAN ONE DOCTOR	C-63
AC133_1	CONDITION TAKING MEDICINE FOR - DENTAL WORK/DENTAL PAIN	C-63
AC133_10	CONDITION TAKING MEDICINE FOR - OTHER REASON	C-68
AC133_2	CONDITION TAKING MEDICINE FOR - SURGERY, NOT ACCIDENT-RELATED	C-64
AC133_3	CONDITION TAKING MEDICINE FOR - RECENT INJURY	C-64
AC133_4	CONDITION TAKING MEDICINE FOR - CHRONIC PAIN, REGARDLESS OF CAUSE	C-65
AC133_5	CONDITION TAKING MEDICINE FOR - RECREATIONAL USE	C-65
AC133_6	CONDITION TAKING MEDICINE FOR - DRUG ADDICTION	C-66
AC133_7	CONDITION TAKING MEDICINE FOR - ANXIETY	C-66
AC133_8	CONDITION TAKING MEDICINE FOR - SLEEP	C-67
AC133_9	CONDITION TAKING MEDICINE FOR - OTHER MENTAL/EMOTIONAL HEALTH	C-67
AC134V2	USED E-CIG FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-16
AC135	FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (CHEWI	C-22
AC135_P1	FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (PUF 1	C-22
AC136	USED CHEWING TOBACCO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-23
AC137	FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS	C-23
AC137_P1	FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS (PU	C-24
AC138	USED CIGARILLO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-24
AC139	FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS	C-25
AC139_P1	FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS (PUF 1 YR RECODE)	C-25
AC140	USED BIG CIGAR FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-26
AC141	FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS	C-26

AC141_P1	FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS (PUF 1 YR RECO	C-27
AC142	USED HOOKAH FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-27
AC143	HOME RULES CONCERNING SMOKING/VAPING/E-CIG USE	C-31
AC160	IMPORTANCE OF GENETICS AND MEDICAL CARE TO HEALTH	C-75
AC161	IMPORTANCE OF INDIVIDUAL/ENVIRONMENTAL FACTORS TO HEALTH	C-76
AC163	# OF DAYS USED PRESCRIPTION PAIN KILLERS IN WAY DR DID NOT DIRECT	C-69
AC164	USED PRESCRIPTION PAIN KILLERS WHILE: DRINKING ALCOHOL	C-69
AC165	USED PRESCRIPTION PAIN KILLERS WHILE: USING BENZODIAZEPINES	C-70
AC166	USED METHAMPHETAMINES IN PAST YEAR	C-70
AC167	USED PRESCRIPTION STIMULANTS IN PAST YEAR	C-71
AC173	HOW LONG SINCE LAST SMOKED A CIGARETTE	C-5
AC174	# OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS	C-4
AC175	SMOKED MINT OR MENTHOL CIGARETTES	C-8
AC176	AGE FIRST SMOKED WHOLE CIGARETTE	C-9
AC177	WERE SMOKING CIGARETTES THIS TIME LAST YEAR	C-10
AC178	HOW LONG LAST ATTEMPT TO QUIT SMOKING LASTED	C-12
AC179	USED E-CIG FLAVOR - FRUIT	C-16
AC180	USED E-CIG FLAVOR - CANDY/SWEET	C-17
AC181	USED E-CIG FLAVOR - ALCOHOL/LIQUOR	C-18
AC182	USED E-CIG FLAVOR - MINT	C-19
AC183	USED E-CIG FLAVOR - TOBACCO	C-20
AC185	PLAN TO QUIT USING E-CIGS	C-21
AC186	BEGAN WITH FLAVORED TOBACCO PRODUCT WHEN FIRST STARTED USING	C-28
AC187	WHEN EXPOSED TO SECONDHAND TOBACCO SMOKE OR E-CIG VAPOR IN CA IN	C-28
AC188	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - SIDEWALKS	C-29

AC189	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - INSIDE HOME	C-29
AC190	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - WORKPLACE	C-30
AC191	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - PUBLIC PARK/BEA	C-30
AC192	WHEN EXPOSED TO SECONDHAND MARIJUANA SMOKE IN THE PAST YEAR	C-51
AC193	MOST COMMON METHOD OF MARIJUANA USE IN PAST 30 DAYS	C-43
AC193_P1	MOST COMMON METHOD OF MARIJUANA USE IN PAST 30 DAYS (PUF 1 YR REC	C-44
AC194_1	WHERE GOT MARIJUANA USED - DISPENSARY	C-44
AC194_2	WHERE GOT MARIJUANA USED - VAPE/SMOKE SHOP	C-45
AC194_3	WHERE GOT MARIJUANA USED - OTHER SHOP	C-45
AC194_4	WHERE GOT MARIJUANA USED - DELIVERY SERVICE	C-46
AC194_5	WHERE GOT MARIJUANA USED - WEBSITE	C-46
AC194_6	WHERE GOT MARIJUANA USED - POP-UP SHOP	C-47
AC194_7	WHERE GOT MARIJUANA USED - FAMILY/FRIEND	C-47
AC194_8	WHERE GOT MARIJUANA USED - OTHER PERSON	C-48
AC194_9	WHERE GOT MARIJUANA USED - GROW IT MYSELF	C-48
AC194_91	WHERE GOT MARIJUANA USED - OTHER	C-49
AC195	EVER USED CBD IN ANY FORM	C-52
AC196	HOW LONG SINCE LAST CBD USE	C-52
AC197	# OF DAYS USED CBD IN THE PAST LESS THAN 30 DAYS	C-53
AC198	METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY	C-53
AC199	METHOD OF CBD USE IN PAST 30 DAYS - EAT	C-54
AC200	METHOD OF CBD USE IN PAST 30 DAYS - DRINK	C-55
AC201	METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN	C-56
AC202	METHOD OF CBD USE IN PAST 30 DAYS - SMOKE	C-57
AC203	METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE	C-58
AC204	METHOD OF CBD USE IN PAST 30 DAYS - DAB	C-59

AC206	MOST COMMON METHOD OF CBD USE IN PAST 30 DAYS	C-60
AC207	EVER HAD AN ALCOHOLIC BEVERAGE	C-71
AC208	HOW LONG SINCE LAST DRANK AN ALCOHOLIC BEVERAGE	C-72
AC209	# OF DAYS DRANK AT LEAST ONE ALCOHOLIC BEVERAGE IN PAST 30 DAYS	C-72
AC210	# OF DRINKS USUALLY HAD EACH DAY ON DAYS THAT DRANK IN PAST 30 DA	C-73
AC211	# OF DAYS BINGE DRINKING IN PAST 30 DAYS	C-73
AC211_P1	# OF DAYS BINGE DRINKING IN PAST 30 DAYS (PUF 1 YR RECODE)	C-74
AC46	# OF TIMES DRANK SWEET FRUIT DRINKS PAST MO	C-1
AC49	STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR	C-12
AC50	THINK ABOUT QUIT SMOKING IN NEXT 6 MOS	C-13
AC54B	HOW SOON SMOKE FIRST CIGARETTE AFTER WAKING	C-8
AC77	DOCTOR ADVISED TO QUIT SMOKING IN PAST 12 MOS	C-13
AC81C	EVER SMOKED ELECTRONIC CIGARETTES	C-14
AC82C	DAYS USED E-CIGS PAST 30 DAYS	C-14
AC82C_P1	DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE)	C-15
ACE_A	ADVERSE CHILDHOOD EXPERIENCES SCALE	R-13
ACE8	ADVERSE CHILDHOOD EXPERIENCES SCALE (8 PT SCALE)	R-14
ACHLDC_P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	G-21
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	J-14
AD13	CURRENTLY PREGNANT	E-1
AD32	# OF CIGARETTES PER DAY	C-6
AD32_P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	C-6
AD43B	# OF SEXUAL PARTNERS IN PAST 12 MOS	D-10
AD45B	SEX OF SEXUAL PARTNERS IN PAST 12 MOS	D-10
AD46C	SEXUAL ORIENTATION	D-11
AD46C_P1	SEXUAL ORIENTATION (PUF 1 YR RECODE)	D-11
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	D-9

AD60B	LEGALLY MARRIED TO SAME SEX	D-12
AD61B	LEGALLY DOM PARTNER IN CA TO SAME SEX	D-13
AD65D	SEX ASSIGNED ON ORIGINAL BIRTH CERTIFICATE	A-6
AD66B	CURRENT GENDER IDENTITY	A-6
AD67B	CURRENT GENDER IDENTITY: OTHER SPECIFY	A-7
AD79	EVER TAKEN PREP/TRUVADA IN PAST 30 DAYS	D-35
AD80	EVER TAKEN PREP/TRUVADA IN PAST 12 MOS	D-36
AD81	EVER TAKEN PREP/TRUVADA	D-36
AD82	EVER HEARD OF PREP/TRUVADA	D-37
AD83	EVER BEEN TESTED FOR HIV	D-37
AD84	OFFERED OR ASKED FOR HIV TEST	D-38
AD85	EVER OFFERED AN HIV TEST	D-38
ADLTCNT	# OF ALL ADULTS IN HOUSEHOLD	Q-3
AE_FRUIT	# OF TIMES EATING FRUIT PER WEEK	C-2
AE_VEGI	# OF TIMES EATING VEGETABLES PER WEEK	C-3
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	C-3
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	C-4
AE16V2	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS	C-7
AE16V2_P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	C-7
AE2	# TIMES ATE FRUIT IN PAST MO	C-1
AE7	# OF TIMES ATE VEGETABLES IN PAST MO	C-2
AF110	EXPERIENCED HAZARDOUS WEATHER-RELATED EVENTS IN PAST 2 YRS	F-25
AF111	PHYSICAL HEALTH HARMED BY HAZARDOUS WEATHER-RELATED EVENTS	F-26
AF112	MENTAL HEALTH HARMED BY HAZARDOUS WEATHER-RELATED EVENTS	F-26
AF113	PROPERTY/FINANCES HARMED BY HAZARDOUS WEATHER-RELATED EVENTS	F-27
AF14V2	EVER HAD SIGMOIDOSCOPY, COLONOSCOPY, OR PROCTOSCOPY	J-51
AE16V2	HOW LONG SINGE LAST SIGNOIDOSCODA COLONOSCODA	T-51

PROCTOSCOPY

AF17V2	MAIN REASON FOR LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY	J-52
AF22V2	EVER HAD HOME BLOOD STOOL TEST	J-49
AF24V2	WHEN WAS MOST RECENT HOME BLOOD STOOL TEST	J-50
AF40BV2	USES OR MALE SEX PARTNER USES BIRTH CONTROL	D-14
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	F-5
AF63	FEEL NERVOUS WORST MONTH	F-6
AF64	FEEL HOPELESS WORST MONTH	F-6
AF65	FEEL RESTLESS WORST MONTH	F-7
AF66	FEEL DEPRESSED WORST MONTH	F-7
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	F-8
AF68	FEEL WORTHLESS WORST MONTH	F-8
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	F-9
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	F-9
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	F-10
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	F-10
AF73B	# DAYS CAN'T WORK B/C MENTAL PROBL PAST 12 MOS	F-11
AF74	SEEN PCP FOR MNTL OR ALCOH/DRUG PRBLM IN PAST YR	F-16
AF75	SEEN PSYCHIATRIST ETC FOR MNTL OR ALCOH/DRUG PRBLM IN PAST YR	F-16
AF76	SEEK HELP FOR MENTAL HLTH OR ALCOHOL/DRUG PROBLEM	F-17
AF77	# VISITS TO PROFESSIONAL FOR PROBLEMS W/ MENTAL OR DRUGS/ALCOHOL	F-18
AF78	STILL RECEIVING TRIMENT FROM PROFESSIONAL FOR MNTL OR ALCOH/DRUGS	F-18
AF79	COMPLETED RECOMMENDED MENTAL HEALTH TREATMENT	F-19
AF80	MAIN REASON QUIT MENTAL HEALTH TREATMENT	F-19
AF81	NEEDED HELP FOR EMOT/MNTL OR ALCOH/DRUG PRBLM IN PAST YR	F-15
AF82	DID NOT SEEK PROF HELP: COST OF TREATMENT	F-20
AF83	DID NOT SEEK PROF HELP: NOT COMFORTABLE	F-20

AF84	DID NOT SEEK PROF HELP: SOMEONE FOUND OUT	F-21
AF85	DID NOT SEEK PROF HELP: HARD TO GET APPNT	F-21
AF86	EVER THOUGHT TO COMMIT SUICIDE	S-1
AF87	THOUGHT OF SUICIDE ANY TIME PAST YR	S-1
AF88	EVER ATTEMPTED SUICIDE	S-2
AF89	ATTEMPTED SUICIDE PAST 12 MOS	S-2
AF91	THOUGHT OF SUICIDE IN PAST 2 MOS	S-3
AG1	TIME SINCE LAST VISIT TO DENTIST/SPECIALIST	J-31
AG10	RESPONDENT USUALLY WORKS	G-25
AG11	SPOUSE USUALLY WORKS	G-26
AG21V2	LANGUAGES OF TV/RADIO/NEWSPAPERS THAT WATCH/LISTEN/READ	CV-21
AG22	EVER SERVE IN U.S. ARMED FORCES	G-28
AG23V2_1	SERVED IN WORLD WAR II	G-28
AG23V2_2	SERVED IN KOREAN WAR	G-29
AG23V2_3	SERVED IN VIETNAM WAR	G-29
AG23V2_4	SERVED IN GULF WAR/OPERATION DESERT STORM	G-30
AG23V2_5	SERVED IN AFGHANISTAN/OPERATION ENDURING	G-30
AG23V2_6	SERVED IN IRAQ WAR/OPERATION IRAQI FREEDOM	G-31
AG23V2BEG	YEAR FIRST SERVED U.S. ARMED FORCES	G-31
AG23V2END	YEAR LAST SERVED U.S. ARMED FORCES	G-32
AG3	HAVE ANY KIND OF DENTAL INSURANCE	J-32
AG31	HAVE VA SERVICE-CONNECTED DISABILITY RATING	G-32
AG32	SERVICE-CONNECTED DISABILITY RATING	G-33
AG36V2	CURRENTLY HERE ON WHAT TYPE OF IMMIGRATION DOCUMENT	G-15
AG37V2	VISA OR DOCUMENT VALID OR EXPIRED	G-16
AG44	HOW OFTEN USE THE INTERNET	F-22
AG45	HOW OFTEN USED COMPUTER FOR SOCIAL MEDIA	F-22
AG46	SOUGHT HELP FROM ONLINE TOOL FOR MENTAL HEALTH OR ALCOHOL/DRUGS	F-23

AG47	USEFULNESS OF GETTING HELP FROM ONLINE TOOL	F-23
AG48	MAIN REASONS FOR NOT GETTING HELP ONLINE	F-24
AG49	CONNECTED WITH PEOPLE WITH SIMILAR STATUS ONLINE	F-24
AG50	CONNECTED WITH MENTAL HEALTH PROFESSIONAL ONLINE IN PAST 12 MOS	F-25
AG8	WORK STATUS OF SPOUSE LAST WEEK	G-24
AG9	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB	G-24
AG9_P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	G-25
AGV1	# OF FIREARMS KEPT IN HOME	GV-1
AGV1_P1	# OF FIREARMS KEPT IN HOME (PUF 1 YR RECODE)	GV-1
AGV2	# OF HANDGUNS KEPT IN HOME	GV-2
AGV2_P1	# OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)	GV-2
AGV3	FIREARM IS A HANDGUN	GV-3
AGV4A	# OF FIREARMS LOADED AND LOCKED ONLY WITH TRIGGER LOCK	GV-3
AGV4B	# OF FIREARMS LOADED AND STORED IN LOCK BOX	GV-4
AGV4C	# OF FIREARMS LOADED AND UNLOCKED	GV-4
AGV4D	# OF FIREARMS UNLOADED AND LOCKED ONLY WITH TRIGGER LOCK	GV-5
AGV4E	# OF FIREARMS UNLOADED AND LOCKED WITH CABLE LOCK IN LOCK BOX	GV-5
AGV4F	# OF FIREAMRS UNLOADED AND UNLOCKED	GV-6
AGV5	FIREARM KEPT LOADED	GV-6
AGV6	FIREARM KEPT LOCKED	GV-7
AGV7	WORRIED ABOUT BEING VICTIM OF GUN VIOLENCE	GV-7
AGV8	ABLE TO GET FIREARM IF WANTED WITHIN 2 DAYS	GV-8
AH100	ANYONE HELP FIND HEALTH PLAN	H-8
AH101	PERSON WHO HELPED FIND HEALTH PLAN	H-9
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	H-78
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	Н-9
AH104	PURCHASE INS DIRECT OR THRU COVERED CA	H-10

AH105	GET INS THRU EMPLOYER, UNION, SHOP PROGRAM	H-11
AH106	PURCHASE BRONZE, SILVER, GOLD, PLATINUM PLAN	H-12
AH107	GET SUBSIDY/DISCOUNT ON PLAN PREMIUM	H-12
AH108	SPOUSE COVERED BY INS THRU SHOP PGM	H-13
AH109	SPOUSE COVERED BY COVERED CA	H-13
AH110	SOURCE OF COVERAGE PURCHASED DIRECTLY	H-14
AH111	FIND PLAN WITH NEEDED COVERAGE-COVERED CA	H-14
AH112	FIND PLAN COULD AFFORD-COVERED CA	H-15
AH113	ANYONE HELP R FIND HEALTH PLAN-COVERED CA	H-15
AH114	WHO HELPED R FIND HEALTH PLAN-COVERED CA	H-16
AH115	HAD NEEDED INFO TO PICK HEALTH PLAN	H-16
AH116	GOT HEALTH PLAN OPTIONS IN OWN LANGUAGE	H-17
AH117	COST OF SELECTED PLAN IMPORTANT	H-17
AH118	CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT	H-18
AH119	CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT	H-18
AH120	CHOICE OF DOCTORS THRU PLAN IMPORTANT	H-19
AH121	MOST IMPORTANT REASON CHOSE PLAN	H-19
AH122	IS HEALTH PLAN A PPO OR EPO	H-57
AH123	MEDICARE ADVANTAGE PLAN	H-80
AH126	SIGN UP DIRECTLY OR THROUGH EMPLOYER	H-81
AH126_P1	SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE)	H-81
AH127	SPOUSE'S MEDICARE THROUGH AN HMO	H-82
AH128	AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE	H-108
AH129	AMOUNT EMPLOYER/UNION/PROF ORG CONTRIBUTES TO HEALTH PLAN EACH MO	H-109
AH12V2	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	J-38
AH130	HAS MONEY IN HSA ACCOUNT	H-109
AH131V2	AMOUNT OF MONEY IN HSA ACCOUNT	H-110
ЛН131VЭ D	AMOUNT OF MONEY IN HGA ACCOUNT (DUE RECODE)	H-110

AH132	LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN	H-112
AH133	# OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN	H-112
AH134	HEALTH INSURANCE BEFORE CURRENT PLAN	H-113
AH135	OTHER HEALTH INSURANCE BEFORE CURRENT PLAN	H-114
AH136	LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN	H-115
AH137	EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS	H-115
AH139	SELF-REPORTED SATISFACTION WITH CURRENT HEALTH PLAN	H-116
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	H-78
AH140	REASON FOR NOT HAVING HEALTH INSURANCE IN PAST YEAR RELATED TO EM	H-71
AH141	REASON FOR NOT CURRENTLY HAVING HEALTH INSURANCE RELATED TO EMPLO	Н-72
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	J-19
AH1V2	HAVE USUAL SOURCE OF HEALTH CARE	J-1
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	J-20
АНЗ	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE	J-1
AH3_P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	J-10
АН33	COUNTRY OF BIRTH	G-1
AH33NEW	BORN IN U.S.	G-2
АН34	MOTHER'S COUNTRY OF BIRTH	G-3
AH34NEW	MOTHER BORN IN U.S.	G-6
АН35	FATHER'S COUNTRY OF BIRTH	G-7
AH35NEW	FATHER BORN IN U.S.	G-10
AH36_1	LANGUAGES AT HOME: ENGLISH	A-81
AH36_10	LANGUAGES AT HOME: OTHER (SPECIFY) 1	A-81
AH36_11	LANGUAGES AT HOME: OTHER (SPECIFY) 2	A-82
AH36_12	LANGUAGES AT HOME: JAPANESE	A-82
AH36_13	LANGUAGES AT HOME: OTHER ASIAN	A-82

AH36_14	LANGUAGES AT HOME: FRENCH	A-83
AH36_15	LANGUAGES AT HOME: GERMAN	A-83
AH36_16	LANGUAGES AT HOME: ITALIAN	A-83
AH36_17	LANGUAGES AT HOME: OTHER EUROPEAN	A-84
AH36_18	LANGUAGES AT HOME: FARSI	A-84
AH36_19	LANGUAGES AT HOME: ARMENIAN	A-85
AH36_2	LANGUAGES AT HOME: SPANISH	A-84
AH36_20	LANGUAGES AT HOME: ARABIC	A-85
AH36_21	LANGUAGES AT HOME: AFRICAN/AFRO-ASIATIC	A-85
AH36_22	LANGUAGES AT HOME: NATIVE AMERICAN	A-86
AH36_23	LANGUAGES AT HOME: OTHER	A-86
AH36_3	LANGUAGES AT HOME: CANTONESE	A-86
AH36_4	LANGUAGES AT HOME: VIETNAMESE	A-88
AH36_5	LANGUAGES AT HOME: TAGALOG	A-90
AH36_6	LANGUAGES AT HOME: MANDARIN	A-90
AH36_7	LANGUAGES AT HOME: KOREAN	A-90
AH36_8	LANGUAGES AT HOME: ASIAN INDIAN	A-91
AH36_9	LANGUAGES AT HOME: RUSSIAN	A-91
AH37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	A-89
AH39	CITIZEN OF UNITED STATES	G-12
AH40	PERMANENT RESIDENT WITH GREEN CARD	G-13
AH4ONEW	PERMANENT RESIDENT WITH A GREEN CARD Y/N	G-13
AH41	# OF YEARS LIVED IN UNITED STATES	G-15
AH43	MARITAL STATUS	A-92
AH43A	LIVING WITH A PARENT	G-19
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	A-92
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	G-20
AH44B	AMOUNT PAID FOR ALL CHILD CARE ARRANGEMENTS LAST MONTH	G-20

AH47	HIGHEST GRADE OF EDUCATION COMPLETED AND RECVD CREDIT FOR	G-22
АН5	# OF TIMES SAW MD IN PAST 12 MOS	J-13
AH53	PAYS ANY PART OF MEDICARE HMO/SUPP PREMIUM	Н-2
AH54	SOMEONE ELSE PAYS ANY PART MEDICARE HMO/SUPP PREMIUM	Н-3
AH55_1	HELP PAY FOR MEDICARE: CURRENT EMPLOYER	Н-3
AH55_2	HELP PAY FOR MEDICARE: FORMER EMPLOYER	H-4
AH55_3	HELP PAY FOR MEDICARE: UNION	H-4
AH55_4	HELP PAY FOR MEDICARE: SPOUSE'S CURRENT EMPLOYER	H-5
AH55_5	HELP PAY FOR MEDICARE: SPOUSE'S FORMER EMPLOYER	H-5
AH55_6	HELP PAY FOR MEDICARE: PROF/FRATERNAL ORG	Н-6
AH55_7	HELP PAY FOR MEDICARE: MEDCAID/MEDI-CAL	Н-6
AH55_9	HELP PAY FOR MEDICARE: OTHER	H-7
AH56_1	HELP PAY FOR EMPL-BASED INS: CURRENT EMPLOYER	H-21
AH56_10	HELP PAY FOR EMPL-BASED INS: OTHER	H-25
AH56_12	HLP PAY EMPL-BASED INS: COVERED CA	H-26
AH56_2	HELP PAY FOR EMPL-BASED INS: FORMER EMPLOYER	H-22
AH56_3	HELP PAY FOR EMPL-BASED INS: UNION	H-22
AH56_4	HELP PAY FOR EMPL-BASED INS: SPOUSE'S CURRENT EMPLOYER	H-23
AH56_5	HELP PAY FOR EMPL-BASED INS: SPOUSE'S FORMER EMPLOYER	H-23
AH56_6	HELP PAY FOR EMPL-BASED INS: PROF/FRATERNAL ORG	H-24
AH56_7	HELP PAY FOR EMPL-BASED INS: MEDICAID/MED-CAL	H-24
AH56_9	HELP PAY FOR EMPL-BASED INS: MEDICARE	H-25
AH57	PAYS ANY PART OF EMPL-BASED HEALTH PLAN PREMIUM	H-20
AH58	SOMEONE ELSE PAYS ANY PART EMPL-BASED PREMIUM	H-21
AH59	OBTAINED PLAN IN YOUR OR SOMEONE ELSE'S NAME	Н-35
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	J-13
AH60	PLAN IN SPOUSE'S/ SPOUSE'S PARENT'S/SOMEONE ELSE'S NAME	H-36
AH62	SPOUSE'S INS IN OWN OR SOMEONE ELSE'S NAME	H-53

AH63	PLAN IN OWN/SPOUSE'S PARENTS/SOMEONE ELSE'S NAME	H-54
AH71	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000	Н-63
AH71_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	Н-63
AH72	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000	Н-64
AH72_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	H-64
AH73B	SPECIAL FUND TO PAY MEDICAL EXPENSES	Н-66
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	Н-73
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	Н-73
АН79В	REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN	H-104
AH80B	REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS	H-105
AH81B	EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B	H-105
АН83В	AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING	H-106
AH84B	UNINSURED AT TIME MEDICAL CARE WAS PROVIDED	H-106
AH85B	UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS	H-107
AH86B	TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS	H-107
АН95	# TIMES VISITED ER IN PAST 12 MOS	J-38
AH95_P	# TIMES VISITED ER IN PAST 12 MOS (PUF RECODE)	J-39
AH95_P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	J-39
АН98	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE	H-20
AH98_P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	Н-79
АН99	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE	H-79
AH99_P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	Н-80
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	G-21
AHEDC_P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	G-23
AHEDUC	EDUCATIONAL ATTAINMENT	G-23
ΔΤ1	COVERED BY MEDICARE	H-1

AI11	COVERED BY HEALTH PLAN PURCHASED DIRECTLY FROM INS COMPANY	Н-8
AI115	CHILD'S HEALTH PLAN A PPO OR EPO	I-3
AI116	TEEN'S HEALTH PLAN A PPO OR EPO	I-6
AI13	EMPLOYER OFFERS HEALTH INS TO EMPLOYEES	H-26
AI14	ELIGIBLE TO BE IN EMPLOYER'S HEALTH PLAN	H-27
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	H-27
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	H-28
AI16	COVERED BY MILITARY HEALTH CARE	H-28
AI17	COVERED BY OTHER GOVT HEALTH PLAN	H-29
AI18	COVERED BY ANY OTHER HEALTH INS PLAN NOT MENTIONED	H-29
AI19_1	TYPE OF HEALTH INS: EMPLOYER OR UNION	H-30
AI19_10	TYPE OF HEALTH INS: OTHER NON-GOVT HEALTH PLAN	H-34
AI19_12	TYPE OF HEALTH INS: COVERED CA	H-34
AI19_13	TYPE OF HEALTH INS: COVERED CA THROUGH SHOP	H-35
AI19_2	TYPE OF HEALTH INS: SCHOOL, PROFESSIONAL ASSOCIATION, ETC.	Н-30
AI19_3	TYPE OF HEALTH INS: DIRECT PURCHASE	H-31
AI19_4	TYPE OF HEALTH INS: MEDICARE	H-31
AI19_5	TYPE OF HEALTH INS: MEDI-CAL	Н-32
AI19_7	TYPE OF HEALTH INS: MILITARY HEALTH CARE	Н-32
AI19_8	TYPE OF HEALTH INS: INDIAN HEALTH SERVICE, TRIBAL PROGRAM	Н-33
AI19_9	TYPE OF HEALTH INS: OTHER GOVT HEALTH PLAN	H-33
AI2	NOT COVERED BY MEDICARE - VERIFICATION	H-1
AI20	COVERED BY INDIAN HEALTH SERVICE, TRIBAL	H-36
AI22A	NAME OF MAIN HEALTH PLAN	H-59
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	Н-62
AI22A_UPCODE	NAME OF MAIN HEALTH PLAN	H-60
AI22C	MAIN HEALTH PLAN IS HMO	H-57

AI24	MAIN REASON NOT HAVE HEALTH INS AT ALL	H-72
AI25	COVERED FOR PRESCRIPTION DRUGS	H-58
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL	H-58
AI27	COVERED BY HEALTH INS AT ANY TIME IN PAST 12 MOS	H-74
AI28	HOW LONG SINCE LAST HAD HEALTH INS	H-74
AI29	# MOS OF PAST 12 MOS HAD HEALTH INS	H-75
AI30_1	HEALTH INS TYPE IN PAST 12 MOS: MEDI-CAL	H-75
AI30_3	HEALTH INS TYPE IN PAST 12 MOS: EMPLOYER/UNION	H-76
AI30_4	HEALTH INS TYPE IN PAST 12 MOS: OTHER HEALTH PLAN	H-77
AI30_6	HEALTH INS TYPE IN PAST 12 MOS: BOUGHT DIRECT	H-76
AI30_7	HEALTH INS TYPE IN PAST 12 MOS: COVERED CA	H-77
AI31	HAD CURRENT INS FOR ALL 12 OF PAST 12 MOS	H-65
AI32	HAD OTHER HEALTH INS WHEN NOT COVERED BY CURRENT INS	H-65
AI33_1	OTHER INS: MEDI-CAL	H-66
AI33_3	OTHER INS: EMPLOYER/UNION	H-67
AI33_4	OTHER INS: OTHER HEALTH PLAN	H-68
AI33_6	OTHER INS: BOUGHT DIRECT	H-67
AI33_7	OTHER INS: COVERED CA	H-68
AI34	ANY TIME IN PAST 12 MOS HAD NO HEALTH INS AT ALL	H-69
AI35	# OF MOS IN PAST 12 MOS HAD NO HEALTH INS AT ALL	H-69
AI36	MAIN REASON NO HEALTH INS IN PAST 12 MOS	H-70
AI37	SPOUSE COVERED BY MEDICARE	H-37
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	H-37
A138	SPOUSE COVERED BY MEDI-CAL	H-38
AI4	COVERED BY MEDICARE SUPPL POLICY	H-2
AI40	SPOUSE HAS INS THROUGH YOUR EMPLOYER	Н-38
AI40A	SPOUSE HAS INS THROUGH HIS/HER OWN EMPLOYER	Н-39
AI41	SPOUSE COVERED BY YOUR DIRECT HEALTH INS	Н-39

AI42	SPOUSE COVERED BY MILITARY HEALTH CARE	H-40
AI42A	SPOUSE COVERED BY GOVT HEALTH PLAN	H-40
AI43	SPOUSE'S EMPLOYER OFFERS HEALTH INS	H-54
AI44	SPOUSE IS ELIGIBLE TO BE IN EMPLOYER'S HEALTH PLAN	H-55
AI45	MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN	H-56
AI45_P1	MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)	Н-53
AI45A	MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	H-56
AI45A_P1	MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)	H-55
AI46	SPOUSE HAS HEALTH INS THROUGH OTHER SOURCE	H-41
AI47_1	SPOUSE'S INS: EMPLOYER/UNION	H-41
AI47_10	SPOUSE'S INS: OTHER NON-GOVT HEALTH PLAN	H-45
AI47_12	SPOUSE'S INS: COVERED CA	H-46
AI47_13	SPOUSE'S INS: SHOP PGM	H-46
AI47_2	SPOUSE'S INS: SCHOOL, PROFESSIONAL ASSOCIATION, ETC.	H-42
AI47_3	SPOUSE'S INS: DIRECTLY PURCHASED HEALTH PLAN	H-42
AI47_4	SPOUSE'S INS: MEDICARE	H-43
AI47_5	SPOUSE'S INS: MEDI-CAL	H-43
AI47_7	SPOUSE'S INS: MILITARY CARE	H-44
AI47_8	SPOUSE'S INS: INDIAN HEALTH SERVICE, TRIBAL HEALTH	H-44
AI47_9	SPOUSE'S INS: OTHER GOVT PLAN	H-45
AI48	SPOUSE HAS NO HEALTH INS FROM ANY SOURCE	H-47
AI49_1	SPOUSE'S INS: EMPLOYER/UNION	H-47
AI49_10	SPOUSE'S INS: OTHER NON-GOVT HEALTH PLAN	H-51
AI49_12	SPOUSE'S OTH INS: COVERED CA	H-52
AI49_13	SPOUSE'S OTH INS: SHOP PGM	H-52
AI49_2	SPOUSE'S INS: SCHOOL, PROFESSIONAL ASSOCIATION, ETC.	H-48
AI49_3	SPOUSE'S INS: DIRECTLY PURCHASED HEALTH PLAN	H-48
ΔT49 4	SPOUSE'S INS: MEDICARE	H-49

AI49_5	SPOUSE'S INS: MEDI-CAL	H-49
AI49_7	SPOUSE'S INS: MILITARY CARE	H-50
AI49_8	SPOUSE'S INS: INDIAN HEALTH SERVICE, TRIBAL HEALTH	H-50
AI49_9	SPOUSE'S INS: OTHER GOVT PLAN	H-51
AI6	COVERED BY MEDI-CAL	H-7
AI8	COVERED BY HEALTH INS PLAN THROUGH EMPLOYER OR UNION	H-7
AI9	HAVE EMPLOYER-BASED HEALTH INS IN OWN NAME OR SOMEONE ELSE'S	H-10
AI90	CHILD PLAN THRU EMPLOYER, UNION, SHOP PGM	I-1
AI91	PURCHASE CHILD PLAN DIRECTLY OR COVERED CA	I-1
A193	GET SUBSIDY ON CHILD PLAN PREMIUM PAID	I-2
AI94	TEEN PLAN THRU EMPLOYER, UNION, SHOP PGM	I-3
A195	PURCHASE TEEN PLAN DIRECTLY OR COVERED CA	I-4
A197	GET SUBSIDY ON TEEN PLAN PREMIUM PAID	I-4
AI9A	HAVE EMPLOYER-BASED HEALTH INS IN SPOUSE'S/PARENT'S NAME	H-11
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	F-15
AJ101V2	CURRENTLY PROVIDE CARE	J-49
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	J-21
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	J-21
AJ105	KNOW RIGHTS TO INTERPRETER DURING MED VISIT	J-22
AJ10V2	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	J-18
AJ114	TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP	J-23
AJ115	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY	J-23
AJ115_P1	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1	J-24
AJ11V2	WHO HELPED YOU UNDERSTAND DOCTOR	J-18
AJ129	EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED	J-27
AJ130	MAIN REASON DELAYED/NO CARE: COST OR NO INS	J-27
AJ131	MAIN REASON FOR DELAYING NEEDED CARE	J-28

AJ131_P1	MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)	J-29
AJ133	HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS	J-35
AJ134	NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR	J-35
AJ135	INSURANCE NOT ACCEPTED BY DOC PAST YR	J-35
AJ136	NEEDED TO SEE MED SPECIALIST PAST YR	J-33
AJ137	HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS	J-33
AJ138	NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR	J-34
AJ139	INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR	J-34
AJ144V3	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	D-26
AJ152V2	RECEIVED CARE WHILE AT ANOTHER HEALTH FACILITY FROM HEALTH PROVID	J-40
AJ153V2_1	HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN	J-41
AJ153V2_10	HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION	J-45
AJ153V2_11	HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA	J-46
AJ153V2_12	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL HEALTH PROBLEM	J-46
AJ153V2_13	HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-RELATED PROBLEM	J-47
AJ153V2_2	HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE	J-41
AJ153V2_3	HEALTH PROBLEM FOR TELE-MEDICAL CARE: MENTAL OR EMOTIONAL HEALTH	J-42
AJ153V2_4	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER	J-42
AJ153V2_5	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT	J-43
AJ153V2_6	HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC	J-43
AJ153V2_7	HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY	J-44
AJ153V2_8	HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS	J-44
_	HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP	J-45
Λ I15/IRVO 1	RIRTH CONTROL METHOD. THRAL LICATION	D-1/

AJ154BV2_10	BIRTH CONTROL METHOD: HYSTERECTOMY	D-19
AJ154BV2_2	BIRTH CONTROL METHOD: VASECTOMY	D-15
AJ154BV2_3	BIRTH CONTROL METHOD: IUD	D-15
AJ154BV2_4	BIRTH CONTROL METHOD: IMPLANT	D-16
AJ154BV2_5	BIRTH CONTROL METHOD: BIRTH CONTROL PILLS	D-16
AJ154BV2_6	BIRTH CONTROL METHOD: OTHER HORMONAL METHODS	D-17
AJ154BV2_7	BIRTH CONTROL METHOD: CONDOMS (MALE)	D-17
AJ154BV2_9	BIRTH CONTROL METHOD: OTHER BIRTH CONTROL	D-18
AJ154BV2_91	BIRTH CONTROL METHOD: OTHER	D-18
AJ167	ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM	J-31
AJ168	CONDITION OF TEETH	J-32
AJ169V2	RESPONDENT'S PREGNANCY PLANS	D-13
AJ170V2	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL	D-20
AJ170V2_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-21
AJ171V2	EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD	D-21
AJ171V2_P1	EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD	D-22
AJ172V3	CURRENTLY USING BIRTH CONTROL	D-26
AJ174V2_1	BIRTH CONTROL METHOD: TUBAL LIGATION	D-27
AJ174V2_10	BIRTH CONTROL METHOD: HYSTERECTOMY	D-31
AJ174V2_2	BIRTH CONTROL METHOD: VASECTOMY	D-27
AJ174V2_3	BIRTH CONTROL METHOD: IUD	D-28
AJ174V2_4	BIRTH CONTROL METHOD: IMPLANT	D-28
AJ174V2_5	BIRTH CONTROL METHOD: BIRTH CONTROL PILLS	D-29
AJ174V2_6	BIRTH CONTROL METHOD: OTHER HORMONAL METHODS	D-29
AJ174V2_7	BIRTH CONTROL METHOD: CONDOMS (MALE)	D-30
AJ174V2_9	BIRTH CONTROL METHOD: OTHER BIRTH CONTROL	D-31
AJ174V2 91	BIRTH CONTROL METHOD: OTHER	D-30

AJ175V2	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL	D-32
AJ175V2_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-33
AJ176	DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN	J-47
AJ177	DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL	J-48
AJ178	DOCTOR'S OFFICE CONNECTS FAMILY WITH COMMUNITY-BASED SERVICES	M-11
AJ179	RECEIVED BIRTH CONTROL COUNSELING OR INFO FROM DR IN PAST 12 MOS	D-22
AJ180	RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12	D-23
AJ181	TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED	D-23
AJ181_P1	TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED (PUF 1 YR RECODE	D-25
AJ182	LOCATION MAIN BIRTH CONTROL RECEIVED	D-24
AJ182_P1	LOCATION MAIN BIRTH CONTROL RECEIVED (PUF 1 YR RECODE)	D-25
AJ183V2	RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12	D-33
AJ184V2	TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED	D-34
AJ185V2	LOCATION MAIN BIRTH CONTROL RECEIVED	D-35
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	J-19
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	J-20
AJ202	RECEIVED CARE FROM A DOCTOR VIA VIDEO/TELEPHONE CONVERSATION INST	J-2
AJ203_1	HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN	J-3
AJ203_10	HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION	J-7
AJ203_11	HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA	J-8
AJ203_12	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL HEALTH PROBLEM	J-8
AJ203 13	HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-19	J-9

AJ203_2	HEALTH PRUBLEM FUR TELE-MEDICAL CARE: EYE	J-3
AJ203_3	HEALTH PROBLEM FOR TELE-MEDICAL CARE: MENTAL OR EMOTIONAL HEALTH	J-4
AJ203_4	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER	J-4
AJ203_5	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT	J-5
AJ203_6	HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC	J-5
AJ203_7	HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY	J-6
AJ203_8	HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS	J-6
AJ203_9	HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP	J-7
AJ204	RATE OVERALL EXPERIENCE OF MOST RECENT VIDEO VISIT COMPARED TO IN	J-9
AJ205	RATE OVERALL EXPERIENCE OF MOST RECENT PHONE VISIT COMPARED TO IN	J-10
AJ29	FEEL NERVOUS PAST 30 DAYS	F-1
AJ30	FEEL HOPELESS PAST 30 DAYS	F-1
AJ31	FEEL RESTLESS PAST 30 DAYS	F-2
AJ32	FEEL DEPRESSED PAST 30 DAYS	F-2
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	F-3
AJ34	FEEL WORTHLESS PAST 30 DAYS	F-3
AJ5	TAKE DAILY RX FOR EMOT/PERSONAL PROBLEM PAST 12 MOS	F-17
AJ50V2	LANGUAGE DOCTOR SPEAKS TO R	J-16
AJ50V2_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	J-17
AJ57V2	CURRENT OR PAST INTIMATE PARTNER EVER HIT, SLAP, PUSH, KICK, OR P	D-39
AJ58V2	CURRENT OR PAST INTIMATE PARTNER EVER FORCED UNWANTED SEX SINCE T	D-39
AJ59V2	INTIMATE PARTNER THREW SOMETHING THAT COULD HURT R	D-40
AJ60V2	INTIMATE PARTNER PUSHED, GRABBED, OR SLAPPED R	D-41
AJ61V2	INTIMATE PARTNER KICKED, BIT, HIT, CHOKED, OR BEAT UP R	D-41
AJ64V2	INTIMATE PARTNER THREATENED R WITH USE OF GUN. KNIFE. OR	D-42

OTHER WE

AJ66V2	INTIMATE PARTNER PHYSICALLY FORCED R TO HAVE UNWANTED SEX	D-42
AJ67V2	# OF TIMES INTIMATE PARTNER PHYSICALLY HURT AND/OR FORCED R TO HA	D-43
AJ69V2_1	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: CURRENT SO	D-43
AJ69V2_2	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: FORMER SO	D-44
AJ69V2_3	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: FIANCE	D-44
AJ69V2_4	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: SPOUSE/PARTNER	D-45
AJ69V2_5	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: FORMER SPOUSE/PARTNE	D-45
AJ69V2_6	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: SOMEONE DATING	D-46
AJ69V2_7	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: FIRST DATE	D-46
AJ69V2_91	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: OTHER	D-47
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	J-15
AJ80	HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA	J-2
AJ87	PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR	J-48
AJ8V3	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	J-15
AJ9V2	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	J-17
AK1	WORK STATUS LAST WEEK	K-1
AK10	ESTIMATED EARNINGS BEFORE TAXES AND DEDUCTIONS LAST MONTH	K-12
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	K-12
AK10A	SPOUSE'S EARNINGS LAST MONTH	K-14
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	K-16
AK11	HH ANNUAL INCOME MORE OR LESS THAN \$20K	K-17
AK12	RANGE FOR HH INCOME LESS THAN \$20K	K-17
AK13	HH ANNUAL INCOME MORE OR LESS THAN \$70K	K-18
AK136	SEEN OR HEARD ABOUT NEW 2020 CA PAID FAMILY/MEDICAL	K-22

LEAVE LAW

AK137	TOOK PAID LEAVE LONGER THAN 2 WEEKS FROM WORK DUE TO OWN/FAMILY M	K-22
AK138_1	REASON FOR PAID LEAVE: OWN HEALTH	K-23
AK138_2	REASON FOR PAID LEAVE: FAMILY MEMBER'S HEALTH	K-23
AK138_3	REASON FOR PAID LEAVE: ARRIVAL OR NEWBORN, NEWLY ADOPTED CHILD, O	K-24
AK138_91	REASON FOR PAID LEAVE: OTHER	K-24
AK139_1	REASON DID NOT TAKE LEAVE: FEAR OF LOSING JOB	K-25
AK139_2	REASON DID NOT TAKE LEAVE: FEAR OF HURTING CHANGES OF JOB ADVANCE	K-25
AK139_3	REASON DID NOT TAKE LEAVE: COULD NOT AFFORD TO GO ON LEAVE	K-26
AK139_4	REASON DID NOT TAKE LEAVE: EMPLOYER DENIED REQUEST FOR LEAVE	K-26
AK139_5	REASON DID NOT TAKE LEAVE: NOT ELIGIBLE	K-27
AK139_6	REASON DID NOT TAKE LEAVE: DIDN'T KNOW ABOUT LEAVE PROGRAM	K-27
AK139_7	REASON DID NOT TAKE LEAVE: PROCESS TO APPLY FOR LEAVE TOO COMPLIC	K-28
AK139_8	REASON DID NOT TAKE LEAVE: USED OTHER AVAILABLE LEAVE OPTIONS (E.	K-28
AK139_9	REASON DID NOT TAKE LEAVE: DID NOT NEED TO TAKE LEAVE	K-29
AK14	RANGE FOR HH INCOME \$20K TO \$70K	K-18
AK15	HH ANNUAL INCOME MORE OR LESS THAN \$135K	K-18
AK16	RANGE FOR HH INCOME \$70K TO \$135K	K-19
AK17V2	# OF PEOPLE IN HOUSEHOLD SUPPORTED BY TOTAL HOUSEHOLD INCOME (INC	K-19
AK18V2	# OF CHILDREN IN HOUSEHOLD SUPPORTED BY TOTAL HOUSEHOLD INCOME (I	K-20
AK2	MAIN REASON FOR NOT WORKING LAST WEEK	K-1
AK2_P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	K-2
AK20	# OF HRS PER WEEK SPOUSE USUALLY WORKS	K-13
AK20 P1	# OF HRS PER WEEK SPOUSE USUALLY WORKS (PUF 1 YR RECODE)	K-13

AK22	HOUSEHOLD TOTAL ANNUAL INC BEFORE TAXES IN PREVIOUS YEAR	K-16
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC IN PREVIOUS YEAR (PUF RECODE)	K-17
AK22_P1	HH TOTAL ANN. INC BEFORE TAXES IN PREVIOUS YEAR (PUF 1 YR RECODE)	K-15
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	M-1
AK25	OWN OR RENT HOME	M-1
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	M-16
AK3	# OF USUAL HRS WORKED PER WEEK	K-2
AK3_P1	# OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE)	К-3
AK3_P1V2	# OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE VERSION 2)	K-3
AK32V2	HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH (I	K-20
AK33V2	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE	K-21
AK33V2_P1	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE	K-21
AK4	TYPE OF EMPLOYER AT MAIN JOB	K-4
AK5	TYPE OF BUSINESS/INDUSTRY EMPLOYED BY	K-4
AK6	MAIN OCCUPATION	K-5
AK7	LENGTH OF TIME WORKING AT MAIN JOB	K-8
AK7_P1	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE)	K-10
AK7_P1V2	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2)	K-10
AK8	# PEOPLE WORKING FOR EMPLOYER/YOU	K-11
AKWKLNG	TIME AT MAIN JOB	K-11
AL100	ASKED TO PROVIDE SSN WHEN GETTING MEDICAL SERVICES	L-39
AL101	ASKED TO PROVIDE SSN WHEN GETTING MEDICAL SERVICES PAST 12 MOS	L-39
AL102	ASKED TO PROVIDE SSN WHEN ENROLLING CHILD IN SCHOOL	L-40
AL103	ASKED TO PROVIDE SSN WHEN ENROLLING CHILD IN SCHOOL PAST	L-40

12 MOS

AL104	AVOIDED GOVT BENEFITS BECAUSE WORRIED WILL DISQUALIFY R FROM GREE	L-38
AL105_1	NOTICE OF ACTIONS: EASY TO READ OR UNDERSTAND	L-25
AL105_2	NOTICE OF ACTIONS: DIFFICULT TO READ OR UNDERSTAND	L-26
AL105_3	NOTICE OF ACTIONS: CONTAIN HELPFUL INFORMATION	L-26
AL105_4	NOTICE OF ACTIONS: DOES NOT CONTAIN HELPFUL INFORMATION	L-27
AL105_5	NOTICE OF ACTIONS: NEVER GOT A NOTICE OF ACTIONS	L-27
AL106_1	HOW TO IMPROVE NOTICE OF ACTIONS: REDUCE TEXT	L-28
AL106_2	HOW TO IMPROVE NOTICE OF ACTIONS: SIMPLIFY LANGUAGE/READING LEVEL	L-28
AL106_3	HOW TO IMPROVE NOTICE OF ACTIONS: SHORTER PARAGRAPHS/SENTENCES	L-29
AL106_4	HOW TO IMPROVE NOTICE OF ACTIONS: SEND FEWER NOTICES	L-29
AL106_5	HOW TO IMPROVE NOTICE OF ACTIONS: GIVE CLEAR STEPS OF WHAT TO DO	L-30
AL106_6	HOW TO IMPROVE NOTICE OF ACTIONS: NO IMPROVEMENTS NEEDED	L-30
AL107	ABLE TO UPDATE CONTACT INFORMATION	L-31
AL108_1	REASON WHY NOT ABLE TO UPDATE CONTACT INFO: CHANGES DID NOT UPDAT	L-31
AL108_2	REASON WHY NOT ABLE TO UPDATE CONTACT INFO: DON'T KNOW HOW TO UPD	L-32
AL108_3	REASON WHY NOT ABLE TO UPDATE CONTACT INFO: DID NOT NEED TO UPDAT	L-32
AL108V2	FIRST SELECTED REASON WHY NOT ABLE TO UPDATE CONTACT INFO	L-33
AL109	EASY TO UPDATE CONTACT INFO	L-33
AL110_1	HOW UPDATED CONTACT INFO: VISITED OFFICE IN PERSON	L-34
AL110_2	HOW UPDATED CONTACT INFO: CALLED COUNTY OFFICE	L-34
AL110_3	HOW UPDATED CONTACT INFO: CALLED HEALTH PLAN	L-35
AL110_4	HOW UPDATED CONTACT INFO: DIRECTLY CONTACTED ELIGIBILITY WORKER	L-35
AL110_5	HOW UPDATED CONTACT INFO: ONLINE	L-36

AL110_6	HOW UPDATED CONTACT INFO: MAIL	L-36
AL110_7	HOW UPDATED CONTACT INFO: PORTAL	L-37
AL110_91	HOW UPDATED CONTACT INFO: OTHER	L-37
AL15V3	RECVD ALIMONY/CHILD SUPPORT LAST MONTH	L-5
AL16V3	TOTAL CHILD SUPPORT RECVD LAST MONTH	L-5
AL17V2	PAID ALIMONY OR CHILD SUPPORT LAST MONTH	K-41
AL18AV2	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	L-6
AL18BV2	TOTAL AMOUNT OF SOCIAL SECURITY OR PENSION RECVD LAST MONTH	L-8
AL18V2	TOTAL ALIMONY OR CHILD SUPPORT PAID LAST MONTH	L-6
AL19V2	MAIN REASON NOT ENROLLED IN MEDI-CAL	L-7
AL19V2_P1	MAIN REASON NOT ENROLLED IN MEDI-CAL (PUF 1 YR RECODE)	L-8
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	L-3
AL2V2	RECEIVING TANF OR CALWORKS	L-1
AL32V2	RECD ANY WORKERS COMPENSATION LAST MO	L-4
AL33V2	TOTAL AMOUNT RECD WORKERS COMPENSATION LAST MO	L-4
AL40V2	LENGTH OF TIME HAD MEDI-CAL	L-9
AL40V2_P1	LENGTH OF TIME HAD MEDI-CAL (PUF 1YR RECODE)	L-9
AL5V2	RECEIVING FOOD STAMP BENEFITS	L-1
AL6V2	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	L-2
AL7V2	CURRENTLY ON WIC	L-2
AL8	LEGALLY BLIND	D-9
AL86	WAIT TIME WITH COUNTY OFFICE ABOUT MEDICAL BENEFITS IN PAST 12 MO	L-10
AL87	METHOD OF CONTACTING COUNTY OFFICE	L-10
AL88	LENGTH OF TIME COUNTY REP TO TAKE CARE OF R'S PROBLEM	L-11
AL89	COUNTY REP ANSWER ALL OF R'S QUESTIONS	L-11
AL90	COUNTY REP TREATED R WITH RESPECT	L-12
AL91_1	AREAS COUNTY OFFICE CAN IMPROVE: REDUCE WAIT TIMES	L-12
AL91 10	AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE	L-17

KNOWLEDGE/SKILLS OF STAF

AL91_11	AREAS COUNTY OFFICE CAN IMPROVE: EXPAND MEDICAL COVERAGE/SERVICES	L-17
AL91_12	AREAS COUNTY OFFICE CAN IMPROVE: OTHERS	L-18
AL91_13	AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE COMMUNICATION	L-18
AL91_2	AREAS COUNTY OFFICE CAN IMPROVE: SPEND MORE TIME WITH R	L-13
AL91_3	AREAS COUNTY OFFICE CAN IMPROVE: EXPLAIN THINGS BETTER	L-13
AL91_4	AREAS COUNTY OFFICE CAN IMPROVE: TELL R THE NEXT STEPS	L-14
AL91_5	AREAS COUNTY OFFICE CAN IMPROVE: NO IMPROVEMENTS	L-14
AL91_6	AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE LOCATIONS/STAFF	L-15
AL91_7	AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE WAYS TO REACH STAFF	L-15
AL91_8	AREAS COUNTY OFFICE CAN IMPROVE: BETTER ATTITUDE	L-16
AL91_9	AREAS COUNTY OFFICE CAN IMPROVE: SIMPLIFIED/UP-TO-DATE SYSTEM/ONL	L-16
AL92	SATISFACTION RATING OF COUNTY OFFICE	L-19
AL93	RENEWED MEDI-CAL IN PAST 12 MOS	L-19
AL94	HAVE ISSUES RENEWING MEDI-CAL	L-20
AL95	TEMPORARILY LOST COVERAGE FOR 1 TO 2 MOS	L-20
AL95_P1	TEMPORARILY LOST COVERAGE OR HAD TO REAPPLY (PUF 1 YR RECODE)	L-21
AL96	COVERAGE PRIOR TO MEDI-CAL	L-21
AL97	PROBLEM CHANGING TO MEDI-CAL	L-22
AL98_1	TYPE OF PROBLEM CHANGING TO MEDI-CAL: PAID PREMIUMS WHILE WAITING	L-22
AL98_2	TYPE OF PROBLEM CHANGING TO MEDI-CAL: CONFLICTING ELIGIBILITY NOT	L-23
AL98_3	TYPE OF PROBLEM CHANGING TO MEDI-CAL: DELAY	L-23
AL98_4	TYPE OF PROBLEM CHANGING TO MEDI-CAL: UNABLE TO SEE PROVIDER	L-24
AL98_5	TYPE OF PROBLEM CHANGING TO MEDI-CAL: A LOT OF PAPERWORK	L-24
AT.98 6	TYPE OF PROBLEM CHANGING TO MEDI-CAL: HAD TO FILE APPEAL	L-25

AL99	AVOIDED GOVT BENEFITS BECAUSE WORRIED WILL DISQUALIFY R FROM GREE	L-38
AL9V2	ASSETS WORTH MORE THAN \$5,000	L-3
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	K-29
AM14	HOW LONG LIVED AT CURRENT ADDRESS (LENGTH OF TIME IN MONTHS)	M-2
AM15	HOW LONG LIVED IN CURRENT NEIGHBORHOOD	M-5
AM183	HOW FEEL ABOUT CURRENT HOUSING SITUATION	M-7
AM184	HOW OFTEN WORRY ABOUT STRUGGLING TO KEEP UP WITH MORTGAGE/RENT PA	M-8
AM185_1	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: TAKE ON ADDITIO	M-8
AM185_2	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: STOP SAVING FOR	M-9
AM185_3	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: ACCUMULATE CRED	M-9
AM185_4	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA	M-9
AM185_5	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA	M-10
AM185_6	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO NEIGHBO	M-10
AM185_7	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO PLACE W	M-10
AM185_8	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: NONE OF THESE/N	M-11
AM186	# OF TIMES STOPPED BY POLICE IN PAST 3 YEARS	M-12
AM186_P1	# OF TIMES STOPPED BY POLICE IN PAST 3 YEARS (PUF 1 YR RECODE)	M-14
AM187	EVER BEEN ARRESTED AND BOOKED FOR BREAKING THE LAW (NOT INCLUDING	M-12
AM188	SOMEONE LIVED WITH EVER BEEN ARRESTED AND BOOKED FOR BREAKING THE	M-13
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	M-14
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	K-30

AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG	M-15
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	M-15
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-30
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	M-16
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-31
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	K-31
AM44	CONFIDENT TO EXPRESS VIEWS IN FRONT OF PEERS	M-17
AM45	CAN CONTACT ELECTED OFFICIAL IN COMMUNITY	M-17
AM48	ACTIVE MEMBER IN COMMUNITY POLITICAL GROUP (NOT POLITICAL PARTY)	M-18
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	K-32
AP73V2	FREQUENCY OF VOTING IN PRESIDENTIAL ELECTIONS	P-1
AP74V2	FREQUENCY OF VOTING IN STATE ELECTIONS	P-1
AP75V2	FREQUENCY OF VOTING IN LOCAL ELECTIONS	P-2
AP80	MAIN REASON DID NOT VOTE	P-3
AQ1	LIVED WITH ANYONE WHO WAS DEPRESSED/MENTALLY ILL/SUICIDAL BEFORE	R-1
AQ10	HOW OFTEN ADULT/OLDER PERSON IN HOME MADE R TOUCH THEM SEXUALLY B	R-5
AQ11	HOW OFTEN ADULT/OLDER PERSON IN HOME FORCED R TO HAVE SEX BEFORE	R-5
AQ12	EVER BEEN VICTIM OF VIOLENCE OR WITNESSED VIOLENCE IN NEIGHBORHOO	R-6
AQ13	EVER BEEN TREATED UNFAIRLY DUE TO RACE/ETHNICITY BEFORE AGE 18	R-6
AQ14	EVER LIVED WITH A PARENT WHO DIED BEFORE AGE 18	R-6
AQ15	HOW OFTEN HARD TO GET BY ON FAMILY'S INCOME BEFORE AGE 18	R-7
AQ16	HOW OFTEN FELT ABLE TO TALK TO FAMILY ABOUT FEELINGS BEFORE AGE 1	R-7
AQ17	HOW OFTEN FELT FAMILY STOOD BY YOU DURING DIFFICULT TIMES BEFORE	R-8

AQ18	HOW OFTEN FELT SAFE AND PROTECTED BY ADULT IN HOME BEFORE AGE 18	R-8
AQ19	HOW OFTEN HAD AT LEAST TWO NON-PARENT ADULTS TAKE GENUINE INTERES	R-9
AQ2	LIVED WITH ANYONE WHO WAS A PROBLEM DRINKER/ALCOHOLIC BEFORE AGE	R-1
AQ20	HOW OFTEN FELT SUPPORTED BY FRIENDS BEFORE AGE 18	R-9
AQ21	HOW OFTEN FELT SENSE OF BELONGING AT HIGH SCHOOL BEFORE AGE 18	R-10
AQ22	HOW OFTEN ENJOYED PARTICIPATING IN COMMUNITY TRADITIONS BEFORE AG	R-10
AQ23	EVER COMPLETED AN ACES ASSESSMENT WITH A HEALTH PROFESSIONAL	R-11
AQ24	EVER COMPLETED AN ACES ASSESSMENT FOR TEEN WITH A HEALTH PROFESSI	R-11
AQ25	EVER COMPLETED AN ACES ASSESSMENT FOR CHILD WITH A HEALTH PROFESS	R-12
AQ26	HOW IMPT FOR HEALTH CARE PROVIDERS TO ASK PATIENTS ABOUT ACES	R-12
AQ27	SATISFACTION WITH HEALTH CARE PROVIDER EFFORTS TO ADDRESS ACES IM	R-13
AQ3	LIVED WITH ANYONE WHO USED ILLEGAL DRUGS/ABUSED PRESCRIPTION MEDS	R-1
AQ4	LIVED WITH ANYONE WHO SERVED JAIL/PRISON TIME BEFORE AGE 18	R-2
AQ5	PARENTS SEPARATED OR DIVORCED BEFORE AGE 18	R-2
AQ6	HOW OFTEN ADULTS IN HOME PHYSICALLY FOUGHT EACH OTHER BEFORE AGE	R-3
AQ7	HOW OFTEN ADULTS IN HOME PHYSICALLY HURT R BEFORE AGE 18	R-3
AQ8	HOW OFTEN ADULTS IN HOME SWEARED AT OR INSULTED R BEFORE AGE 18	R-4
AQ9	HOW OFTEN ADULT/OLDER PERSON IN HOME TOUCHED R SEXUALLY BEFORE AG	R-4
ARINFO2V2	SOURCE OF ADULT INFORMATION (ADULT RESPONDENT OR SKA ADULT)	Q-3
ARRSTBK	YOU OR HOUSEMATE EVER BEEN ARRESTED AND BOOKED	M-13

ASIAN10	ASIAN SUBTYPES (10 TYPES)	A-76
ASIAN10_NHPI	ASIAN SUBTYPES - 11 TYPES (INCL. NATIVE HAWAIIAN/PACIFIC ISLANDER	CV-32
ASIAN8	ASIAN SUBTYPES - 8 TYPES (PUF RECODE)	A-77
ASIAN9	ASIAN SUBTYPES - 9 TYPES (PUF RECODE)	A-76
ASNHP2	ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED	A-77
ASNHP2_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED	A-78
ASTCUR	CURRENT ASTHMA STATUS	B-4
BASEID	CASE ID - BASEID	Q-1
BESTZIP	ZIPCODE	N-10
BINGE30	BINGE DRINKING IN PAST 30 DAYS	C-74
BLACKCRB	BLACK: CARIBBEAN	A-42
BLACKSSA	BLACK: SUB-SAHARAN AFRICAN	A-42
BMI	BODY MASS INDEX	D-7
BMI_P	BODY MASS INDEX (PUF RECODE)	D-7
CARE_PV	HAD A PREVENTIVE CARE VISIT IN PAST YEAR	J-29
CATRIBE	CALIFORNIA TRIBE	A-58
CBD_DAB	METHOD OF CBD USE IN PAST 30 DAYS - DAB (UPCODED)	C-60
CBD_DRINK	METHOD OF CBD USE IN PAST 30 DAYS - DRINK (UPCODED)	C-56
CBD_EAT	METHOD OF CBD USE IN PAST 30 DAYS - EAT (UPCODED)	C-55
CBD_ORAL	METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY (UPCODED)	C-54
CBD_SKIN	METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN (UPCODED)	C-57
CBD_SMK	METHOD OF CBD USE IN PAST 30 DAYS - SMOKE (UPCODED)	C-58
CBD_VAP	METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE (UPCODED)	C-59
CBDCUR	CURRENT CBD USER	C-61
CBDMETHOD	MOST USED METHOD OF CBD USE	C-61
CC_SUBS	SUBSIDY AND TYPE OF COVERED CALIFORNIA COVERAGE	H-100
CC TIER	PLAN TIER/LEVEL OF PRIVATE COVERAGE FROM COVERED	H-101

CALIFORNIA

CCPREG19	COVERED CALIFORNIA PRICING REGIONS	N-11
CF9_13	TYPE OF PLAN MISSED: COVERED CA THROUGH SHOP	I-2
CHINESE	CHINESE	A-78
CHLDCNT	# OF ELIGIBLE CHILDREN 0-11 IN HOUSEHOLD	Q-4
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	F-12
CITIZEN1	CITIZENSHIP AND IMMIGRATION STATUS - 4 LEVELS	G-14
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	G-14
CNTRYF	COUNTRY FATHER BORN	G-10
CNTRYM	COUNTRY MOTHER BORN	G-11
CNTRYS	COUNTRY BORN	G-11
CNTRYS2	COUNTRY BORN (WORLD BANK REGIONS)	G-12
CONTACT	HAD OR THOUGHT HAD COVID-19 AND CONTACTED HEALTH PROFESSIONAL	CV-33
COVRDCA	PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA	H-97
COVRDCA_S	SPOUSE WITH PRIVATE/EMPLOYER-BASED COVERAGE FROM COVERED CALIFORN	Н-98
CV1	EVER HAD OR THOUGHT HAD COVID-19	CV-1
CV10	HOW OFTEN WORE FACE COVERING WHEN LEFT HOME IN PAST WEEK	CV-16
CV14V2	HOW OFTEN FOLLOWED STATE & LOCAL GUIDELINES WHEN GATHERING WITH P	CV-22
CV15	EVER EXPERIENCED LONG-LASTING COVID-19 SYMPTOMS FOR 2 MONTHS OR L	CV-2
CV16	LEVEL OF VACCINATION FOR COVID-19	CV-7
CV17_1	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: WORRIED A	CV-8
CV17_2	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: VACCINE D	CV-8
CV17_3	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: DON'T KNO	CA-8
CV17_4	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: VACCINE I	CA-8
CV17 5	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19:	CV-10

DON'T BEL

CV17_6	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: PLAN TO G	CV-10
CV17_7	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: ALREADY H	CV-11
CV17_91	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: OTHER	CV-11
CV18	LIKELINESS OF RECEIVING COVID-19 BOOSTER SHOT	CV-12
CV19_1	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: WORRIED A	CV-12
CV19_2	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: VACCINE D	CV-13
CV19_3	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: DON'T KNO	CV-13
CV19_4	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: BOOSTER V	CV-14
CV19_5	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: DON'T BEL	CV-14
CV19_6	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: ALREADY H	CV-15
CV19_91	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: OTHER	CV-15
CV2	CONTACTED HEALTH PROFESSIONAL ABOUT COVID-19 CONCERNS	CV-1
CV20_1	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: TELEVISION	CV-17
CV20_10	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: RELIGIOUS LEAD	CV-17
CV20_11	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: ELDERS/COMMUNI	CV-17
CV20_12	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: NONE OF THESE	CV-18
CV20_2	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: RADIO	CV-18
CV20_3	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: NEWSPAPER	CV-18
CV20_4	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: GOVERNMENTAL A	CV-19
CV20_5	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19:	CV-19

DOCTOR

CV20_6	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: FAMILY	CV-19
CV20_7	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: FRIENDS	CV-20
CV20_8	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: EMPLOYER	CV-20
CV20_9	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: SOCIAL MEDIA	CV-20
CV21	WHERE GET MOST INFORMATION ABOUT COVID-19	CV-21
CV22	PARTICIPATED IN ANY GATHERINGS WITH >1,000 ATTENDEES INDOOR OR >1	CV-16
CV4	EVER TESTED FOR COVID-19	CV-1
CV5	EVER RECEIVED POSITIVE TEST RESULT FOR COVID-19	CV-2
CV7V2_1	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: LOST JOB DUE TO LAYOFF	CV-3
CV7V2_10	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: NONE OF THESE	CV-5
CV7V2_11	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: INCREASED MENTAL HEALT	CV-6
CV7V2_12	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: LOST JOB DUE TO VACCIN	CV-6
CV7V2_13	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: WORK ENTIRELY FROM HOM	CV-6
CV7V2_14	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: WORK SOME DAYS AT HOME	CV-7
CV7V2_15	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: QUIT JOB TO TAKE CARE	CV-7
CV7V2_2	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: REDUCED JOB HOURS OR I	CV-3
CV7V2_4	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CONTINUED WORK AS AN E	CV-3
CV7V2_5	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CHILDCARE DIFFICULTIES	CV-4
CV7V2_6	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING RE	CV-4
CV7V2_7	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING FO	CV-4

CV7V2_8	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: TREATED UNFAIRLY DUE T	CV-5
CV7V2_9	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: OTHER	CV-5
CVA1	EXPERIENCED A HATE INCIDENT DUE TO COVID-19 OUTBREAK	CV-22
CVA10	TEEN'S SCHOOL MET NEEDS TO CONTINUE EDUCATING DURING STAY AT HOME	CV-28
CVA11_1	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: MORTGAG	CV-29
CVA11_2	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: RENT	CV-29
CVA11_3	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: CAR	CV-30
CVA11_4	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: INSURAN	CV-30
CVA11_5	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: UTILITI	CV-31
CVA11_6	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: CREDIT	CV-31
CVA11_7	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: OTHER/N	CV-32
CVA2_1	EXPERIENCED PHYSICAL ABUSE/ATTACK HATE INCIDENT DUE TO COVID-19 0	CV-23
CVA2_2	EXPERIENCED VERBAL ABUSE/INSULT HATE INCIDENT DUE TO COVID-19 OUT	CV-23
CVA2_3	EXPERIENCED CYBERBULLYING HATE INCIDENT DUE TO COVID-19 OUTBREAK	CV-24
CVA2_4	EXPERIENCED SOME OTHER HATE INCIDENT DUE TO COVID-19 OUTBREAK	CV-24
CVA2_5	EXPERIENCED NONE OF THESE HATE INCIDENTS DUE TO COVID-19 OUTBREAK	CV-25
CVA3	WITNESSED ANOTHER API PERSON TREATED UNFAIRLY DUE TO RACE/ETHNICI	CV-25
CVA4	HAD DIFFICULTIES PERFORMING WORK DUE TO POOR INTERNET OR LACK OF	CV-26
CVA7	LOCAL GOV'T HAS DONE A GOOD JOB MANAGING COVID-19 OUTBREAK	CV-27
CVA8	NAT'L GOV'T HAS DONE A GOOD JOB MANAGING COVID-19	CV-27

OUTBREAK

CVA9	CHILD'S SCHOOL MET NEEDS TO CONTINUE EDUCATING DURING STAY AT HOM	CV-28
DIABETES	DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL)	B-6
DIAMED	TAKING INSULIN OR PILLS	B-8
DISCRIM	DISCRIMINATION IN HEALTHCARE	M-19
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	F-4
DMC8	WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF RACE/ETHNICITY	M-18
DMC9	HOW LONG AGO TREATED UNFAIRLY W/ MEDICAL CARE DUE TO RACE/ETHNICI	M-19
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	J-14
DSTRS_P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	F-5
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	F-11
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	F-4
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	F-12
EFLAV_ALC	USED E-CIG FLAVOR - ALCOHOL/LIQUOR (UPCODED)	C-19
EFLAV_FRUIT	USED E-CIG FLAVOR - FRUIT (UPCODED)	C-17
EFLAV_MINT	USED E-CIG FLAVOR - MINT (UPCODED)	C-20
EFLAV_SWEET	USED E-CIG FLAVOR - CANDY/SWEET (UPCODED)	C-18
EFLAV_TOB	USED E-CIG FLAVOR - TOBACCO (UPCODED)	C-21
ELGMAGI3	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)	K-38
ELGMAGI4	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (3 LVLS)	K-39
ELGMAG15	MEDI-CAL ELIG FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS)	K-39
ELGMAGI64	PUBLIC COVERAGE FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS)	K-40
ELGMAGI65	MEDI-CAL ELIGIBILITY FOR AGED & DISABLED FPL PROGRAM - AGES 65 AN	K-40
ELGSPMAGI	ELIG PRGM INCL STATE POSSIBLE CHILD COVERAGE EXPANSIONS: ACA MAGI	K-41
ER	ER VISIT WITHIN THE PAST YEAR	J-40
ESMKCUR	CURRENT E-CIGARETTE SMOKER	C-15

EVERVIOV2	INTIMATE PARTNER PHY/SEX VIOLENCE SINCE AGE 18	D-40
FAM_SIZE	FAMILY SIZE	G-34
FAM_SIZE2	FAMILY SIZE: INCLUDES ALL PEOPLE SUPPORTED BY HH INCOME	G-35
FAM_TYPE	FAMILY TYPE	G-35
FAMCNT	HOUSEHOLD SIZE COUNT	Q-5
FAMILY_KID	HOUSEHOLDS WITH FAMILIES WITH CHILDREN <18 YEARS OF AGE	CV-33
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	F-14
FAMSIZE2_P1	FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE)	G-36
FAMT4	FAMILY TYPE - 4 LVLS	G-37
FAMTYP_P	FAMILY TYPE (PUF RECODE)	G-36
FILIPINO	FILIPINO	A-79
FIPS_CNT	FIPS COUNTY (PROVIDED BY UCLA)	N-7
FIREARM	FIREARM KEPT IN HOME	GV-8
FLAVTOB	CURRENT (PAST 30 DAYS) USE OF FLAVORED TOBACCO PRODUCTS	C-32
FLAVTOB2	CURRENT (PAST 30 DAYS) USE OF NON-TOBACCO FLAVORED CIGS/E-CIGS/CI	C-32
FOBT2V2	BLOOD STOOL TEST PAST 2 YEARS	J-50
FORGO	HAD TO FORGO NECESSARY CARE	J-30
FSLEV	FOOD SECURITY STATUS LEVEL	K-32
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	K-33
GENDIDEN2	CURRENT SELF REPORTED GENDER AND SEX AT BIRTH	A-7
GENDIDEN3	GENDER IDENTITY (3 LEVELS)	A-8
GENENV	MOST IMPORTANT FACTOR TO HEALTH	C-76
GUNLOADED	FIREARM IN HOME KEPT LOADED AND UNLOCKED	GV-10
GUNLOCK	TYPE OF FIREARM LOCK USED	GV-10
GUNSAFE	FIREARMS STORAGE: LOCKED AND/OR LOADED	GV-11
HANDGUN	HANDGUN KEPT IN HOME	GV-8
HANDGUN NUM	NUMBER OF HANDGUNS KEPT IN HOME	GV-S

HANDGUNNUM_P	NUMBER OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)	GV-9
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	D-3
HEIGHTM	HEIGHT: METERS - UCLA	D-3
HGHTI	HEIGHT: INCHES	D-1
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	D-1
HGHTM	HEIGHT: METERS	D-2
HGHTM_P	HEIGHT: METERS (PUF RECODE)	D-2
HH_SIZE	HOUSEHOLD SIZE	Q-4
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	Q-5
HHSIZE_P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	Q-6
НМО	HMO STATUS	H-62
HOUSETYPE	HOUSING STATUS	M-2
HSAAMTV2	AMOUNT IN HEALTH SAVINGS ACCOUNTS	H-111
HSAAMTV2_P1	AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE)	H-111
IA1A	MAIN REASON TEEN NOT ENROLLED IN MEDI-CAL	I-5
IA26_6	TEEN'S OTHER HEALTH INS: DIRECT PURCHASE	I-6
IA26_7	TEEN'S OTHER HEALTH INS: COVERED CA	I-7
IA9_13	TYPE OF PLAN MISSED: COVERED CA THROUGH SHOP	I-5
IHS	COVERED BY INDIAN HEALTH SERVICES	Н-90
IHS_S	SPOUSE COVERED BY INDIAN HEALTH SERVICES	H-90
ILLIDRUG	USED HEROIN, METHAMPHETAMINE, OR PRESCRIPTION DRUG AS NOT DIRECTE	C-75
IMPAIR2	FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS	F-13
IND_FLAG3	CENSUS INDUSTRY CODE - CODING METHOD	K-7
INDMAIN2	MAIN INDUSTRY - RECODE (CENSUS 2010. IND. CLASSIFICATION SCH.)	К-6
INS	CURRENTLY INSURED	Н-82
INS_S	SPOUSE CURRENTLY INSURED	Н-83
TNG1OM	MOS COVEDED BY HEATTH DIAMS LAST 10 MOS	п_03

INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	H-84
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	H-85
INS64_S	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR SPOUSE - UNDER 65	H-85
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	H-86
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	H-87
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	H-88
INS6TP_M	TYPE OF CURRENT HEALTH COVERAGE: 0-64 YEARS (HEALTH PROFILES)	H-89
INS9TP	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS)	H-89
INSANY	ANY INS IN LAST 12 MOS	H-86
INSEM	COVERED BY EMPLOYER-BASED PLANS	H-90
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	H-91
INSLMT12M	REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS	H-108
INSLT_P	HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)	H-95
INSMC	COVERED BY MEDICARE	H-91
INSMC_S	SPOUSE COVERED BY MEDICARE	H-92
INSMD	COVERED BY MEDI-CAL	H-93
INSMD_S	SPOUSE COVERED BY MEDI-CAL	H-93
INSML	COVERED BY MILITARY HEALTH PLANS	H-93
INSML_S	SPOUSE COVERED BY MILITARY HEALTH PLANS	H-94
INSOG	COVERED BY OTHER GOVT PLANS	H-94
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	H-95
INSOT	COVERED BY OTHER NON-GOVT PLANS	H-96
INSOT_S	SPOUSE COVERED BY OTHER NON-GOVT PLANS	H-96
INSPR	COVERED BY PLANS PURCHASED ON OWN	H-96
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	Н-97
INSPS	PRIMARY OR SECONDARY COVERAGE	Н-98
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	Н-99

INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	H-87
INSTYPE	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES	H-88
INTV_MODE2	INTERVIEW MODE (PHONE OR WEB)	A-94
INTVLANG2	LANGUAGE OF INTERVIEW	Q-7
INTVLANG3	LANGUAGE OF INTERVIEW	Q-7
INTVLNGC_P1	LANGUAGE OF INTERVIEW (PUF 1 YR RECODE)	Q-6
JOBINSV2	LOST/LEFT JOB OR HAD JOB HOURS REDUCED DUE TO COVID-19 AND ARE UN	CV-34
KIDCNT	COUNT OF ALL CHILDREN AND TEENS ENUMERATED IN HH	Q -8
LANGHOME	LANGUAGE SPOKEN AT HOME	A-87
LATIN2TP	LATIN/HISPANIC SUBTYPES (2 LVLS)	A-19
LATIN9TP	LATIN/HISPANIC SUBTYPES (9 LVLS)	A-19
LNGHM_P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	A-88
MAR_BLUNTV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT (UPCODED)	C-39
MAR_DABV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB (UPCODED)	C-41
MAR_DRINKV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK (UPCODED)	C-40
MAR_EATV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT (UPCODED)	C-40
MAR_SMKV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE (UPCODE	C-39
MAR_VAPV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE (UPCODED)	C-41
MARCUR	CURRENT MARIJUANA USER	C-49
MAREXPOSE	EXPOSED TO MARIJUANA SMOKE IN PAST YEAR	C-49
MARIT	MARITAL STATUS- 3 CATEGORIES	A-93
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	A-93
MARIT2	MARITAL STATUS- 4 CATEGORIES	A-94
MARTYPEV2	METHOD OF TAKING MARIJUANA	C-42
MC TYPE	TYPE OF MEDICARE COVERAGE	Н-92

MENA	MIDDLE EAST AND NORTH AFRICA ORIGIN	A-43
MENTHOL	SMOKED MINT OR MENTHOL FLAVORED CIGARETTES OR E-CIGARETTES	C-9
MJMETHOD	MOST USED METHOD OF MARIJUANA USE	C-50
MJMETHOD_P1	MOST USED METHOD OF MARIJUANA USE (PUF 1 YR RECODE)	C-50
MODVIOV2	INTIMATE PARTNER MODERATE PHYSICAL VIOLENCE PAST 12 MONTHS	D-47
NONCIGPRO	CURRENT (PAST 30 DAYS) USE OF NON-CIGARETTE TOBACCO PRODUCTS	C-33
NONFLAVTOB	CURRENT (PAST 30 DAYS) USE OF TOBACCO FLAVORED E-CIGS OR FLAVORED	C-33
NUMCIG	# OF CIGARETTES PER DAY	C-11
OCC_FLAG3	CENSUS OCCUPATION CODE - CODING METHOD	K-9
OCCMAIN2	MAIN OCCUPATION - RECODE (CENSUS 2010 OCC. CLASSIFICATION SCH.)	K-8
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	H-103
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	H-104
OMBSRASO	OMB S-R NONHISPANIC ASIAN GROUP (ONLY)	A-48
OMBSRASO2	OMB S-R NONHISPANIC ASIAN GROUP (ONLY, INCLUDES JAPANESE CAT.)	A-48
OMBSRR_P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-49
OMBSRREO	OMB/CURRENT DOF RACE - ETHNICITY	A-49
OTHMEDCNDTN	USED MEDICATION FOR REASON OTHER THAN DENTAL/SURGERY/INJURY/CHRON	C-68
OVRWT	OVERWEIGHT OR OBESE	D-9
PANDHATE_ALL	TIME PERIOD IF EXPERIENCED HATE CRIME/INCIDENT IN US	F-30
PANDHATE_VCT	WHEN EXPERIENCED HATE CRIME/INCIDENT IN US	F-31
PAR_ELIG	PARTICIPATION IN MEDI-CAL PROGRAM	H-99
PAR_MAGI	PARTICIPATION IN MEDI-CAL PROGRAM: ACA MAGI GUIDELINES	H-100
PC_INS	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS	J-36
PC_NEWP	PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING	J-36

PCE	POSITIVE CHILDHOOD EXPERIENCES SCALE	R-14
PCTLF	PERCENT LIFE IN US	G-18
PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	G-19
PHYVIOV2	INTIMATE PARTNER PHYSICAL VIOLENCE PAST 12 MONTHS	D-48
PINSTYPE	TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN	H-114
PLCSTOP	STOPPED BY POLICE IN PAST 3 YEARS	M-13
POVGWD	FAMILY POVERTY THRESHOLD LEVEL	K-34
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	K-35
POVGWD_P1	FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE)	K-35
POVGWD2	FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (CONTINUOUS)	K-33
POVLL	POVERTY LEVEL	K-37
POVLL_ACA	FAMILY POVERTY THRESHOLD LEVEL: ACA (4 LVLS)	K-34
POVLL2	POVERTY LEVEL AS TIMES OF 100% FPL	K-37
POVLL2_P	POVERTY LEVEL - 100% FPL (PUF RECODE)	K-38
POVLL2_P1	POVERTY LEVEL AS TIMES OF 100% FPL (PUF 1 YR RECODE)	K-36
POVLL2_P1V2	POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2)	K-36
PREDIAB	DOCTOR EVER TOLD HAVE PRE OR BORDERLINE DIABETES (NON-GESTATIONAL	B-6
PROXY	A PROXY INTERVIEW	Q-8
PUF1Y_ID	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES	Q-1
RACECEN	RACE - CENSUS 2000 DEFINITION	A-50
RACECN_P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	A-50
RACEDF_P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-51
RACEDOF	FORMER DOF RACE - ETHNICITY	A-51
RACEHP2_P1	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	A-52
RACEHPR2	RACE - UCLA CHPR DEFINITION, UNABRIDGED	A-52
RAKEDWO	CHIS2022 RAKED WEIGHT - FULL SAMPLE	0-1
DAKEDIH	CHISONOO BAKEN WEICHT - REDIICATE 1	0 1

RAKEDW10	CHIS2022 RAKED WEIGH	HT - REPLICATE 10	0-4
RAKEDW11	CHIS2022 RAKED WEIGH	HT - REPLICATE 11	0-4
RAKEDW12	CHIS2022 RAKED WEIGH	HT - REPLICATE 12	0-5
RAKEDW13	CHIS2022 RAKED WEIGH	HT - REPLICATE 13	0-5
RAKEDW14	CHIS2022 RAKED WEIGH	HT - REPLICATE 14	0-5
RAKEDW15	CHIS2022 RAKED WEIGH	HT - REPLICATE 15	0-6
RAKEDW16	CHIS2022 RAKED WEIGH	HT - REPLICATE 16	0-6
RAKEDW17	CHIS2022 RAKED WEIGH	HT - REPLICATE 17	0-6
RAKEDW18	CHIS2022 RAKED WEIGH	HT - REPLICATE 18	0-7
RAKEDW19	CHIS2022 RAKED WEIGH	HT - REPLICATE 19	0-7
RAKEDW2	CHIS2022 RAKED WEIGH	HT - REPLICATE 2	0-1
RAKEDW20	CHIS2022 RAKED WEIGH	HT - REPLICATE 20	0-7
RAKEDW21	CHIS2022 RAKED WEIGH	HT - REPLICATE 21	0-8
RAKEDW22	CHIS2022 RAKED WEIGH	HT - REPLICATE 22	0-8
RAKEDW23	CHIS2022 RAKED WEIGH	HT - REPLICATE 23	0-8
RAKEDW24	CHIS2022 RAKED WEIGH	HT - REPLICATE 24	0-9
RAKEDW25	CHIS2022 RAKED WEIGH	HT - REPLICATE 25	0-9
RAKEDW26	CHIS2022 RAKED WEIGH	HT - REPLICATE 26	0-9
RAKEDW27	CHIS2022 RAKED WEIGH	HT - REPLICATE 27	0-10
RAKEDW28	CHIS2022 RAKED WEIGH	HT - REPLICATE 28	0-10
RAKEDW29	CHIS2022 RAKED WEIGH	HT - REPLICATE 29	0-10
RAKEDW3	CHIS2022 RAKED WEIGH	HT - REPLICATE 3	0-2
RAKEDW30	CHIS2022 RAKED WEIGH	HT - REPLICATE 30	0-11
RAKEDW31	CHIS2022 RAKED WEIGH	HT - REPLICATE 31	0-11
RAKEDW32	CHIS2022 RAKED WEIGH	HT - REPLICATE 32	0-11
RAKEDW33	CHIS2022 RAKED WEIGH	HT - REPLICATE 33	0-12
RAKEDW34	CHIS2022 RAKED WEIGH	HT - REPLICATE 34	0-12
RAKEDW35	CHIS2022 RAKED WEIGH	HT - REPLICATE 35	0-12

RAKEDW36	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 36	0-13
RAKEDW37	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 37	0-13
RAKEDW38	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 38	0-13
RAKEDW39	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 39	0-14
RAKEDW4	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 4	0-2
RAKEDW40	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 40	0-14
RAKEDW41	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 41	0-14
RAKEDW42	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 42	0-15
RAKEDW43	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 43	0-15
RAKEDW44	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 44	0-15
RAKEDW45	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 45	0-16
RAKEDW46	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 46	0-16
RAKEDW47	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 47	0-16
RAKEDW48	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 48	0-17
RAKEDW49	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 49	0-17
RAKEDW5	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 5	0-2
RAKEDW50	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 50	0-17
RAKEDW51	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 51	0-18
RAKEDW52	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 52	0-18
RAKEDW53	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 53	0-18
RAKEDW54	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 54	0-19
RAKEDW55	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 55	0-19
RAKEDW56	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 56	0-19
RAKEDW57	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 57	0-20
RAKEDW58	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 58	0-20
RAKEDW59	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 59	0-20
RAKEDW6	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 6	0-3
RAKEDW60	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 60	0-21
RAKEDW61	CHIS2022 RAKED WEI	GHT - REPLICAT	TE 61	0-21

RAKEDW62	CHIS2022 RAKED WEIGHT - REPLICATE 62	0-21
RAKEDW63	CHIS2022 RAKED WEIGHT - REPLICATE 63	0-22
RAKEDW64	CHIS2022 RAKED WEIGHT - REPLICATE 64	0-22
RAKEDW65	CHIS2022 RAKED WEIGHT - REPLICATE 65	0-22
RAKEDW66	CHIS2022 RAKED WEIGHT - REPLICATE 66	0-23
RAKEDW67	CHIS2022 RAKED WEIGHT - REPLICATE 67	0-23
RAKEDW68	CHIS2022 RAKED WEIGHT - REPLICATE 68	0-23
RAKEDW69	CHIS2022 RAKED WEIGHT - REPLICATE 69	0-24
RAKEDW7	CHIS2022 RAKED WEIGHT - REPLICATE 7	0-3
RAKEDW70	CHIS2022 RAKED WEIGHT - REPLICATE 70	0-24
RAKEDW71	CHIS2022 RAKED WEIGHT - REPLICATE 71	0-24
RAKEDW72	CHIS2022 RAKED WEIGHT - REPLICATE 72	0-25
RAKEDW73	CHIS2022 RAKED WEIGHT - REPLICATE 73	0-25
RAKEDW74	CHIS2022 RAKED WEIGHT - REPLICATE 74	0-25
RAKEDW75	CHIS2022 RAKED WEIGHT - REPLICATE 75	0-26
RAKEDW76	CHIS2022 RAKED WEIGHT - REPLICATE 76	0-26
RAKEDW77	CHIS2022 RAKED WEIGHT - REPLICATE 77	0-26
RAKEDW78	CHIS2022 RAKED WEIGHT - REPLICATE 78	0-27
RAKEDW79	CHIS2022 RAKED WEIGHT - REPLICATE 79	0-27
RAKEDW8	CHIS2022 RAKED WEIGHT - REPLICATE 8	0-3
RAKEDW80	CHIS2022 RAKED WEIGHT - REPLICATE 80	0-27
RAKEDW9	CHIS2022 RAKED WEIGHT - REPLICATE 9	0-4
RBMI	BMI DESCRIPTIVE	D-8
REGION41	STRATA REGIONS (41)	N-1
REGION44	STRATA REGIONS (44)	N-3
REGION7	STRATA REGIONS (7)	N-4
RISK	EVER DIAGNOSED WITH ANY CHRONIC RISK FACTOR (ASTHMA, DIABETES, HB	CV-34
RN FORGO	REASONS FORGONE NECESSARY CARE	J-30

RSN_NOINS	MAIN REASON NOT HAVE HEALTH INS AT ALL (EXPANDED)	CV-35
RSN_UNI2	REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS	H-102
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	H-103
SC_INS	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I	J-37
SC_NEWP	SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT	J-37
SCND_SMK	LOCATION OF SECONDHAND SMOKE EXPOSURE	C-31
SECTION A	DEMOGRAPHIC INFORMATION, PART I	A-1
SECTION B	GENERAL HEALTH CONDITION	B-1
SECTION C	HEALTH BEHAVIORS	C-1
SECTION CV	COVID-19	CV-1
SECTION D	GENERAL HEALTH, DISABILITY & SEXUAL HEALTH	D-1
SECTION E	WOMEN'S HEALTH	E-1
SECTION F	MENTAL HEALTH	F-1
SECTION G	DEMOGRAPHIC INFORMATION, PART II & CHILD CARE	G-1
SECTION GV	GUN VIOLENCE	GV-1
SECTION H	HEALTH INSURANCE	H-1
SECTION I	CHILD & ADOLESCENT HEALTH INSURANCE	I-1
SECTION J	HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH	J-1
SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY	K-1
SECTION L	PUBLIC PROGRAM PARTICIPATION	L-1
SECTION M	HOUSING & COMMUNITY INVOLVEMENT	M-1
SECTION N	DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO.	N-1
SECTION O	FULL DESIGN & REPLICATE WEIGHT SERIES 0-80	0-1
SECTION P	VOTER ENGAGEMENT	P-1
SECTION Q	SCREENING INFORMATION	Q-1
SECTION R	ADVERSE CHILDHOOD EXPERIENCES	R-1
SECTION S	SUICIDE IDEATION	S-1

SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	G-33
SEXVIOV2	INTIMATE PARTNER SEXUAL VIOLENCE PAST 12 MONTHS	D-48
SMKCUR	CURRENT SMOKER	C-10
SMKCUR30	CURRENT SMOKER (PAST 30 DAYS)	C-5
SMKEXPOSE	SECONDHAND EXPOSURE TO TOBACCO OR MARIJUANA SMOKE IN PAST MONTH	C-51
SMOKING	CURRENT SMOKING HABITS	C-11
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	F-13
SPK_ENG	ENGLISH USE AND PROFICIENCY	A-89
SRAA	SELF-REPORTED AFRICAN AMERICAN	A-46
SRAGE	SELF-REPORTED AGE	A-4
SRAGE_P	SELF-REPORTED AGE (PUF RECODE)	A-4
SRAGE_P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	A-5
SRAI	SELF-REPORTED AMERICAN INDIAN	A-46
SRAS	SELF-REPORTED ASIAN	A-43
SRASO	SELF-REPORTED OTHER ASIAN GROUP	A-43
SRCERLYV2	MOST RELIED UPON SOURCE OF COVID-19 INFORMATION	CV-26
SRCH	SELF-REPORTED CHINESE	A-44
SRCNTY	COUNTY OF RESIDENCE	N-5
SREDUC	SELF-REPORTED EDUC LEVEL OF RESP (ADLTS)	G-34
SRH	SELF-REPORTED LATINO/HISPANIC	A-45
SRJP	SELF-REPORTED JAPANESE	A-44
SRKR	SELF-REPORTED KOREAN	A-44
SRO	SELF-REPORTED OTHER RACE	A-47
SRPH	SELF-REPORTED FILIPINO	A-45
SRPI	SELF-REPORTED PI AND NTV HW	A-47
SRSEX	SELF-REPORTED GENDER	A-5
SRSTRATA	SELF-REPORTED STRATA	N-S
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	0-9

SRVT	SELF-REPORTED VIETNAMESE	A-45
SRW	SELF-REPORTED WHITE	A-46
SSLEGAL2	LEGALLY MARRIED OR DOM PARTNER TO SAME SEX	D-12
SSNCIT_YN	ASKED FOR SSN OR CITIZENSHIP TO GET MEDICAL SERVICES/SCHOOL ENROL	L-41
STABLEHOUSE	HAS STABLE HOUSING	M-7
TCURPLAN	TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS	H-113
TEENCNT	# OF ELIGIBLE ADOLESCENTS 12-17 IN HOUSEHOLD	Q-9
TIMAPPT	ABLE TO GET AN APPOINTMENT IN A TIMELY WAY	J-22
TIMEAD	LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS)	М-3
TIMEAD_P1	LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS) (PUF 1 YR RECODE	M-4
TIMENEV2	LENGTH OF TIME LIVED AT CURRENT NEIGHBORHOOD (MONTHS)	M-5
TIMENEV2_P1	LENGTH OF TIME LIVED AT CURRENT NEIGHBORHOOD (MONTHS) (PUF 1 YR R	M-6
TRACT10	CENSUS TRACT (2010)	Q-9
TRANSGEND2	CURRENT SELF REPORTED GENDER AND SEX AT BIRTH: 2-LEVELS	A-8
UNINSANY	UNINSURED IN PAST 12 MOS	H-84
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	N-12
UR_CLRT4	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	N-13
UR_IHS	RURAL AND URBAN - IHS	N-12
UR_OMB	RURAL AND URBAN - OMB	N-12
UR_RHP	RURAL AND URBAN - RHP	N-13
US_VISAV2	TYPE OF VISA, PERMIT, OR DOCUMENTATION TO STAY IN US	G-16
USOC	USUAL SOURCE OF CARE OTHER THAN ER	J-11
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	J-11
USUAL_TP	USUAL SOURCE OF CARE (7 LVLS)	J-12
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	J-12
VOTE_ENG2	VOTER ENGAGEMENT	P-2
VOTE RSNNO	MAIN REASON DID NOT VOTE	P-3

WEATHER	EFFECTS OF WEATHER-RELATED EVENTS	F-27
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	D-4
WEIGHTKG	WEIGHT: KG - UCLA	D-4
WGHTK	WEIGHT: KG	D-5
WGHTK_P	WEIGHT: KG (PUF RECODE)	D-5
WGHTP	WEIGHT: LBS	D-6
WGHTP_P	WEIGHT: LBS (PUF RECODE)	D-6
WHOBMI	BODY MASS INDEX: WHO DEFINITION	D-8
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	F-14
WORKSICK	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (THOSE	J-25
WORKSICK_P1	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1	J-26
WRKST	WORKING STATUS	G-26
WRKST_P1	WORKING STATUS (PUF 1 YR RECODE)	G-27
WRKST_S	SPOUSE WORKING STATUS	G-27
YRUS	YEARS LIVED IN THE U.S.	G-17
YRUS_P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)	G-18
YRUS6P	YEARS LIVED IN THE US: 6+	G-17

Variable Name (by location)

Variable	Label	Page
SECTION Q	SCREENING INFORMATION	Q-1
BASEID	CASE ID - BASEID	Q-1
PUF1Y_ID	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES	Q-1
AADATE_MM	DATE ADULT SECTION A DONE (YYYYMM)	Q-2
AADATEMM_P1	DATE ADULT SECTION A DONE (PUF 1 YR RECODE)	Q-2
ADLTCNT	# OF ALL ADULTS IN HOUSEHOLD	Q-3
ARINFO2V2	SOURCE OF ADULT INFORMATION (ADULT RESPONDENT OR SKA ADULT)	Q-3
CHLDCNT	# OF ELIGIBLE CHILDREN O-11 IN HOUSEHOLD	Q-4
HH_SIZE	HOUSEHOLD SIZE	Q-4
FAMCNT	HOUSEHOLD SIZE COUNT	Q-5
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	Q-5
HHSIZE_P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	Q-6
INTVLNGC_P1	LANGUAGE OF INTERVIEW (PUF 1 YR RECODE)	Q-6
INTVLANG2	LANGUAGE OF INTERVIEW	Q-7
INTVLANG3	LANGUAGE OF INTERVIEW	Q-7
KIDCNT	COUNT OF ALL CHILDREN AND TEENS ENUMERATED IN HH	Q-8
PROXY	A PROXY INTERVIEW	Q-8
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	Q-9
TRACT10	CENSUS TRACT (2010)	Q-9
TEENCNT	# OF ELIGIBLE ADOLESCENTS 12-17 IN HOUSEHOLD	Q-9
SECTION A	DEMOGRAPHIC INFORMATION, PART I	A-1
AA1MON	DATE OF BIRTH - MONTH	A-1
AA1YR	DATE OF BIRTH - YEAR	A-1
AA1AMON	ADULT DATE OF BIRTH MONTH (AA1A)	A-2
AA1AYR	ADULT DATE OF BIRTH YEAR (AA1A)	A-2
AA 2	ACE	N-3

AA2A	AGE RANGE	A-3
SRAGE	SELF-REPORTED AGE	A-4
SRAGE_P	SELF-REPORTED AGE (PUF RECODE)	A-4
SRAGE_P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	A-5
SRSEX	SELF-REPORTED GENDER	A-5
AD65D	SEX ASSIGNED ON ORIGINAL BIRTH CERTIFICATE	A-6
AD66B	CURRENT GENDER IDENTITY	A-6
AD67B	CURRENT GENDER IDENTITY: OTHER SPECIFY	A-7
GENDIDEN2	CURRENT SELF REPORTED GENDER AND SEX AT BIRTH	A-7
GENDIDEN3	GENDER IDENTITY (3 LEVELS)	A-8
TRANSGEND2	CURRENT SELF REPORTED GENDER AND SEX AT BIRTH: 2-LEVELS	A-8
AA4	LATINO/HISPANIC ORIGIN	A -9
AA5_1	LATINO/HISPANIC: MEXICAN/MEXICANO	A -9
AA5_4	LATINO/HISPANIC: SALVADORAN	A-10
AA5_5	LATINO/HISPANIC: GUATEMALAN	A-10
AA5_6	LATINO/HISPANIC: COSTA RICAN	A-11
AA5_7	LATINO/HISPANIC: HONDURAN	A-11
AA5_8	LATINO/HISPANIC: NICARAGUAN	A-12
AA5_9	LATINO/HISPANIC: PANAMANIAN	A-12
AA5_10	LATINO/HISPANIC: PUERTO RICAN	A-13
AA5_11	LATINO/HISPANIC: CUBAN	A-13
AA5_12	LATINO/HISPANIC: SPANISH-AMERICAN	A-14
AA5_13	LATINO/HISPANIC: OTHER (SPECIFY) TEXT	A-14
AA5_14	LATINO/HISPANIC: COLOMBIAN	A-15
AA5_15	LATINO/HISPANIC: ARGENTINEAN	A-15
AA5_16	LATINO/HISPANIC: PERUVIAN	A-16
AA5_17	LATINO/HISPANIC: PORTUGUESE	A-16
AA5 18	LATINO/HISPANIC: OTHER CARIBBEAN ORIGIN	A-17

AA5_19	LATINU/HISPANIC: UTHER SOUTH AMERICA URIGIN	A-17
AA5_20	LATINO/HISPANIC: OTHER EUROPEAN ORIGIN	A-18
AA5_21	LATINO/HISPANIC: OTHER LATINO/HISPANIC	A-18
LATIN9TP	LATIN/HISPANIC SUBTYPES (9 LVLS)	A-19
LATIN2TP	LATIN/HISPANIC SUBTYPES (2 LVLS)	A-19
AA5A_1	RACE: NATIVE HAWAIIAN	A-20
AA5A_2	RACE: OTHER PACIFIC ISLANDER	A-20
AA5A_3	RACE: AMERICAN INDIAN OR ALASKA NATIVE	A-21
AA5A_4	RACE: ASIAN	A-21
AA5A_5	RACE: BLACK OR AFRICAN AMERICAN	A-22
AA5A_6	RACE: WHITE	A-22
AA5A_7	RACE: OTHER (SPECIFY) TEXT	A-23
AA5A_FLAG	RACE CODING CHANGE FLAG	A-23
AA5H_A	WHITE ORIGIN: FIRST MENTION	A-24
AA5H_B	WHITE ORIGIN: SECOND MENTION	A-27
AA5H_C	WHITE ORIGIN: THIRD MENTION	A-30
AA5H_D	WHITE ORIGIN: FOURTH MENTION	A-32
AA5H_E	WHITE ORIGIN: FIFTH MENTION	A-34
AA5H_F	WHITE ORIGIN: SIXTH MENTION	A-36
AA5I_A	BLACK ORIGIN: FIRST MENTION	A-37
AA5I_B	BLACK ORIGIN: SECOND MENTION	A-39
AA5I_C	BLACK ORIGIN: THIRD MENTION	A-40
AA5I_D	BLACK ORIGIN: FOURTH MENTION	A-40
AA5I_E	BLACK ORIGIN: FIFTH MENTION	A-41
AA5I_F	BLACK ORIGIN: SIXTH MENTION	A-41
BLACKCRB	BLACK: CARIBBEAN	A-42
BLACKSSA	BLACK: SUB-SAHARAN AFRICAN	A-42
MENA	MIDDLE EAST AND NORTH AFRICA ORIGIN	A-43
SRAS	SELF-REPORTED ASIAN	A-43

SRASO	SELF-REPORTED OTHER ASIAN GROUP	A-43
SRCH	SELF-REPORTED CHINESE	A-44
SRKR	SELF-REPORTED KOREAN	A-44
SRJP	SELF-REPORTED JAPANESE	A-44
SRPH	SELF-REPORTED FILIPINO	A-45
SRVT	SELF-REPORTED VIETNAMESE	A-45
SRH	SELF-REPORTED LATINO/HISPANIC	A-45
SRW	SELF-REPORTED WHITE	A-46
SRAA	SELF-REPORTED AFRICAN AMERICAN	A-46
SRAI	SELF-REPORTED AMERICAN INDIAN	A-46
SRO	SELF-REPORTED OTHER RACE	A-47
SRPI	SELF-REPORTED PI AND NTV HW	A-47
OMBSRASO	OMB S-R NONHISPANIC ASIAN GROUP (ONLY)	A-48
OMBSRASO2	OMB S-R NONHISPANIC ASIAN GROUP (ONLY, INCLUDES JAPANESE CAT.)	A-48
OMBSRREO	OMB/CURRENT DOF RACE - ETHNICITY	A-49
OMBSRR_P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-49
RACECEN	RACE - CENSUS 2000 DEFINITION	A-50
RACECN_P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	A-50
RACEDF_P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-51
RACEDOF	FORMER DOF RACE - ETHNICITY	A-51
RACEHP2_P1	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	A-52
RACEHPR2	RACE - UCLA CHPR DEFINITION, UNABRIDGED	A-52
AA5B_1	TRIBE: APACHE	A-53
AA5B_2	TRIBE: BLACKFOOT/BLACKFEET	A-53
AA5B_3	TRIBE: CHEROKEE	A-54
AA5B_4	TRIBE: CHOCTAW	A-54
AA5B 5	TRIBE: MEXICAN AMERICAN INDIAN	A-55

AA5B_6	TRIBE: NAVAJO	A-55
AA5B_7	TRIBE: POMO	A-56
AA5B_8	TRIBE: PUEBLO	A-56
AA5B_9	TRIBE: SIOUX	A-57
AA5B_10	TRIBE: YAQUI	A-57
AA5B_11	TRIBE: OTHER SPECIFY	A-58
CATRIBE	CALIFORNIA TRIBE	A-58
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	A-59
AA5D	TRIBE ENROLLED IN	A-60
AA5E_1	ASIAN: BANGLADESHI	A-61
AA5E_2	ASIAN: BURMESE	A-61
AA5E_3	ASIAN: CAMBODIAN	A-62
AA5E_4	ASIAN: CHINESE	A-62
AA5E_5	ASIAN: FILIPINO	A-63
AA5E_6	ASIAN: HMONG	A-63
AA5E_7	ASIAN: INDIAN (INDIA)	A-64
AA5E_8	ASIAN: INDONESIAN	A-64
AA5E_9	ASIAN: JAPANESE	A-65
AA5E_10	ASIAN: KOREAN	A-65
AA5E_11	ASIAN: LAOTIAN	A-66
AA5E_12	ASIAN: MALAYSIAN	A-66
AA5E_13	ASIAN: PAKISTANI	A-67
AA5E_14	ASIAN: SRI LANKAN	A-67
AA5E_15	ASIAN: TAIWANESE	A-68
AA5E_16	ASIAN: THAI	A-68
AA5E_17	ASIAN: VIETNAMESE	A-69
AA5E_18	ASIAN: OTHER SPECIFY	A-69
AA5E_19	ASIAN: MIDDLE EASTERN	A-70
AA5E_20	ASIAN: NEPALESE	A-70

AASE_21	ASIAN: MUNGULIAN	A-/1
AA5E_22	ASIAN: SOUTH ASIAN	A-71
AA5E_23	ASIAN: OTHER ASIAN	A-72
AA5E1_1	PACIFIC ISLANDER: SAMOAN/AMERICAN SAMOAN	A-72
AA5E1_2	PACIFIC ISLANDER: GUAMANIAN	A-73
AA5E1_3	PACIFIC ISLANDER: TONGAN	A-73
AA5E1_4	PACIFIC ISLANDER: FIJIAN	A-74
AA5E1_5	PACIFIC ISLANDER: OTHER (SPECIFY) TEXT	A-74
AA5E1_6	PACIFIC ISLANDER: POLYNESIAN	A-75
AA5E1_7	PACIFIC ISLANDER: OTHER PACIFIC ISLANDER	A-75
ASIAN10	ASIAN SUBTYPES (10 TYPES)	A-76
ASIAN9	ASIAN SUBTYPES - 9 TYPES (PUF RECODE)	A-76
ASIAN8	ASIAN SUBTYPES - 8 TYPES (PUF RECODE)	A-77
ASNHP2	ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED	A-77
ASNHP2_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED	A-78
CHINESE	CHINESE	A-78
FILIPINO	FILIPINO	A-79
AA5G	IDENTIFY WITH ONE RACE IN PARTICULAR	A-79
AA5F	RACE/ETHNICITY MOST IDENTIFIED WITH	A-80
AH36_1	LANGUAGES AT HOME: ENGLISH	A-81
AH36_10	LANGUAGES AT HOME: OTHER (SPECIFY) 1	A-81
AH36_11	LANGUAGES AT HOME: OTHER (SPECIFY) 2	A-82
AH36_12	LANGUAGES AT HOME: JAPANESE	A-82
AH36_13	LANGUAGES AT HOME: OTHER ASIAN	A-82
AH36_14	LANGUAGES AT HOME: FRENCH	A-83
AH36_15	LANGUAGES AT HOME: GERMAN	A-83
AH36_16	LANGUAGES AT HOME: ITALIAN	A-83
AH36_17	LANGUAGES AT HOME: OTHER EUROPEAN	A-84

AH36_18	LANGUAGES AT HOME: FARSI	A-84
AH36_2	LANGUAGES AT HOME: SPANISH	A-84
AH36_19	LANGUAGES AT HOME: ARMENIAN	A-85
AH36_20	LANGUAGES AT HOME: ARABIC	A-85
AH36_21	LANGUAGES AT HOME: AFRICAN/AFRO-ASIATIC	A-85
AH36_22	LANGUAGES AT HOME: NATIVE AMERICAN	A-86
AH36_23	LANGUAGES AT HOME: OTHER	A-86
AH36_3	LANGUAGES AT HOME: CANTONESE	A-86
LANGHOME	LANGUAGE SPOKEN AT HOME	A-87
LNGHM_P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	A-88
AH36_4	LANGUAGES AT HOME: VIETNAMESE	A-88
АН37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	A-89
SPK_ENG	ENGLISH USE AND PROFICIENCY	A-89
AH36_5	LANGUAGES AT HOME: TAGALOG	A-90
AH36_6	LANGUAGES AT HOME: MANDARIN	A-90
AH36_7	LANGUAGES AT HOME: KOREAN	A-90
AH36_8	LANGUAGES AT HOME: ASIAN INDIAN	A-91
AH36_9	LANGUAGES AT HOME: RUSSIAN	A-91
AH43	MARITAL STATUS	A-92
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	A-92
MARIT	MARITAL STATUS- 3 CATEGORIES	A-93
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	A-93
MARIT2	MARITAL STATUS- 4 CATEGORIES	A-94
INTV_MODE2	INTERVIEW MODE (PHONE OR WEB)	A-94
SECTION B	GENERAL HEALTH CONDITION	B-1
AB1	GENERAL HEALTH CONDITION	B-1
AB17	DOCTOR EVER TOLD HAVE ASTHMA	B-1
AB40	STILL HAS ASTHMA	B-2

AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	B-2
AB42V2	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS	B-3
AB42V2_P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	B-3
ASTCUR	CURRENT ASTHMA STATUS	B-4
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	B-4
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	B-5
AB22V2	DOCTOR EVER TOLD HAVE DIABETES	B-5
AB99	DOCTOR EVER TOLD HAVE PRE/BORDERLINE DIABETES	В-6
PREDIAB	DOCTOR EVER TOLD HAVE PRE OR BORDERLINE DIABETES (NON-GESTATIONAL	В-6
DIABETES	DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL)	В-6
AB23	AGE FIRST TOLD HAVE DIABETES	B-7
AB23_P1	AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)	B-7
DIAMED	TAKING INSULIN OR PILLS	B-8
AB51	TYPE 1 OR TYPE 2 DIABETES	B-8
AB51_P1	TYPE 1 OR TYPE 2 DIABETES (PUF 1 YR RECODE)	B-9
AB24	CURRENTLY TAKING INSULIN	B-9
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	B-10
AB63	LAST EYE EXAM DILATED PUPILS	B-10
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN	B-11
AB29V2	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	B-11
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	B-12
AB27	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR	B-12
AB27_P1	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECOD	B-13
AB27_P	# OF TIMES DOC CHECKED HEMOGLOBIN A1C LAST YR (PUF RECODE)	B-13
SECTION C	HEALTH BEHAVIORS	C-1
AC46	# OF TIMES DRANK SWEET FRUIT DRINKS PAST MO	C-1
AE2	# TIMES ATE FRUIT IN PAST MO	C-1

AE_FRUIT	# OF TIMES EATING FRUIT PER WEEK	C-2
AE7	# OF TIMES ATE VEGETABLES IN PAST MO	C-2
AE_VEGI	# OF TIMES EATING VEGETABLES PER WEEK	C-3
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	C-3
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	C-4
AC174	# OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS	C-4
SMKCUR30	CURRENT SMOKER (PAST 30 DAYS)	C-5
AC173	HOW LONG SINCE LAST SMOKED A CIGARETTE	C-5
AD32	# OF CIGARETTES PER DAY	C-6
AD32_P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	C-6
AE16V2	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS	C-7
AE16V2_P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	C-7
AC54B	HOW SOON SMOKE FIRST CIGARETTE AFTER WAKING	C-8
AC175	SMOKED MINT OR MENTHOL CIGARETTES	C-8
MENTHOL	SMOKED MINT OR MENTHOL FLAVORED CIGARETTES OR E-CIGARETTES	C-8
AC176	AGE FIRST SMOKED WHOLE CIGARETTE	C-8
AC177	WERE SMOKING CIGARETTES THIS TIME LAST YEAR	C-10
SMKCUR	CURRENT SMOKER	C-10
SMOKING	CURRENT SMOKING HABITS	C-11
NUMCIG	# OF CIGARETTES PER DAY	C-11
AC49	STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR	C-12
AC178	HOW LONG LAST ATTEMPT TO QUIT SMOKING LASTED	C-12
AC77	DOCTOR ADVISED TO QUIT SMOKING IN PAST 12 MOS	C-13
AC50	THINK ABOUT QUIT SMOKING IN NEXT 6 MOS	C-13
AC81C	EVER SMOKED ELECTRONIC CIGARETTES	C-14
AC82C	DAYS USED E-CIGS PAST 30 DAYS	C-14
ESMKCUR	CURRENT E-CIGARETTE SMOKER	C-15

AC82C_P1	DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE)	C-15
AC134V2	USED E-CIG FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-16
AC179	USED E-CIG FLAVOR - FRUIT	C-16
EFLAV_FRUIT	USED E-CIG FLAVOR - FRUIT (UPCODED)	C-17
AC180	USED E-CIG FLAVOR - CANDY/SWEET	C-17
EFLAV_SWEET	USED E-CIG FLAVOR - CANDY/SWEET (UPCODED)	C-18
AC181	USED E-CIG FLAVOR - ALCOHOL/LIQUOR	C-18
EFLAV_ALC	USED E-CIG FLAVOR - ALCOHOL/LIQUOR (UPCODED)	C-19
AC182	USED E-CIG FLAVOR - MINT	C-19
EFLAV_MINT	USED E-CIG FLAVOR - MINT (UPCODED)	C-20
AC183	USED E-CIG FLAVOR - TOBACCO	C-20
EFLAV_TOB	USED E-CIG FLAVOR - TOBACCO (UPCODED)	C-21
AC185	PLAN TO QUIT USING E-CIGS	C-21
AC135	FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (CHEWI	C-22
AC135_P1	FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (PUF 1	C-22
AC136	USED CHEWING TOBACCO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-23
AC137	FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS	C-23
AC137_P1	FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS (PU	C-24
AC138	USED CIGARILLO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-24
AC139	FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS	C-25
AC139_P1	FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS (PUF 1 YR RECODE)	C-25
AC140	USED BIG CIGAR FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-26
AC141	FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS	C-26
AC141_P1	FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS (PUF	C-27

AC142	USED HOOKAH FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-27
AC186	BEGAN WITH FLAVORED TOBACCO PRODUCT WHEN FIRST STARTED USING	C-28
AC187	WHEN EXPOSED TO SECONDHAND TOBACCO SMOKE OR E-CIG VAPOR IN CA IN	C-28
AC188	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - SIDEWALKS	C-29
AC189	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - INSIDE HOME	C-29
AC190	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - WORKPLACE	C-30
AC191	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - PUBLIC PARK/BEA	C-30
AC143	HOME RULES CONCERNING SMOKING/VAPING/E-CIG USE	C-31
SCND_SMK	LOCATION OF SECONDHAND SMOKE EXPOSURE	C-31
FLAVTOB	CURRENT (PAST 30 DAYS) USE OF FLAVORED TOBACCO PRODUCTS	C-32
FLAVTOB2	CURRENT (PAST 30 DAYS) USE OF NON-TOBACCO FLAVORED CIGS/E-CIGS/CI	C-32
NONFLAVTOB	CURRENT (PAST 30 DAYS) USE OF TOBACCO FLAVORED E-CIGS OR FLAVORED	C-33
NONCIGPRO	CURRENT (PAST 30 DAYS) USE OF NON-CIGARETTE TOBACCO PRODUCTS	C-33
AC115	EVER TRIED MARIJUANA OR HASHISH	C-33
AC116	HOW LONG SINCE LAST MARIJUANA/HASHISH USE	C-34
AC116_P1	HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE)	C-34
AC117V2	FREQUENCY OF MARIJUANA/HASHISH/THC PRODUCT USE IN PAST 30 DAYS	C-35
AC118V2	HOW OFTEN USE TOBACCO WITH MARIJUANA	C-35
AC119V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE	C-36
AC120V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT	C-36
AC121V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT	C-37
AC122V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK	C-37
AC123V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE	C-38

AC124V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB	C-38
MAR_SMKV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE (UPCODE	C-39
MAR_BLUNTV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT (UPCODED)	C-39
MAR_EATV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT (UPCODED)	C-40
MAR_DRINKV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK (UPCODED)	C-40
MAR_VAPV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE (UPCODED)	C-41
MAR_DABV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB (UPCODED)	C-41
AC126V2	ANY MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER	C-42
MARTYPEV2	METHOD OF TAKING MARIJUANA	C-42
AC127V2	ALL MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER	C-43
AC193	MOST COMMON METHOD OF MARIJUANA USE IN PAST 30 DAYS	C-43
AC193_P1	MOST COMMON METHOD OF MARIJUANA USE IN PAST 30 DAYS (PUF 1 YR REC	C-44
AC194_1	WHERE GOT MARIJUANA USED - DISPENSARY	C-44
AC194_2	WHERE GOT MARIJUANA USED - VAPE/SMOKE SHOP	C-45
AC194_3	WHERE GOT MARIJUANA USED - OTHER SHOP	C-45
AC194_4	WHERE GOT MARIJUANA USED - DELIVERY SERVICE	C-46
AC194_5	WHERE GOT MARIJUANA USED - WEBSITE	C-46
AC194_6	WHERE GOT MARIJUANA USED - POP-UP SHOP	C-47
AC194_7	WHERE GOT MARIJUANA USED - FAMILY/FRIEND	C-47
AC194_8	WHERE GOT MARIJUANA USED - OTHER PERSON	C-48
AC194_9	WHERE GOT MARIJUANA USED - GROW IT MYSELF	C-48
AC194_91	WHERE GOT MARIJUANA USED - OTHER	C-49
MARCUR	CURRENT MARIJUANA USER	C-49
MAREXPOSE	EXPOSED TO MARIJUANA SMOKE IN PAST YEAR	C-49
MJMETHOD	MOST USED METHOD OF MARIJUANA USE	C-50

MJMETHOD_P1	MOST USED METHOD OF MARIJUANA USE (PUF 1 YR RECODE)	C-50
AC192	WHEN EXPOSED TO SECONDHAND MARIJUANA SMOKE IN THE PAST YEAR	C-51
SMKEXPOSE	SECONDHAND EXPOSURE TO TOBACCO OR MARIJUANA SMOKE IN PAST MONTH	C-51
AC195	EVER USED CBD IN ANY FORM	C-52
AC196	HOW LONG SINCE LAST CBD USE	C-52
AC197	# OF DAYS USED CBD IN THE PAST LESS THAN 30 DAYS	C-53
AC198	METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY	C-53
CBD_ORAL	METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY (UPCODED)	C-54
AC199	METHOD OF CBD USE IN PAST 30 DAYS - EAT	C-54
CBD_EAT	METHOD OF CBD USE IN PAST 30 DAYS - EAT (UPCODED)	C-55
AC200	METHOD OF CBD USE IN PAST 30 DAYS - DRINK	C-55
CBD_DRINK	METHOD OF CBD USE IN PAST 30 DAYS - DRINK (UPCODED)	C-56
AC201	METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN	C-56
CBD_SKIN	METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN (UPCODED)	C-57
AC202	METHOD OF CBD USE IN PAST 30 DAYS - SMOKE	C-57
CBD_SMK	METHOD OF CBD USE IN PAST 30 DAYS - SMOKE (UPCODED)	C-58
AC203	METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE	C-58
CBD_VAP	METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE (UPCODED)	C-59
AC204	METHOD OF CBD USE IN PAST 30 DAYS - DAB	C-59
CBD_DAB	METHOD OF CBD USE IN PAST 30 DAYS - DAB (UPCODED)	C-60
AC206	MOST COMMON METHOD OF CBD USE IN PAST 30 DAYS	C-60
CBDCUR	CURRENT CBD USER	C-61
CBDMETHOD	MOST USED METHOD OF CBD USE	C-61
AC128	EVER USED HEROIN IN PAST 12 MOS	C-62
AC129	EVER MISUSE PRESCRIPTION PAIN KILLER	C-62
AC131	RECEIVE PRESCRIPTION FROM ONE DOCTOR OR MORE THAN ONE	C-63

AC133_1	CONDITION TAKING MEDICINE FOR - DENTAL WORK/DENTAL PAIN	C-63
AC133_2	CONDITION TAKING MEDICINE FOR - SURGERY, NOT ACCIDENT-RELATED	C-64
AC133_3	CONDITION TAKING MEDICINE FOR - RECENT INJURY	C-64
AC133_4	CONDITION TAKING MEDICINE FOR - CHRONIC PAIN, REGARDLESS OF CAUSE	C-65
AC133_5	CONDITION TAKING MEDICINE FOR - RECREATIONAL USE	C-65
AC133_6	CONDITION TAKING MEDICINE FOR - DRUG ADDICTION	C-66
AC133_7	CONDITION TAKING MEDICINE FOR - ANXIETY	C-66
AC133_8	CONDITION TAKING MEDICINE FOR - SLEEP	C-67
AC133_9	CONDITION TAKING MEDICINE FOR - OTHER MENTAL/EMOTIONAL HEALTH	C-67
AC133_10	CONDITION TAKING MEDICINE FOR - OTHER REASON	C-68
OTHMEDCNDTN	USED MEDICATION FOR REASON OTHER THAN DENTAL/SURGERY/INJURY/CHRON	C-68
AC163	# OF DAYS USED PRESCRIPTION PAIN KILLERS IN WAY DR DID NOT DIRECT	C-69
AC164	USED PRESCRIPTION PAIN KILLERS WHILE: DRINKING ALCOHOL	C-69
AC165	USED PRESCRIPTION PAIN KILLERS WHILE: USING BENZODIAZEPINES	C-70
AC166	USED METHAMPHETAMINES IN PAST YEAR	C-70
AC167	USED PRESCRIPTION STIMULANTS IN PAST YEAR	C-71
AC207	EVER HAD AN ALCOHOLIC BEVERAGE	C-71
AC208	HOW LONG SINCE LAST DRANK AN ALCOHOLIC BEVERAGE	C-72
AC209	# OF DAYS DRANK AT LEAST ONE ALCOHOLIC BEVERAGE IN PAST 30 DAYS	C-72
AC210	# OF DRINKS USUALLY HAD EACH DAY ON DAYS THAT DRANK IN PAST 30 DA	C-73
AC211	# OF DAYS BINGE DRINKING IN PAST 30 DAYS	C-73
BINGE30	BINGE DRINKING IN PAST 30 DAYS	C-74
AC211_P1	# OF DAYS BINGE DRINKING IN PAST 30 DAYS (PUF 1 YR RECODE)	C-74
ILLIDRUG	USED HEROIN. METHAMPHETAMINE. OR PRESCRIPTION DRUG AS	C-75

NOT DIRECTE

AC160	IMPORTANCE OF GENETICS AND MEDICAL CARE TO HEALTH	C-75
AC161	IMPORTANCE OF INDIVIDUAL/ENVIRONMENTAL FACTORS TO HEALTH	C-76
GENENV	MOST IMPORTANT FACTOR TO HEALTH	C-76
SECTION D	GENERAL HEALTH, DISABILITY & SEXUAL HEALTH	D-1
HGHTI	HEIGHT: INCHES	D-1
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	D-1
HGHTM	HEIGHT: METERS	D-2
HGHTM_P	HEIGHT: METERS (PUF RECODE)	D-2
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	D-3
HEIGHTM	HEIGHT: METERS - UCLA	D-3
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	D-4
WEIGHTKG	WEIGHT: KG - UCLA	D-4
WGHTK	WEIGHT: KG	D-5
WGHTK_P	WEIGHT: KG (PUF RECODE)	D-5
WGHTP	WEIGHT: LBS	D-6
WGHTP_P	WEIGHT: LBS (PUF RECODE)	D-6
BMI	BODY MASS INDEX	D-7
BMI_P	BODY MASS INDEX (PUF RECODE)	D-7
RBMI	BMI DESCRIPTIVE	D-8
WHOBMI	BODY MASS INDEX: WHO DEFINITION	D-8
OVRWT	OVERWEIGHT OR OBESE	D-9
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	D-9
AL8	LEGALLY BLIND	D-9
AD43B	# OF SEXUAL PARTNERS IN PAST 12 MOS	D-10
AD45B	SEX OF SEXUAL PARTNERS IN PAST 12 MOS	D-10
AD46C	SEXUAL ORIENTATION	D-11
AD46C_P1	SEXUAL ORIENTATION (PUF 1 YR RECODE)	D-11
SSLEGAL2	LEGALLY MARRIED OR DOM PARTNER TO SAME SEX	D-12

AD60B	LEGALLY MARRIED TO SAME SEX	D-12
AD61B	LEGALLY DOM PARTNER IN CA TO SAME SEX	D-13
AJ169V2	RESPONDENT'S PREGNANCY PLANS	D-13
AF40BV2	USES OR MALE SEX PARTNER USES BIRTH CONTROL	D-14
AJ154BV2_1	BIRTH CONTROL METHOD: TUBAL LIGATION	D-14
AJ154BV2_2	BIRTH CONTROL METHOD: VASECTOMY	D-15
AJ154BV2_3	BIRTH CONTROL METHOD: IUD	D-15
AJ154BV2_4	BIRTH CONTROL METHOD: IMPLANT	D-16
AJ154BV2_5	BIRTH CONTROL METHOD: BIRTH CONTROL PILLS	D-16
AJ154BV2_6	BIRTH CONTROL METHOD: OTHER HORMONAL METHODS	D-17
AJ154BV2_7	BIRTH CONTROL METHOD: CONDOMS (MALE)	D-17
AJ154BV2_91	BIRTH CONTROL METHOD: OTHER	D-18
AJ154BV2_9	BIRTH CONTROL METHOD: OTHER BIRTH CONTROL	D-18
AJ154BV2_10	BIRTH CONTROL METHOD: HYSTERECTOMY	D-19
AJ170V2	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL	D-20
AJ170V2_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-21
AJ171V2	EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD	D-21
AJ171V2_P1	EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD	D-22
AJ179	RECEIVED BIRTH CONTROL COUNSELING OR INFO FROM DR IN PAST 12 MOS	D-22
AJ180	RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12	D-23
AJ181	TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED	D-23
AJ182	LOCATION MAIN BIRTH CONTROL RECEIVED	D-24
AJ181_P1	TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED (PUF 1 YR RECODE	D-25
AJ182_P1	LOCATION MAIN BIRTH CONTROL RECEIVED (PUF 1 YR RECODE)	D-25
A.J144V3	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	D-26

AJ172V3	CURRENTLY USING BIRTH CONTROL	D-26
AJ174V2_1	BIRTH CONTROL METHOD: TUBAL LIGATION	D-27
AJ174V2_2	BIRTH CONTROL METHOD: VASECTOMY	D-27
AJ174V2_3	BIRTH CONTROL METHOD: IUD	D-28
AJ174V2_4	BIRTH CONTROL METHOD: IMPLANT	D-28
AJ174V2_5	BIRTH CONTROL METHOD: BIRTH CONTROL PILLS	D-29
AJ174V2_6	BIRTH CONTROL METHOD: OTHER HORMONAL METHODS	D-29
AJ174V2_7	BIRTH CONTROL METHOD: CONDOMS (MALE)	D-30
AJ174V2_91	BIRTH CONTROL METHOD: OTHER	D-30
AJ174V2_9	BIRTH CONTROL METHOD: OTHER BIRTH CONTROL	D-31
AJ174V2_10	BIRTH CONTROL METHOD: HYSTERECTOMY	D-31
AJ175V2	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL	D-32
AJ175V2_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-33
AJ183V2	RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12	D-33
AJ184V2	TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED	D-34
AJ185V2	LOCATION MAIN BIRTH CONTROL RECEIVED	D-35
AD79	EVER TAKEN PREP/TRUVADA IN PAST 30 DAYS	D-35
AD80	EVER TAKEN PREP/TRUVADA IN PAST 12 MOS	D-36
AD81	EVER TAKEN PREP/TRUVADA	D-36
AD82	EVER HEARD OF PREP/TRUVADA	D-37
AD83	EVER BEEN TESTED FOR HIV	D-37
AD84	OFFERED OR ASKED FOR HIV TEST	D-38
AD85	EVER OFFERED AN HIV TEST	D-38
AJ57V2	CURRENT OR PAST INTIMATE PARTNER EVER HIT, SLAP, PUSH, KICK, OR P	D-39
AJ58V2	CURRENT OR PAST INTIMATE PARTNER EVER FORCED UNWANTED SEX SINCE T	D-39
EVERVIOV2	INTIMATE PARTNER PHY/SEX VIOLENCE SINCE AGE 18	D-40
A 150V2	INTIMATE DARTNER THREW SOMETHING THAT COILD HIRT R	D-40

AJ60V2	INTIMATE PARTNER PUSHED, GRABBED, OR SLAPPED R	D-41
AJ61V2	INTIMATE PARTNER KICKED, BIT, HIT, CHOKED, OR BEAT UP R	D-41
AJ64V2	INTIMATE PARTNER THREATENED R WITH USE OF GUN, KNIFE, OR OTHER WE	D-42
AJ66V2	INTIMATE PARTNER PHYSICALLY FORCED R TO HAVE UNWANTED SEX	D-42
AJ67V2	# OF TIMES INTIMATE PARTNER PHYSICALLY HURT AND/OR FORCED R TO HA	D-43
AJ69V2_1	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: CURRENT SO	D-43
AJ69V2_2	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: FORMER SO	D-44
AJ69V2_3	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: FIANCE	D-44
AJ69V2_4	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: SPOUSE/PARTNER	D-45
AJ69V2_5	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: FORMER SPOUSE/PARTNE	D-45
AJ69V2_6	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: SOMEONE DATING	D-46
AJ69V2_7	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: FIRST DATE	D-46
AJ69V2_91	INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: OTHER	D-47
MODVIOV2	INTIMATE PARTNER MODERATE PHYSICAL VIOLENCE PAST 12 MONTHS	D-47
PHYVIOV2	INTIMATE PARTNER PHYSICAL VIOLENCE PAST 12 MONTHS	D-48
SEXVIOV2	INTIMATE PARTNER SEXUAL VIOLENCE PAST 12 MONTHS	D-48
SECTION E	WOMEN'S HEALTH	E-1
AD13	CURRENTLY PREGNANT	E-1
SECTION F	MENTAL HEALTH	F-1
AJ29	FEEL NERVOUS PAST 30 DAYS	F-1
AJ30	FEEL HOPELESS PAST 30 DAYS	F-1
AJ31	FEEL RESTLESS PAST 30 DAYS	F-2
AJ32	FEEL DEPRESSED PAST 30 DAYS	F-2
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	F-3
V 134	FFFI WORTHIFGS DAST 30 DAVS	E-3

DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	F-4
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	F-4
DSTRS_P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	F-5
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	F-5
AF63	FEEL NERVOUS WORST MONTH	F-6
AF64	FEEL HOPELESS WORST MONTH	F-6
AF65	FEEL RESTLESS WORST MONTH	F-7
AF66	FEEL DEPRESSED WORST MONTH	F-7
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	F-8
AF68	FEEL WORTHLESS WORST MONTH	F-8
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	F-9
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	F-9
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	F-10
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	F-10
AF73B	# DAYS CAN'T WORK B/C MENTAL PROBL PAST 12 MOS	F-11
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	F-11
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	F-12
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	F-12
IMPAIR2	FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS	F-13
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	F-13
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	F-14
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	F-14
AF81	NEEDED HELP FOR EMOT/MNTL OR ALCOH/DRUG PRBLM IN PAST YR	F-15
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	F-15
AF74	SEEN PCP FOR MNTL OR ALCOH/DRUG PRBLM IN PAST YR	F-16
AF75	SEEN PSYCHIATRIST ETC FOR MNTL OR ALCOH/DRUG PRBLM IN PAST YR	F-16
A.15	TAKE DAILY RX FOR EMOT/PERSONAL PROBLEM PAST 12 MOS	F-17

AF76	SEEK HELP FOR MENTAL HLTH OR ALCOHOL/DRUG PROBLEM	F-17
AF77	# VISITS TO PROFESSIONAL FOR PROBLEMS W/ MENTAL OR DRUGS/ALCOHOL	F-18
AF78	STILL RECEIVING TRIMENT FROM PROFESSIONAL FOR MNTL OR ALCOH/DRUGS	F-18
AF79	COMPLETED RECOMMENDED MENTAL HEALTH TREATMENT	F-19
AF80	MAIN REASON QUIT MENTAL HEALTH TREATMENT	F-19
AF82	DID NOT SEEK PROF HELP: COST OF TREATMENT	F-20
AF83	DID NOT SEEK PROF HELP: NOT COMFORTABLE	F-20
AF84	DID NOT SEEK PROF HELP: SOMEONE FOUND OUT	F-21
AF85	DID NOT SEEK PROF HELP: HARD TO GET APPNT	F-21
AG44	HOW OFTEN USE THE INTERNET	F-22
AG45	HOW OFTEN USED COMPUTER FOR SOCIAL MEDIA	F-22
AG46	SOUGHT HELP FROM ONLINE TOOL FOR MENTAL HEALTH OR ALCOHOL/DRUGS	F-23
AG47	USEFULNESS OF GETTING HELP FROM ONLINE TOOL	F-23
AG48	MAIN REASONS FOR NOT GETTING HELP ONLINE	F-24
AG49	CONNECTED WITH PEOPLE WITH SIMILAR STATUS ONLINE	F-24
AG50	CONNECTED WITH MENTAL HEALTH PROFESSIONAL ONLINE IN PAST 12 MOS	F-25
AF110	EXPERIENCED HAZARDOUS WEATHER-RELATED EVENTS IN PAST 2 YRS	F-25
AF111	PHYSICAL HEALTH HARMED BY HAZARDOUS WEATHER-RELATED EVENTS	F-26
AF112	MENTAL HEALTH HARMED BY HAZARDOUS WEATHER-RELATED EVENTS	F-26
AF113	PROPERTY/FINANCES HARMED BY HAZARDOUS WEATHER-RELATED EVENTS	F-27
WEATHER	EFFECTS OF WEATHER-RELATED EVENTS	F-27
AAPI18	EVER BEEN VICTIM OF HATE CRIME/INCIDENT IN US	F-28
AAPI19A	EXPERIENCED HATE CRIME/INCIDENT BEFORE 2020	F-28
AAPI19B	EXPERIENCED HATE CRIME/INCIDENT IN 2020	F-29
AADT1QC	EXPERIENCED HATE CRIME/INCIDENT IN 2021	F-20

AAPI19D	EXPERIENCED HATE CRIME/INCIDENT IN 2022	F-30
PANDHATE_ALL	TIME PERIOD IF EXPERIENCED HATE CRIME/INCIDENT IN US	F-30
PANDHATE_VCT	WHEN EXPERIENCED HATE CRIME/INCIDENT IN US	F-31
SECTION G	DEMOGRAPHIC INFORMATION, PART II & CHILD CARE	G-1
AH33	COUNTRY OF BIRTH	G-1
AH33NEW	BORN IN U.S.	G-2
AH34	MOTHER'S COUNTRY OF BIRTH	G-3
AH34NEW	MOTHER BORN IN U.S.	G-6
AH35	FATHER'S COUNTRY OF BIRTH	G-7
AH35NEW	FATHER BORN IN U.S.	G-10
CNTRYF	COUNTRY FATHER BORN	G-10
CNTRYM	COUNTRY MOTHER BORN	G-11
CNTRYS	COUNTRY BORN	G-11
CNTRYS2	COUNTRY BORN (WORLD BANK REGIONS)	G-12
AH39	CITIZEN OF UNITED STATES	G-12
AH40	PERMANENT RESIDENT WITH GREEN CARD	G-13
AH4ONEW	PERMANENT RESIDENT WITH A GREEN CARD Y/N	G-13
CITIZEN1	CITIZENSHIP AND IMMIGRATION STATUS - 4 LEVELS	G-14
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	G-14
AH41	# OF YEARS LIVED IN UNITED STATES	G-15
AG36V2	CURRENTLY HERE ON WHAT TYPE OF IMMIGRATION DOCUMENT	G-15
AG37V2	VISA OR DOCUMENT VALID OR EXPIRED	G-16
US_VISAV2	TYPE OF VISA, PERMIT, OR DOCUMENTATION TO STAY IN US	G-16
YRUS	YEARS LIVED IN THE U.S.	G-17
YRUS6P	YEARS LIVED IN THE US: 6+	G-17
YRUS_P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)	G-18
PCTLF	PERCENT LIFE IN US	G-18
PCTLF P	PERCENT LIFE IN US (PUF RECODE)	G-19

AH43A	LIVING WITH A PARENT	G-19
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	G-20
AH44B	AMOUNT PAID FOR ALL CHILD CARE ARRANGEMENTS LAST MONTH	G-20
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	G-21
ACHLDC_P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	G-21
AH47	HIGHEST GRADE OF EDUCATION COMPLETED AND RECVD CREDIT FOR	G-22
AHEDUC	EDUCATIONAL ATTAINMENT	G-23
AHEDC_P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	G-23
AG8	WORK STATUS OF SPOUSE LAST WEEK	G-24
AG9	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB	G-24
AG9_P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	G-25
AG10	RESPONDENT USUALLY WORKS	G-25
AG11	SPOUSE USUALLY WORKS	G-26
WRKST	WORKING STATUS	G-26
WRKST_P1	WORKING STATUS (PUF 1 YR RECODE)	G-27
WRKST_S	SPOUSE WORKING STATUS	G-27
AG22	EVER SERVE IN U.S. ARMED FORCES	G-28
AG23V2_1	SERVED IN WORLD WAR II	G-28
AG23V2_2	SERVED IN KOREAN WAR	G-29
AG23V2_3	SERVED IN VIETNAM WAR	G-29
AG23V2_4	SERVED IN GULF WAR/OPERATION DESERT STORM	G-30
AG23V2_5	SERVED IN AFGHANISTAN/OPERATION ENDURING	G-30
AG23V2_6	SERVED IN IRAQ WAR/OPERATION IRAQI FREEDOM	G-31
AG23V2BEG	YEAR FIRST SERVED U.S. ARMED FORCES	G-31
AG23V2END	YEAR LAST SERVED U.S. ARMED FORCES	G-32
AG31	HAVE VA SERVICE-CONNECTED DISABILITY RATING	G-32
AG32	SERVICE-CONNECTED DISABILITY RATING	G-33
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	G-33

SREDUC	SELF-REPORTED EDUC LEVEL OF RESP (ADLTS)	G-34
FAM_SIZE	FAMILY SIZE	G-34
FAM_SIZE2	FAMILY SIZE: INCLUDES ALL PEOPLE SUPPORTED BY HH INCOME	G-35
FAM_TYPE	FAMILY TYPE	G-35
FAMTYP_P	FAMILY TYPE (PUF RECODE)	G-36
FAMSIZE2_P1	FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE)	G-36
FAMT4	FAMILY TYPE - 4 LVLS	G-37
SECTION H	HEALTH INSURANCE	H-1
AI1	COVERED BY MEDICARE	H-1
AI2	NOT COVERED BY MEDICARE - VERIFICATION	H-1
AI4	COVERED BY MEDICARE SUPPL POLICY	H-2
AH53	PAYS ANY PART OF MEDICARE HMO/SUPP PREMIUM	H-2
AH54	SOMEONE ELSE PAYS ANY PART MEDICARE HMO/SUPP PREMIUM	Н-3
AH55_1	HELP PAY FOR MEDICARE: CURRENT EMPLOYER	H-3
AH55_2	HELP PAY FOR MEDICARE: FORMER EMPLOYER	H-4
AH55_3	HELP PAY FOR MEDICARE: UNION	H-4
AH55_4	HELP PAY FOR MEDICARE: SPOUSE'S CURRENT EMPLOYER	H-5
AH55_5	HELP PAY FOR MEDICARE: SPOUSE'S FORMER EMPLOYER	H-5
AH55_6	HELP PAY FOR MEDICARE: PROF/FRATERNAL ORG	Н-6
AH55_7	HELP PAY FOR MEDICARE: MEDCAID/MEDI-CAL	H-6
AH55_9	HELP PAY FOR MEDICARE: OTHER	H-7
AI6	COVERED BY MEDI-CAL	H-7
AI8	COVERED BY HEALTH INS PLAN THROUGH EMPLOYER OR UNION	H-7
AI11	COVERED BY HEALTH PLAN PURCHASED DIRECTLY FROM INS COMPANY	Н-8
AH100	ANYONE HELP FIND HEALTH PLAN	H-8
AH101	PERSON WHO HELPED FIND HEALTH PLAN	H-9
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	H-9
ΔH104	PURCHASE INS DIRECT OR THRU COVERED CA	H-10

AI9	HAVE EMPLOYER-BASED HEALTH INS IN OWN NAME OR SOMEONE ELSE'S	H-10
AI9A	HAVE EMPLOYER-BASED HEALTH INS IN SPOUSE'S/PARENT'S NAME	H-11
AH105	GET INS THRU EMPLOYER, UNION, SHOP PROGRAM	H-11
AH106	PURCHASE BRONZE, SILVER, GOLD, PLATINUM PLAN	H-12
AH107	GET SUBSIDY/DISCOUNT ON PLAN PREMIUM	H-12
AH108	SPOUSE COVERED BY INS THRU SHOP PGM	H-13
AH109	SPOUSE COVERED BY COVERED CA	H-13
AH110	SOURCE OF COVERAGE PURCHASED DIRECTLY	H-14
AH111	FIND PLAN WITH NEEDED COVERAGE-COVERED CA	H-14
AH112	FIND PLAN COULD AFFORD-COVERED CA	H-15
AH113	ANYONE HELP R FIND HEALTH PLAN-COVERED CA	H-15
AH114	WHO HELPED R FIND HEALTH PLAN-COVERED CA	H-16
AH115	HAD NEEDED INFO TO PICK HEALTH PLAN	H-16
AH116	GOT HEALTH PLAN OPTIONS IN OWN LANGUAGE	H-17
AH117	COST OF SELECTED PLAN IMPORTANT	H-17
AH118	CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT	H-18
AH119	CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT	H-18
AH120	CHOICE OF DOCTORS THRU PLAN IMPORTANT	H-19
AH121	MOST IMPORTANT REASON CHOSE PLAN	H-19
AH98	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE	H-20
AH57	PAYS ANY PART OF EMPL-BASED HEALTH PLAN PREMIUM	H-20
AH58	SOMEONE ELSE PAYS ANY PART EMPL-BASED PREMIUM	H-21
AH56_1	HELP PAY FOR EMPL-BASED INS: CURRENT EMPLOYER	H-21
AH56_2	HELP PAY FOR EMPL-BASED INS: FORMER EMPLOYER	H-22
AH56_3	HELP PAY FOR EMPL-BASED INS: UNION	H-22
AH56_4	HELP PAY FOR EMPL-BASED INS: SPOUSE'S CURRENT EMPLOYER	H-23
AH56_5	HELP PAY FOR EMPL-BASED INS: SPOUSE'S FORMER EMPLOYER	H-23
AH56 6	HELP PAY FOR EMPL-BASED INS: PROF/FRATERNAL ORG	H-24

AH56_7	HELP PAY FOR EMPL-BASED INS: MEDICAID/MED-CAL	H-24
AH56_9	HELP PAY FOR EMPL-BASED INS: MEDICARE	H-25
AH56_10	HELP PAY FOR EMPL-BASED INS: OTHER	H-25
AH56_12	HLP PAY EMPL-BASED INS: COVERED CA	H-26
AI13	EMPLOYER OFFERS HEALTH INS TO EMPLOYEES	H-26
AI14	ELIGIBLE TO BE IN EMPLOYER'S HEALTH PLAN	H-27
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	H-27
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	H-28
AI16	COVERED BY MILITARY HEALTH CARE	H-28
AI17	COVERED BY OTHER GOVT HEALTH PLAN	H-29
AI18	COVERED BY ANY OTHER HEALTH INS PLAN NOT MENTIONED	H-29
AI19_1	TYPE OF HEALTH INS: EMPLOYER OR UNION	H-30
AI19_2	TYPE OF HEALTH INS: SCHOOL, PROFESSIONAL ASSOCIATION, ETC.	H-30
AI19_3	TYPE OF HEALTH INS: DIRECT PURCHASE	H-31
AI19_4	TYPE OF HEALTH INS: MEDICARE	H-31
AI19_5	TYPE OF HEALTH INS: MEDI-CAL	H-32
AI19_7	TYPE OF HEALTH INS: MILITARY HEALTH CARE	H-32
AI19_8	TYPE OF HEALTH INS: INDIAN HEALTH SERVICE, TRIBAL PROGRAM	Н-33
AI19_9	TYPE OF HEALTH INS: OTHER GOVT HEALTH PLAN	H-33
AI19_10	TYPE OF HEALTH INS: OTHER NON-GOVT HEALTH PLAN	H-34
AI19_12	TYPE OF HEALTH INS: COVERED CA	н-34
AI19_13	TYPE OF HEALTH INS: COVERED CA THROUGH SHOP	H-35
AH59	OBTAINED PLAN IN YOUR OR SOMEONE ELSE'S NAME	H-35
AH60	PLAN IN SPOUSE'S/ SPOUSE'S PARENT'S/SOMEONE ELSE'S NAME	H-36
AI20	COVERED BY INDIAN HEALTH SERVICE, TRIBAL	H-36
AI37	SPOUSE COVERED BY MEDICARE	H-37
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	H-37

AI38	SPOUSE COVERED BY MEDI-CAL	H-38
AI40	SPOUSE HAS INS THROUGH YOUR EMPLOYER	Н-38
AI40A	SPOUSE HAS INS THROUGH HIS/HER OWN EMPLOYER	H-39
AI41	SPOUSE COVERED BY YOUR DIRECT HEALTH INS	Н-39
AI42	SPOUSE COVERED BY MILITARY HEALTH CARE	H-40
AI42A	SPOUSE COVERED BY GOVT HEALTH PLAN	H-40
AI46	SPOUSE HAS HEALTH INS THROUGH OTHER SOURCE	H-41
AI47_1	SPOUSE'S INS: EMPLOYER/UNION	H-41
AI47_2	SPOUSE'S INS: SCHOOL, PROFESSIONAL ASSOCIATION, ETC.	H-42
AI47_3	SPOUSE'S INS: DIRECTLY PURCHASED HEALTH PLAN	H-42
AI47_4	SPOUSE'S INS: MEDICARE	H-43
AI47_5	SPOUSE'S INS: MEDI-CAL	H-43
AI47_7	SPOUSE'S INS: MILITARY CARE	H-44
AI47_8	SPOUSE'S INS: INDIAN HEALTH SERVICE, TRIBAL HEALTH	H-44
AI47_9	SPOUSE'S INS: OTHER GOVT PLAN	H-45
AI47_10	SPOUSE'S INS: OTHER NON-GOVT HEALTH PLAN	H-45
AI47_12	SPOUSE'S INS: COVERED CA	H-46
AI47_13	SPOUSE'S INS: SHOP PGM	H-46
AI48	SPOUSE HAS NO HEALTH INS FROM ANY SOURCE	H-47
AI49_1	SPOUSE'S INS: EMPLOYER/UNION	H-47
AI49_2	SPOUSE'S INS: SCHOOL, PROFESSIONAL ASSOCIATION, ETC.	H-48
AI49_3	SPOUSE'S INS: DIRECTLY PURCHASED HEALTH PLAN	H-48
AI49_4	SPOUSE'S INS: MEDICARE	H-49
AI49_5	SPOUSE'S INS: MEDI-CAL	H-49
AI49_7	SPOUSE'S INS: MILITARY CARE	H-50
AI49_8	SPOUSE'S INS: INDIAN HEALTH SERVICE, TRIBAL HEALTH	H-50
AI49_9	SPOUSE'S INS: OTHER GOVT PLAN	H-51
AI49_10	SPOUSE'S INS: OTHER NON-GOVT HEALTH PLAN	H-51
AT40 10	SDOUGE'S OTH INS. COVERED CV	H-50

AI49_13	SPOUSE'S OTH INS: SHOP PGM	H-52
AH62	SPOUSE'S INS IN OWN OR SOMEONE ELSE'S NAME	H-53
AI45_P1	MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)	Н-53
AH63	PLAN IN OWN/SPOUSE'S PARENTS/SOMEONE ELSE'S NAME	H-54
AI43	SPOUSE'S EMPLOYER OFFERS HEALTH INS	H-54
AI44	SPOUSE IS ELIGIBLE TO BE IN EMPLOYER'S HEALTH PLAN	H-55
AI45A_P1	MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)	H-55
AI45	MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN	H-56
AI45A	MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	H-56
AI22C	MAIN HEALTH PLAN IS HMO	H-57
AH122	IS HEALTH PLAN A PPO OR EPO	H-57
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL	H-58
AI25	COVERED FOR PRESCRIPTION DRUGS	H-58
AI22A	NAME OF MAIN HEALTH PLAN	H-59
AI22A_UPCODE	NAME OF MAIN HEALTH PLAN	H-60
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	H-62
НМО	HMO STATUS	Н-62
AH71	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000	Н-63
AH71_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	Н-63
AH72	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000	H-64
AH72_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	H-64
AI31	HAD CURRENT INS FOR ALL 12 OF PAST 12 MOS	H-65
AI32	HAD OTHER HEALTH INS WHEN NOT COVERED BY CURRENT INS	Н-65
AH73B	SPECIAL FUND TO PAY MEDICAL EXPENSES	Н-66
AI33_1	OTHER INS: MEDI-CAL	Н-66
AI33_3	OTHER INS: EMPLOYER/UNION	H-67

AI33_6	OTHER INS: BOUGHT DIRECT	H-67
AI33_4	OTHER INS: OTHER HEALTH PLAN	H-68
AI33_7	OTHER INS: COVERED CA	Н-68
AI34	ANY TIME IN PAST 12 MOS HAD NO HEALTH INS AT ALL	Н-69
AI35	# OF MOS IN PAST 12 MOS HAD NO HEALTH INS AT ALL	H-69
AI36	MAIN REASON NO HEALTH INS IN PAST 12 MOS	H-70
AH140	REASON FOR NOT HAVING HEALTH INSURANCE IN PAST YEAR RELATED TO EM	H-71
AI24	MAIN REASON NOT HAVE HEALTH INS AT ALL	H-72
AH141	REASON FOR NOT CURRENTLY HAVING HEALTH INSURANCE RELATED TO EMPLO	H-72
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	Н-73
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	Н-73
AI27	COVERED BY HEALTH INS AT ANY TIME IN PAST 12 MOS	H-74
AI28	HOW LONG SINCE LAST HAD HEALTH INS	H-74
AI29	# MOS OF PAST 12 MOS HAD HEALTH INS	Н-75
AI30_1	HEALTH INS TYPE IN PAST 12 MOS: MEDI-CAL	Н-75
AI30_3	HEALTH INS TYPE IN PAST 12 MOS: EMPLOYER/UNION	Н-76
AI30_6	HEALTH INS TYPE IN PAST 12 MOS: BOUGHT DIRECT	H-76
AI30_4	HEALTH INS TYPE IN PAST 12 MOS: OTHER HEALTH PLAN	H-77
AI30_7	HEALTH INS TYPE IN PAST 12 MOS: COVERED CA	H-77
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	H-78
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	H-78
AH98_P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	H-79
АН99	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE	H-79
AH99_P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	H-80
AH123	MEDICARE ADVANTAGE PLAN	H-80
AH126	SIGN UP DIRECTLY OR THROUGH EMPLOYER	H-81
ΔH126 P1	SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE)	H-81

AH127	SPOUSE'S MEDICARE THROUGH AN HMO	H-82
INS	CURRENTLY INSURED	H-82
INS_S	SPOUSE CURRENTLY INSURED	H-83
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	H-83
UNINSANY	UNINSURED IN PAST 12 MOS	H-84
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	H-84
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	H-85
INS64_S	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR SPOUSE - UNDER 65	H-85
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	H-86
INSANY	ANY INS IN LAST 12 MOS	H-86
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	H-87
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	Н-87
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	H-88
INSTYPE	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES	H-88
INS6TP_M	TYPE OF CURRENT HEALTH COVERAGE: 0-64 YEARS (HEALTH PROFILES)	Н-89
INS9TP	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS)	Н-89
IHS	COVERED BY INDIAN HEALTH SERVICES	H-90
IHS_S	SPOUSE COVERED BY INDIAN HEALTH SERVICES	H-90
INSEM	COVERED BY EMPLOYER-BASED PLANS	H-90
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	H-91
INSMC	COVERED BY MEDICARE	H-91
MC_TYPE	TYPE OF MEDICARE COVERAGE	H-92
INSMC_S	SPOUSE COVERED BY MEDICARE	H-92
INSMD	COVERED BY MEDI-CAL	н-93
INSMD_S	SPOUSE COVERED BY MEDI-CAL	н-93
TNSMI.	COVERED BY MILITARY HEALTH PLANS	H-93

INSML_S	SPOUSE COVERED BY MILITARY HEALTH PLANS	H-94
INSOG	COVERED BY OTHER GOVT PLANS	H-94
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	Н-95
INSLT_P	HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)	Н-95
INSOT	COVERED BY OTHER NON-GOVT PLANS	Н-96
INSOT_S	SPOUSE COVERED BY OTHER NON-GOVT PLANS	Н-96
INSPR	COVERED BY PLANS PURCHASED ON OWN	Н-96
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	Н-97
COVRDCA	PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA	Н-97
COVRDCA_S	SPOUSE WITH PRIVATE/EMPLOYER-BASED COVERAGE FROM COVERED CALIFORN	Н-98
INSPS	PRIMARY OR SECONDARY COVERAGE	Н-98
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	Н-99
PAR_ELIG	PARTICIPATION IN MEDI-CAL PROGRAM	Н-99
PAR_MAGI	PARTICIPATION IN MEDI-CAL PROGRAM: ACA MAGI GUIDELINES	H-100
CC_SUBS	SUBSIDY AND TYPE OF COVERED CALIFORNIA COVERAGE	H-100
CC_TIER	PLAN TIER/LEVEL OF PRIVATE COVERAGE FROM COVERED CALIFORNIA	H-101
RSN_UNI2	REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS	H-102
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	H-103
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	H-103
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	H-104
АН79В	REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN	H-104
AH80B	REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS	H-105
AH81B	EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B	H-105
AH83B	AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING	H-106
AH84B	UNINSURED AT TIME MEDICAL CARE WAS PROVIDED	H-106
ΔH85R	UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS	H-107

AH86B	TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS	H-107
INSLMT12M	REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS	H-108
AH128	AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE	H-108
AH129	AMOUNT EMPLOYER/UNION/PROF ORG CONTRIBUTES TO HEALTH PLAN EACH MO	H-109
AH130	HAS MONEY IN HSA ACCOUNT	H-109
AH131V2	AMOUNT OF MONEY IN HSA ACCOUNT	H-110
AH131V2_P	AMOUNT OF MONEY IN HSA ACCOUNT (PUF RECODE)	H-110
HSAAMTV2	AMOUNT IN HEALTH SAVINGS ACCOUNTS	H-111
HSAAMTV2_P1	AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE)	H-111
AH132	LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN	H-112
AH133	# OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN	H-112
TCURPLAN	TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS	H-113
AH134	HEALTH INSURANCE BEFORE CURRENT PLAN	H-113
AH135	OTHER HEALTH INSURANCE BEFORE CURRENT PLAN	H-114
PINSTYPE	TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN	H-114
AH136	LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN	Н-115
AH137	EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS	H-115
AH139	SELF-REPORTED SATISFACTION WITH CURRENT HEALTH PLAN	H-116
SECTION I	CHILD & ADOLESCENT HEALTH INSURANCE	I-1
A190	CHILD PLAN THRU EMPLOYER, UNION, SHOP PGM	I-1
AI91	PURCHASE CHILD PLAN DIRECTLY OR COVERED CA	I-1
A193	GET SUBSIDY ON CHILD PLAN PREMIUM PAID	I-2
CF9_13	TYPE OF PLAN MISSED: COVERED CA THROUGH SHOP	I-2
AI115	CHILD'S HEALTH PLAN A PPO OR EPO	I-3
A194	TEEN PLAN THRU EMPLOYER, UNION, SHOP PGM	I-3
A195	PURCHASE TEEN PLAN DIRECTLY OR COVERED CA	I-4

A197	GET SUBSIDY ON TEEN PLAN PREMIUM PAID	I-4
IA9_13	TYPE OF PLAN MISSED: COVERED CA THROUGH SHOP	I-5
IA1A	MAIN REASON TEEN NOT ENROLLED IN MEDI-CAL	I-5
AI116	TEEN'S HEALTH PLAN A PPO OR EPO	I-6
IA26_6	TEEN'S OTHER HEALTH INS: DIRECT PURCHASE	I-6
IA26_7	TEEN'S OTHER HEALTH INS: COVERED CA	I-7
SECTION J	HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH	J-1
AH1V2	HAVE USUAL SOURCE OF HEALTH CARE	J-1
АНЗ	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE	J-1
AJ80	HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA	J-2
AJ202	RECEIVED CARE FROM A DOCTOR VIA VIDEO/TELEPHONE CONVERSATION INST	J-2
AJ203_1	HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN	J-3
AJ203_2	HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE	J-3
AJ203_3	HEALTH PROBLEM FOR TELE-MEDICAL CARE: MENTAL OR EMOTIONAL HEALTH	J-4
AJ203_4	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER	J-4
AJ203_5	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT	J-5
AJ203_6	HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC	J-5
AJ203_7	HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY	J-6
AJ203_8	HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS	J-6
AJ203_9	HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP	J-7
AJ203_10	HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION	J-7
AJ203_11	HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA	J-8
AJ203_12	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL HEALTH PROBLEM	J-8
AJ203_13	HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-19	J-9

AJ204	RATE OVERALL EXPERIENCE OF MOST RECENT VIDEO VISIT COMPARED TO IN	J-9
AJ205	RATE OVERALL EXPERIENCE OF MOST RECENT PHONE VISIT COMPARED TO IN	J-10
AH3_P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	J-10
USOC	USUAL SOURCE OF CARE OTHER THAN ER	J-11
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	J-11
USUAL_TP	USUAL SOURCE OF CARE (7 LVLS)	J-12
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	J-12
AH5	# OF TIMES SAW MD IN PAST 12 MOS	J-13
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	J-13
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	J-14
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	J-14
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	J-15
AJ8V3	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	J-15
AJ50V2	LANGUAGE DOCTOR SPEAKS TO R	J-16
AJ50V2_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	J-17
AJ9V2	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	J-17
AJ10V2	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	J-18
AJ11V2	WHO HELPED YOU UNDERSTAND DOCTOR	J-18
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	J-19
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	J-19
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	J-20
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	J-20
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	J-21
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	J-21
TIMAPPT	ABLE TO GET AN APPOINTMENT IN A TIMELY WAY	J-22
AJ105	KNOW RIGHTS TO INTERPRETER DURING MED VISIT	J-22

AJ114	TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP	J-23
AJ115	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY	J-23
AJ115_P1	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1	J-24
WORKSICK	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (THOSE	J-25
WORKSICK_P1	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1	J-26
AJ129	EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED	J-27
AJ130	MAIN REASON DELAYED/NO CARE: COST OR NO INS	J-27
AJ131	MAIN REASON FOR DELAYING NEEDED CARE	J-28
AJ131_P1	MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)	J-29
CARE_PV	HAD A PREVENTIVE CARE VISIT IN PAST YEAR	J-29
RN_FORGO	REASONS FORGONE NECESSARY CARE	J-30
FORGO	HAD TO FORGO NECESSARY CARE	J-30
AG1	TIME SINCE LAST VISIT TO DENTIST/SPECIALIST	J-31
AJ167	ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM	J-31
AJ168	CONDITION OF TEETH	J-32
AG3	HAVE ANY KIND OF DENTAL INSURANCE	J-32
AJ136	NEEDED TO SEE MED SPECIALIST PAST YR	J-33
AJ137	HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS	J-33
AJ138	NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR	J-34
AJ139	INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR	J-34
AJ133	HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS	J-35
AJ134	NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR	J-35
AJ135	INSURANCE NOT ACCEPTED BY DOC PAST YR	J-35
PC_INS	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS	J-36
PC_NEWP	PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENT	J-36
SC TNS	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT	J-37

ACCEPTS I

SC_NEWP	SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT	J-37
AH12V2	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	J-38
AH95	# TIMES VISITED ER IN PAST 12 MOS	J-38
AH95_P	# TIMES VISITED ER IN PAST 12 MOS (PUF RECODE)	J-39
AH95_P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	J-39
ER	ER VISIT WITHIN THE PAST YEAR	J-40
AJ152V2	RECEIVED CARE WHILE AT ANOTHER HEALTH FACILITY FROM HEALTH PROVID	J-40
AJ153V2_1	HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN	J-41
AJ153V2_2	HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE	J-41
AJ153V2_3	HEALTH PROBLEM FOR TELE-MEDICAL CARE: MENTAL OR EMOTIONAL HEALTH	J-42
AJ153V2_4	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER	J-42
AJ153V2_5	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT	J-43
AJ153V2_6	HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC	J-43
AJ153V2_7	HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY	J-44
AJ153V2_8	HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS	J-44
AJ153V2_9	HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP	J-45
AJ153V2_10	HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION	J-45
AJ153V2_11	HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA	J-46
AJ153V2_12	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL HEALTH PROBLEM	J-46
AJ153V2_13	HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-RELATED PROBLEM	J-47
AJ176	DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN	J-47
AJ177	DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY	J-48

AJ87	PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR	J-48
AJ101V2	CURRENTLY PROVIDE CARE	J-49
AF22V2	EVER HAD HOME BLOOD STOOL TEST	J-49
AF24V2	WHEN WAS MOST RECENT HOME BLOOD STOOL TEST	J-50
FOBT2V2	BLOOD STOOL TEST PAST 2 YEARS	J-50
AF14V2	EVER HAD SIGMOIDOSCOPY, COLONOSCOPY, OR PROCTOSCOPY	J-51
AF16V2	HOW LONG SINCE LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY	J-51
AB61V2	TYPE OF MOST RECENT RECTAL EXAM	J-52
AF17V2	MAIN REASON FOR LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY	J-52
SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY	K-1
AK1	WORK STATUS LAST WEEK	K-1
AK2	MAIN REASON FOR NOT WORKING LAST WEEK	K-1
AK2_P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	K-2
AK3	# OF USUAL HRS WORKED PER WEEK	K-2
AK3_P1	# OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE)	K-3
AK3_P1V2	# OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE VERSION 2)	K-3
AK4	TYPE OF EMPLOYER AT MAIN JOB	K-4
AK5	TYPE OF BUSINESS/INDUSTRY EMPLOYED BY	K-4
AK6	MAIN OCCUPATION	K-5
INDMAIN2	MAIN INDUSTRY - RECODE (CENSUS 2010. IND. CLASSIFICATION SCH.)	K-6
IND_FLAG3	CENSUS INDUSTRY CODE - CODING METHOD	K-7
OCCMAIN2	MAIN OCCUPATION - RECODE (CENSUS 2010 OCC. CLASSIFICATION SCH.)	K-8
OCC_FLAG3	CENSUS OCCUPATION CODE - CODING METHOD	K-9
AK7	LENGTH OF TIME WORKING AT MAIN JOB	K-9
AK7_P1	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE)	K-10
AK7 P1V2	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE	K-10

VERSION 2)

AKWKLNG	TIME AT MAIN JOB	K-11
AK8	# PEOPLE WORKING FOR EMPLOYER/YOU	K-11
AK10	ESTIMATED EARNINGS BEFORE TAXES AND DEDUCTIONS LAST MONTH	K-12
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	K-12
AK20	# OF HRS PER WEEK SPOUSE USUALLY WORKS	K-13
AK20_P1	# OF HRS PER WEEK SPOUSE USUALLY WORKS (PUF 1 YR RECODE)	K-13
AK10A	SPOUSE'S EARNINGS LAST MONTH	K-14
AK22_P1	HH TOTAL ANN. INC BEFORE TAXES IN PREVIOUS YEAR (PUF 1 YR RECODE)	K-15
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	K-16
AK22	HOUSEHOLD TOTAL ANNUAL INC BEFORE TAXES IN PREVIOUS YEAR	K-16
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC IN PREVIOUS YEAR (PUF RECODE)	K-17
AK11	HH ANNUAL INCOME MORE OR LESS THAN \$20K	K-17
AK12	RANGE FOR HH INCOME LESS THAN \$20K	K-17
AK13	HH ANNUAL INCOME MORE OR LESS THAN \$70K	K-18
AK14	RANGE FOR HH INCOME \$20K TO \$70K	K-18
AK15	HH ANNUAL INCOME MORE OR LESS THAN \$135K	K-18
AK16	RANGE FOR HH INCOME \$70K TO \$135K	K-19
AK17V2	# OF PEOPLE IN HOUSEHOLD SUPPORTED BY TOTAL HOUSEHOLD INCOME (INC	K-19
AK18V2	# OF CHILDREN IN HOUSEHOLD SUPPORTED BY TOTAL HOUSEHOLD INCOME (I	K-20
AK32V2	HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH (I	K-20
AK33V2	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE	K-21
AK33V2_P1	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE	K-21
AK136	SEEN OR HEARD ABOUT NEW 2020 CA PAID FAMILY/MEDICAL LEAVE LAW	K-22

AK137	TOOK PAID LEAVE LONGER THAN 2 WEEKS FROM WORK DUE TO OWN/FAMILY M	K-22
AK138_1	REASON FOR PAID LEAVE: OWN HEALTH	K-23
AK138_2	REASON FOR PAID LEAVE: FAMILY MEMBER'S HEALTH	K-23
AK138_3	REASON FOR PAID LEAVE: ARRIVAL OR NEWBORN, NEWLY ADOPTED CHILD, O	K-24
AK138_91	REASON FOR PAID LEAVE: OTHER	K-24
AK139_1	REASON DID NOT TAKE LEAVE: FEAR OF LOSING JOB	K-25
AK139_2	REASON DID NOT TAKE LEAVE: FEAR OF HURTING CHANGES OF JOB ADVANCE	K-25
AK139_3	REASON DID NOT TAKE LEAVE: COULD NOT AFFORD TO GO ON LEAVE	K-26
AK139_4	REASON DID NOT TAKE LEAVE: EMPLOYER DENIED REQUEST FOR LEAVE	K-26
AK139_5	REASON DID NOT TAKE LEAVE: NOT ELIGIBLE	K-27
AK139_6	REASON DID NOT TAKE LEAVE: DIDN'T KNOW ABOUT LEAVE PROGRAM	K-27
AK139_7	REASON DID NOT TAKE LEAVE: PROCESS TO APPLY FOR LEAVE TOO COMPLIC	K-28
AK139_8	REASON DID NOT TAKE LEAVE: USED OTHER AVAILABLE LEAVE OPTIONS (E.	K-28
AK139_9	REASON DID NOT TAKE LEAVE: DID NOT NEED TO TAKE LEAVE	K-29
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	K-29
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	K-30
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-30
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-31
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	K-31
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	K-32
FSLEV	FOOD SECURITY STATUS LEVEL	K-32
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	K-33
POVGWD2	FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (CONTINUOUS)	K-33

POVLL_ACA	FAMILY POVERTY THRESHOLD LEVEL: ACA (4 LVLS)	K-34
POVGWD	FAMILY POVERTY THRESHOLD LEVEL	K-34
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	K-35
POVGWD_P1	FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE)	K-35
POVLL2_P1	POVERTY LEVEL AS TIMES OF 100% FPL (PUF 1 YR RECODE)	K-36
POVLL2_P1V2	POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2)	K-36
POVLL	POVERTY LEVEL	K-37
POVLL2	POVERTY LEVEL AS TIMES OF 100% FPL	K-37
POVLL2_P	POVERTY LEVEL - 100% FPL (PUF RECODE)	K-38
ELGMAGI3	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)	K-38
ELGMAGI4	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (3 LVLS)	K-39
ELGMAGI5	MEDI-CAL ELIG FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS)	K-39
ELGMAGI64	PUBLIC COVERAGE FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS)	K-40
ELGMAGI65	MEDI-CAL ELIGIBILITY FOR AGED & DISABLED FPL PROGRAM - AGES 65 AN	K-40
ELGSPMAGI	ELIG PRGM INCL STATE POSSIBLE CHILD COVERAGE EXPANSIONS: ACA MAGI	K-41
AL17V2	PAID ALIMONY OR CHILD SUPPORT LAST MONTH	K-41
SECTION L	PUBLIC PROGRAM PARTICIPATION	L-1
AL2V2	RECEIVING TANF OR CALWORKS	L-1
AL5V2	RECEIVING FOOD STAMP BENEFITS	L-1
AL6V2	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	L-2
AL7V2	CURRENTLY ON WIC	L-2
AL9V2	ASSETS WORTH MORE THAN \$5,000	L-3
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	L-3
AL32V2	RECD ANY WORKERS COMPENSATION LAST MO	L-4
AL33V2	TOTAL AMOUNT RECD WORKERS COMPENSATION LAST MO	L-4
AL15V3	RECVD ALIMONY/CHILD SUPPORT LAST MONTH	L-5
AL16V3	TOTAL CHILD SUPPORT RECVD LAST MONTH	L-5

AL18AV2	RECVD SOCIAL SECURITY OR PENSION LAST MONTH								
AL18V2	TOTAL ALIMONY OR CHILD SUPPORT PAID LAST MONTH								
AL19V2	MAIN REASON NOT ENROLLED IN MEDI-CAL								
AL19V2_P1	MAIN REASON NOT ENROLLED IN MEDI-CAL (PUF 1 YR RECODE)								
AL18BV2	TOTAL AMOUNT OF SOCIAL SECURITY OR PENSION RECVD LAST MONTH								
AL40V2	LENGTH OF TIME HAD MEDI-CAL								
AL40V2_P1	LENGTH OF TIME HAD MEDI-CAL (PUF 1YR RECODE)	L-9							
AL86	WAIT TIME WITH COUNTY OFFICE ABOUT MEDICAL BENEFITS IN PAST 12 MO	L-10							
AL87	METHOD OF CONTACTING COUNTY OFFICE	L-10							
AL88	LENGTH OF TIME COUNTY REP TO TAKE CARE OF R'S PROBLEM	L-11							
AL89	COUNTY REP ANSWER ALL OF R'S QUESTIONS	L-11							
AL90	COUNTY REP TREATED R WITH RESPECT	L-12							
AL91_1	AREAS COUNTY OFFICE CAN IMPROVE: REDUCE WAIT TIMES	L-12							
AL91_2	AREAS COUNTY OFFICE CAN IMPROVE: SPEND MORE TIME WITH R	L-13							
AL91_3	AREAS COUNTY OFFICE CAN IMPROVE: EXPLAIN THINGS BETTER	L-13							
AL91_4	AREAS COUNTY OFFICE CAN IMPROVE: TELL R THE NEXT STEPS	L-14							
AL91_5	AREAS COUNTY OFFICE CAN IMPROVE: NO IMPROVEMENTS	L-14							
AL91_6	AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE LOCATIONS/STAFF	L-15							
AL91_7	AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE WAYS TO REACH STAFF	L-15							
AL91_8	AREAS COUNTY OFFICE CAN IMPROVE: BETTER ATTITUDE	L-16							
AL91_9	AREAS COUNTY OFFICE CAN IMPROVE: SIMPLIFIED/UP-TO-DATE SYSTEM/ONL	L-16							
AL91_10	AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE KNOWLEDGE/SKILLS OF STAF	L-17							
AL91_11	AREAS COUNTY OFFICE CAN IMPROVE: EXPAND MEDICAL COVERAGE/SERVICES	L-17							
AL91_13	AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE COMMUNICATION	L-18							
AT Q1 10	ADEAG COUNTY OFFICE CAN IMPROVE. OTHERS	T _19							

AL92	SATISFACTION RATING OF COUNTY OFFICE	L-19
AL93	RENEWED MEDI-CAL IN PAST 12 MOS	L-19
AL94	HAVE ISSUES RENEWING MEDI-CAL	L-20
AL95	TEMPORARILY LOST COVERAGE FOR 1 TO 2 MOS	L-20
AL95_P1	TEMPORARILY LOST COVERAGE OR HAD TO REAPPLY (PUF 1 YR RECODE)	L-21
AL96	COVERAGE PRIOR TO MEDI-CAL	L-21
AL97	PROBLEM CHANGING TO MEDI-CAL	L-22
AL98_1	TYPE OF PROBLEM CHANGING TO MEDI-CAL: PAID PREMIUMS WHILE WAITING	L-22
AL98_2	TYPE OF PROBLEM CHANGING TO MEDI-CAL: CONFLICTING ELIGIBILITY NOT	L-23
AL98_3	TYPE OF PROBLEM CHANGING TO MEDI-CAL: DELAY	L-23
AL98_4	TYPE OF PROBLEM CHANGING TO MEDI-CAL: UNABLE TO SEE PROVIDER	L-24
AL98_5	TYPE OF PROBLEM CHANGING TO MEDI-CAL: A LOT OF PAPERWORK	L-24
AL98_6	TYPE OF PROBLEM CHANGING TO MEDI-CAL: HAD TO FILE APPEAL	L-25
AL105_1	NOTICE OF ACTIONS: EASY TO READ OR UNDERSTAND	L-25
AL105_2	NOTICE OF ACTIONS: DIFFICULT TO READ OR UNDERSTAND	L-26
AL105_3	NOTICE OF ACTIONS: CONTAIN HELPFUL INFORMATION	L-26
AL105_4	NOTICE OF ACTIONS: DOES NOT CONTAIN HELPFUL INFORMATION	L-27
AL105_5	NOTICE OF ACTIONS: NEVER GOT A NOTICE OF ACTIONS	L-27
AL106_1	HOW TO IMPROVE NOTICE OF ACTIONS: REDUCE TEXT	L-28
AL106_2	HOW TO IMPROVE NOTICE OF ACTIONS: SIMPLIFY LANGUAGE/READING LEVEL	L-28
AL106_3	HOW TO IMPROVE NOTICE OF ACTIONS: SHORTER PARAGRAPHS/SENTENCES	L-29
AL106_4	HOW TO IMPROVE NOTICE OF ACTIONS: SEND FEWER NOTICES	L-29
AL106_5	HOW TO IMPROVE NOTICE OF ACTIONS: GIVE CLEAR STEPS OF WHAT TO DO	L-30
AL106_6	HOW TO IMPROVE NOTICE OF ACTIONS: NO IMPROVEMENTS NEEDED	L-30
AL107	ABLE TO UPDATE CONTACT INFORMATION	L-31

AL108_1	REASON WHY NOT ABLE TO UPDATE CONTACT INFO: CHANGES DID NOT UPDAT	L-31
AL108_2	REASON WHY NOT ABLE TO UPDATE CONTACT INFO: DON'T KNOW HOW TO UPD	L-32
AL108_3	REASON WHY NOT ABLE TO UPDATE CONTACT INFO: DID NOT NEED TO UPDAT	L-32
AL108V2	FIRST SELECTED REASON WHY NOT ABLE TO UPDATE CONTACT INFO	L-33
AL109	EASY TO UPDATE CONTACT INFO	L-33
AL110_1	HOW UPDATED CONTACT INFO: VISITED OFFICE IN PERSON	L-34
AL110_2	HOW UPDATED CONTACT INFO: CALLED COUNTY OFFICE	L-34
AL110_3	HOW UPDATED CONTACT INFO: CALLED HEALTH PLAN	L-35
AL110_4	HOW UPDATED CONTACT INFO: DIRECTLY CONTACTED ELIGIBILITY WORKER	L-35
AL110_5	HOW UPDATED CONTACT INFO: ONLINE	L-36
AL110_6	HOW UPDATED CONTACT INFO: MAIL	L-36
AL110_7	HOW UPDATED CONTACT INFO: PORTAL	L-37
AL110_91	HOW UPDATED CONTACT INFO: OTHER	L-37
AL99	AVOIDED GOVT BENEFITS BECAUSE WORRIED WILL DISQUALIFY R FROM GREE	L-38
AL104	AVOIDED GOVT BENEFITS BECAUSE WORRIED WILL DISQUALIFY R FROM GREE	L-38
AL100	ASKED TO PROVIDE SSN WHEN GETTING MEDICAL SERVICES	L-39
AL101	ASKED TO PROVIDE SSN WHEN GETTING MEDICAL SERVICES PAST 12 MOS	L-39
AL102	ASKED TO PROVIDE SSN WHEN ENROLLING CHILD IN SCHOOL	L-40
AL103	ASKED TO PROVIDE SSN WHEN ENROLLING CHILD IN SCHOOL PAST 12 MOS	L-40
SSNCIT_YN	ASKED FOR SSN OR CITIZENSHIP TO GET MEDICAL SERVICES/SCHOOL ENROL	L-41
SECTION M	HOUSING & COMMUNITY INVOLVEMENT	M-1
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	M-1
AK25	OWN OR RENT HOME	M-1

HOUSETYPE	HOUSING STATUS	M-2
AM14	HOW LONG LIVED AT CURRENT ADDRESS (LENGTH OF TIME IN MONTHS)	M-2
TIMEAD	LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS)	М-3
TIMEAD_P1	LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS) (PUF 1 YR RECODE	M-4
AM15	HOW LONG LIVED IN CURRENT NEIGHBORHOOD	M-5
TIMENEV2	LENGTH OF TIME LIVED AT CURRENT NEIGHBORHOOD (MONTHS)	M-5
TIMENEV2_P1	LENGTH OF TIME LIVED AT CURRENT NEIGHBORHOOD (MONTHS) (PUF 1 YR R	M-6
AM183	HOW FEEL ABOUT CURRENT HOUSING SITUATION	M-7
STABLEHOUSE	HAS STABLE HOUSING	M-7
AM184	HOW OFTEN WORRY ABOUT STRUGGLING TO KEEP UP WITH MORTGAGE/RENT PA	M-8
AM185_1	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: TAKE ON ADDITIO	M-8
AM185_2	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: STOP SAVING FOR	M-9
AM185_3	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: ACCUMULATE CRED	M-9
AM185_4	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA	M-9
AM185_5	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA	M-10
AM185_6	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO NEIGHBO	M-10
AM185_7	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO PLACE W	M-10
AM185_8	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: NONE OF THESE/N	M-11
AJ178	DOCTOR'S OFFICE CONNECTS FAMILY WITH COMMUNITY-BASED SERVICES	M-11
AM186	# OF TIMES STOPPED BY POLICE IN PAST 3 YEARS	M-12
AM187	EVER BEEN ARRESTED AND BOOKED FOR BREAKING THE LAW (NOT INCLUDING	M-12
AM188	SOMEONE LIVED WITH EVER BEEN ARRESTED AND BOOKED FOR	M-1.3

BREAKING THE

ARRSTBK	YOU OR HOUSEMATE EVER BEEN ARRESTED AND BOOKED	M-13
PLCSTOP	STOPPED BY POLICE IN PAST 3 YEARS	M-13
AM186_P1	# OF TIMES STOPPED BY POLICE IN PAST 3 YEARS (PUF 1 YR RECODE)	M-14
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	M-14
AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG	M-15
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	M-15
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	M-16
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	M-16
AM44	CONFIDENT TO EXPRESS VIEWS IN FRONT OF PEERS	M-17
AM45	CAN CONTACT ELECTED OFFICIAL IN COMMUNITY	M-17
AM48	ACTIVE MEMBER IN COMMUNITY POLITICAL GROUP (NOT POLITICAL PARTY)	M-18
DMC8	WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF RACE/ETHNICITY	M-18
DMC9	HOW LONG AGO TREATED UNFAIRLY W/ MEDICAL CARE DUE TO RACE/ETHNICI	M-19
DISCRIM	DISCRIMINATION IN HEALTHCARE	M-19
SECTION N	DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO.	N-1
REGION41	STRATA REGIONS (41)	N-1
REGION44	STRATA REGIONS (44)	N-3
REGION7	STRATA REGIONS (7)	N-4
SRCNTY	COUNTY OF RESIDENCE	N-5
FIPS_CNT	FIPS COUNTY (PROVIDED BY UCLA)	N-7
SRSTRATA	SELF-REPORTED STRATA	N-9
BESTZIP	ZIPCODE	N-10
CCPREG19	COVERED CALIFORNIA PRICING REGIONS	N-11
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	N-12
UR_IHS	RURAL AND URBAN - IHS	N-12
UR_OMB	RURAL AND URBAN - OMB	N-12

UR_RHP	RURAL AND URBAN - RHP	N-13
UR_CLRT4	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	N-13
SECTION O	FULL DESIGN & REPLICATE WEIGHT SERIES 0-80	0-1
RAKEDWO	CHIS2022 RAKED WEIGHT - FULL SAMPLE	0-1
RAKEDW1	CHIS2022 RAKED WEIGHT - REPLICATE 1	0-1
RAKEDW2	CHIS2022 RAKED WEIGHT - REPLICATE 2	0-1
RAKEDW3	CHIS2022 RAKED WEIGHT - REPLICATE 3	0-2
RAKEDW4	CHIS2022 RAKED WEIGHT - REPLICATE 4	0-2
RAKEDW5	CHIS2022 RAKED WEIGHT - REPLICATE 5	0-2
RAKEDW6	CHIS2022 RAKED WEIGHT - REPLICATE 6	0-3
RAKEDW7	CHIS2022 RAKED WEIGHT - REPLICATE 7	0-3
RAKEDW8	CHIS2022 RAKED WEIGHT - REPLICATE 8	0-3
RAKEDW9	CHIS2022 RAKED WEIGHT - REPLICATE 9	0-4
RAKEDW10	CHIS2022 RAKED WEIGHT - REPLICATE 10	0-4
RAKEDW11	CHIS2022 RAKED WEIGHT - REPLICATE 11	0-4
RAKEDW12	CHIS2022 RAKED WEIGHT - REPLICATE 12	0-5
RAKEDW13	CHIS2022 RAKED WEIGHT - REPLICATE 13	0-5
RAKEDW14	CHIS2022 RAKED WEIGHT - REPLICATE 14	0-5
RAKEDW15	CHIS2022 RAKED WEIGHT - REPLICATE 15	0-6
RAKEDW16	CHIS2022 RAKED WEIGHT - REPLICATE 16	0-6
RAKEDW17	CHIS2022 RAKED WEIGHT - REPLICATE 17	0-6
RAKEDW18	CHIS2022 RAKED WEIGHT - REPLICATE 18	0-7
RAKEDW19	CHIS2022 RAKED WEIGHT - REPLICATE 19	0-7
RAKEDW20	CHIS2022 RAKED WEIGHT - REPLICATE 20	0-7
RAKEDW21	CHIS2022 RAKED WEIGHT - REPLICATE 21	0-8
RAKEDW22	CHIS2022 RAKED WEIGHT - REPLICATE 22	0-8
RAKEDW23	CHIS2022 RAKED WEIGHT - REPLICATE 23	0-8
RAKEDW24	CHIS2022 RAKED WEIGHT - REPLICATE 24	0-9

RAKEDW25	CHIS2022	RAKED	WEIGHT	-	REPLICATE	25	0-9
RAKEDW26	CHIS2022	RAKED	WEIGHT	-	REPLICATE	26	0-9
RAKEDW27	CHIS2022	RAKED	WEIGHT	-	REPLICATE	27	0-10
RAKEDW28	CHIS2022	RAKED	WEIGHT	-	REPLICATE	28	0-10
RAKEDW29	CHIS2022	RAKED	WEIGHT	-	REPLICATE	29	0-10
RAKEDW30	CHIS2022	RAKED	WEIGHT	-	REPLICATE	30	0-11
RAKEDW31	CHIS2022	RAKED	WEIGHT	_	REPLICATE	31	0-11
RAKEDW32	CHIS2022	RAKED	WEIGHT	-	REPLICATE	32	0-11
RAKEDW33	CHIS2022	RAKED	WEIGHT	-	REPLICATE	33	0-12
RAKEDW34	CHIS2022	RAKED	WEIGHT	-	REPLICATE	34	0-12
RAKEDW35	CHIS2022	RAKED	WEIGHT	-	REPLICATE	35	0-12
RAKEDW36	CHIS2022	RAKED	WEIGHT	-	REPLICATE	36	0-13
RAKEDW37	CHIS2022	RAKED	WEIGHT	-	REPLICATE	37	0-13
RAKEDW38	CHIS2022	RAKED	WEIGHT	-	REPLICATE	38	0-13
RAKEDW39	CHIS2022	RAKED	WEIGHT	-	REPLICATE	39	0-14
RAKEDW40	CHIS2022	RAKED	WEIGHT	-	REPLICATE	40	0-14
RAKEDW41	CHIS2022	RAKED	WEIGHT	-	REPLICATE	41	0-14
RAKEDW42	CHIS2022	RAKED	WEIGHT	-	REPLICATE	42	0-15
RAKEDW43	CHIS2022	RAKED	WEIGHT	-	REPLICATE	43	0-15
RAKEDW44	CHIS2022	RAKED	WEIGHT	-	REPLICATE	44	0-15
RAKEDW45	CHIS2022	RAKED	WEIGHT	-	REPLICATE	45	0-16
RAKEDW46	CHIS2022	RAKED	WEIGHT	-	REPLICATE	46	0-16
RAKEDW47	CHIS2022	RAKED	WEIGHT	-	REPLICATE	47	0-16
RAKEDW48	CHIS2022	RAKED	WEIGHT	-	REPLICATE	48	0-17
RAKEDW49	CHIS2022	RAKED	WEIGHT	-	REPLICATE	49	0-17
RAKEDW50	CHIS2022	RAKED	WEIGHT	-	REPLICATE	50	0-17
RAKEDW51	CHIS2022	RAKED	WEIGHT	-	REPLICATE	51	0-18
RAKEDW52	CHIS2022	RAKED	WEIGHT	-	REPLICATE	52	0-18
RAKEDW53	CHIS2022	RAKED	WEIGHT	-	REPLICATE	53	0-18

RAKEDW54	CHIS2022 RAKED WEIGHT - REPLICATE 54	0-19
RAKEDW55	CHIS2022 RAKED WEIGHT - REPLICATE 55	0-19
RAKEDW56	CHIS2022 RAKED WEIGHT - REPLICATE 56	0-19
RAKEDW57	CHIS2022 RAKED WEIGHT - REPLICATE 57	0-20
RAKEDW58	CHIS2022 RAKED WEIGHT - REPLICATE 58	0-20
RAKEDW59	CHIS2022 RAKED WEIGHT - REPLICATE 59	0-20
RAKEDW60	CHIS2022 RAKED WEIGHT - REPLICATE 60	0-21
RAKEDW61	CHIS2022 RAKED WEIGHT - REPLICATE 61	0-21
RAKEDW62	CHIS2022 RAKED WEIGHT - REPLICATE 62	0-21
RAKEDW63	CHIS2022 RAKED WEIGHT - REPLICATE 63	0-22
RAKEDW64	CHIS2022 RAKED WEIGHT - REPLICATE 64	0-22
RAKEDW65	CHIS2022 RAKED WEIGHT - REPLICATE 65	0-22
RAKEDW66	CHIS2022 RAKED WEIGHT - REPLICATE 66	0-23
RAKEDW67	CHIS2022 RAKED WEIGHT - REPLICATE 67	0-23
RAKEDW68	CHIS2022 RAKED WEIGHT - REPLICATE 68	0-23
RAKEDW69	CHIS2022 RAKED WEIGHT - REPLICATE 69	0-24
RAKEDW70	CHIS2022 RAKED WEIGHT - REPLICATE 70	0-24
RAKEDW71	CHIS2022 RAKED WEIGHT - REPLICATE 71	0-24
RAKEDW72	CHIS2022 RAKED WEIGHT - REPLICATE 72	0-25
RAKEDW73	CHIS2022 RAKED WEIGHT - REPLICATE 73	0-25
RAKEDW74	CHIS2022 RAKED WEIGHT - REPLICATE 74	0-25
RAKEDW75	CHIS2022 RAKED WEIGHT - REPLICATE 75	0-26
RAKEDW76	CHIS2022 RAKED WEIGHT - REPLICATE 76	0-26
RAKEDW77	CHIS2022 RAKED WEIGHT - REPLICATE 77	0-26
RAKEDW78	CHIS2022 RAKED WEIGHT - REPLICATE 78	0-27
RAKEDW79	CHIS2022 RAKED WEIGHT - REPLICATE 79	0-27
RAKEDW80	CHIS2022 RAKED WEIGHT - REPLICATE 80	0-27
SECTION P	VOTER ENGAGEMENT	P-1

AP73V2	FREQUENCY OF VOTING IN PRESIDENTIAL ELECTIONS	P-1
AP74V2	FREQUENCY OF VOTING IN STATE ELECTIONS	P-1
AP75V2	FREQUENCY OF VOTING IN LOCAL ELECTIONS	P-2
VOTE_ENG2	VOTER ENGAGEMENT	P-2
AP80	MAIN REASON DID NOT VOTE	P-3
VOTE_RSNNO	MAIN REASON DID NOT VOTE	P-3
SECTION S	SUICIDE IDEATION	S-1
AF86	EVER THOUGHT TO COMMIT SUICIDE	S-1
AF87	THOUGHT OF SUICIDE ANY TIME PAST YR	S-1
AF88	EVER ATTEMPTED SUICIDE	S-2
AF89	ATTEMPTED SUICIDE PAST 12 MOS	S-2
AF91	THOUGHT OF SUICIDE IN PAST 2 MOS	S-3
SECTION CV	COVID-19	CV-1
CV1	EVER HAD OR THOUGHT HAD COVID-19	CV-1
CV2	CONTACTED HEALTH PROFESSIONAL ABOUT COVID-19 CONCERNS	CV-1
CV4	EVER TESTED FOR COVID-19	CV-1
CV5	EVER RECEIVED POSITIVE TEST RESULT FOR COVID-19	CV-2
CV15	EVER EXPERIENCED LONG-LASTING COVID-19 SYMPTOMS FOR 2 MONTHS OR L	CV-2
CV7V2_1	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: LOST JOB DUE TO LAYOFF	CV-3
CV7V2_2	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: REDUCED JOB HOURS OR I	CV-3
CV7V2_4	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CONTINUED WORK AS AN E	CV-3
CV7V2_5	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CHILDCARE DIFFICULTIES	CV-4
CV7V2_6	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING RE	CV-4
CV7V2_7	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING FO	CV-4
CV7V2_8	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: TREATED UNFAIRLY DUE T	CV-5

CV7V2_9	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: OTHER	CV-5
CV7V2_10	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: NONE OF THESE	CV-5
CV7V2_11	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: INCREASED MENTAL HEALT	CV-6
CV7V2_12	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: LOST JOB DUE TO VACCIN	CV-6
CV7V2_13	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: WORK ENTIRELY FROM HOM	CV-6
CV7V2_14	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: WORK SOME DAYS AT HOME	CV-7
CV7V2_15	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: QUIT JOB TO TAKE CARE	CV-7
CV16	LEVEL OF VACCINATION FOR COVID-19	CV-7
CV17_1	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: WORRIED A	CV-8
CV17_2	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: VACCINE D	CV-8
CV17_3	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: DON'T KNO	CV-9
CV17_4	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: VACCINE I	CV-9
CV17_5	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: DON'T BEL	CV-10
CV17_6	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: PLAN TO G	CV-10
CV17_7	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: ALREADY H	CV-11
CV17_91	REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: OTHER	CV-11
CV18	LIKELINESS OF RECEIVING COVID-19 BOOSTER SHOT	CV-12
CV19_1	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: WORRIED A	CV-12
CV19_2	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: VACCINE D	CV-13
CV19_3	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: DON'T KNO	CV-13

CV19_4	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: BOOSTER V	CV-14
CV19_5	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: DON'T BEL	CV-14
CV19_6	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: ALREADY H	CV-15
CV19_91	REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: OTHER	CV-15
CV10	HOW OFTEN WORE FACE COVERING WHEN LEFT HOME IN PAST WEEK	CV-16
CV22	PARTICIPATED IN ANY GATHERINGS WITH >1,000 ATTENDEES INDOOR OR >1	CV-16
CV20_1	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: TELEVISION	CV-17
CV20_10	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: RELIGIOUS LEAD	CV-17
CV20_11	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: ELDERS/COMMUNI	CV-17
CV20_12	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: NONE OF THESE	CV-18
CV20_2	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: RADIO	CV-18
CV20_3	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: NEWSPAPER	CV-18
CV20_4	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: GOVERNMENTAL A	CV-19
CV20_5	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: DOCTOR	CV-19
CV20_6	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: FAMILY	CV-19
CV20_7	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: FRIENDS	CV-20
CV20_8	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: EMPLOYER	CV-20
CV20_9	WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: SOCIAL MEDIA	CV-20
CV21	WHERE GET MOST INFORMATION ABOUT COVID-19	CV-21
AG21V2	LANGUAGES OF TV/RADIO/NEWSPAPERS THAT WATCH/LISTEN/READ	CV-21
CV14V2	HOW OFTEN FOLLOWED STATE & LOCAL GUIDELINES WHEN	CV-22

GATHERING WITH P

CVA1	EXPERIENCED A HATE INCIDENT DUE TO COVID-19 OUTBREAK	CV-22	
CVA2_1	EXPERIENCED PHYSICAL ABUSE/ATTACK HATE INCIDENT DUE TO COVID-19 0		
CVA2_2	EXPERIENCED VERBAL ABUSE/INSULT HATE INCIDENT DUE TO COVID-19 OUT	CV-23	
CVA2_3	EXPERIENCED CYBERBULLYING HATE INCIDENT DUE TO COVID-19 OUTBREAK	CV-24	
CVA2_4	EXPERIENCED SOME OTHER HATE INCIDENT DUE TO COVID-19 OUTBREAK	CV-24	
CVA2_5	EXPERIENCED NONE OF THESE HATE INCIDENTS DUE TO COVID-19 OUTBREAK	CV-25	
CVA3	WITNESSED ANOTHER API PERSON TREATED UNFAIRLY DUE TO RACE/ETHNICI	CV-25	
CVA4	HAD DIFFICULTIES PERFORMING WORK DUE TO POOR INTERNET OR LACK OF	CV-26	
SRCERLYV2	MOST RELIED UPON SOURCE OF COVID-19 INFORMATION	CV-26	
CVA7	LOCAL GOV'T HAS DONE A GOOD JOB MANAGING COVID-19 OUTBREAK	CV-27	
CVA8	NAT'L GOV'T HAS DONE A GOOD JOB MANAGING COVID-19 OUTBREAK	CV-27	
CVA9	CHILD'S SCHOOL MET NEEDS TO CONTINUE EDUCATING DURING STAY AT HOM	CV-28	
CVA10	TEEN'S SCHOOL MET NEEDS TO CONTINUE EDUCATING DURING STAY AT HOME	CV-28	
CVA11_1	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: MORTGAG	CV-29	
CVA11_2	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: RENT	CV-29	
CVA11_3	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: CAR	CV-30	
CVA11_4	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: INSURAN	CV-30	
CVA11_5	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: UTILITI	CV-31	
CVA11_6	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: CREDIT	CV-31	

CVA11_7	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: OTHER/N		
ASIAN10_NHPI	ASIAN SUBTYPES - 11 TYPES (INCL. NATIVE HAWAIIAN/PACIFIC ISLANDER	CV-32	
CONTACT	HAD OR THOUGHT HAD COVID-19 AND CONTACTED HEALTH PROFESSIONAL	CV-33	
FAMILY_KID	HOUSEHOLDS WITH FAMILIES WITH CHILDREN <18 YEARS OF AGE	CV-33	
JOBINSV2	LOST/LEFT JOB OR HAD JOB HOURS REDUCED DUE TO COVID-19 AND ARE UN	CV-34	
RISK	EVER DIAGNOSED WITH ANY CHRONIC RISK FACTOR (ASTHMA, DIABETES, HB	CV-34	
RSN_NOINS	MAIN REASON NOT HAVE HEALTH INS AT ALL (EXPANDED)	CV-35	
SECTION GV	GUN VIOLENCE	GV-1	
AGV1	# OF FIREARMS KEPT IN HOME	GV-1	
AGV1_P1	# OF FIREARMS KEPT IN HOME (PUF 1 YR RECODE)	GV-1	
AGV2	# OF HANDGUNS KEPT IN HOME	GV-2	
AGV2_P1	# OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)	GV-2	
AGV3	FIREARM IS A HANDGUN	GV-3	
AGV4A	# OF FIREARMS LOADED AND LOCKED ONLY WITH TRIGGER LOCK	GV-3	
AGV4B	# OF FIREARMS LOADED AND STORED IN LOCK BOX	GV-4	
AGV4C	# OF FIREARMS LOADED AND UNLOCKED	GV-4	
AGV4D	# OF FIREARMS UNLOADED AND LOCKED ONLY WITH TRIGGER LOCK	GV-5	
AGV4E	# OF FIREARMS UNLOADED AND LOCKED WITH CABLE LOCK IN LOCK BOX	GV-5	
AGV4F	# OF FIREAMRS UNLOADED AND UNLOCKED	GV-6	
AGV5	FIREARM KEPT LOADED	GV-6	
AGV6	FIREARM KEPT LOCKED	GV-7	
AGV7	WORRIED ABOUT BEING VICTIM OF GUN VIOLENCE	GV-7	
AGV8	ABLE TO GET FIREARM IF WANTED WITHIN 2 DAYS	GV-8	
FIREARM	FIREARM KEPT IN HOME	GV-8	
HANDGUN	HANDGUN KEPT IN HOME	GV-8	
HANDGUN_NUM	NUMBER OF HANDGUNS KEPT IN HOME	GV-9	

HANDGUNNUM_P	NUMBER OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)	GV-9
GUNLOADED	FIREARM IN HOME KEPT LOADED AND UNLOCKED	GV-10
GUNLOCK	TYPE OF FIREARM LOCK USED	GV-10
GUNSAFE	FIREARMS STORAGE: LOCKED AND/OR LOADED	GV-11
SECTION R	ADVERSE CHILDHOOD EXPERIENCES	R-1
AQ1	LIVED WITH ANYONE WHO WAS DEPRESSED/MENTALLY ILL/SUICIDAL BEFORE	R-1
AQ2	LIVED WITH ANYONE WHO WAS A PROBLEM DRINKER/ALCOHOLIC BEFORE AGE	R-1
AQ3	LIVED WITH ANYONE WHO USED ILLEGAL DRUGS/ABUSED PRESCRIPTION MEDS	R-1
AQ4	LIVED WITH ANYONE WHO SERVED JAIL/PRISON TIME BEFORE AGE 18	R-2
AQ5	PARENTS SEPARATED OR DIVORCED BEFORE AGE 18	R-2
AQ6	HOW OFTEN ADULTS IN HOME PHYSICALLY FOUGHT EACH OTHER BEFORE AGE	R-3
AQ7	HOW OFTEN ADULTS IN HOME PHYSICALLY HURT R BEFORE AGE 18	R-3
AQ8	HOW OFTEN ADULTS IN HOME SWEARED AT OR INSULTED R BEFORE AGE 18	R-4
AQ9	HOW OFTEN ADULT/OLDER PERSON IN HOME TOUCHED R SEXUALLY BEFORE AG	R-4
AQ10	HOW OFTEN ADULT/OLDER PERSON IN HOME MADE R TOUCH THEM SEXUALLY B	R-5
AQ11	HOW OFTEN ADULT/OLDER PERSON IN HOME FORCED R TO HAVE SEX BEFORE	R-5
AQ12	EVER BEEN VICTIM OF VIOLENCE OR WITNESSED VIOLENCE IN NEIGHBORHOO	R-6
AQ13	EVER BEEN TREATED UNFAIRLY DUE TO RACE/ETHNICITY BEFORE AGE 18	R-6
AQ14	EVER LIVED WITH A PARENT WHO DIED BEFORE AGE 18	R-6
AQ15	HOW OFTEN HARD TO GET BY ON FAMILY'S INCOME BEFORE AGE 18	R-7
AQ16	HOW OFTEN FELT ABLE TO TALK TO FAMILY ABOUT FEELINGS BEFORE AGE 1	R-7
AQ17	HOW OFTEN FELT FAMILY STOOD BY YOU DURING DIFFICULT	R-8

TIMES BEFORE

AQ18	HOW OFTEN FELT SAFE AND PROTECTED BY ADULT IN HOME BEFORE AGE 18	R-8
AQ19	HOW OFTEN HAD AT LEAST TWO NON-PARENT ADULTS TAKE GENUINE INTERES	R-9
AQ20	HOW OFTEN FELT SUPPORTED BY FRIENDS BEFORE AGE 18	R-9
AQ21	HOW OFTEN FELT SENSE OF BELONGING AT HIGH SCHOOL BEFORE AGE 18	R-10
AQ22	HOW OFTEN ENJOYED PARTICIPATING IN COMMUNITY TRADITIONS BEFORE AG	R-10
AQ23	EVER COMPLETED AN ACES ASSESSMENT WITH A HEALTH PROFESSIONAL	R-11
AQ24	EVER COMPLETED AN ACES ASSESSMENT FOR TEEN WITH A HEALTH PROFESSI	R-11
AQ25	EVER COMPLETED AN ACES ASSESSMENT FOR CHILD WITH A HEALTH PROFESS	R-12
AQ26	HOW IMPT FOR HEALTH CARE PROVIDERS TO ASK PATIENTS ABOUT ACES	R-12
AQ27	SATISFACTION WITH HEALTH CARE PROVIDER EFFORTS TO ADDRESS ACES IM	R-13
ACE_A	ADVERSE CHILDHOOD EXPERIENCES SCALE	R-13
ACE8	ADVERSE CHILDHOOD EXPERIENCES SCALE (8 PT SCALE)	R-14
PCE	POSITIVE CHILDHOOD EXPERIENCES SCALE	R-14

CHIS 2022 Source Adult Data Dictionary

SECTION Q: SCREENING INFORMATION

2022 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

VARNAME: BASEID

LABEL: CASE ID - BASEID

FREQ % 21463 100.00 VALUE: O-HIGH PERSON #

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: HOUSEHOLD IDENTIFIER: LINKS ADULT/ADOLESC/CHILD FILES

VARNAME: PUF1Y_ID

LABEL: PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES

FREQ % 21463 100.00 VALUE: . O - HIGH

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

VARNAME: AADATE_MM

LABEL: DATE ADULT SECTION A DONE (YYYYMM)

			FREQ	%
VALUE:	202202	FEBRUARY 2022	1175	5.47
	202203	MARCH 2022	2979	13.88
	202204	APRIL 2022	3365	15.68
	202205	MAY 2022	2770	12.91
	202206	JUNE 2022	2833	13.20
	202207	JULY 2022	3266	15.22
	202208	AUGUST 2022	3488	16.25
	202209	SEPTEMBER 2022	1214	5.66
	202210	OCTOBER 2022	372	1.73
	202211	NOVEMBER 2022	1	0.00

UNIVERSE: ALL ADULTS

INPUT VAR: AADATE

NOTES:

VARNAME: AADATEMM_P1

LABEL: DATE ADULT SECTION A DONE (PUF 1 YR RECODE)

			FREQ	%
VALUE:	2	FEBRUARY 2022	1175	5.47
	3	MARCH 2022	2979	13.88
	4	APRIL 2022	3365	15.68
	5	MAY 2022	2770	12.91
	6	JUNE 2022	2833	13.20
	7	JULY 2022	3266	15.22
	8	AUGUST 2022	3488	16.25
	9	SEPTEMBER 2022	1214	5.66
	10	OCTOBER OR NOVEMBER 2022	373	1.74

UNIVERSE: ALL ADULTS

INPUT VAR: AADATE_MM

NOTES: PUF RECODE CREATED IN 2022.

2022 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

VARNAME: ADLTCNT

LABEL: # OF ALL ADULTS IN HOUSEHOLD

MEAN STATISTICS

N 21463 MIN 1 MAX 10 MEAN 2.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: VARIABLE CAPTURES ADULTS IN HH ELIGIBLE FOR SURVEY

VARNAME: ARINFO2V2

LABEL: SOURCE OF ADULT INFORMATION (ADULT RESPONDENT OR SKA ADULT)

FREQ %

VALUE: 1 AR ONLY 21463 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: ARINFO2. NEW VERSION DUE TO DROPPING OF CHILD

FIRST IN 2021.

VARNAME: CHLDCNT

LABEL: # OF ELIGIBLE CHILDREN 0-11 IN HOUSEHOLD

MEAN STATISTICS

N 21463 MIN 0 MAX 10 MEAN 0.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: VARIABLE CAPTURES CHILDREN IN HH ELIGIBLE FOR SURVEY

VARNAME: HH_SIZE

LABEL: HOUSEHOLD SIZE

MEAN STATISTICS

N 21463 MIN 1 MAX 16 MEAN 2.50

UNIVERSE: ALL ADULTS

INPUT VAR: ADLTCNT KIDCNT

NOTES: ADLTCNT + KIDCNT

VARNAME: FAMCNT

LABEL: HOUSEHOLD SIZE COUNT

MEAN STATISTICS

N 21463 MIN 1 MAX 16 MEAN 2.50

UNIVERSE: ALL ADULTS

INPUT VAR: ADLTCNT KIDCNT

NOTES: VARIABLE CAPTURES PERSONS IN HH ELIGIBLE FOR SURVEY

VARNAME: HHSIZE_P

LABEL: HOUSEHOLD SIZE (PUF RECODE)

MEAN STATISTICS

 N
 21463

 MIN
 1

 MAX
 10

 MEAN
 2.50

UNIVERSE: ALL ADULTS

INPUT VAR: HH_SIZE

NOTES: TOPCODE=10

VARNAME: HHSIZE_P1

LABEL: HOUSEHOLD SIZE (PUF 1 YR RECODE)

MEAN STATISTICS

N 21463 MIN 1 MAX 10 MEAN 2.50

UNIVERSE: ALL ADULTS

INPUT VAR: ADLTCNT KIDCNT

NOTES: ADLTCNT + KIDCNT; TOPCODE = 10

VARNAME: INTVLNGC_P1

LABEL: LANGUAGE OF INTERVIEW (PUF 1 YR RECODE)

VALUE: 1 ENGLISH 19664 91.62 2 SPANISH 1146 5.34 3 OTHER LANGUAGE 653 3.04

UNIVERSE: ALL ADULTS

INPUT VAR: INTVLANG

NOTES: INTVLANG Categories Collapsed

VARNAME: INTVLANG2

LABEL: LANGUAGE OF INTERVIEW

			FREQ	%
VALUE:	1	ENGLISH	19664	91.62
	2	SPANISH	1146	5.34
	3	VIETNAMESE	88	0.41
	4	KOREAN	202	0.94
	5	CHINESE	357	1.66
	8	FILIPINO / TAGALOG	6	0.03

UNIVERSE: ALL ADULTS

INPUT VAR: ENGLSPAN

NOTES:

VARNAME: INTVLANG3

LABEL: LANGUAGE OF INTERVIEW

			FREQ	%
VALUE:	1	ENGLISH	19664	91.62
	2	SPANISH	1146	5.34
	3	VIETNAMESE	88	0.41
	4	KOREAN	202	0.94
	6	MANDARIN (PHONE INTERVIEW)	43	0.20
	7	CHINESE (WEB INTERVIEW)	314	1.46
	8	FILIPINO / TAGALOG	6	0.03

UNIVERSE: ALL ADULTS

INPUT VAR: ENGLSPAN ADULTSTARTCHANNEL

NOTES:

VARNAME: KIDCNT

LABEL: COUNT OF ALL CHILDREN AND TEENS ENUMERATED IN HH

MEAN STATISTICS

N 21463 MIN 0 MAX 11 MEAN 0.39

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: TEENCHT + CHLDCHT (ELIGIBLE + INELIGIBLE)

VARNAME: PROXY

LABEL: A PROXY INTERVIEW

VALUE: 1 YES 11 0.05 2 NO 21452 99.95

UNIVERSE: ALL ADULTS

INPUT VAR: APRX1

NOTES:

VARNAME: SRTENR

LABEL: SELF-REPORTED HOUSEHOLD TENURE (HH)

VALUE: 1 OWN FREQ % 13638 63.54

2 RENT/SOME OTHER ARRANGEMENT 7825 36.46

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: TRACT10

LABEL: CENSUS TRACT (2010)

FREQ %

VALUE: . 0 - HIGH 21463 100.00

UNIVERSE: ALL ADULTS

INPUT VAR: FIPS_CNT

NOTES: DATA CANNOT BE TRENDED OR MERGED WITH 2000 CENSUS TRACT DATA

VARNAME: TEENCNT

LABEL: # OF ELIGIBLE ADOLESCENTS 12-17 IN HOUSEHOLD

MEAN STATISTICS

N 21463 MIN 0 MAX 5 MEAN 0.16

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: VARIABLE CAPTURES TEENS IN HH ELIGIBLE FOR SURVEY

CHIS 2022 Source Adult Data Dictionary	
SECTION A: DEMOGRAPHIC INFORMATION, PART I	

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

	201	ADULT SURVEY DATA DICTIONARY		
VARNAME:	AA1MON			
LABEL:	DATE OF BIR	RTH - MONTH		
			FREQ	
VALUE:		NOT ASCERTAINED	558	2.60
	-8	DON'T KNOW	3	
	-7	REFUSED	72	0.34
	1	JANUARY	1480	6.90
	2	FEBRUARY	1340	6.24
	3	MARCH	1425	6.64
	4	APRIL	1576	7.34
	5	MAY	1776	8.27
	6	JUNE	1780	8.29
	7	JULY	1962	9.14
	8	AUGUST	2139	9.97
	9	SEPTEMBER	2104	9.80
	10	OCTOBER	1933	9.01
	11	NOVEMBER	1637	7.63
	12	DECEMBER	1678	7.82
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				
VARNAME:	AA1YR			
LABEL:	DATE OF BIR	RTH - YEAR		
			FREQ	%
VALUE:	-9	NOT ASCERTAINED	430	2.00
	-7	REFUSED	72	0.34
	1900-2014	YEARS	20961	97.66
UNIVERSE:	ALL ADULTS			

NOT	RTH MONTH (AA1A)	FREQ	
		EDEO	
		rved	%
	ASCERTAINED	245	1.14
DON,	T KNOW	3	0.01
REFU	SED	48	0.22
INAP	PLICABLE	20639	96.16
JANU	ARY	41	0.19
FEBR	UARY	33	0.15
MARC	H	47	0.22
APRI	L	35	0.16
MAY		35	0.16
JUNE		47	0.22
JULY		43	0.20
AUGU	ST	53	0.25
SEPT	EMBER	61	0.28
OCTO	BER	49	0.23
NOVE	MBER	41	0.19
DECE	MBER	43	0.20
L ADULTS WHO D	ID NOT PROVIDE DATE OF BIRTH		
	JANU FEBR MARC APRI MAY JUNE JULY AUGU SEPT OCTO NOVE DECE	JANUARY FEBRUARY MARCH APRIL MAY JUNE JULY AUGUST SEPTEMBER OCTOBER NOVEMBER	JANUARY 41 FEBRUARY 33 MARCH 47 APRIL 35 MAY 35 JUNE 47 JULY 43 AUGUST 53 SEPTEMBER 61 OCTOBER 49 NOVEMBER 41 DECEMBER 43

LABEL: ADULT DATE OF BIRTH YEAR (AA1A)

FREQ % VALUE: -7 REFUSED INAPPLICABLE 277 1.29 20639 96.16 547 2.55 1900-2014 YEARS

UNIVERSE: ALL ADULTS WHO DID NOT PROVIDE DATE OF BIRTH

INPUT VAR:

NOTES:

VARNAME: AA2

LABEL: AGE

MEAN STATISTICS

 N
 247

 MIN
 22

 MAX
 95

 MEAN
 58.08

UNIVERSE: ALL ADULTS WHO REFUSED TO GIVE OR DON'T KNOW BIRTH YEAR OR BIRTH

MONTH

INPUT VAR:

NOTES:

VARNAME: AA2A

LABEL: AGE RANGE

VALUE:	-9 -7 -1 1	NOT ASCERTAINED REFUSED INAPPLICABLE BETWEEN 18 AND 29 BETWEEN 30 AND 39	FREQ 23 1 21309 8 13	% 0.11 0.00 99.28 0.04 0.06
	3	BETWEEN 40 AND 44	5	0.02
	4	BETWEEN 45 AND 49	12	0.06
	5	BETWEEN 50 AND 64	45	0.21
	6	65 OR OLDER	47	0.22

UNIVERSE: ALL ADULTS WHO REFUSED TO GIVE OR DON'T KNOW BIRTH YEAR OR BIRTH

MONTH

INPUT VAR:

NOTES:

VARNAME: SRAGE

LABEL: SELF-REPORTED AGE

MEAN STATISTICS

 N
 21463

 MIN
 18

 MAX
 113

 MEAN
 54.60

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE_TUS

NOTES:

VARNAME: SRAGE_P

LABEL: SELF-REPORTED AGE (PUF RECODE)

MEAN STATISTICS

 N
 21463

 MIN
 18

 MAX
 85

 MEAN
 54.51

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE

NOTES: TOPCODE=85

VARNAME: SRAGE_P1

LABEL: SELF-REPORTED AGE (PUF 1 YR RECODE)

			FREQ	%
VALUE:	18	18-25 YEARS	1106	5.15
	26	26-29 YEARS	776	3.62
	30	30-34 YEARS	1316	6.13
	35	35-39 YEARS	1506	7.02
	40	40-44 YEARS	1580	7.36
	45	45-49 YEARS	1638	7.63
	50	50-54 YEARS	2110	9.83
	55	55-59 YEARS	2206	10.28
	60	60-64 YEARS	2546	11.86
	65	65-69 YEARS	2232	10.40
	70	70-74 YEARS	1921	8.95
	75	75-79 YEARS	1294	6.03
	80	80-84 YEARS	698	3.25
	85	85+ YEARS	534	2.49

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE

NOTES: SRAGE Categories Collapsed. Main Adult PUF age variable.

VARNAME: SRSEX

LABEL: SELF-REPORTED GENDER

VALUE: 1 MALE 9225 42.98 2 FEMALE 12238 57.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD65D

LABEL: SEX ASSIGNED ON ORIGINAL BIRTH CERTIFICATE

VALUE: -2 PROXY SKIPPED 11 0.05
1 MALE 9203 42.88
2 FEMALE 12249 57.07

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AD66B

LABEL: CURRENT GENDER IDENTITY

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	MALE	9146	42.61
	2	FEMALE	12162	56.66
	3	TRANSGENDER	54	0.25
	4	NONE OF THESE	90	0.42

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AD67B

LABEL: CURRENT GENDER IDENTITY: OTHER SPECIFY

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21362	99.53
	1	MALE	6	0.03
	2	FEMALE	25	0.12
	3	TRANSGENDER	1	0.00
	4	NONE OF THESE	58	0.27

UNIVERSE: ADULTS WHO DON'T SELF-DESCRIBE AS OTHER AND NOT

MALE/FEMALE/TRANSGENDER

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: GENDIDEN2

LABEL: CURRENT SELF REPORTED GENDER AND SEX AT BIRTH

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	BORN AND IDENTIFIES AS MALE	9137	42.57
	2	BORN AND IDENTIFIES AS FEMALE	12168	56.69
	3	BORN AS MALE, IDENTIFIES AS FEMALE	19	0.09
	4	BORN AS FEMALE, IDENTIFIES AS MALE	15	0.07
	5	BORN AS MALE, IDENTIFIES AS TRANSGENDER	25	0.12
	6	BORN AS FEMALE, IDENTIFIES AS TRANSGENDE	30	0.14
	7	BORN AS MALE, IDENTIFIES AS OTHER	22	0.10
	8	BORN AS FEMALE, IDENTIFIES AS OTHER	36	0.17

UNIVERSE: ALL ADULTS

INPUT VAR: AD65D AD66B AD67B

NOTES:

VARNAME: GENDIDEN3

LABEL: GENDER IDENTITY (3 LEVELS)

		FREQ	%
-2	PROXY SKIPPED	11	0.05
1	CIS MALE	9137	42.57
2	CIS FEMALE	12168	56.69
3	NON-CIS GENDER	147	0.68
	1 2	1 CIS MALE 2 CIS FEMALE	-2 PROXY SKIPPED 11 1 CIS MALE 9137 2 CIS FEMALE 12168

UNIVERSE: ALL ADULTS

INPUT VAR: GENDIDEN2

NOTES:

VARNAME: TRANSGEND2

LABEL: CURRENT SELF REPORTED GENDER AND SEX AT BIRTH: 2-LEVELS

VALUE: -2 PROXY SKIPPED 11 0.05
1 NOT TRANSGENDER (I.E., CISGENDER) 21305 99.26
2 TRANSGENDER OR GENDER NON-CONFORMING 147 0.68

UNIVERSE: ALL ADULTS

INPUT VAR: AD65D AD66B AD67B

NOTES:

VARNAME: AA4

LABEL: LATINO/HISPANIC ORIGIN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	87	0.41
	-8	DON'T KNOW	5	0.02
	-7	REFUSED	8	0.04
	1	YES	5699	26.55
	2	NO	15664	72.98

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AA5_1

LABEL: LATINO/HISPANIC: MEXICAN/MEXICANO

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	4436	20.67
	2	NO	1231	5.74

UNIVERSE: ALL ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_4

LABEL: LATINO/HISPANIC: SALVADORAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	314	1.46
	2	NO	5353	24.94

UNIVERSE: ALL ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_5

LABEL: LATINO/HISPANIC: GUATEMALAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	174	0.81
	2	NO	5493	25.59

UNIVERSE: ALL ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_6

LABEL: LATINO/HISPANIC: COSTA RICAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	22	0.10
	2	NO	5645	26.30

UNIVERSE: ALL ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_7

LABEL: LATINO/HISPANIC: HONDURAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	42	0.20
	2	NO	5625	26.21

UNIVERSE: ALL ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_8

LABEL: LATINO/HISPANIC: NICARAGUAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	71	0.33
	2	NO	5596	26.07

UNIVERSE: ALL ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_9

LABEL: LATINO/HISPANIC: PANAMANIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	20	0.09
	2	NO	5647	26.31

UNIVERSE: ALL ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_10

LABEL: LATINO/HISPANIC: PUERTO RICAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	126	0.59
	2	NO	5541	25.82

UNIVERSE: ALL ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_11

LABEL: LATINO/HISPANIC: CUBAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	65	0.30
	2	NO	5602	26.10

UNIVERSE: ALL ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_12

LABEL: LATINO/HISPANIC: SPANISH-AMERICAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	1291	6.02
	2	NO	4376	20.39

UNIVERSE: ALL ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_13

LABEL: LATINO/HISPANIC: OTHER (SPECIFY) TEXT

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	7	0.03
	2	NO	5660	26.37

UNIVERSE: ALL ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_14

LABEL: LATINO/HISPANIC: COLOMBIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	57	0.27
	2	NO	5610	26.14

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_15

LABEL: LATINO/HISPANIC: ARGENTINEAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	31	0.14
	2	NO	5636	26.26

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_16

LABEL: LATINO/HISPANIC: PERUVIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	75	0.35
	2	NO	5592	26.05

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_17

LABEL: LATINO/HISPANIC: PORTUGUESE

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	93	0.43
	2	NO	5574	25.97

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_18

LABEL: LATINO/HISPANIC: OTHER CARIBBEAN ORIGIN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	17	0.08
	2	NO	5650	26.32

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_19

LABEL: LATINO/HISPANIC: OTHER SOUTH AMERICA ORIGIN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	85	0.40
	2	NO	5582	26.01

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_20

LABEL: LATINO/HISPANIC: OTHER EUROPEAN ORIGIN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	2	NO	5667	26.40

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: AA5_21

LABEL: LATINO/HISPANIC: OTHER LATINO/HISPANIC

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	21	0.10
	-8	DON'T KNOW	7	0.03
	-7	REFUSED	4	0.02
	-1	INAPPLICABLE	15764	73.45
	1	YES	31	0.14
	2	NO	5636	26.26

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: LATIN9TP

LABEL: LATIN/HISPANIC SUBTYPES (9 LVLS)

			FREQ	%
VALUE:	-1	NON-LATINO	15744	73.35
	1	MEXICAN	3515	16.38
	2	SALVADORAN	204	0.95
	3	GUATEMALAN	123	0.57
	4	CENTRAL AMERICAN	90	0.42
	5	PUERTO RICAN	68	0.32
	6	LATINO EUROPEAN	283	1.32
	7	SOUTH AMERICAN	147	0.68
	8	OTHER LATINO	90	0.42
	9	2+ LATINO TYPES	1199	5.59

UNIVERSE: ALL ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR: SRH AA4 AA5_1 AA5_4 AA5_5 AA5_6 AA5_7 AA5_8 AA5_9 AA5_10 AA5_11

NOTES: SHIFTS IN LATIN9TP MAY BE SEEN STARTING IN 2021 DUE TO

IMPLEMENTATION OF WHITE/BLACK ORIGIN VARIABLES THAT MAY IMPACT THE COMPLETE RACE/ETHNICITY PROFILE OF A RESPONDENT. USE CAUTION WHEN

TRENDING WITH PRE-2021 YEARS.

VARNAME: LATIN2TP

LABEL: LATIN/HISPANIC SUBTYPES (2 LVLS)

FREQ %
VALUE: -1 NON-LATINO 15744 73.35
1 MEXICAN 3515 16.38
2 OTHER 2204 10.27

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR: LATIN9TP

NOTES: SHIFTS IN LATIN2TP MAY BE SEEN STARTING IN 2021 DUE TO

IMPLEMENTATION OF WHITE/BLACK ORIGIN VARIABLES THAT MAY IMPACT THE COMPLETE RACE/ETHNICITY PROFILE OF A RESPONDENT. USE CAUTION WHEN

TRENDING WITH PRE-2021 YEARS.

VARNAME: AA5A_1

LABEL: RACE: NATIVE HAWAIIAN

FREQ % VALUE: -9 NOT ASCERTAINED 763 3.55 DON'T KNOW REFUSED -8 45 0.21 -7 YES 1 20447 95.27 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AA5A_2

LABEL: RACE: OTHER PACIFIC ISLANDER

% FREQ VALUE: -9 NOT ASCERTAINED DON'T KNOW REFUSED 763 3.55 -8 0.21 45 -7 154 0.72 YES 78 0.36 1 NO 20423 95.15 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AA5A_3

LABEL: RACE: AMERICAN INDIAN OR ALASKA NATIVE

FREQ % VALUE: -9 NOT ASCERTAINED 763 3.55 DON'T KNOW REFUSED -8 45 0.21 -7 154 0.72 154 0.72 1092 5.09 YES 1 19409 90.43 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AA5A_4

LABEL: RACE: ASIAN

VALUE: -9 NOT ASCERTAINED 763 3.55
-8 DON'T KNOW 45 0.21
-7 REFUSED 154 0.72
1 YES 3579 16.68
2 NO 16922 78.84

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AA5A_5

LABEL: RACE: BLACK OR AFRICAN AMERICAN

FREQ % VALUE: -9 NOT ASCERTAINED 763 3.55 DON'T KNOW REFUSED -8 45 0.21 154 0.72 1367 6.37 -7 YES 1 19134 89.15 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AA5A_6

LABEL: RACE: WHITE

VALUE: -9 NOT ASCERTAINED 763 3.55
-8 DON'T KNOW 45 0.21
-7 REFUSED 154 0.72
1 YES 14137 65.87
2 NO 6364 29.65

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AA5A_7

LABEL: RACE: OTHER (SPECIFY) TEXT

VALUE: -9 NOT ASCERTAINED 763 3.55
-8 DON'T KNOW 45 0.21
-7 REFUSED 154 0.72
1 YES 1392 6.49
2 NO 19109 89.03

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AA5A_FLAG

LABEL: RACE CODING CHANGE FLAG

VALUE: 1 YES 565 2.63 2 NO 20898 97.37

UNIVERSE: ALL ADULTS

INPUT VAR: AA5A_1 - AA5A_7

NOTES: DESIGNATES IF RESPONDENT RACE VARIABLES (AA5A_1 - AA5A_7) WERE

CHANGED DURING UPCODING

VARNAME: AA5H_A

LABEL: WHITE ORIGIN: FIRST MENTION

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	630	2.94
	-8	DON'T KNOW	1609	7.50
	-7	REFUSED	41	0.19
	-1	INAPPLICABLE	7307	34.04
	1	AFRIKANER	1	0.00
	2	ALBANIAN	4	0.02
	6	ANGLO	5	0.02
	7	ARAB	5	0.02
	8	ARMENIAN	76	0.35
	9	ASSYRIAN	4	0.02
	10	AUSTRALIAN	2	0.01
	11	AUSTRIAN	33	0.15
	14	BASQUE	19	0.09
	15	BELARUSIAN	4	0.02
	16	BELGIAN	13	0.06
	18	BOSNIAN AND HERZEGOVINIAN	2	0.01
	19	BRITISH	92	0.43
	20	BRITISH ISLANDER	14	0.07
	21	BULGARIAN	7	0.03
	22	CAJUN	2	0.01
	23	CANADIAN	27	0.13
	24	CARPATHO RUSYN	1	0.00
	25	CAUCASIAN	36	0.17
	26	CELTIC	6	0.03
	28	CORNISH	1	0.00
	29	CROATIAN	27	0.13
	31	CZECH	40	0.19
	32	CZECHOSLOVAKIAN	15	0.07
	33	DANISH	91	0.42
	34	DUTCH	187	0.87
	35	EGYPTIAN	17	0.08
	37	ENGLISH	2286	10.65
	38	ESTONIAN	5	0.02

40	FINNISH	51	0.24
42	FRENCH	401	1.87
43	FRENCH CANADIAN	22	0.10
46	GERMAN	2678	12.48
47	GERMANIC	2	0.01
48	GREEK	64	0.30
50	HUNGARIAN	63	0.29
51	ICELANDIC	4	0.02
52	IRANIAN	86	0.40
53	IRAQI	4	0.02
54	IRISH	1630	7.59
55	ISRAELI	14	0.07
56	ITALIAN	864	4.03
57	JORDANIAN	4	0.02
60	KUWAITI	2	0.01
62	LATVIAN	7	0.03
63	LEBANESE	21	0.10
66	LITHUANIAN	37	0.17
67	LUXEMBOURGER	2	0.01
68	MACEDONIAN	2	0.01
69	MALTESE	2	0.01
71	MIDDLE EASTERN	29	0.14
72	MOLDOVAN	1	0.00
75	MOROCCAN	2	0.01
76	NEW ZEALANDER	1	0.00
77	NORTH AFRICAN	2	0.01
80	NORWEGIAN	210	0.98
82	OTHER CENTRAL EUROPEAN	5	0.02
83	OTHER EASTERN EUROPEAN	117	0.55
84	OTHER EUROPEAN	243	1.13
85	OTHER MEDITERRANEAN	5	0.02
86	OTHER MIDDLE EASTERN OR NORTH AFRICAN	1	0.00
87	OTHER NORTHERN EUROPEAN	51	0.24
88	OTHER WESTERN EUROPEAN	26	0.12
89	OTHER WHITE	363	1.69
90	PALESTINIAN	9	0.04
91	PENNSYLVANIA GERMAN	4	0.02
92	POLISH	267	1.24
93	PORTUGUESE	200	0.93

96	ROMANIAN	18	0.08
97	RUSSIAN	180	0.84
98	SAUDI	1	0.00
99	SCANDINAVIAN	82	0.38
100	SCOTS-IRISH	33	0.15
101	SCOTTISH	502	2.34
102	SERBIAN	8	0.04
104	SLAVIC	8	0.04
105	SLOVAK	14	0.07
106	SLOVENIAN	14	0.07
108	SWEDISH	218	1.02
109	SWISS	69	0.32
111	SYRIAN	3	0.01
114	TURKIC (WHITE TURKIC)	1	0.00
115	TURKISH	15	0.07
116	UKRANIAN	83	0.39
117	WELSH	90	0.42
118	WHITE	11	0.05
121	YUGOSLAVIAN	8	0.04
	97 98 99 100 101 102 104 105 106 108 109 111 114 115 116 117 118	97 RUSSIAN 98 SAUDI 99 SCANDINAVIAN 100 SCOTS-IRISH 101 SCOTTISH 102 SERBIAN 104 SLAVIC 105 SLOVAK 106 SLOVENIAN 108 SWEDISH 109 SWISS 111 SYRIAN 114 TURKIC (WHITE TURKIC) 115 TURKISH 116 UKRANIAN 117 WELSH 118 WHITE	97 RUSSIAN 180 98 SAUDI 1 99 SCANDINAVIAN 82 100 SCOTS-IRISH 33 101 SCOTTISH 502 102 SERBIAN 8 104 SLAVIC 8 105 SLOVAK 14 106 SLOVENIAN 14 108 SWEDISH 218 109 SWISS 69 111 SYRIAN 3 114 TURKIC (WHITE TURKIC) 1 115 TURKISH 15 116 UKRANIAN 83 117 WELSH 90 118 WHITE 11

UNIVERSE: ADULTS WHO ARE WHITE

INPUT VAR:

NOTES:

VARNAME: AA5H_B

LABEL: WHITE ORIGIN: SECOND MENTION

			FREQ	%
VALUE:	-1	INAPPLICABLE	14789	68.90
	2	ALBANIAN	3	0.01
	4	ALSATIAN	1	0.00
	6	ANGLO	1	0.00
	7	ARAB	4	0.02
	8	ARMENIAN	14	0.07
	9	ASSYRIAN	2	0.01
	10	AUSTRALIAN	3	0.01
	11	AUSTRIAN	41	0.19
	12	AZERBAIJANI	2	0.01
	14	BASQUE	4	0.02
	15	BELARUSIAN	7	0.03
	16	BELGIAN	10	0.05
	18	BOSNIAN AND HERZEGOVINIAN	1	0.00
	19	BRITISH	56	0.26
	20	BRITISH ISLANDER	7	0.03
	21	BULGARIAN	1	0.00
	23	CANADIAN	23	0.11
	26	CELTIC	1	0.00
	29	CROATIAN	11	0.05
	30	CYPRIOT	2	0.01
	31	CZECH	38	0.18
	32	CZECHOSLOVAKIAN	9	0.04
	33	DANISH	87	0.41
	34	DUTCH	139	0.65
	35	EGYPTIAN	2	0.01
	37	ENGLISH	1215	5.66
	38	ESTONIAN	1	0.00
	40	FINNISH	38	0.18
	42	FRENCH	335	1.56
	43	FRENCH CANADIAN	12	0.06
	45	GEORGIAN	1	0.00
	46	GERMAN	914	4.26

47	7	GERMANIC	1	0.00
48	3	GREEK	20	0.09
50)	HUNGARIAN	35	0.16
51	1	ICELANDIC	2	0.01
52	2	IRANIAN	8	0.04
53	3	IRAQI	1	0.00
54	1	IRISH	1558	7.26
55	5	ISRAELI	2	0.01
56	3	ITALIAN	301	1.40
57	7	JORDANIAN	1	0.00
62	2	LATVIAN	9	0.04
63	3	LEBANESE	9	0.04
66	3	LITHUANIAN	34	0.16
67	7	LUXEMBOURGER	2	0.01
68	3	MACEDONIAN	1	0.00
69	9	MALTESE	1	0.00
71	1	MIDDLE EASTERN	17	0.08
76	3	NEW ZEALANDER	1	0.00
77	7	NORTH AFRICAN	2	0.01
80)	NORWEGIAN	119	0.55
82	2	OTHER CENTRAL EUROPEAN	6	0.03
83	3	OTHER EASTERN EUROPEAN	29	0.14
84	1	OTHER EUROPEAN	48	0.22
85	5	OTHER MEDITERRANEAN	1	0.00
86	3	OTHER MIDDLE EASTERN OR NORTH AFRICAN	1	0.00
87	7	OTHER NORTHERN EUROPEAN	22	0.10
88	3	OTHER WESTERN EUROPEAN	2	0.01
89	9	OTHER WHITE	69	0.32
90)	PALESTINIAN	5	0.02
91	1	PENNSYLVANIA GERMAN	2	0.01
92	2	POLISH	197	0.92
93	3	PORTUGUESE	56	0.26
95	5	ROMA	1	0.00
96	3	ROMANIAN	10	0.05
97	7	RUSSIAN	83	0.39
99	9	SCANDINAVIAN	38	0.18
10	00	SCOTS-IRISH	20	0.09
10	01	SCOTTISH	497	2.32
10)2	SERBIAN	6	0.03

104	SLAVIC	8	0.04
105	SLOVAK	19	0.09
106	SLOVENIAN	5	0.02
108	SWEDISH	214	1.00
109	SWISS	52	0.24
111	SYRIAN	8	0.04
115	TURKISH	4	0.02
116	UKRANIAN	36	0.17
117	WELSH	115	0.54
120	YEMENI	1	0.00
121	YUGOSLAVIAN	10	0.05

UNIVERSE: ADULTS WHO ARE WHITE

INPUT VAR:

NOTES:

VARNAME: AA5H_C

LABEL: WHITE ORIGIN: THIRD MENTION

			FREQ	%
VALUE:	-1	INAPPLICABLE	18038	84.04
	1	AFRIKANER	1	0.00
	2	ALBANIAN	1	0.00
	6	ANGLO	1	0.00
	7	ARAB	2	0.01
	8	ARMENIAN	6	0.03
	11	AUSTRIAN	20	0.09
	12	AZERBAIJANI	1	0.00
	14	BASQUE	3	0.01
	15	BELARUSIAN	2	0.01
	16	BELGIAN	6	0.03
	19	BRITISH	29	0.14
	20	BRITISH ISLANDER	2	0.01
	23	CANADIAN	17	0.08
	25	CAUCASIAN	1	0.00
	26	CELTIC	2	0.01
	29	CROATIAN	7	0.03
	31	CZECH	22	0.10
	32	CZECHOSLOVAKIAN	4	0.02
	33	DANISH	50	0.23
	34	DUTCH	109	0.51
	35	EGYPTIAN	1	0.00
	37	ENGLISH	623	2.90
	40	FINNISH	11	0.05
	42	FRENCH	290	1.35
	43	FRENCH CANADIAN	5	0.02
	46	GERMAN	457	2.13
	47	GERMANIC	1	0.00
	48	GREEK	13	0.06
	50	HUNGARIAN	31	0.14
	51	ICELANDIC	1	0.00
	52	IRANIAN	1	0.00
	54	IRISH	491	2.29

	55	ISRAELI	3	0.01
	56	ITALIAN	133	0.62
	58	KOSOVAN	1	0.00
	62	LATVIAN	3	0.01
	63	LEBANESE	2	0.01
	66	LITHUANIAN	12	0.06
	67	LUXEMBOURGER	2	0.01
	69	MALTESE	1	0.00
	71	MIDDLE EASTERN	5	0.02
	80	NORWEGIAN	73	0.34
	82	OTHER CENTRAL EUROPEAN	4	0.02
	83	OTHER EASTERN EUROPEAN	12	0.06
	84	OTHER EUROPEAN	28	0.13
	85	OTHER MEDITERRANEAN	2	0.01
	87	OTHER NORTHERN EUROPEAN	16	0.07
	88	OTHER WESTERN EUROPEAN	6	0.03
	89	OTHER WHITE	29	0.14
	91	PENNSYLVANIA GERMAN	2	0.01
	92	POLISH	75	0.35
	93	PORTUGUESE	35	0.16
	96	ROMANIAN	7	0.03
	97	RUSSIAN	45	0.21
	99	SCANDINAVIAN	42	0.20
	100	SCOTS-IRISH	15	0.07
	101	SCOTTISH	378	1.76
	102	SERBIAN	2	0.01
	104	SLAVIC	4	0.02
	105	SLOVAK	3	0.01
	106	SLOVENIAN	2	0.01
	108	SWEDISH	108	0.50
	109	SWISS	33	0.15
	111	SYRIAN	3	0.01
	113	TUNISIAN	1	0.00
	115	TURKISH	1	0.00
	116	UKRANIAN	10	0.05
	117	WELSH	112	0.52
	121	YUGOSLAVIAN	4	0.02
UNIVERSE:	ADULTS WHO	ARE WHITE		

UNIVERSE: ADULTS WHO ARE WHITE

INPUT VAR:

NOTES:

VARNAME: AA5H_D

LABEL: WHITE ORIGIN: FOURTH MENTION

			FREQ	%
VALUE:	-1	INAPPLICABLE	20085	93.58
	4	ALSATIAN	2	0.01
	8	ARMENIAN	2	0.01
	9	ASSYRIAN	1	0.00
	10	AUSTRALIAN	3	0.01
	11	AUSTRIAN	9	0.04
	14	BASQUE	3	0.01
	16	BELGIAN	2	0.01
	19	BRITISH	18	0.08
	23	CANADIAN	6	0.03
	29	CROATIAN	1	0.00
	31	CZECH	15	0.07
	32	CZECHOSLOVAKIAN	3	0.01
	33	DANISH	28	0.13
	34	DUTCH	70	0.33
	37	ENGLISH	145	0.68
	40	FINNISH	6	0.03
	42	FRENCH	139	0.65
	43	FRENCH CANADIAN	3	0.01
	46	GERMAN	190	0.89
	47	GERMANIC	2	0.01
	48	GREEK	6	0.03
	50	HUNGARIAN	11	0.05
	54	IRISH	146	0.68
	55	ISRAELI	2	0.01
	56	ITALIAN	62	0.29
	62	LATVIAN	1	0.00
	64	LIBYAN	1	0.00
	66	LITHUANIAN	7	0.03
	69	MALTESE	1	0.00
	80	NORWEGIAN	40	0.19
	82	OTHER CENTRAL EUROPEAN	2	0.01
	83	OTHER EASTERN EUROPEAN	9	0.04

84	OTHER EUROP	PEAN	8	0.04
87	OTHER NORTH	IERN EUROPEAN	6	0.03
88	OTHER WESTE	ERN EUROPEAN	4	0.02
89	OTHER WHITE		19	0.09
92	POLISH	•	40	0.19
93	PORTUGUESE		14	0.07
96	ROMANIAN	;	2	0.01
97	RUSSIAN		11	0.05
99	SCANDINAVIA	ıN :	30	0.14
100	SCOTS-IRISH	!	5	0.02
101	SCOTTISH		141	0.66
102	SERBIAN		1	0.00
104	SLAVIC	:	2	0.01
106	SLOVENIAN		1	0.00
108	SWEDISH	Į	53	0.25
109	SWISS	:	21	0.10
111	SYRIAN	!	5	0.02
116	UKRANIAN	•	6	0.03
117	WELSH	•	72	0.34
121	YUGOSLAVIAN		1	0.00

UNIVERSE: ADULTS WHO ARE WHITE

INPUT VAR:

NOTES:

VARNAME: AA5H_E

LABEL: WHITE ORIGIN: FIFTH MENTION

			FREQ	%
VALUE:	-1	INAPPLICABLE	20972	97.71
	6	ANGLO	1	0.00
	8	ARMENIAN	1	0.00
	9	ASSYRIAN	1	0.00
	11	AUSTRIAN	4	0.02
	14	BASQUE	1	0.00
	19	BRITISH	2	0.01
	23	CANADIAN	7	0.03
	29	CROATIAN	1	0.00
	31	CZECH	2	0.01
	32	CZECHOSLOVAKIAN	1	0.00
	33	DANISH	8	0.04
	34	DUTCH	28	0.13
	37	ENGLISH	39	0.18
	40	FINNISH	3	0.01
	42	FRENCH	56	0.26
	43	FRENCH CANADIAN	3	0.01
	46	GERMAN	44	0.21
	48	GREEK	3	0.01
	50	HUNGARIAN	6	0.03
	51	ICELANDIC	1	0.00
	54	IRISH	42	0.20
	55	ISRAELI	1	0.00
	56	ITALIAN	14	0.07
	62	LATVIAN	2	0.01
	63	LEBANESE	2	0.01
	66	LITHUANIAN	4	0.02
	71	MIDDLE EASTERN	1	0.00
	77	NORTH AFRICAN	1	0.00
	80	NORWEGIAN	27	0.13
	83	OTHER EASTERN EUROPEAN	3	0.01
	84	OTHER EUROPEAN	6	0.03
	87	OTHER NORTHERN EUROPEAN	1	0.00

88	OTHER WESTERN EUROPEAN	2	0.01
89	OTHER WHITE	6	0.03
91	PENNSYLVANIA GERMAN	2	0.01
92	POLISH	13	0.06
93	PORTUGUESE	6	0.03
96	ROMANIAN	1	0.00
97	RUSSIAN	7	0.03
99	SCANDINAVIAN	15	0.07
100	SCOTS-IRISH	1	0.00
101	SCOTTISH	50	0.23
104	SLAVIC	2	0.01
106	SLOVENIAN	1	0.00
108	SWEDISH	27	0.13
109	SWISS	8	0.04
113	TUNISIAN	1	0.00
116	UKRANIAN	5	0.02
117	WELSH	28	0.13

UNIVERSE: ADULTS WHO ARE WHITE

INPUT VAR:

NOTES:

VARNAME: AA5H_F

LABEL: WHITE ORIGIN: SIXTH MENTION

			FREQ	%
VALUE:	-1	INAPPLICABLE	21292	99.20
	6	ANGLO	1	0.00
	9	ASSYRIAN	1	0.00
	10	AUSTRALIAN	1	0.00
	23	CANADIAN	1	0.00
	33	DANISH	7	0.03
	34	DUTCH	13	0.06
	35	EGYPTIAN	1	0.00
	37	ENGLISH	6	0.03
	40	FINNISH	3	0.01
	42	FRENCH	26	0.12
	46	GERMAN	22	0.10
	47	GERMANIC	1	0.00
	54	IRISH	17	0.08
	56	ITALIAN	8	0.04
	77	NORTH AFRICAN	1	0.00
	80	NORWEGIAN	7	0.03
	82	OTHER CENTRAL EUROPEAN	1	0.00
	83	OTHER EASTERN EUROPEAN	1	0.00
	84	OTHER EUROPEAN	3	0.01
	89	OTHER WHITE	4	0.02
	92	POLISH	4	0.02
	93	PORTUGUESE	2	0.01
	96	ROMANIAN	2	0.01
	97	RUSSIAN	2	0.01
	99	SCANDINAVIAN	3	0.01
	101	SCOTTISH	10	0.05
	108	SWEDISH	10	0.05
	109	SWISS	1	0.00
	111	SYRIAN	1	0.00
	113	TUNISIAN	1	0.00
	116	UKRANIAN	1	0.00
	117	WELSH	8	0.04
	121	YUGOSLAVIAN	1	0.00

UNIVERSE: ADULTS WHO ARE WHITE

INPUT VAR:

NOTES:

VARNAME: AA5I_A

LABEL: BLACK ORIGIN: FIRST MENTION

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	61	0.28
	-8	DON'T KNOW	68	0.32
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	20095	93.63
	1	AFRICAN	40	0.19
	2	AFRICAN AMERICAN	886	4.13
	3	AFRO-AMERICAN	5	0.02
	4	ANGOLAN	2	0.01
	8	BARBADIAN	1	0.00
	11	BLACK	49	0.23
	15	CAMEROONIAN	4	0.02
	16	CENTRAL AFRICAN (CENTRAL AFRICAN REPUBLI	1	0.00
	18	CONGOLESE (DEMOCRATIC REPUBLIC OF CONGRO	2	0.01
	20	DOMINICA ISLANDER	2	0.01
	22	ERITREAN	2	0.01
	23	ETHIOPIAN	12	0.06
	27	GHANAIAN	5	0.02
	30	HAITIAN	11	0.05
	31	IVOIRIAN	1	0.00
	32	JAMAICAN	31	0.14
	33	KENYAN	5	0.02
	34	KITTIAN AND NEVISIAN	1	0.00
	38	MALIAN	3	0.01
	43	NEGRO	2	0.01
	44	NIGERIAN	47	0.22
	47	OTHER BLACK OR AFRICAN AMERICAN RESPONSE	66	0.31
	48	OTHER CARIBBEAN	23	0.11
	49	OTHER SUB-SAHARAN AFRICAN	6	0.03
	50	RWANDAN	2	0.01
	51	SENEGALESE	1	0.00
	52	SIERRA LEONEAN	1	0.00
	54	SOUTH AFRICAN	3	0.01
	57	SUDANESE	2	0.01

59	TANZANIAN	1	0.00
60	TOGOLESE	3	0.01
61	TRINIDADIAN AND TOBAGONIAN	5	0.02
62	UGANDAN	1	0.00
63	US VIRGIN ISLANDER	1	0.00
65	WEST INDIAN	4	0.02
66	ZAMBIAN	1	0.00
67	ZIMBABWEAN	3	0.01
89	89	2	0.01

UNIVERSE: ADULTS WHO ARE BLACK

INPUT VAR:

NOTES:

VARNAME: AA5I_B

LABEL: BLACK ORIGIN: SECOND MENTION

			FREQ	%
VALUE:	-1	INAPPLICABLE	21401	99.71
	1	AFRICAN	1	0.00
	2	AFRICAN AMERICAN	7	0.03
	3	AFRO-AMERICAN	1	0.00
	9	BENINESE (FORMER DAHOMEY)	2	0.01
	11	BLACK	4	0.02
	15	CAMEROONIAN	5	0.02
	18	CONGOLESE (DEMOCRATIC REPUBLIC OF CONGRO	3	0.01
	19	DJIBOUTIAN	1	0.00
	25	GABONESE	1	0.00
	27	GHANAIAN	5	0.02
	30	HAITIAN	1	0.00
	32	JAMAICAN	3	0.01
	44	NIGERIAN	11	0.05
	47	OTHER BLACK OR AFRICAN AMERICAN RESPONSE	6	0.03
	48	OTHER CARIBBEAN	5	0.02
	49	OTHER SUB-SAHARAN AFRICAN	1	0.00
	51	SENEGALESE	1	0.00
	52	SIERRA LEONEAN	2	0.01
	60	TOGOLESE	1	0.00
	61	TRINIDADIAN AND TOBAGONIAN	1	0.00

UNIVERSE: ADULTS WHO ARE BLACK

INPUT VAR:

NOTES:

VARNAME: AA5I_C

LABEL: BLACK ORIGIN: THIRD MENTION

			FREQ	%
VALUE:	-1	INAPPLICABLE	21446	99.92
	15	CAMEROONIAN	1	0.00
	18	CONGOLESE (DEMOCRATIC REPUBLIC OF CONGRO	3	0.01
	23	ETHIOPIAN	1	0.00
	26	GAMBIAN	1	0.00
	27	GHANAIAN	2	0.01
	29	GUINEAN	1	0.00
	32	JAMAICAN	1	0.00
	35	LIBERIAN	2	0.01
	49	OTHER SUB-SAHARAN AFRICAN	2	0.01
	51	SENEGALESE	1	0.00
	60	TOGOLESE	2	0.01

UNIVERSE: ADULTS WHO ARE BLACK

INPUT VAR:

NOTES:

VARNAME: AA5I_D

LABEL: BLACK ORIGIN: FOURTH MENTION

			FREQ	%
VALUE:	-1	INAPPLICABLE	21452	99.95
	15	CAMEROONIAN	1	0.00
	18	CONGOLESE (DEMOCRATIC REPUBLIC OF CONGRO	2	0.01
	27	GHANAIAN	1	0.00
	31	IVOIRIAN	2	0.01
	47	OTHER BLACK OR AFRICAN AMERICAN RESPONSE	1	0.00
	48	OTHER CARIBBEAN	1	0.00
	49	OTHER SUB-SAHARAN AFRICAN	1	0.00
	51	SENEGALESE	1	0.00
	52	SIERRA LEONEAN	1	0.00

UNIVERSE: ADULTS WHO ARE BLACK

INPUT VAR:

NOTES:

VARNAME: AA5I_E

LABEL: BLACK ORIGIN: FIFTH MENTION

			FREQ	%
VALUE:	-1	INAPPLICABLE	21458	99.98
	18	CONGOLESE (DEMOCRATIC REPUBLIC OF CONGRO	2	0.01
	27	GHANAIAN	2	0.01
	61	TRINIDADIAN AND TOBAGONIAN	1	0.00

UNIVERSE: ADULTS WHO ARE BLACK

INPUT VAR:

NOTES:

VARNAME: AA5I_F

LABEL: BLACK ORIGIN: SIXTH MENTION

VALUE: -1 INAPPLICABLE 21460 99.99
44 NIGERIAN 2 0.01
51 SENEGALESE 1 0.00

UNIVERSE: ADULTS WHO ARE BLACK

INPUT VAR:

NOTES:

VARNAME: BLACKCRB

LABEL: BLACK: CARIBBEAN

VALUE: -8 DON'T KNOW 131 0.61
1 CARIBBEAN BLACK ORIGIN 87 0.41
2 NOT CARIBBEAN BLACK ORIGIN 21245 98.98

UNIVERSE: ALL ADULTS

INPUT VAR: AA5I_A - AA5I_F

NOTES:

VARNAME: BLACKSSA

LABEL: BLACK: SUB-SAHARAN AFRICAN

VALUE: -8 DON'T KNOW 131 0.61
1 SUB-SAHARAN AFRICAN BLACK ORIGIN 162 0.75
2 NOT SUB-SAHARAN AFRICAN BLACK ORIGIN 21170 98.63

UNIVERSE: ALL ADULTS

INPUT VAR: AA5I_A - AA5I_F

NOTES:

VARNAME: MENA

LABEL: MIDDLE EAST AND NORTH AFRICA ORIGIN

FREQ VALUE: 1 RESPONDENT REPORTED MIDDLE EAST AND NORT 268 1.25

RESPONDENT DID NOT REPORT MIDDLE EAST AN 21195 98.75

UNIVERSE: ALL ADULTS

INPUT VAR: AA5H_A - AA5H_F

NOTES: PLEASE REFER TO THE CHIS CONSTRUCTED VARIABLE DICTIONARY FOR

DETAILS ON THE CONSTRUCTION OF THE MENA VARIABLE

VARNAME: SRAS

LABEL: SELF-REPORTED ASIAN

FREQ % VALUE: 16.88 3624

YES 1 17839 83.12 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRASO

LABEL: SELF-REPORTED OTHER ASIAN GROUP

FREQ % YES 870

VALUE: 1 4.05

20593 NO 95.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRCH

LABEL: SELF-REPORTED CHINESE

VALUE: 1 YES 1046 4.87 2 NO 20417 95.13

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRKR

LABEL: SELF-REPORTED KOREAN

VALUE: 1 YES 414 1.93 2 NO 21049 98.07

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRJP

LABEL: SELF-REPORTED JAPANESE

VALUE: 1 YES 323 1.50 2 NO 21140 98.50

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRPH

LABEL: SELF-REPORTED FILIPINO

VALUE: 1 YES 520 2.42 2 NO 20943 97.58

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRVT

LABEL: SELF-REPORTED VIETNAMESE

VALUE: 1 YES 380 1.77 2 NO 21083 98.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRH

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE: 1 YES 5719 26.65 2 NO 15744 73.35

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRW

LABEL: SELF-REPORTED WHITE

VALUE: 1 YES 14759 68.76 2 NO 6704 31.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAA

LABEL: SELF-REPORTED AFRICAN AMERICAN

VALUE: 1 YES 1403 6.54 2 NO 20060 93.46

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAI

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE: 1 YES 1177 5.48 2 NO 20286 94.52

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRO

LABEL: SELF-REPORTED OTHER RACE

FREQ 7.53 YES NO VALUE: 1 1617

19846 92.47 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRPI

LABEL: SELF-REPORTED PI AND NTV HW

FREQ % 0.61 130

VALUE: 1 YES 2 NO 21333 99.39

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: OMBSRASO

LABEL: OMB S-R NONHISPANIC ASIAN GROUP (ONLY)

VALUE: 1 NONHISPANIC CHINESE ONLY 1036 4.83
2 NONHISPANIC KOREAN ONLY 412 1.92
3 NONHISPANIC FILIPINO ONLY 511 2.38
4 NONHISPANIC VIETNAMESE ONLY 371 1.73
5 NONHISPANIC OTHER OR NON-ASIAN 19133 89.14

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: OMBSRASO2

LABEL: OMB S-R NONHISPANIC ASIAN GROUP (ONLY, INCLUDES JAPANESE CAT.)

			FREQ	%
VALUE:	1	NONHISPANIC CHINESE ONLY	1036	4.83
	2	NONHISPANIC KOREAN ONLY	412	1.92
	3	NONHISPANIC FILIPINO ONLY	511	2.38
	4	NONHISPANIC VIETNAMESE ONLY	371	1.73
	5	NONHISPANIC OTHER OR NON-ASIAN	18818	87.68
	6	NONHISPANIC JAPANESE ONLY	315	1.47

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: OMBSRREO

LABEL: OMB/CURRENT DOF RACE - ETHNICITY

VALUE:	1 2 3 4 5	HISPANIC WHITE, NON-HISPANIC (NH) AFRICAN AMERICAN ONLY, NOT HISPANIC AMERICAN INDIAN/ALASKA NATIVE ONLY, NH ASIAN ONLY, NH NATIVE HAWAIIAN/PACIFIC ISLANDER, NH	FREQ 5719 10432 1072 129 3234 48	% 26.65 48.60 4.99 0.60 15.07
	7	TWO OR MORE RACES, NH	829	3.86

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: OMBSRR_P1

LABEL: OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)

			דיונדומ	/0
VALUE:	1	HISPANIC	5719	26.65
	2	WHITE, NON-HISPANIC (NH)	10432	48.60
	3	AFRICAN AMERICAN ONLY, NOT HISPANIC	1072	4.99
	4	AMERICAN INDIAN/ALASKAN NATIVE ONLY, NH	129	0.60
	5	ASIAN ONLY, NH	3234	15.07
	6	OTHER/TWO OR MORE RACES	877	4.09

FRFO %

UNIVERSE: ALL ADULTS

INPUT VAR: OMBSRREO

NOTES: OMBSRREO Categories Collapsed

VARNAME: RACECEN

LABEL: RACE - CENSUS 2000 DEFINITION

			FREQ	%
VALUE:	1	PACIFIC ISLANDER	66	0.31
	2	AMERICAN INDIAN/ALASKA NATIVE	516	2.40
	3	ASIAN	3281	15.29
	4	AFRICAN AMERICAN	1147	5.34
	5	WHITE	13739	64.01
	6	OTHER SINGLE RACE	1580	7.36
	7	MORE THAN ONE RACE	1134	5.28

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO

NOTES:

VARNAME: RACECN_P1

LABEL: RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)

			FREQ	%
VALUE:	1	OTHER SINGLE RACE	1646	7.67
	2	AMERICAN INDIAN/ALASKAN NATIVE	516	2.40
	3	ASIAN	3281	15.29
	4	AFRICAN AMERICAN	1147	5.34
	5	WHITE	13739	64.01
	7	MORE THAN ONE RACE	1134	5.28

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO

NOTES: BASED ON CENSUS SF1 DEFINITION. FOR CURRENT RACEDOF, SEE OMBSRREO.

VARNAME: RACEDF_P1

LABEL: FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)

			FREQ	%
VALUE:	1	LATINO	5719	26.65
	2	NON-LATINO OTHER, ONE RACE	131	0.61
	3	NON-LATINO AMERICAN INDIAN/ALASKAN NATIV	127	0.59
	4	NON-LATINO ASIAN	3220	15.00
	5	NON-LATINO AFR. AMER.	1059	4.93
	6	NON-LATINO WHITE	10374	48.33
	8	NON-LATINO, TWO+ RACES	833	3.88

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

VARNAME: RACEDOF

LABEL: FORMER DOF RACE - ETHNICITY

				FREQ	%
VA:	LUE:	1	LATINO	5719	26.65
		2	NON-LATINO PI	48	0.22
		3	NON-LATINO AMERICAN INDIAN/ALASKA NATIVE	127	0.59
		4	NON-LATINO ASIAN	3220	15.00
		5	NON-LATINO AFR. AMER.	1059	4.93
		6	NON-LATINO WHITE	10374	48.33
		7	NON-LATINO OTHER, ONE RACE	83	0.39
		8	NON-LATINO, TWO+ RACES	833	3.88

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

VARNAME: RACEHP2_P1

LABEL: RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)

			FREQ	%
VALUE:	1	LATINO	3310	15.42
	2	OTHER SINGLE/MULTIPLE RACE	2846	13.26
	3	AMERICAN INDIAN/ALASKA NATIVE	259	1.21
	4	ASIAN	3248	15.13
	5	AFRICAN AMERICAN	1126	5.25
	6	WHITE	10674	49.73

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH AA5G AA5F ISRH ISRW AA5AOS AA5C

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

VARNAME: RACEHPR2

LABEL: RACE - UCLA CHPR DEFINITION, UNABRIDGED

			FREQ	%
VALUE:	1	LATINO	3310	15.42
	2	PACIFIC ISLANDER	58	0.27
	3	AMERICAN INDIAN/ALASKA NATIVE	259	1.21
	4	ASIAN	3248	15.13
	5	AFRICAN AMERICAN	1126	5.25
	6	WHITE	10674	49.73
	7	OTHER SINGLE/MULTIPLE RACE	2788	12.99

UNIVERSE: ALL ADULTS

INPUT VAR: RACEH2_S

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

VARNAME: AA5B_1

LABEL: TRIBE: APACHE

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	227	1.06
	-8	DON'T KNOW	31	0.14
	-7	REFUSED	5	0.02
	-1	INAPPLICABLE	20371	94.91
	1	YES	58	0.27
	2	NO	771	3 59

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: AA5B_2

LABEL: TRIBE: BLACKFOOT/BLACKFEET

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	227	1.06
	-8	DON'T KNOW	31	0.14
	-7	REFUSED	5	0.02
	-1	INAPPLICABLE	20371	94.91
	1	YES	52	0.24
	2	NO	777	3.62

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: AA5B_3

LABEL: TRIBE: CHEROKEE

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	227	1.06
	-8	DON'T KNOW	31	0.14
	-7	REFUSED	5	0.02
	-1	INAPPLICABLE	20371	94.91
	1	YES	176	0.82
	2	NO	653	3.04

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: AA5B_4

LABEL: TRIBE: CHOCTAW

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	227	1.06
	-8	DON'T KNOW	31	0.14
	-7	REFUSED	5	0.02
	-1	INAPPLICABLE	20371	94.91
	1	YES	44	0.21
	2	NO	785	3.66

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: AA5B_5

LABEL: TRIBE: MEXICAN AMERICAN INDIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	227	1.06
	-8	DON'T KNOW	31	0.14
	-7	REFUSED	5	0.02
	-1	INAPPLICABLE	20371	94.91
	1	YES	282	1.31
	2	NO	547	2.55

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: AA5B_6

LABEL: TRIBE: NAVAJO

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	227	1.06
	-8	DON'T KNOW	31	0.14
	-7	REFUSED	5	0.02
	-1	INAPPLICABLE	20371	94.91
	1	YES	21	0.10
	2	NO	808	3.76

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: AA5B_7

LABEL: TRIBE: POMO

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	227	1.06
	-8	DON'T KNOW	31	0.14
	-7	REFUSED	5	0.02
	-1	INAPPLICABLE	20371	94.91
	1	YES	10	0.05
	2	NO	819	3.82

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: AA5B_8

LABEL: TRIBE: PUEBLO

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	227	1.06
	-8	DON'T KNOW	31	0.14
	-7	REFUSED	5	0.02
	-1	INAPPLICABLE	20371	94.91
	1	YES	25	0.12
	2	NO	804	3.75

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: AA5B_9

LABEL: TRIBE: SIOUX

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	227	1.06
	-8	DON'T KNOW	31	0.14
	-7	REFUSED	5	0.02
	-1	INAPPLICABLE	20371	94.91
	1	YES	31	0.14
	2	NO	798	3.72

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: AA5B_10

LABEL: TRIBE: YAQUI

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	227	1.06
	-8	DON'T KNOW	31	0.14
	-7	REFUSED	5	0.02
	-1	INAPPLICABLE	20371	94.91
	1	YES	32	0.15
	2	NO	797	3.71

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: AA5B_11

LABEL: TRIBE: OTHER SPECIFY

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	227	1.06
	-8	DON'T KNOW	31	0.14
	-7	REFUSED	5	0.02
	-1	INAPPLICABLE	20371	94.91
	1	YES	242	1.13
	2	ИО	587	2.73

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: CATRIBE

LABEL: CALIFORNIA TRIBE

			FREQ	%
VALUE:	-9	UNKNOWN TRIBAL HERITAGE	348	1.62
	-1	INAPPLICABLE	20286	94.52
	1	CALIFORNIA TRIBAL HERITAGE	130	0.61
	2	NON-CALIFORNIA TRIBAL HERITAGE	699	3.26

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR: SRAI AA5B_1 AA5B_2 AA5B_3 AA5B_4 AA5B_5 AA5B_6 AA5B_7 AA5B_8

NOTES:

VARNAME: AA5C

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	312	1.45
	-8	DON'T KNOW	2	0.01
	-1	INAPPLICABLE	20372	94.92
	1	YES	171	0.80
	2	NO	606	2.82

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: AA5D

LABEL: TRIBE ENROLLED IN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	2	0.01
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	21292	99.20
	1	MESCALERO APACHE, NM	1	0.00
	2	APACHE	1	0.00
	3	OTHER APACHE	6	0.03
	4	BLACKFEET	2	0.01
	5	WESTERN CHEROKEE	6	0.03
	6	CHEROKEE	16	0.07
	7	OTHER CHEROKEE	5	0.02
	8	CHOCTAW OKLAHOMA	10	0.05
	9	CHOCTAW	2	0.01
	11	NAVAJO	3	0.01
	13	SHERWOOD VALLEY RANCHERIA	3	0.01
	15	OTHER POMO	4	0.02
	19	OTHER PUEBLO	1	0.00
	20	OGLALA / PINE RIDGE SIOUX	1	0.00
	21	SIOUX	1	0.00
	22	OTHER SIOUX	5	0.02
	23	PASCUA YAQUI TRIBE OF ARIZONA	1	0.00
	24	YAQUI	1	0.00
	91	OTHER	98	0.46

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE ENROLLED IN A FEDERALLY OR STATE RECOGNIZED TRIBE

INPUT VAR:

NOTES:

VARNAME: AA5E_1

LABEL: ASIAN: BANGLADESHI

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	7	0.03
	2	NO	3530	16.45

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_2

LABEL: ASIAN: BURMESE

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	7	0.03
	2	NO	3530	16.45

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_3

LABEL: ASIAN: CAMBODIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	30	0.14
	2	NO	3507	16.34

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_4

LABEL: ASIAN: CHINESE

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	1191	5.55
	2	NO	2346	10.93

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_5

LABEL: ASIAN: FILIPINO

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	602	2.80
	2	NO	2935	13.67

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_6

LABEL: ASIAN: HMONG

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	40	0.19
	2	NO	3497	16.29

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_7

LABEL: ASIAN: INDIAN (INDIA)

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	249	1.16
	2	NO	3288	15.32

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_8

LABEL: ASIAN: INDONESIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	34	0.16
	2	NO	3503	16.32

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_9

LABEL: ASIAN: JAPANESE

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	355	1.65
	2	NO	3182	14.83

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_10

LABEL: ASIAN: KOREAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	421	1.96
	2	NO	3116	14.52

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_11

LABEL: ASIAN: LAOTIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	23	0.11
	2	NO	3514	16.37

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_12

LABEL: ASIAN: MALAYSIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	12	0.06
	2	NO	3525	16.42

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_13

LABEL: ASIAN: PAKISTANI

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	30	0.14
	2	NO	3507	16.34

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_14

LABEL: ASIAN: SRI LANKAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	8	0.04
	2	NO	3529	16.44

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_15

LABEL: ASIAN: TAIWANESE

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	266	1.24
	2	NO	3271	15.24

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_16

LABEL: ASIAN: THAI

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	34	0.16
	2	NO	3503	16.32

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_17

LABEL: ASIAN: VIETNAMESE

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	413	1.92
	2	NO	3124	14.56

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_18

LABEL: ASIAN: OTHER SPECIFY

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	3	0.01
	2	NO	3534	16.47

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_19

LABEL: ASIAN: MIDDLE EASTERN

FREQ % -9 NOT ASCERTAINED VALUE: 33 0.15 DON'T KNOW REFUSED -8 6 0.03 -7 3 0.01 INAPPLICABLE -1 17884 83.32 3537 16.48 NO

UNIVERSE: ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_20

LABEL: ASIAN: NEPALESE

VALUE: -9 NOT ASCERTAINED 33 0.15
-8 DON'T KNOW 6 0.03
-7 REFUSED 3 0.01
-1 INAPPLICABLE 17884 83.32
1 YES 7 0.03
2 NO 3530 16.45

UNIVERSE: ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_21

LABEL: ASIAN: MONGOLIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	3	0.01
	2	NO	3534	16.47

UNIVERSE: ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_22

LABEL: ASIAN: SOUTH ASIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	2	NO	3537	16.48

UNIVERSE: ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E_23

LABEL: ASIAN: OTHER ASIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	33	0.15
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	3	0.01
	-1	INAPPLICABLE	17884	83.32
	1	YES	20	0.09
	2	NO	3517	16.39

UNIVERSE: ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: AA5E1_1

LABEL: PACIFIC ISLANDER: SAMOAN/AMERICAN SAMOAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	14	0.07
	-8	DON'T KNOW	3	0.01
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	21385	99.64
	1	YES	21	0.10
	2	NO	38	0.18

UNIVERSE: ALL ADULTS WHO ARE OTHER PACIFIC ISLANDER

INPUT VAR:

NOTES:

VARNAME: AA5E1_2

LABEL: PACIFIC ISLANDER: GUAMANIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	14	0.07
	-8	DON'T KNOW	3	0.01
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	21385	99.64
	1	YES	16	0.07
	2	NO	43	0.20

UNIVERSE: ALL ADULTS WHO ARE OTHER PACIFIC ISLANDER

INPUT VAR:

NOTES:

VARNAME: AA5E1_3

LABEL: PACIFIC ISLANDER: TONGAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	14	0.07
	-8	DON'T KNOW	3	0.01
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	21385	99.64
	1	YES	9	0.04
	2	NO	50	0.23

UNIVERSE: ALL ADULTS WHO ARE OTHER PACIFIC ISLANDER

INPUT VAR:

NOTES:

VARNAME: AA5E1_4

LABEL: PACIFIC ISLANDER: FIJIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	14	0.07
	-8	DON'T KNOW	3	0.01
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	21385	99.64
	1	YES	12	0.06
	2	NO	47	0.22

UNIVERSE: ALL ADULTS WHO ARE OTHER PACIFIC ISLANDER

INPUT VAR:

NOTES:

VARNAME: AA5E1_5

LABEL: PACIFIC ISLANDER: OTHER (SPECIFY) TEXT

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	14	0.07
	-8	DON'T KNOW	3	0.01
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	21385	99.64
	2	NO	59	0.27

UNIVERSE: ALL ADULTS WHO ARE OTHER PACIFIC ISLANDER

INPUT VAR:

NOTES:

VARNAME: AA5E1_6

LABEL: PACIFIC ISLANDER: POLYNESIAN

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	14	0.07
	-8	DON'T KNOW	3	0.01
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	21385	99.64
	1	YES	3	0.01
	2	NO	56	0.26

UNIVERSE: ADULTS WHO ARE OTHER PACIFIC ISLANDER

INPUT VAR:

NOTES:

VARNAME: AA5E1_7

LABEL: PACIFIC ISLANDER: OTHER PACIFIC ISLANDER

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	14	0.07
	-8	DON'T KNOW	3	0.01
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	21385	99.64
	1	YES	8	0.04
	2	NO	51	0.24

UNIVERSE: ADULTS WHO ARE OTHER PACIFIC ISLANDER

INPUT VAR:

NOTES:

VARNAME: ASIAN10

LABEL: ASIAN SUBTYPES (10 TYPES)

			FREQ	%
VALUE:	-1	NON-ASIAN	17884	83.32
	1	CHINESE	1279	5.96
	2	JAPANESE	325	1.51
	3	KOREAN	407	1.90
	4	FILIPINO	556	2.59
	5	SOUTH ASIAN	280	1.30
	6	VIETNAMESE	373	1.74
	7	SOUTHEAST ASIAN	112	0.52
	8	CAMBODIAN	19	0.09
	9	OTHER ASIAN	48	0.22
	10	TWO OR MORE ASIAN TYPES	180	0.84

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR: AA5A_4 AA5E_1 AA5E_2 AA5E_3 AA5E_4 AA5E_5 AA5E_6 AA5E_7 AA5E_8

NOTES:

VARNAME: ASIAN9

LABEL: ASIAN SUBTYPES - 9 TYPES (PUF RECODE)

			FREQ	%
VALUE:	-1	NON-ASIAN	17884	83.32
	1	CHINESE	1279	5.96
	2	JAPANESE	325	1.51
	3	KOREAN	407	1.90
	4	FILIPINO	556	2.59
	5	SOUTH ASIAN	280	1.30
	6	VIETNAMESE	373	1.74
	7	SOUTHEAST ASIAN	112	0.52
	8	CAMBODIAN /OTHER ASIAN	67	0.31
	9	TWO OR MORE ASIAN TYPES	180	0.84

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR: ASIAN10

NOTES:

VARNAME: ASIAN8

LABEL: ASIAN SUBTYPES - 8 TYPES (PUF RECODE)

			FREQ	%
VALUE:	-1	NON-ASIAN	17884	83.32
	1	CHINESE	1279	5.96
	2	JAPANESE	325	1.51
	3	KOREAN	407	1.90
	4	FILIPINO	556	2.59
	5	SOUTH ASIAN	280	1.30
	6	VIETNAMESE	373	1.74
	7	SOUTHEAST ASIAN	131	0.61
	8	OTHER ASIAN/2+ ASIAN TYPES	228	1.06

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR: ASIAN10

NOTES:

VARNAME: ASNHP2

LABEL: ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED

			FREQ	%
VALUE:	-1	NON-ASIAN	18215	84.87
	1	CAMBODIAN	22	0.10
	2	CHINESE	1249	5.82
	3	FILIPINO	465	2.17
	4	SOUTH ASIAN	264	1.23
	5	JAPANESE	247	1.15
	6	KOREAN	385	1.79
	7	VIETNAMESE	375	1.75
	8	OTHER SINGLE/MULTIPLE ASIAN TYPE	241	1.12

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR: RACEHPR2 AA5E_1 AA5E_2 AA5E_3 AA5E_4 AA5E_5 AA5E_6 AA5E_7 AA5E_8

NOTES:

VARNAME: ASNHP2_P

LABEL: ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED

			FREQ	%
VALUE:	-1	INAPPLICABLE	18215	84.87
	1	CHINESE	1249	5.82
	2	FILIPINO	465	2.17
	3	SOUTH ASIAN	264	1.23
	4	JAPANESE	247	1.15
	5	KOREAN	385	1.79
	6	VIETNAMESE	375	1.75
	7	CAMBODIAN/OTHER SINGLE/MULTI ASIAN TYPE	263	1.23

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR: ASNHP2

NOTES: ASNHP2 Categories Collapsed

VARNAME: CHINESE

LABEL: CHINESE

VALUE: 1 YES 1424 6.63 2 NO 20039 93.37

UNIVERSE: ALL ADULTS

INPUT VAR: AA5E_4 AA5E_15

NOTES:

VARNAME: FILIPINO

LABEL: FILIPINO

VALUE: 1 YES 602 2.80 2 NO 20861 97.20

UNIVERSE: ALL ADULTS

INPUT VAR: AA5E_5

NOTES:

VARNAME: AA5G

LABEL: IDENTIFY WITH ONE RACE IN PARTICULAR

FREQ % 638 VALUE: -9 NOT ASCERTAINED 2.97 DON'T KNOW 15 -8 0.07 -7 REFUSED 2 0.01 -1 INAPPLICABLE 15590 72.64 2691 12.54 2527 11.77 YES 1 NO 2

UNIVERSE: MULTI-RACIAL ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AA5F

LABEL: RACE/ETHNICITY MOST IDENTIFIED WITH

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	3	0.01
	-8	DON'T KNOW	1	0.00
	-1	INAPPLICABLE	18772	87.46
	1	MEXICAN/MEXICANO	1345	6.27
	4	SALVADORAN	44	0.21
	5	GUATAMALAN	27	0.13
	6	COSTA RICAN	2	0.01
	7	HONDURAN	4	0.02
	8	NICARAGUAN	16	0.07
	9	PANAMANIAN	3	0.01
	10	PUERTO RICAN	20	0.09
	11	CUBAN	9	0.04
	12	SPANISH-AMERICAN (FROM SPAIN)	25	0.12
	13	LATINO, OTHER SPECIFY	59	0.27
	14	LATINO	12	0.06
	16	NATIVE HAWAIIAN	3	0.01
	18	AMERICAN INDIAN OR ALASKA NATIVE	59	0.27
	20	BLACK OR AFRICAN AMERICAN	68	0.32
	21	WHITE	306	1.43
	22	RACE, OTHER SPECIFY	183	0.85
	31	BURMESE	1	0.00
	32	CAMBODIAN	5	0.02
	33	CHINESE	25	0.12
	34	FILIPINO	23	0.11
	35	HMONG	1	0.00
	36	INDIAN (INDIA)	1	0.00
	37	INDONESIAN	2	0.01
	38	JAPANESE	11	0.05
	39	KOREAN	4	0.02
	40	LAOTIAN	1	0.00
	43	SRI LANKAN	1	0.00
	44	TAIWANESE	5	0.02
	45	THAI	1	0.00

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

	2022 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY		
UNIVERSE:	46 VIETNAMESE 49 ASIAN, OTHER SPECIFY 50 SAMOAN / AMERICAN SAMOAN 51 GUAMANIAN 52 TONGAN 55 PACIFIC ISLANDER, OTHER SPECIFY 90 BOTH/ALL/MULTIRACIAL 91 OTHER 95 NONE OF THESE ADULT WHO MOST IDENTIFY W/ ONE RACE	13 3 2 1 1 6 363 21 11	0.06 0.01 0.01 0.00 0.00 0.03 1.69 0.10 0.05
INPUT VAR:			
NOTES:			
VARNAME:	AH36_1		
LABEL:	LANGUAGES AT HOME: ENGLISH		
VALUE:	1 YES 2 NO	FREQ 19458 2005	90.66
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			
VARNAME:	AH36_10		
LABEL:	LANGUAGES AT HOME: OTHER (SPECIFY) 1		
VALUE:	2 NO	FREQ 21463	
UNIVERSE:	ALL ADULTS		
INPUT VAR:			

VARNAME: AH36_11

LABEL: LANGUAGES AT HOME: OTHER (SPECIFY) 2

VALUE: 2 NO FREQ % 21463 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_12

LABEL: LANGUAGES AT HOME: JAPANESE

VALUE: 1 YES 120 0.56 2 NO 21343 99.44

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_13

LABEL: LANGUAGES AT HOME: OTHER ASIAN

VALUE: 1 YES 165 0.77 2 NO 21298 99.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_14

LABEL: LANGUAGES AT HOME: FRENCH

VALUE: 1 YES 177 0.82 2 NO 21286 99.18

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_15

LABEL: LANGUAGES AT HOME: GERMAN

VALUE: 1 YES 126 0.59 2 NO 21337 99.41

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_16

LABEL: LANGUAGES AT HOME: ITALIAN

VALUE: 1 YES 62 0.29 2 NO 21401 99.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_17

LABEL: LANGUAGES AT HOME: OTHER EUROPEAN

VALUE: 1 YES 191 0.89 2 NO 21272 99.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_18

LABEL: LANGUAGES AT HOME: FARSI

VALUE: 1 YES 82 0.38 2 NO 21381 99.62

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_2

LABEL: LANGUAGES AT HOME: SPANISH

VALUE: 1 YES 4346 20.25 2 NO 17117 79.75

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_19

LABEL: LANGUAGES AT HOME: ARMENIAN

VALUE: 1 YES 44 0.21 2 NO 21419 99.79

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_20

LABEL: LANGUAGES AT HOME: ARABIC

VALUE: 1 YES 65 0.30 2 NO 21398 99.70

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_21

LABEL: LANGUAGES AT HOME: AFRICAN/AFRO-ASIATIC

VALUE: 1 YES 32 0.15 2 NO 21431 99.85

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_22

LABEL: LANGUAGES AT HOME: NATIVE AMERICAN

FREQ % YES VALUE: 1 23 0.11 2 NO 21440 99.89

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_23

LABEL: LANGUAGES AT HOME: OTHER

% VALUE: 1 75 0.35 YES

NO 21388 99.65

FREQ

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_3

LABEL: LANGUAGES AT HOME: CANTONESE

FREQ % VALUE: 1 YES NO 1.69 362 21101 98.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: LANGHOME

LABEL: LANGUAGE SPOKEN AT HOME

			FREQ	%
VALUE:	1	ENGLISH	14168	66.01
	2	SPANISH	918	4.28
	3	CHINESE	476	2.22
	4	VIETNAMESE	144	0.67
	5	KOREAN	184	0.86
	6	OTHER ASIAN LANGUAGE (1 ONLY)	141	0.66
	7	OTHER NON-ASIAN LANGUAGE (1 ONLY)	96	0.45
	8	ENGLISH & SPANISH	3157	14.71
	9	ENGLISH & CHINESE	375	1.75
	10	ENGLISH & EUROPEAN LANGUAGE	306	1.43
	11	ENGLISH & ANOTHER ASIAN LANGUAGE	804	3.75
	12	ENGLISH & ONE OTHER LANGUAGE	166	0.77
	13	OTHER LANGUAGES (2+)	528	2.46

UNIVERSE: ALL ADULTS

INPUT VAR: AH36_1 AH36_2 AH36_3 AH36_4 AH36_5 AH36_6 AH36_7 AH36_8 AH36_9

NOTES:

VARNAME: LNGHM_P1

LABEL: LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)

			FREQ	%
VALUE:	1	ENGLISH	14168	66.01
	2	SPANISH	918	4.28
	3	CHINESE	476	2.22
	4	VIETNAMESE	144	0.67
	5	KOREAN	184	0.86
	6	OTHER ONE LANGUAGE ONLY	237	1.10
	8	ENGLISH & SPANISH	3157	14.71
	9	ENGLISH & CHINESE	375	1.75
	10	ENGLISH & EUROPEAN LANGUAGE	306	1.43
	11	ENGLISH & ANOTHER ASIAN LANGUAGE	804	3.75
	12	ENGLISH & ONE OTHER LANGUAGE	166	0.77
	13	OTHER LANGUAGES (2+)	528	2.46

UNIVERSE: ALL ADULTS

INPUT VAR: AH36_1 AH36_2 AH36_3 AH36_4 AH36_5 AH36_6 AH36_7 AH36_8 AH36_9

NOTES: LNGHM Categories Collapsed

VARNAME: AH36_4

LABEL: LANGUAGES AT HOME: VIETNAMESE

VALUE: 1 YES 334 1.56 2 NO 21129 98.44

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH37

LABEL: LEVEL OF ENGLISH PROFICIENCY: GENERAL

			FREQ	%
VALUE:	-1	INAPPLICABLE	14165	66.00
	1	VERY WELL	4345	20.24
	2	WELL	1734	8.08
	3	NOT WELL	999	4.65
	4	NOT AT ALL	220	1.03

UNIVERSE: ALL ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR

WERE INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES:

VARNAME: SPK_ENG

LABEL: ENGLISH USE AND PROFICIENCY

		FREQ	%
1	SPEAK ONLY ENGLISH	14168	66.01
2	VERY WELL/WELL	6076	28.31
3	NOT WELL/NOT AT ALL	1219	5.68
	1 2 3	2 VERY WELL/WELL	1 SPEAK ONLY ENGLISH 14168 2 VERY WELL/WELL 6076

UNIVERSE: ALL ADULTS

INPUT VAR: AH36_1 AH36_2 AH36_3 AH36_4 AH36_5 AH36_6 AH36_7 AH36_8 AH36_9

NOTES:

VARNAME: AH36_5

LABEL: LANGUAGES AT HOME: TAGALOG

VALUE: 1 YES 322 1.50 2 NO 21141 98.50

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_6

LABEL: LANGUAGES AT HOME: MANDARIN

VALUE: 1 YES 732 3.41 2 NO 20731 96.59

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_7

LABEL: LANGUAGES AT HOME: KOREAN

VALUE: 1 YES 345 1.61 2 NO 21118 98.39

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_8

LABEL: LANGUAGES AT HOME: ASIAN INDIAN

VALUE: 1 YES 217 1.01 2 NO 21246 98.99

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH36_9

LABEL: LANGUAGES AT HOME: RUSSIAN

VALUE: 1 YES 95 0.44 2 NO 21368 99.56

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH43

LABEL: MARITAL STATUS

			FREQ	%
VALUE:	1	MARRIED	10517	49.00
	2	LIVING WITH PARTNER	1587	7.39
	3	WIDOWED	1633	7.61
	4	DIVORCED	2978	13.88
	5	SEPARATED	460	2.14
	6	NEVER MARRIED	4288	19.98

UNIVERSE: ALL ADULTS

INPUT VAR: MARIT2

NOTES:

VARNAME: AH44

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

			FREQ	%
VALUE:	-1	INAPPLICABLE	9359	43.61
	1	YES	11817	55.06
	2	NO	287	1.34

UNIVERSE: ADULTS WHO ARE MARRIED OR LIVING WITH A PARTNER

INPUT VAR:

NOTES:

VARNAME: MARIT

LABEL: MARITAL STATUS- 3 CATEGORIES

VALUE: 1 MARRIED 10517 49.00
2 OTHER/SEP/DIV/LIVING W/PARTNER 6658 31.02
3 NEVER MARRIED 4288 19.98

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES:

VARNAME: MARIT_45

LABEL: MARITAL STATUS - AGE 45 AND OLDER

			FREQ	%
VALUE:	-1	INAPPLICABLE	6284	29.28
	1	MARRIED	7922	36.91
	2	LIVING WITH PARTNER	774	3.61
	3	WIDOWED	1604	7.47
	4	DIVORCED/SEPARATED	3060	14.26
	5	NEVER MARRIED	1819	8.48

UNIVERSE: ALL ADULTS AGE 45 AND OLDER

INPUT VAR: AH43 SRAGE

NOTES:

VARNAME: MARIT2

LABEL: MARITAL STATUS- 4 CATEGORIES

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES:

VARNAME: INTV_MODE2

LABEL: INTERVIEW MODE (PHONE OR WEB)

VALUE: 1 PHONE INTERVIEW 2395 11.16 2 WEB INTERVIEW 19068 88.84

UNIVERSE: ALL ADULTS

INPUT VAR: ADULTENDCHANNEL

NOTES:

S 2022 Source Adult Data Dictionary
SECTION B: GENERAL HEALTH CONDITION

VARNAME: AB1

LABEL: GENERAL HEALTH CONDITION

			FREQ	%
VALUE:	1	EXCELLENT	3631	16.92
	2	VERY GOOD	7803	36.36
	3	GOOD	6618	30.83
	4	FAIR	2799	13.04
	5	POOR.	612	2.85

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB17

LABEL: DOCTOR EVER TOLD HAVE ASTHMA

VALUE: 1 YES 3707 17.27 2 NO 17756 82.73

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: QX VARNAME = AB17B

VARNAME: AB40

LABEL: STILL HAS ASTHMA

VALUE: -1 INAPPLICABLE 17756 82.73
1 YES 2114 9.85
2 NO 1593 7.42

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB41

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE: -1 INAPPLICABLE 17756 82.73
1 YES 1160 5.40
2 NO 2547 11.87

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB42V2

LABEL: WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS

MEAN STATISTICS

N 3707 MIN 0 MAX 365 MEAN 1.45

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AB42. New version due to

new universe.

VARNAME: AB42V2_P1

LABEL: WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	17756	82.73
	0	O DAYS	3482	16.22
	1	1-2 DAYS	70	0.33
	2	3-4 DAYS	48	0.22
	3	5+ DAYS	107	0.50

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

VARNAME: ASTCUR

LABEL: CURRENT ASTHMA STATUS

VALUE: 1 CURRENT ASTHMA 2184 10.18 2 NO CURRENT ASTHMA 19279 89.82

UNIVERSE: ALL ADULTS

INPUT VAR: AB17 AB40 AB41

NOTES:

VARNAME: AB18

LABEL: TAKING DAILY MEDICATION TO CONTROL ASTHMA

VALUE: -1 INAPPLICABLE 17756 82.73
1 YES 1131 5.27
2 NO 2576 12.00

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB43

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE: -1 INAPPLICABLE 17756 82.73
1 YES 1898 8.84
2 NO 1809 8.43

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB22V2

LABEL: DOCTOR EVER TOLD HAVE DIABETES

VALUE: 1 YES 2487 11.59 2 NO 18976 88.41

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECOMMEND USERS TO USE DIABETES CONSTRUCTED VARIABLE DUE TO AB22

MODE DIFFERENCES IN 2019; PREVIOUS VERSION: AB22

VARNAME: AB99

LABEL: DOCTOR EVER TOLD HAVE PRE/BORDERLINE DIABETES

VALUE: 1 YES FREQ % 5059 23.57

2 NO 16404 76.43

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED IN CHIS 2021

VARNAME: PREDIAB

LABEL: DOCTOR EVER TOLD HAVE PRE OR BORDERLINE DIABETES (NON-GESTATIONAL

VALUE: 1 YES FREQ % 5066 23.60

2 NO 16397 76.40

UNIVERSE: ALL ADULTS

INPUT VAR: AB99 AB51 AB22V2

NOTES:

VARNAME: DIABETES

LABEL: DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL)

VALUE: 1 YES FREQ % 2432 11.33

2 NO 19031 88.67

UNIVERSE: ALL ADULTS

INPUT VAR: AB22 AB51

NOTES: ADULTS WITH AB22 IN (2,3) OR AB51=5 ARE CLASSIFIED AS NON-DIABETICS

VARNAME: AB23

LABEL: AGE FIRST TOLD HAVE DIABETES

MEAN STATISTICS

 N
 2487

 MIN
 2

 MAX
 89

 MEAN
 49.07

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR: AB23

NOTES:

VARNAME: AB23_P1

LABEL: AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	18976	88.41
	1	AGES 18 AND UNDER	72	0.34
	2	AGES 19-29	127	0.59
	3	AGES 30-39	381	1.78
	4	AGES 40-49	567	2.64
	5	AGES 50-59	698	3.25
	6	AGES 60-69	449	2.09
	7	AGES 70-79	164	0.76
	8	AGES 80 AND OVER	29	0.14

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB23

NOTES: AB23 Categories Collapsed

VARNAME: DIAMED

LABEL: TAKING INSULIN OR PILLS

			FREQ	%
VALUE:	-1	INAPPLICABLE	18976	88.41
	1	TAKING INSULIN & PILLS	382	1.78
	2	TAKING INSULIN ONLY	209	0.97
	3	TAKING PILLS ONLY	1376	6.41
	4	NOT TAKING INSULIN NOR PILLS	520	2.42

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB24 AB25

NOTES:

VARNAME: AB51

LABEL: TYPE 1 OR TYPE 2 DIABETES

			FREQ	%
VALUE:	-1	INAPPLICABLE	18976	88.41
	1	TYPE 1	217	1.01
	2	TYPE 2	2160	10.06
	3	ANOTHER TYPE	28	0.13
	4	DOUBLE DIABETES (TYPE 1 AND TYPE 2)	12	0.06
	5	BORDERLINE OR PRE-DIABETES	55	0.26
	6	PROVIDER DID NOT SPECIFY TYPE OR UNKNOW	N 15	0.07

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB51_P1

LABEL: TYPE 1 OR TYPE 2 DIABETES (PUF 1 YR RECODE)

VALUE: -1 INAPPLICABLE 19086 88.93
1 TYPE I 217 1.01
2 TYPE 2 2160 10.06

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE TYPE I OR II DIABETES

INPUT VAR: AB51

NOTES: EXCLUDES INDIVIDUALS WHO REPORTED ANOTHER TYPE OF DIABETES

VARNAME: AB24

LABEL: CURRENTLY TAKING INSULIN

VALUE: -1 INAPPLICABLE 18976 88.41
1 YES 591 2.75
2 NO 1896 8.83

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB25

LABEL: CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

VALUE: -1 INAPPLICABLE 18976 88.41
1 YES 1758 8.19
2 NO 729 3.40

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB63

LABEL: LAST EYE EXAM DILATED PUPILS

			FREQ	%
VALUE:	-1	INAPPLICABLE	18976	88.41
	1	WITHIN THE PAST MONTH	286	1.33
	2	1 TO 12 MOS AGO	1385	6.45
	3	1 TO 2 YRS AGO	363	1.69
	4	2 OR MORE YRS AGO	349	1.63
	5	NEVER	104	0.48

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB112

LABEL: MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN

VALUE: -1 INAPPLICABLE 18976 88.41
1 YES 2146 10.00
2 NO 341 1.59

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB29V2

LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

VALUE: 1 YES 6887 32.09
2 NO 12807 59.67
3 BORDERLINE HYPERTENSION 1769 8.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: AB29

VARNAME: AB34

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

FREQ % 2018 9.40 YES NO VALUE: 1

19445 90.60 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB27

LABEL: # OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR

MEAN STATISTICS

N 2487 MIN 0 24 MAXMEAN 2.51

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB27_P1

LABEL: # OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECOD

			FREQ	%
0 0 TIMES 1 1 TIMES 2 2 TIMES 3 3 TIMES 4 4 TIMES	INAPPLICABLE	18976	88.41	
	0	O TIMES	152	0.71
	1	1 TIMES	466	2.17
	2	2 TIMES	863	4.02
	3	3 TIMES	415	1.93
	4	4 TIMES	471	2.19
	5	5+ TIMES	120	0.56

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB27

NOTES: AB27 Categories Collapsed

VARNAME: AB27_P

LABEL: # OF TIMES DOC CHECKED HEMOGLOBIN A1C LAST YR (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	18976	88.41
	1	LESS THAN 1	152	0.71
	2	1-2	466	2.17
	3	2-3	863	4.02
	4	3-4	415	1.93
	5	4-5	471	2.19
	6	5-6	30	0.14
	7	6-13	84	0.39
	8	GREATER THAN 13	6	0.03

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB27

NOTES: AB27 Categories Collapsed

SECTION C: HEALTH BEHAVIORS

VARNAME: AC46

LABEL: # OF TIMES DRANK SWEET FRUIT DRINKS PAST MO

MEAN STATISTICS

N 21463 MIN 0 MAX 300 MEAN 8.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE2

LABEL: # TIMES ATE FRUIT IN PAST MO

MEAN STATISTICS

 N
 21463

 MIN
 0

 MAX
 600

 MEAN
 38.24

UNIVERSE: ALL ADULTS

INPUT VAR: AE_FRUIT

NOTES:

VARNAME: AE_FRUIT

LABEL: # OF TIMES EATING FRUIT PER WEEK

MEAN STATISTICS

N 21463 MIN 0 MAX 139 MEAN 8.89

UNIVERSE: ALL ADULTS

INPUT VAR: AE2

NOTES:

VARNAME: AE7

LABEL: # OF TIMES ATE VEGETABLES IN PAST MO

MEAN STATISTICS

 N
 21463

 MIN
 0

 MAX
 600

 MEAN
 41.64

UNIVERSE: ALL ADULTS

INPUT VAR: AE_VEGI

NOTES:

VARNAME: AE_VEGI

LABEL: # OF TIMES EATING VEGETABLES PER WEEK

MEAN STATISTICS

N 21463 MIN 0 MAX 139 MEAN 9.69

UNIVERSE: ALL ADULTS

INPUT VAR: AE7

NOTES:

VARNAME: AE15

LABEL: SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME

VALUE: 1 YES 6350 29.59 2 NO 15113 70.41

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE15A

LABEL: SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL

VALUE: -1 INAPPLICABLE 15113 70.41
1 EVERY DAY 821 3.83
2 SOME DAYS 431 2.01
3 NOT AT ALL 5098 23.75

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

VARNAME: AC174

LABEL: # OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS

MEAN STATISTICS

 N
 16519

 MIN
 0

 MAX
 30

 MEAN
 1.78

UNIVERSE: ADULTS WHO SMOKED LESS THAN 100 CIGS. IN LIFETIME OR SMOKE EVERY

DAY/SOME DAYS OR LAST SMOKED WITHIN PAST MONTH

INPUT VAR:

NOTES:

VARNAME: SMKCUR30

LABEL: CURRENT SMOKER (PAST 30 DAYS)

VALUE: 1 CURRENT SMOKER 1412 6.58
2 NOT A CURRENT SMOKER 20051 93.42

UNIVERSE: ALL ADULTS

INPUT VAR: AC174

NOTES:

VARNAME: AC173

LABEL: HOW LONG SINCE LAST SMOKED A CIGARETTE

MEAN STATISTICS

N 5098 MIN 0 MAX 31025 MEAN 7864.01

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND DO NOT

SMOKE CURRENTLY

INPUT VAR:

NOTES:

VARNAME: AD32

LABEL: # OF CIGARETTES PER DAY

MEAN STATISTICS

N 821 MIN 0 MAX 120 MEAN 10.87

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW

SMOKE EVERY DAY

INPUT VAR:

NOTES:

VARNAME: AD32_P1

LABEL: # OF CIGARETTES PER DAY (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	20642	96.17
	0	O CIGARETTES	16	0.07
	1	1-5 CIGARETTES	233	1.09
	6	6-10 CIGARETTES	274	1.28
	11	11-15 CIGARETTES	122	0.57
	16	16+ CIGARETTES	176	0.82

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW

SMOKE EVERY DAY

INPUT VAR: AD32

NOTES: AD32 Categories Collapsed

VARNAME: AE16V2

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS

MEAN STATISTICS

N 659 MIN 0 MAX 100 MEAN 3.68

UNIVERSE: ADULTS WHO ARE LIFETIME SMOKERS AND CURRENTLY SMOKE SOME DAYS, OR

ADULTS WHO CURRENTLY DO NOT SMOKE BUT HAVE SMOKED AT LEAST ONCE IN

PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AE16. NEW VERSION CREATED IN 2021 DUE TO CHANGE

IN UNIVERSE.

VARNAME: AE16V2_P1

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	20804	96.93
	0	O CIGARETTES	55	0.26
	1	1 CIGARETTE	236	1.10
	2	2 CIGARETTES	120	0.56
	3	3 CIGARETTES	66	0.31
	4	4 CIGARETTES	31	0.14
	5	5 CIGARETTES	51	0.24
	6	6-10 CIGARETTES	71	0.33
	11	11+ CIGARETTES	29	0.14

UNIVERSE: ADULTS WHO ARE LIFETIME SMOKERS AND CURRENTLY SMOKE SOME DAYS, OR

ADULTS WHO CURRENTLY DO NOT SMOKE BUT HAVE SMOKED AT LEAST ONCE IN

PAST 30 DAYS

INPUT VAR:

NOTES: AE16 CATEGORIZED. PREVIOUS VERSION: AE16_P1. NEW VERSION CREATED

IN 2021 DUE TO CHANGE IN UNIVERSE.

VARNAME: AC54B

LABEL: HOW SOON SMOKE FIRST CIGARETTE AFTER WAKING

MEAN STATISTICS

N 1454 MIN 0 MAX 1440 MEAN 184.98

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY

DAY/SOME DAYS, OR SMOKED AT LEAST ONE DAY IN PAST 30 DAYS

INPUT VAR:

NOTES: EXCLUDED VALUE "9999" FOR DID NOT SMOKE CIGARETTE IN CALCULATING

THE MEAN (23 CASES IN 2022)

VARNAME: AC175

LABEL: SMOKED MINT OR MENTHOL CIGARETTES

VALUE: -1 INAPPLICABLE 20211 94.17
1 YES 346 1.61
2 NO 906 4.22

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY

DAY/SOME DAYS (CURRENT SMOKERS)

INPUT VAR:

NOTES:

VARNAME: MENTHOL

LABEL: SMOKED MINT OR MENTHOL FLAVORED CIGARETTES OR E-CIGARETTES

VALUE: -1 INAPPLICABLE 19882 92.63 1 YES 556 2.59 2 NO 1025 4.78

UNIVERSE: ADULTS WHO SMOKED CIGARETTES OR E-CIGARETTES IN PAST 30 DAYS

INPUT VAR: AC175 AC182 AC174 AC82C

NOTES:

VARNAME: AC176

LABEL: AGE FIRST SMOKED WHOLE CIGARETTE

MEAN STATISTICS

 N
 1252

 MIN
 2

 MAX
 75

 MEAN
 17.15

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY

DAY/SOME DAYS (CURRENT SMOKERS)

INPUT VAR:

NOTES:

VARNAME: AC177

LABEL: WERE SMOKING CIGARETTES THIS TIME LAST YEAR

VALUE: -1 INAPPLICABLE 19560 91.13
1 YES 1366 6.36
2 NO 537 2.50

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY

DAY/SOME DAYS, OR SMOKED A CIGARETTE IN PAST YEAR

INPUT VAR:

NOTES:

VARNAME: SMKCUR

LABEL: CURRENT SMOKER

VALUE: 1 CURRENT SMOKER 1252 5.83 2 NOT CURRENT SMOKER 20211 94.17

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES: IF RESPONDENT INDICATED NOT SMOKING >=100 CIGARETTES IN LIFETIME,

THEN CONSIDERED TO NOT BE A CURRENT SMOKER

VARNAME: SMOKING

LABEL: CURRENT SMOKING HABITS

VALUE: 1 CURRENTLY SMOKES 1252 5.83
2 QUIT SMOKING 5098 23.75
3 NEVER SMOKED REGULARLY 15113 70.41

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES: IF RESPONDENT INDICATED NOT SMOKING >=100 CIGARETTES IN LIFETIME,

THEN CATEGORIZED AS SMOKING NO CIGARETTES PER DAY

VARNAME: NUMCIG

LABEL: # OF CIGARETTES PER DAY

			FREQ	%
3 2 5	1	NONE	20211	94.17
	2	<=1 CIGARETTES	172	0.80
	3	2-5 CIGARETTES	435	2.03
	4	6-10 CIGARETTES	328	1.53
	5	11-19 CIGARETTES	134	0.62
	6	20 OR MORE	183	0.85

UNIVERSE: ALL ADULTS

INPUT VAR: AE15A AD32 AE16 AE15

NOTES:

VARNAME: AC49

LABEL: STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR

VALUE: -1 INAPPLICABLE 20211 94.17
1 YES 660 3.08
2 NO 592 2.76

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIG. IN LIFETIME AND SMOKE

DAILY/SOME DAYS PER WEEK (CURRENT SMOKERS)

INPUT VAR:

NOTES:

VARNAME: AC178

LABEL: HOW LONG LAST ATTEMPT TO QUIT SMOKING LASTED

MEAN STATISTICS

N 660 MIN 0 MAX 3650 MEAN 149.74

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY

DAY/SOME DAYS, AND STOPPED SMOKING AT LEAST 1 DAY IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AC77

LABEL: DOCTOR ADVISED TO QUIT SMOKING IN PAST 12 MOS

VALUE: -1 INAPPLICABLE 20211 94.17
1 YES 664 3.09
2 NO 588 2.74

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY

DAY/SOME DAYS (CURRENT SMOKERS)

INPUT VAR:

NOTES:

VARNAME: AC50

LABEL: THINK ABOUT QUIT SMOKING IN NEXT 6 MOS

VALUE: -1 INAPPLICABLE 20211 94.17
1 YES 806 3.76
2 NO 446 2.08

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIG. IN LIFETIME AND SMOKE

DAILY/SOME DAYS PER WEEK (CURRENT SMOKERS)

INPUT VAR:

NOTES:

VARNAME: AC81C

LABEL: EVER SMOKED ELECTRONIC CIGARETTES

FREQ % 2927 13.64 18536 86.36 VALUE: 1

YES NO 2

UNIVERSE: ALL ADULTS (18+)

INPUT VAR:

NOTES: NOT TRENDABLE WITH 2014 AND 2015. LIMIT TO ADULTS 18-65 FOR

TRENDING WITH 2016

VARNAME: AC82C

LABEL: DAYS USED E-CIGS PAST 30 DAYS

MEAN STATISTICS

2927 N MIN 0 MAX30 MEAN 3.60

UNIVERSE: ADULTS 18+ WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOT TRENDABLE WITH 2014 AND 2015. LIMIT TO ADULTS 18-65 FOR

TRENDING WITH 2016

VARNAME: ESMKCUR

LABEL: CURRENT E-CIGARETTE SMOKER

VALUE: 1 CURRENT E-CIGARETTE SMOKER 676 3.15
2 NOT A CURRENT E-CIGARETTE SMOKER 20787 96.85

UNIVERSE: ALL ADULTS

INPUT VAR: AC81C AC82C

NOTES:

VARNAME: AC82C_P1

LABEL: DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE)

VALUE: -1 INAPPLICABLE 18536 86.36
1 NONE 2251 10.49
2 1 TO 2 DAYS 169 0.79
3 3 TO 5 DAYS 96 0.45
4 6 TO 29 DAYS 164 0.76
5 EVERY DAY 247 1.15

UNIVERSE: ADULTS 18+ WHO EVER SMOKED E-CIGARETTES

INPUT VAR: AC82C

NOTES: NOT TRENDABLE WITH 2014 AND 2015. LIMIT TO ADULTS 18-65 FOR

TRENDING WITH 2016

VARNAME: AC134V2

LABEL: USED E-CIG FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

VALUE: -1 INAPPLICABLE 18536 86.36
1 YES 1727 8.05
2 NO 1200 5.59

UNIVERSE: ADULTS WHO HAVE EVER USED E-CIGS

INPUT VAR:

NOTES: Previous version: AC134

VARNAME: AC179

LABEL: USED E-CIG FLAVOR - FRUIT

VALUE: -1 INAPPLICABLE 19736 91.95
1 YES 1372 6.39
2 NO 355 1.65

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

VARNAME: EFLAV_FRUIT

LABEL: USED E-CIG FLAVOR - FRUIT (UPCODED)

VALUE: -1 INAPPLICABLE 19736 91.95
1 YES 1380 6.43
2 NO 347 1.62

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR: AC179, AC184

NOTES: RESPONDENTS WHO ANSWERED FRUIT IN AC184 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

VARNAME: AC180

LABEL: USED E-CIG FLAVOR - CANDY/SWEET

VALUE: -1 INAPPLICABLE 19736 91.95
1 YES 639 2.98
2 NO 1088 5.07

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

VARNAME: EFLAV_SWEET

LABEL: USED E-CIG FLAVOR - CANDY/SWEET (UPCODED)

VALUE: -1 INAPPLICABLE 19736 91.95
1 YES 667 3.11
2 NO 1060 4.94

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR: AC180, AC184

NOTES: RESPONDENTS WHO ANSWERED CANDY/SWEET IN AC184 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

VARNAME: AC181

LABEL: USED E-CIG FLAVOR - ALCOHOL/LIQUOR

VALUE: -1 INAPPLICABLE 19736 91.95
1 YES 78 0.36
2 NO 1649 7.68

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

VARNAME: EFLAV_ALC

LABEL: USED E-CIG FLAVOR - ALCOHOL/LIQUOR (UPCODED)

VALUE: -1 INAPPLICABLE 19736 91.95
1 YES 81 0.38
2 NO 1646 7.67

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR: AC181, AC184

NOTES: RESPONDENTS WHO ANSWERED ALCOHOL/LIQUOR IN AC184 HAVE THEIR

RESPONSES REFLECTED IN THIS VARIABLE

VARNAME: AC182

LABEL: USED E-CIG FLAVOR - MINT

VALUE: -1 INAPPLICABLE 19736 91.95
1 YES 710 3.31
2 NO 1017 4.74

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

VARNAME: EFLAV_MINT

LABEL: USED E-CIG FLAVOR - MINT (UPCODED)

VALUE: -1 INAPPLICABLE 19736 91.95
1 YES 714 3.33
2 NO 1013 4.72

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR: AC182, AC184

NOTES: RESPONDENTS WHO ANSWERED MINT IN AC184 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

VARNAME: AC183

LABEL: USED E-CIG FLAVOR - TOBACCO

VALUE: -1 INAPPLICABLE 19736 91.95
1 YES 318 1.48
2 NO 1409 6.56

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

VARNAME: EFLAV_TOB

LABEL: USED E-CIG FLAVOR - TOBACCO (UPCODED)

VALUE: -1 INAPPLICABLE 19736 91.95
1 YES 318 1.48
2 NO 1409 6.56

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR: AC183, AC184

NOTES: RESPONDENTS WHO ANSWERED TOBACCO IN AC184 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

VARNAME: AC185

LABEL: PLAN TO QUIT USING E-CIGS

			FREQ	%
VALUE:	-1	INAPPLICABLE	20787	96.85
	1	IN THE NEXT 30 DAYS	159	0.74
	2	IN THE NEXT 3 MONTHS	64	0.30
	3	IN THE NEXT 6 MONTHS	50	0.23
	4	IN THE NEXT YEAR	127	0.59
	5	DO NOT HAVE A PLAN TO QUIT	276	1.29

UNIVERSE: ADULTS WHO HAVE USED E-CIGS IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC135

LABEL: FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (CHEWI

			FREQ	%
VALUE:	1	O DAYS	21299	99.24
	2	1-2 DAYS	34	0.16
	3	3-5 DAYS	15	0.07
	4	6-9 DAYS	14	0.07
	5	10-19 DAYS	18	0.08
	6	20-29 DAYS	11	0.05
	7	30 DAYS OR MORE	72	0.34

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC135_P1

LABEL: FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (PUF 1

			rkey	/₀
VALUE:	1	O DAYS	21299	99.24
	2	1-29 DAYS	92	0.43
	3	30 DAYS OR MORE	72	0.34

UNIVERSE: ALL ADULTS

INPUT VAR: AC135

NOTES: AC135 categories collapsed

VARNAME: AC136

LABEL: USED CHEWING TOBACCO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

VALUE: -1 INAPPLICABLE 21299 99.24 1 YES 58 0.27 2 NO 106 0.49

UNIVERSE: ADULTS WHO USED CHEWING TOBACCO AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC137

LABEL: FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS

% FREQ VALUE: O DAYS 1-2 DAYS 21228 98.91 1 99 0.46 2 3 3-5 DAYS 36 0.17 0.06 4 6-9 DAYS 13 10-19 DAYS 27 5 0.13 6 20-29 DAYS 9 0.04 0.24 7 30 DAYS OR MORE 51

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC137_P1

LABEL: FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS (PU

VALUE: 1 0 DAYS 21228 98.91 2 1-29 DAYS 184 0.86 3 30 DAYS OR MORE 51 0.24

UNIVERSE: ALL ADULTS

INPUT VAR: AC137

NOTES: AC137 categories collapsed

VARNAME: AC138

LABEL: USED CIGARILLO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

VALUE: -1 INAPPLICABLE 21228 98.91
1 YES 76 0.35
2 NO 159 0.74

UNIVERSE: ADULTS WHO USED CIGARILLO AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC139

LABEL: FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS

			FREQ	%
VALUE:	1	O DAYS	21171	98.64
	2	1-2 DAYS	182	0.85
	3	3-5 DAYS	44	0.21
	4	6-9 DAYS	12	0.06
	5	10-19 DAYS	15	0.07
	6	20-29 DAYS	10	0.05
	7	30 DAYS OR MORE	29	0.14

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC139_P1

LABEL: FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS (PUF 1 YR RECODE)

			FREQ	%
VALUE:	1	O DAYS	21171	98.64
	2	1-29 DAYS	263	1.23
	3	30 DAYS OR MORE	29	0.14

UNIVERSE: ALL ADULTS

INPUT VAR: AC139

NOTES: AC139 CATEGORIES COLLAPSED

VARNAME: AC140

LABEL: USED BIG CIGAR FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

VALUE: -1 INAPPLICABLE 21171 98.64
1 YES 32 0.15
2 NO 260 1.21

UNIVERSE: ADULTS WHO USED BIG CIGARS AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC141

LABEL: FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS

			FREQ	%
VALUE:	1	O DAYS	21375	99.59
	2	1-2 DAYS	52	0.24
	3	3-5 DAYS	8	0.04
	4	6-9 DAYS	5	0.02
	5	10-19 DAYS	4	0.02
	6	20-29 DAYS	8	0.04
	7	30 DAYS OR MORE	11	0.05

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC141_P1

LABEL: FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS (PUF 1 YR RECO

VALUE: 1 0 DAYS 21375 99.59
2 1-29 DAYS 77 0.36
3 30 DAYS OR MORE 11 0.05

UNIVERSE: ALL ADULTS

INPUT VAR: AC141

NOTES: AC141 CATEGORIES COLLAPSED

VARNAME: AC142

LABEL: USED HOOKAH FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

VALUE: -1 INAPPLICABLE 21375 99.59
1 YES 58 0.27
2 NO 30 0.14

UNIVERSE: ADULTS WHO USED HOOKAH AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC186

LABEL: BEGAN WITH FLAVORED TOBACCO PRODUCT WHEN FIRST STARTED USING

VALUE: -1 INAPPLICABLE 19143 89.19
1 YES 530 2.47
2 NO 1790 8.34

UNIVERSE: ADULTS WHO HAVE USED A TOBACCO PRODUCT IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC187

LABEL: WHEN EXPOSED TO SECONDHAND TOBACCO SMOKE OR E-CIG VAPOR IN CA IN

FREQ % VALUE: 17.58 1 IN THE PAST WEEK 3773 2 IN THE PAST TWO WEEKS 988 4.60 3 IN THE PAST MONTH 1645 7.66 LONGER THAN A MONTH AGO, BUT WITHIN THE 3400 15.84 NO ONE HAS SMOKED TOBACCO OR VAPED AROUN 11657 54.31 5

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC188

LABEL: SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - SIDEWALKS

VALUE: -1 INAPPLICABLE 16702 77.82 1 YES 3138 14.62 2 NO 1623 7.56

UNIVERSE: ADULTS WHO HAD SECONDHAND TOBACCO SMOKE/VAPOR EXPOSURE IN PAST TWO

WEEKS

INPUT VAR:

NOTES:

VARNAME: AC189

LABEL: SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - INSIDE HOME

VALUE: -1 INAPPLICABLE 16702 77.82 1 YES 884 4.12 2 NO 3877 18.06

UNIVERSE: ADULTS WHO HAD SECONDHAND TOBACCO SMOKE/VAPOR EXPOSURE IN PAST TWO

WEEKS

INPUT VAR:

NOTES:

VARNAME: AC190

LABEL: SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - WORKPLACE

VALUE: -1 INAPPLICABLE 16702 77.82 1 YES 527 2.46 2 NO 4234 19.73

UNIVERSE: ADULTS WHO HAD SECONDHAND TOBACCO SMOKE/VAPOR EXPOSURE IN PAST TWO

WEEKS

INPUT VAR:

NOTES:

VARNAME: AC191

LABEL: SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - PUBLIC PARK/BEA

VALUE: -1 INAPPLICABLE 16702 77.82 1 YES 2070 9.64 2 NO 2691 12.54

UNIVERSE: ADULTS WHO HAD SECONDHAND TOBACCO SMOKE/VAPOR EXPOSURE IN PAST TWO

WEEKS

INPUT VAR:

NOTES:

VARNAME: AC143

LABEL: HOME RULES CONCERNING SMOKING/VAPING/E-CIG USE

VALUE: 1 NOT ALLOWED ANYWHERE OR ANYTIME 19755 92.04
2 ALLOWED IN SOME PLACES OR SOMETIMES 1172 5.46
3 ALLOWED ANYWHERE AND ANYTIME 536 2.50

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SCND_SMK

LABEL: LOCATION OF SECONDHAND SMOKE EXPOSURE

VALUE: 1 AT HOME ONLY 343 1.60
2 OUTSIDE THE HOME ONLY 3877 18.06
3 BOTH AT HOME AND OUTSIDE THE HOME 541 2.52
4 NO EXPOSURE 16702 77.82

UNIVERSE: ALL ADULTS

INPUT VAR: AC188 AC189 AC190 AC191

NOTES:

VARNAME: FLAVTOB

LABEL: CURRENT (PAST 30 DAYS) USE OF FLAVORED TOBACCO PRODUCTS

FREQ % 4.22 VALUE: 1 YES NO 906

2 20557 95.78

UNIVERSE: ALL ADULTS

INPUT VAR: AC134V2 AC136 AC138 AC140 AC142 AC175

RECLAIMED IN CHIS 2021 NOTES:

VARNAME: FLAVTOB2

LABEL: CURRENT (PAST 30 DAYS) USE OF NON-TOBACCO FLAVORED CIGS/E-CIGS/CI

FREQ % 1 YES 2 NO VALUE: 4.01 861

20602 95.99 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR: AC82C AC134V2 EFLAV_FRUIT EFLAV_MINT EFLAV_SWEET EFLAV_ALC AC136

NOTES: CV CREATED IN CHIS 2022. SIMILAR TO FLAVTOB BUT ONLY FOR ITEMS NOT

IMPACTED BY NEW LAW SURROUNDING FLAVORED TOBACCO SALES.

VARNAME: NONFLAVTOB

LABEL: CURRENT (PAST 30 DAYS) USE OF TOBACCO FLAVORED E-CIGS OR FLAVORED

FREQ YES 0.69 VALUE: 1 149

21314 99.31 NO

UNIVERSE: ALL ADULTS

INPUT VAR: AC82C AC134V2 EFLAV_TOB AC140 AC142

NOTES: CV CREATED IN CHIS 2022. SIMILAR TO FLAVTOB BUT ONLY FOR ITEMS

IMPACTED BY NEW LAW SURROUNDING FLAVORED TOBACCO SALES.

VARNAME: NONCIGPRO

LABEL: CURRENT (PAST 30 DAYS) USE OF NON-CIGARETTE TOBACCO PRODUCTS

FREQ YES VALUE: 1

1245 5.80 20218 94.20 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR: AC135 AC137 AC139 AC141 AC82C

NOTES: INPUT AC82C CONTAINS DIFFERENT WORDING FROM OTHER INPUT VARIABLES

VARNAME: AC115

LABEL: EVER TRIED MARIJUANA OR HASHISH

FREQ % YES 11691

VALUE: 1 54.47 2

45.53 NO 9772

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC116

LABEL: HOW LONG SINCE LAST MARIJUANA/HASHISH USE

MEAN STATISTICS

N 11691 MIN 0 MAX 31755 MEAN 4679.99

UNIVERSE: ALL ADULTS WHO HAVE EVER TRIED MARIJUANA OR HASHISH

INPUT VAR:

NOTES:

VARNAME: AC116_P1

LABEL: HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	9772	45.53
	1	WITHIN THE PAST MONTH	3687	17.18
	2	MORE THAN 1 MONTH TO A YEAR AGO	1690	7.87
	3	MORE THAN 1 YR TO 5 YRS AGO	1545	7.20
	4	MORE THAN 5 YRS TO 10 YRS AGO	699	3.26
	5	MORE THAN 10 YRS TO 15 YRS AGO	374	1.74
	6	MORE THAN 15 YRS AGO	3696	17.22

UNIVERSE: ALL ADULTS WHO HAVE EVER TRIED MARIJUANA OR HASHISH

INPUT VAR: AC116

NOTES: AC116 Categories Collapsed

VARNAME: AC117V2

LABEL: FREQUENCY OF MARIJUANA/HASHISH/THC PRODUCT USE IN PAST 30 DAYS

			FKEQ	76
VALUE:	-1	INAPPLICABLE	17776	82.82
	1	O DAYS	440	2.05
	2	1-2 DAYS	807	3.76
	3	3-5 DAYS	454	2.12
	4	6-9 DAYS	324	1.51
	5	10-19 DAYS	446	2.08
	6	20-29 DAYS	470	2.19
	7	30 DAYS OR MORE	746	3.48

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH IN PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC117

VARNAME: AC118V2

LABEL: HOW OFTEN USE TOBACCO WITH MARIJUANA

VALUE:	-1	INAPPLICABLE	FREQ 18216	% 84.87
	1	USUALLY	203	0.95
	2	SOMETIMES	486	2.26
	3	NEVER	2558	11.92

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC118

VARNAME: AC119V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 1934 9.01
2 NO 1313 6.12

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC119. RECOMMEND USING MAR_SMKV2 DUE TO

INCLUSION OF DATA FROM AC125V2 RESPONSES.

VARNAME: AC120V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 372 1.73
2 NO 2875 13.40

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC120. RECOMMEND USING MAR_BLUNTV2 DUE TO

INCLUSION OF DATA FROM AC125V2 RESPONSES.

VARNAME: AC121V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 1733 8.07
2 NO 1514 7.05

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC121. RECOMMEND USING MAR_EATV2 DUE TO

INCLUSION OF DATA FROM AC125V2 RESPONSES.

VARNAME: AC122V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 282 1.31
2 NO 2965 13.81

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC122. RECOMMEND USING MAR_DRINKV2 DUE TO

INCLUSION OF DATA FROM AC125V2 RESPONSES.

VARNAME: AC123V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 984 4.58
2 NO 2263 10.54

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC123. RECOMMEND USING MAR_VAPV2 DUE TO

INCLUSION OF DATA FROM AC125V2 RESPONSES.

VARNAME: AC124V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 279 1.30
2 NO 2968 13.83

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC124. RECOMMEND USING MAR_DABV2 DUE TO

INCLUSION OF DATA FROM AC125V2 RESPONSES.

VARNAME: MAR_SMKV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE (UPCODE

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 1942 9.05
2 NO 1305 6.08

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: MAR_SMK; RESPONDENTS WHO ANSWERED

JOINT/BONG/PIPE IN AC125 HAVE THEIR RESPONSES REFLECTED IN THIS

VARIABLE

VARNAME: MAR_BLUNTV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT (UPCODED)

FREQ %
VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 374 1.74
2 NO 2873 13.39

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: MAR_BLUNT; RESPONDENTS WHO ANSWERED BLUNT IN

AC125 HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

VARNAME: MAR_EATV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT (UPCODED)

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 1769 8.24
2 NO 1478 6.89

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: MAR_EAT; RESPONDENTS WHO ANSWERED EAT IN AC125

HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

VARNAME: MAR_DRINKV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK (UPCODED)

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 302 1.41
2 NO 2945 13.72

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: MAR_DRINK; RESPONDENTS WHO ANSWERED DRINK IN

AC125 HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

VARNAME: MAR_VAPV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE (UPCODED)

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 998 4.65
2 NO 2249 10.48

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: MAR_VAP; RESPONDENTS WHO ANSWERED VAPORIZE IN

AC125 HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

VARNAME: MAR_DABV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB (UPCODED)

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 280 1.30
2 NO 2967 13.82

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: MAR_DAB; RESPONDENTS WHO ANSWERED DAB IN AC125

HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

VARNAME: AC126V2

LABEL: ANY MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 455 2.12
2 NO 2792 13.01

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC126

VARNAME: MARTYPEV2

LABEL: METHOD OF TAKING MARIJUANA

UNIVERSE: ALL ADULTS WHO USED MARIJUANA, HASHISH, OR OTHER THC PRODUCT AT

LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: MARTYPE

VARNAME: AC127V2

LABEL: ALL MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER

			FREQ	%
VALUE:	-1	INAPPLICABLE	21008	97.88
	1	YES	306	1.43
	2	NO	149	0.69

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC127

VARNAME: AC193

LABEL: MOST COMMON METHOD OF MARIJUANA USE IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	19943	92.92
	1	SMOKE IT IN A JOINT, BONG, OR PIPE	720	3.35
	2	SMOKE PART OR ALL OF A CIGAR WITH MARIJU	58	0.27
	3	EAT IT	339	1.58
	4	DRINK IT	35	0.16
	5	VAPORIZE IT	304	1.42
	6	DAB IT	52	0.24
	7	OTHER	11	0.05
	91	OTHER WAY NOT PREVIOUSLY MENTIONED	1	0.00

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS VIA MORE THAN ONE

METHOD

INPUT VAR:

NOTES:

VARNAME: AC193_P1

LABEL: MOST COMMON METHOD OF MARIJUANA USE IN PAST 30 DAYS (PUF 1 YR REC

			FREQ	%
VALUE:	-1	INAPPLICABLE	19943	92.92
	1	SMOKING METHOD (METHODS OF CONSUMPTION W	778	3.62
	2	ORAL CONSUMPTION METHOD	374	1.74
	3	INHALING VAPORS METHOD	356	1.66
	4	OTHER METHOD	12	0.06

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS VIA MORE THAN ONE

METHOD

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

VARNAME: AC194_1

LABEL: WHERE GOT MARIJUANA USED - DISPENSARY

			FREQ	%
VALUE:	-1	INAPPLICABLE	18216	84.87
	1	YES	2396	11.16
	2	NO	851	3.96

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194_2

LABEL: WHERE GOT MARIJUANA USED - VAPE/SMOKE SHOP

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 56 0.26
2 NO 3191 14.87

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194_3

LABEL: WHERE GOT MARIJUANA USED - OTHER SHOP

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 26 0.12
2 NO 3221 15.01

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194_4

LABEL: WHERE GOT MARIJUANA USED - DELIVERY SERVICE

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 370 1.72
2 NO 2877 13.40

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194_5

LABEL: WHERE GOT MARIJUANA USED - WEBSITE

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 60 0.28
2 NO 3187 14.85

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194_6

LABEL: WHERE GOT MARIJUANA USED - POP-UP SHOP

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 21 0.10
2 NO 3226 15.03

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194_7

LABEL: WHERE GOT MARIJUANA USED - FAMILY/FRIEND

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 837 3.90
2 NO 2410 11.23

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194_8

LABEL: WHERE GOT MARIJUANA USED - OTHER PERSON

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 154 0.72
2 NO 3093 14.41

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194_9

LABEL: WHERE GOT MARIJUANA USED - GROW IT MYSELF

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 305 1.42
2 NO 2942 13.71

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194_91

LABEL: WHERE GOT MARIJUANA USED - OTHER

VALUE: -1 INAPPLICABLE 18216 84.87
1 YES 14 0.07
2 NO 3233 15.06

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: MARCUR

LABEL: CURRENT MARIJUANA USER

VALUE: 1 CURRENT USER 3247 15.13 2 NOT CURRENT USER 18216 84.87

UNIVERSE: ALL ADULTS

INPUT VAR: AC115 AC116 AC117V2

NOTES: CURRENT USE IS DEFINED AS AT LEAST 1 TIME IN PAST 30 DAYS

VARNAME: MAREXPOSE

LABEL: EXPOSED TO MARIJUANA SMOKE IN PAST YEAR

VALUE: 1 YES 8235 38.37 2 NO 13228 61.63

UNIVERSE: ALL ADULTS

INPUT VAR: AC192

NOTES:

VARNAME: MJMETHOD

LABEL: MOST USED METHOD OF MARIJUANA USE

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	10	0.05
	-1	INAPPLICABLE	18216	84.87
	1	SMOKE IN JOINT, BONG, OR PIPE	1455	6.78
	2	SMOKE AS BLUNT	66	0.31
	3	EAT	1061	4.94
	4	DRINK	62	0.29
	5	VAPORIZE	470	2.19
	6	DAB	70	0.33
	7	OTHER	11	0.05
	91	SOME OTHER WAY	34	0.16
	92	NONE OF THESE METHODS	8	0.04

UNIVERSE: ADULTS WHO HAVE EVER USED MARIJUANA IN PAST 30 DAYS

INPUT VAR: AC119 - AC125 AC193

NOTES:

VARNAME: MJMETHOD_P1

LABEL: MOST USED METHOD OF MARIJUANA USE (PUF 1 YR RECODE)

VALUE:	-9	NOT ASCERTAINED	FREQ 10	% 0.05
	-1	INAPPLICABLE	18216	84.87
	1	SMOKING METHOD (METHODS OF CONSUMPTION W	1521	7.09
	2	ORAL CONSUMPTION METHOD	1123	5.23
	3	INHALING VAPORS METHOD	540	2.52
	4	OTHER METHOD	45	0.21
	92	NONE OF THESE METHODS	8	0.04

UNIVERSE: ADULTS WHO HAVE EVER USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

VARNAME: AC192

LABEL: WHEN EXPOSED TO SECONDHAND MARIJUANA SMOKE IN THE PAST YEAR

VALUE: 1 IN THE PAST WEEK 3014 14.04
2 IN THE PAST TWO WEEKS 845 3.94
3 IN THE PAST MONTH 1470 6.85
4 LONGER THAN A MONTH AGO, BUT WITHIN THE 2906 13.54
5 NO ONE HAS SMOKED MARIJUANA AROUND ME WI 13228 61.63

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SMKEXPOSE

LABEL: SECONDHAND EXPOSURE TO TOBACCO OR MARIJUANA SMOKE IN PAST MONTH

VALUE: 1 YES 8428 39.27 2 NO 13035 60.73

UNIVERSE: ALL ADULTS

INPUT VAR: AC187 AC192

NOTES:

VARNAME: AC195

LABEL: EVER USED CBD IN ANY FORM

FREQ % 7709 35.92 YES NO VALUE: 1

13754 64.08 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC196

LABEL: HOW LONG SINCE LAST CBD USE

MEAN STATISTICS

7709 N MIN 21900 MAXMEAN 444.72

UNIVERSE: ADULTS WHO HAVE EVER USED CBD IN ANY FORM

INPUT VAR:

NOTES:

VARNAME: AC197

LABEL: # OF DAYS USED CBD IN THE PAST LESS THAN 30 DAYS

		FREQ	%
-1	INAPPLICABLE	18775	87.48
1	O DAYS	295	1.37
2	1-2 DAYS	870	4.05
3	3-5 DAYS	511	2.38
4	6-9 DAYS	260	1.21
5	10-19 DAYS	304	1.42
6	20-29 DAYS	204	0.95
7	30 DAYS OR MORE	244	1.14
	1 2 3 4 5	1 0 DAYS 2 1-2 DAYS 3 3-5 DAYS 4 6-9 DAYS 5 10-19 DAYS 6 20-29 DAYS	-1 INAPPLICABLE 18775 1 0 DAYS 295 2 1-2 DAYS 870 3 3-5 DAYS 511 4 6-9 DAYS 260 5 10-19 DAYS 304 6 20-29 DAYS 204

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC198

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 957 4.46
2 NO 1436 6.69

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_ORAL

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY (UPCODED)

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 960 4.47
2 NO 1433 6.68

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED ORALLY IN AC205 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

VARNAME: AC199

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - EAT

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 982 4.58
2 NO 1411 6.57

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_EAT

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - EAT (UPCODED)

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 986 4.59
2 NO 1407 6.56

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED EAT IN AC205 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

VARNAME: AC200

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - DRINK

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 257 1.20
2 NO 2136 9.95

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_DRINK

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - DRINK (UPCODED)

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 258 1.20
2 NO 2135 9.95

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED DRINK IN AC205 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

VARNAME: AC201

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 1412 6.58
2 NO 981 4.57

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_SKIN

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN (UPCODED)

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 1438 6.70
2 NO 955 4.45

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED APPLY TO SKIN IN AC205 HAVE THEIR

RESPONSES REFLECTED IN THIS VARIABLE

VARNAME: AC202

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - SMOKE

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 234 1.09
2 NO 2159 10.06

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_SMK

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - SMOKE (UPCODED)

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 238 1.11
2 NO 2155 10.04

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED SMOKE IN AC205 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

VARNAME: AC203

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 191 0.89
2 NO 2202 10.26

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_VAP

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE (UPCODED)

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 191 0.89
2 NO 2202 10.26

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED VAPORIZE IN AC205 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

VARNAME: AC204

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - DAB

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 79 0.37
2 NO 2314 10.78

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: CBD_DAB

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - DAB (UPCODED)

VALUE: -1 INAPPLICABLE 19070 88.85
1 YES 79 0.37
2 NO 2314 10.78

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED DAB IN AC205 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

VARNAME: AC206

LABEL: MOST COMMON METHOD OF CBD USE IN PAST 30 DAYS

VALUE:	– 1	INAPPLICABLE	FREQ 20353	% 94.83
VALUE:	-1	INAPPLICABLE	20353	94.83
	1	TAKE IT ORALLY	308	1.44
	2	EAT IT	311	1.45
	3	DRINK IT	51	0.24
	4	APPLY IT ON YOUR SKIN	330	1.54
	5	SMOKE IT	54	0.25
	6	VAPORIZE IT	49	0.23
	7	DAB IT	6	0.03
	91	OTHER WAY NOT PREVIOUSLY MENTIONED	1	0.00

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS VIA MORE THAN ONE METHOD

INPUT VAR:

NOTES:

VARNAME: CBDCUR

LABEL: CURRENT CBD USER

VALUE: 1 CURRENT CBD USER 2393 11.15 2 NOT A CURRENT CBD USER 19070 88.85

UNIVERSE: ALL ADULTS

INPUT VAR: AC197

NOTES:

VARNAME: CBDMETHOD

LABEL: MOST USED METHOD OF CBD USE

			FREQ	%
VALUE:	-1	INAPPLICABLE	19070	88.85
	1	TAKE ORALLY	537	2.50
	2	EAT	572	2.67
	3	DRINK	88	0.41
	4	APPLY ON SKIN	1003	4.67
	5	SMOKE	88	0.41
	6	VAPORIZE	75	0.35
	7	DAB	16	0.07
	92	NONE OF THESE METHODS	14	0.07

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR: AC198 - AC204 AC206

NOTES:

VARNAME: AC128

LABEL: EVER USED HEROIN IN PAST 12 MOS

FREQ % VALUE: 1 31 0.14

YES NO 2 21432 99.86

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC129

LABEL: EVER MISUSE PRESCRIPTION PAIN KILLER

FREQ % 427 1.99

VALUE: 1 YES 2 NO 21036 98.01

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC131

LABEL: RECEIVE PRESCRIPTION FROM ONE DOCTOR OR MORE THAN ONE DOCTOR

			FREQ	%
VALUE:	-1	INAPPLICABLE	21036	98.01
	1	ONE DOCTOR	313	1.46
	2	MORE THAN ONE DOCTOR	47	0.22
	3	DIDN'T GET IT FROM A DOCTOR	67	0.31

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AC133_1

LABEL: CONDITION TAKING MEDICINE FOR - DENTAL WORK/DENTAL PAIN

			FREQ	%
VALUE:	-1	INAPPLICABLE	21036	98.01
	1	YES	73	0.34
	2	NO	354	1.65

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AC133_2

LABEL: CONDITION TAKING MEDICINE FOR - SURGERY, NOT ACCIDENT-RELATED

VALUE: -1 INAPPLICABLE 21036 98.01 1 YES 137 0.64 2 NO 290 1.35

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AC133_3

LABEL: CONDITION TAKING MEDICINE FOR - RECENT INJURY

VALUE: -1 INAPPLICABLE 21036 98.01 1 YES 85 0.40 2 NO 342 1.59

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AC133_4

LABEL: CONDITION TAKING MEDICINE FOR - CHRONIC PAIN, REGARDLESS OF CAUSE

VALUE: -1 INAPPLICABLE 21036 98.01 1 YES 205 0.96 2 NO 222 1.03

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AC133_5

LABEL: CONDITION TAKING MEDICINE FOR - RECREATIONAL USE

VALUE: -1 INAPPLICABLE 21036 98.01
1 YES 8 0.04
2 NO 419 1.95

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AC133_6

LABEL: CONDITION TAKING MEDICINE FOR - DRUG ADDICTION

VALUE: -1 INAPPLICABLE 21036 98.01 1 YES 5 0.02 2 NO 422 1.97

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AC133_7

LABEL: CONDITION TAKING MEDICINE FOR - ANXIETY

VALUE: -1 INAPPLICABLE 21036 98.01 1 YES 1 0.00 2 NO 426 1.98

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AC133_8

LABEL: CONDITION TAKING MEDICINE FOR - SLEEP

VALUE: -1 INAPPLICABLE 21036 98.01 1 YES 2 0.01 2 NO 425 1.98

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AC133_9

LABEL: CONDITION TAKING MEDICINE FOR - OTHER MENTAL/EMOTIONAL HEALTH

VALUE: -1 INAPPLICABLE 21036 98.01 2 NO 427 1.99

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AC133_10

LABEL: CONDITION TAKING MEDICINE FOR - OTHER REASON

VALUE: -1 INAPPLICABLE 21036 98.01 1 YES 10 0.05 2 NO 417 1.94

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: OTHMEDCNDTN

LABEL: USED MEDICATION FOR REASON OTHER THAN DENTAL/SURGERY/INJURY/CHRON

VALUE: -1 INAPPLICABLE 21036 98.01 1 YES 26 0.12 2 NO 401 1.87

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR: AC133_5 AC133_6 AC133_7 AC133_8 AC133_9 AC133_10

NOTES: CV CREATED IN CHIS 2022.

VARNAME: AC163

LABEL: # OF DAYS USED PRESCRIPTION PAIN KILLERS IN WAY DR DID NOT DIRECT

MEAN STATISTICS

N 427 MIN 0 MAX 30 MEAN 4.03

UNIVERSE: ALL ADULTS WHO USED PRESCRIPTION PAIN KILLERS IN PAST YEAR

INPUT VAR:

NOTES:

VARNAME: AC164

LABEL: USED PRESCRIPTION PAIN KILLERS WHILE: DRINKING ALCOHOL

VALUE: -1 INAPPLICABLE 21260 99.05
1 YES 23 0.11
2 NO 180 0.84

UNIVERSE: ALL ADULTS WHO USED PRESCRIPTION PAIN KILLER IN WAY DR DID NOT

DIRECT IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC165

LABEL: USED PRESCRIPTION PAIN KILLERS WHILE: USING BENZODIAZEPINES

VALUE: -1 INAPPLICABLE 21260 99.05
1 YES 16 0.07
2 NO 187

UNIVERSE: ALL ADULTS WHO USED PRESCRIPTION PAIN KILLER IN WAY DR DID NOT

DIRECT IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC166

LABEL: USED METHAMPHETAMINES IN PAST YEAR

VALUE: 1 YES 220 1.03 2 NO 21243 98.97

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC167

LABEL: USED PRESCRIPTION STIMULANTS IN PAST YEAR

FREQ % YES NO VALUE: 1 138 0.64 2 21325 99.36

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC207

LABEL: EVER HAD AN ALCOHOLIC BEVERAGE

FREQ % 17981 83.78 3482 16.22 VALUE: 1 YES 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC208

LABEL: HOW LONG SINCE LAST DRANK AN ALCOHOLIC BEVERAGE

VALUE: -1 INAPPLICABLE 3482 16.22
1 WITHIN THE PAST 30 DAYS 12406 57.80
2 MORE THAN 30 DAYS AGO, BUT WITHIN THE PA 2763 12.87
3 MORE THAN 12 MONTHS AGO 2812 13.10

UNIVERSE: ADULTS WHO HAVE EVER HAD AN ALCOHOLIC BEVERAGE

INPUT VAR:

NOTES:

VARNAME: AC209

LABEL: # OF DAYS DRANK AT LEAST ONE ALCOHOLIC BEVERAGE IN PAST 30 DAYS

MEAN STATISTICS

N 12406 MIN 1 MAX 30 MEAN 10.18

UNIVERSE: ADULTS WHO HAVE HAD AN ALCOHOLIC BEVERAGE IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC210

LABEL: # OF DRINKS USUALLY HAD EACH DAY ON DAYS THAT DRANK IN PAST 30 DA

MEAN STATISTICS

N 12406 MIN 0 MAX 88 MEAN 2.14

UNIVERSE: ADULTS WHO HAVE HAD AN ALCOHOLIC BEVERAGE IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC211

LABEL: # OF DAYS BINGE DRINKING IN PAST 30 DAYS

MEAN STATISTICS

 N
 12406

 MIN
 0

 MAX
 30

 MEAN
 1.38

UNIVERSE: ADULTS WHO HAVE HAD AN ALCOHOLIC BEVERAGE IN PAST 30 DAYS

INPUT VAR:

NOTES: BINGE DRINKING = 5+ DRINKS FOR SEX ASSIGNED MALE AT BIRTH; BINGE

DRINKING = 4+ DRINKS FOR SEX ASSIGNED FEMALE AT BIRTH

VARNAME: BINGE30

LABEL: BINGE DRINKING IN PAST 30 DAYS

VALUE: 1 YES 3606 16.80 2 NO 17857 83.20

UNIVERSE: ALL ADULTS

INPUT VAR: AC211

NOTES:

VARNAME: AC211_P1

LABEL: # OF DAYS BINGE DRINKING IN PAST 30 DAYS (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	9057	42.20
	0	O DAYS	8800	41.00
	1	1 DAY	1192	5.55
	2	2 DAYS	761	3.55
	3	3 DAYS	322	1.50
	4	4 DAYS	330	1.54
	5	5 DAYS	261	1.22
	6	6 DAYS	102	0.48
	7	7 DAYS	63	0.29
	8	8-14 DAYS	264	1.23
	9	15-21 DAYS	146	0.68
	10	22-29 DAYS	58	0.27
	11	30 DAYS	107	0.50

UNIVERSE: ADULTS WHO HAVE HAD AN ALCOHOLIC BEVERAGE IN PAST 30 DAYS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE. BINGE DRINKING = 5+ DRINKS FOR SEX ASSIGNED

MALE AT BIRTH; BINGE DRINKING = 4+ DRINKS FOR SEX ASSIGNED FEMALE

AT BIRTH.

VARNAME: ILLIDRUG

LABEL: USED HEROIN, METHAMPHETAMINE, OR PRESCRIPTION DRUG AS NOT DIRECTE

VALUE: 1 YES 733 3.42 2 NO 20730 96.58

UNIVERSE: ALL ADULTS

INPUT VAR: AC128 AC129 AC166 AC167

NOTES:

VARNAME: AC160

LABEL: IMPORTANCE OF GENETICS AND MEDICAL CARE TO HEALTH

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	1 NOT AT ALL IMPORTANT	205	0.96
	2	2	82	0.38
	3	3	165	0.77
	4	4	177	0.82
	5	5	1263	5.88
	6	6	846	3.94
	7	7	2294	10.69
	8	8	3659	17.05
	9	9	2056	9.58
	10	10 EXTREMELY IMPORTANT	10705	49.88

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC161

LABEL: IMPORTANCE OF INDIVIDUAL/ENVIRONMENTAL FACTORS TO HEALTH

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	1 NOT AT ALL IMPORTANT	96	0.45
	2	2	31	0.14
	3	3	62	0.29
	4	4	96	0.45
	5	5	638	2.97
	6	6	559	2.60
	7	7	1660	7.73
	8	8	3425	15.96
	9	9	2743	12.78
	10	10 EXTREMELY IMPORTANT	12142	56.57

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: GENENV

LABEL: MOST IMPORTANT FACTOR TO HEALTH

VALUE: 1 GENETICS AND MEDICAL CARE 3285 15.31
2 INDIVIDUAL OR ENVIRONMENTAL FACTORS 6245 29.10
3 THEY ARE EQUAL FACTORS 11933 55.60

UNIVERSE: ALL ADULTS

INPUT VAR: AC160 AC161

NOTES:

SECTION D: GENERAL HEALTH, DISABILITY & SEXUAL HEALTH

VARNAME: HGHTI

LABEL: HEIGHT: INCHES

MEAN STATISTICS

 N
 21463

 MIN
 37

 MAX
 130

 MEAN
 66.35

UNIVERSE: ALL ADULTS

INPUT VAR: AE17M

NOTES:

VARNAME: HGHTI_P

LABEL: HEIGHT: INCHES (PUF RECODE)

MEAN STATISTICS

N 21463 MIN 42 MAX 77 MEAN 66.33

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

VARNAME: HGHTM

LABEL: HEIGHT: METERS

MEAN STATISTICS

N 21463 MIN 1 MAX 3 MEAN 1.69

UNIVERSE: ALL ADULTS

INPUT VAR: AE17M

NOTES:

VARNAME: HGHTM_P

LABEL: HEIGHT: METERS (PUF RECODE)

MEAN STATISTICS

 N
 21463

 MIN
 1

 MAX
 2

 MEAN
 1.68

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1

VARNAME: HEIGHM_P

LABEL: HEIGHT: METERS - UCLA (PUF RECODE)

MEAN STATISTICS

N 21463 MIN 1 MAX 2 MEAN 1.68

UNIVERSE: ALL ADULTS

INPUT VAR: HEIGHM

NOTES: TOPCODE=2; BOTTOMCODE=1

VARNAME: HEIGHTM

LABEL: HEIGHT: METERS - UCLA

MEAN STATISTICS

N 21463 MIN 1 MAX 3 MEAN 1.69

UNIVERSE: ALL ADULTS

INPUT VAR: AE17M

NOTES:

VARNAME: WEIGHK_P

LABEL: WEIGHT: KG - UCLA (PUF RECODE)

MEAN STATISTICS

N 21463 MIN 41 MAX 150 MEAN 78.78

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK

NOTES: TOPCODE=150; BOTTOMCODE=41

VARNAME: WEIGHTKG

LABEL: WEIGHT: KG - UCLA

MEAN STATISTICS

 N
 21463

 MIN
 31

 MAX
 220

 MEAN
 78.90

UNIVERSE: ALL ADULTS

INPUT VAR: AE18K

NOTES:

VARNAME: WGHTK

LABEL: WEIGHT: KG

MEAN STATISTICS

N 21463 MIN 31 MAX 220 MEAN 78.90

UNIVERSE: ALL ADULTS

INPUT VAR: AE18K

NOTES:

VARNAME: WGHTK_P

LABEL: WEIGHT: KG (PUF RECODE)

MEAN STATISTICS

 N
 21463

 MIN
 41

 MAX
 150

 MEAN
 78.78

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTK

NOTES: TOPCODE=150; BOTTOMCODE=41

VARNAME: WGHTP

LABEL: WEIGHT: LBS

MEAN STATISTICS

N 21463 MIN 69 MAX 485 MEAN 173.95

UNIVERSE: ALL ADULTS

INPUT VAR: AE18K

NOTES:

VARNAME: WGHTP_P

LABEL: WEIGHT: LBS (PUF RECODE)

MEAN STATISTICS

N 21463 MIN 90 MAX 330 MEAN 173.67

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTP

NOTES: TOPCODE=330; BOTTOMCODE=90

VARNAME: BMI

LABEL: BODY MASS INDEX

MEAN STATISTICS

N 21463 MIN 8 MAX 102 MEAN 27.71

UNIVERSE: ALL ADULTS

INPUT VAR: WHOBMI

NOTES:

VARNAME: BMI_P

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS

 N
 21463

 MIN
 12

 MAX
 89

 MEAN
 27.68

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK_P HEIGHM_P

NOTES: SEE WEIGHK_P AND HEIGHM_P FOR BOTTOM AND TOP CODES

VARNAME: RBMI

LABEL: BMI DESCRIPTIVE

		FREQ	%
1	UNDERWEIGHT 0-18.49	399	1.86
2	NORMAL 18.5-24.99	7759	36.15
3	OVERWEIGHT 25.0-29.99	7263	33.84
4	OBESE 30.0+	6042	28.15
	1 2 3 4	NORMAL 18.5-24.99 OVERWEIGHT 25.0-29.99	1 UNDERWEIGHT 0-18.49 399 2 NORMAL 18.5-24.99 7759 3 OVERWEIGHT 25.0-29.99 7263

UNIVERSE: ALL ADULTS

INPUT VAR: BMI

NOTES:

VARNAME: WHOBMI

LABEL: BODY MASS INDEX: WHO DEFINITION

			FREQ	%
VALUE:	1	0 - 18.49 (UNDERWEIGHT)	399	1.86
	2	18.5 - 22.99 (ACCEPTABLE RISK)	4298	20.03
3	3	23.0 - 27.49 (INCREASED RISK)	7808	36.38
	4	27.5 OR HIGHER (HIGHER HIGH RISK)	8958	41.74

UNIVERSE: ALL ADULTS

INPUT VAR: BMI

NOTES: WORLD HEALTH ORGANIZATION (WHO) BMI CUT-POINTS CORRESPOND TO

INCREASING RISKS FOR CONDITIONS SUCH AS DIABETES AND HEART DISEASE

IN ASIAN POPULATIONS. FOR MORE INFORMATION SEE

http://www.who.int/nutrition/publications/bmi_asia_strategies.pdf

VARNAME: OVRWT

LABEL: OVERWEIGHT OR OBESE

VALUE: 1 YES 13305 61.99 2 NO 8158 38.01

UNIVERSE: ALL ADULTS

INPUT VAR: RBMI

NOTES:

VARNAME: AD50

LABEL: BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM

VALUE: 1 YES 1386 6.46 2 NO 20077 93.54

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AL8

LABEL: LEGALLY BLIND

VALUE: -1 INAPPLICABLE 20077 93.54
1 YES 99 0.46
2 NO 1287 6.00

UNIVERSE: ALL ADULTS WHO HAVE SEVERE VISION OR HEARING PROBLEMS

INPUT VAR:

NOTES:

VARNAME: AD43B

LABEL: # OF SEXUAL PARTNERS IN PAST 12 MOS

MEAN STATISTICS

N 21452 MIN 0 MAX 99 MEAN 0.87

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD45B

LABEL: SEX OF SEXUAL PARTNERS IN PAST 12 MOS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	7635	35.57
	1	MALE	7528	35.07
	2	FEMALE	6192	28.85
	3	ВОТН	97	0.45

UNIVERSE: ALL ADULTS WHO HAD AT LEAST 1 SEXUAL PARTNER IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AD46C

LABEL: SEXUAL ORIENTATION

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	STRAIGHT OR HETEROSEXUAL	19533	91.01
	2	GAY, LESBIAN, OR HOMOSEXUAL	800	3.73
	3	BISEXUAL	885	4.12
	4	NOT SEXUAL / CELIBATE / NONE	32	0.15
	5	OTHER	200	0.93
	6	DON'T KNOW	2	0.01

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION IN 2021. PREVIOUS VERSION: AD46B. CHANGE IN RESPONSE

OPTION CATEGORIES IN 2021.

VARNAME: AD46C_P1

LABEL: SEXUAL ORIENTATION (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	STRAIGHT OR HETEROSEXUAL	19533	91.01
	2	GAY, LESBIAN, OR HOMOSEXUAL	800	3.73
	3	BISEXUAL	885	4.12
	4	OTHER OR DON'T KNOW	234	1.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

VARNAME: SSLEGAL2

LABEL: LEGALLY MARRIED OR DOM PARTNER TO SAME SEX

VALUE: -1 INAPPLICABLE 19413 90.45
1 YES 348 1.62
2 NO 1702 7.93

UNIVERSE: ADULTS WHO HAD AT LEAST 1 SAME-SEX SEXUAL PARTNER IN LAST 12 MOS

OR WHO DON'T SELF-DESCRIBE AS STRAIGHT

INPUT VAR: AD60B AD61B

NOTES:

VARNAME: AD60B

LABEL: LEGALLY MARRIED TO SAME SEX

VALUE: -2 PROXY SKIPPED 11 0.05
-1 INAPPLICABLE 19402 90.40
1 YES 289 1.35
2 NO 1761 8.20

UNIVERSE: ALL ADULTS WHO HAD AT LEAST 1 SAME-SEX SEXUAL PARTNER IN LAST 12

MOS OR WHO DON'T SELF-DESCRIBE AS STRAIGHT

INPUT VAR:

NOTES:

VARNAME: AD61B

LABEL: LEGALLY DOM PARTNER IN CA TO SAME SEX

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19691	91.74
	1	YES	59	0.27
	2	NO	1702	7.93

UNIVERSE: ADULTS WHO HAD AT LEAST 1 SAME-SEX SEXUAL PARTNER IN LAST 12 MOS

OR WHO DON'T SELF-DESCRIBE AS STRAIGHT

INPUT VAR:

NOTES:

VARNAME: AJ169V2

LABEL: RESPONDENT'S PREGNANCY PLANS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	17605	82.02
	1	NO PLAN TO GET PREGNANT	2363	11.01
	2	NOT SEXUALLY ACTIVE	587	2.73
	3	PLAN TO GET GET PREGNANT	389	1.81
	4	CURRENTLY PREGNANT	137	0.64
	5	NOT ABLE TO BECOME PREGNANT	371	1.73

UNIVERSE: ADULTS 18-44 BORN FEMALE AT BIRTH

INPUT VAR:

NOTES: Previous version: AJ169. Universe changed from 18-49 to 18-44

years old.

VARNAME: AF40BV2

LABEL: USES OR MALE SEX PARTNER USES BIRTH CONTROL

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	18803	87.61
	1	YES	1708	7.96
	2	NO	749	3.49
	3	NO MALE SEXUAL PARTNER	192	0.89

UNIVERSE: HETEROSEXUAL FEMALES 18-44 AND NOT CURRENTLY PREGNANT OR SEXUALLY

ACTIVE

INPUT VAR:

NOTES: PREVIOUS VERSION: AF40B. UNIVERSE HAS EXPANDED FROM 18-45 TO 18-49

YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR ARE

CURRENTLY PREGNANT. QX VARNAME = AF40B.

VARNAME: AJ154BV2_1

LABEL: BIRTH CONTROL METHOD: TUBAL LIGATION

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19744	91.99
	1	YES	39	0.18
	2	NO	1669	7.78

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

VARNAME: AJ154BV2_2

LABEL: BIRTH CONTROL METHOD: VASECTOMY

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19744	91.99
	1	YES	237	1.10
	2	NO	1471	6.85

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

VARNAME: AJ154BV2_3

LABEL: BIRTH CONTROL METHOD: IUD

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19744	91.99
	1	YES	482	2.25
	2	NO	1226	5.71

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

VARNAME: AJ154BV2_4

LABEL: BIRTH CONTROL METHOD: IMPLANT

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19744	91.99
	1	YES	99	0.46
	2	NO	1609	7.50

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

VARNAME: AJ154BV2_5

LABEL: BIRTH CONTROL METHOD: BIRTH CONTROL PILLS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19744	91.99
	1	YES	433	2.02
	2	NO	1275	5.94

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

VARNAME: AJ154BV2_6

LABEL: BIRTH CONTROL METHOD: OTHER HORMONAL METHODS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19744	91.99
	1	YES	110	0.51
	2	NO	1598	7.45

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

VARNAME: AJ154BV2_7

LABEL: BIRTH CONTROL METHOD: CONDOMS (MALE)

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19744	91.99
	1	YES	463	2.16
	2	NO	1245	5.80

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

VARNAME: AJ154BV2_91

LABEL: BIRTH CONTROL METHOD: OTHER

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19744	91.99
	1	YES	5	0.02
	2	NO	1703	7.93

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: SAME AS AJ154BV2_8 FROM PRIOR YEARS. PREVIOUS VERSION: AJ154B.

UNIVERSE HAS EXPANDED FROM 18-45 TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR ARE CURRENTLY PREGNANT. QX

EDEO

VARNAME = AJ154B.

VARNAME: AJ154BV2_9

LABEL: BIRTH CONTROL METHOD: OTHER BIRTH CONTROL

			rney	/0
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19744	91.99
	1	YES	29	0.14
	2	NO	1679	7.82

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

VARNAME: AJ154BV2_10

LABEL: BIRTH CONTROL METHOD: HYSTERECTOMY

VALUE: -2 PROXY SKIPPED 11 0.05
-1 INAPPLICABLE 19744 91.99
2 NO 1708 7.96

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

VARNAME: AJ170V2

LABEL: MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	20703	96.46
	1	TRYING TO GET PREGNANT/WANT A BABY	227	1.06
	2	HAVEN'T FOUND A METHOD I LIKE	80	0.37
	3	COST	15	0.07
	4	HAVEN'T HAD TIME TO GO IN FOR BIRTH CONT	16	0.07
	5	NO TRANSPORTATION	3	0.01
	6	DON'T KNOW WHERE TO GET IT	4	0.02
	7	DON'T BELIEVE IN BIRTH CONTROL	21	0.10
	8	WORRIED ABOUT SIDE EFFECTS AND/OR HEALTH	258	1.20
	9	PARTNER WON'T LET ME	7	0.03
	10	NO NEED/DON'T WANT	48	0.22
	11	INABILITY TO GET PREGNANT	34	0.16
	12	NO SEXUAL PARTNER	15	0.07
	13	OTHER	21	0.10

UNIVERSE: FEMALES 18-44 WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, OR NOT USING

BIRTH CONTROL

INPUT VAR:

NOTES: Previous version: AJ170. Universe changed from 18-49 to 18-44

years old.

VARNAME: AJ170V2_P1

LABEL: MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	20703	96.46
	1	TRYING TO GET PREGNANT/WANT A BABY	227	1.06
	2	OTHER	146	0.68
	3	DON'T BELIEVE IN BIRTH CONTROL	21	0.10
	4	WORRIED ABOUT SIDE EFFECTS AND/OR HEALTH	258	1.20
	5	NO NEED/DON'T WANT	48	0.22
	6	INABILITY TO GET PREGNANT	34	0.16
	7	NO SEXUAL PARTNER	15	0.07

UNIVERSE: FEMALES 18-44 WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, OR NOT USING

BIRTH CONTROL

INPUT VAR:

NOTES: AJ170V2 Categories Collapsed

VARNAME: AJ171V2

LABEL: EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	18422	85.83
	1	YES	1637	7.63
	2	NO	1283	5.98
	3	NO MALE SEXUAL PARTNER	110	0.51

UNIVERSE: FEMALES 18-44 WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND NOT

USING BIRTH CONTROL

INPUT VAR:

NOTES: Previous version: AJ171

VARNAME: AJ171V2_P1

LABEL: EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	18422	85.83
	1	YES	1637	7.63
	2	NO	1393	6.49

UNIVERSE: FEMALES 18-44 WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND NOT

USING BIRTH CONTROL

INPUT VAR:

NOTES: Previous version: AJ171_P1. AJ170V2 Categories Collapsed.

VARNAME: AJ179

LABEL: RECEIVED BIRTH CONTROL COUNSELING OR INFO FROM DR IN PAST 12 MOS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	17868	83.25
	1	YES	1060	4.94
	2	NO	2524	11.76

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL AND NOT CURRENTLY PREGNANT

INPUT VAR:

NOTES:

VARNAME: AJ180

LABEL: RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	17868	83.25
	1	YES	1073	5.00
	2	NO	2511	11.70

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL AND NOT CURRENTLY PREGNANT

INPUT VAR:

NOTES:

VARNAME: AJ181

LABEL: TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	20379	94.95
	1	TUBAL LIGATION (TUBES TIED OR CUT) OR ST	16	0.07
	2	VASECTOMY (MALE STERILIZATION)	2	0.01
	3	IUD (MIRENA, PARAGARD)	193	0.90
	4	IMPLANT (IMPLANON, NEXPLANON)	62	0.29
	5	BIRTH CONTROL PILLS	618	2.88
	6	OTHER HORMONAL METHODS (INJECTION/DEPO-P	141	0.66
	7	CONDOMS (MALE)	34	0.16
	8	OTHER	3	0.01
	9	OTHER BIRTH CONTROL	2	0.01
	10	HYSTERECTOMY	2	0.01

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL, NOT CURRENTLY PREGNANT,

AND RECEIVED BIRTH CONTROL METHOD/PRESCRIPTION

INPUT VAR:

NOTES:

VARNAME: AJ182

LABEL: LOCATION MAIN BIRTH CONTROL RECEIVED

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	20379	94.95
	1	PRIVATE DOCTORS OFFICE	460	2.14
	2	HMO FACILITY	165	0.77
	3	HOSPITAL OR HOSPITAL CLINIC	104	0.48
	4	PLANNED PARENTHOOD	106	0.49
	5	COUNTY HEALTH DEPARTMENT, FAMILY PLANNIN	30	0.14
	6	SCHOOL OR SCHOOL-BASED CLINIC	7	0.03
	7	EMPLOYER OR COMPANY CLINIC	5	0.02
	8	INDIAN HEALTH SERVICE	10	0.05
	9	PHARMACY	156	0.73
	10	ORDERED ONLINE OR THROUGH AN APP	25	0.12
	91	SOME OTHER PLACE	5	0.02

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL, NOT CURRENTLY PREGNANT,

AND RECEIVED BIRTH CONTROL METHOD/PRESCRIPTION

INPUT VAR:

NOTES:

VARNAME: AJ181_P1

LABEL: TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED (PUF 1 YR RECODE

		FREQ	%
VALUE:	-2	PROXY SKIPPED 11	0.05
	-1	INAPPLICABLE 20379	94.95
_	1	PERMANENT METHOD (TUBAL LIGATION, VASECT 18	0.08
	2	IUD (MIRENA, PARAGARD, SKYLA, KYLEENA, 193	0.90
	3	IMPLANT (IMPLANON, NEXPLANON, ETC.) 62	0.29
	4	BIRTH CONTROL PILLS 618	2.88
	5	OTHER HORMONAL METHODS (INJECTION/DEPO-P 141	0.66
	6	CONDOMS (MALE) 34	0.16
	10	HYSTERECTOMY 2	0.01
	91	OTHER 5	0.02

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL, NOT CURRENTLY PREGNANT,

AND RECEIVED BIRTH CONTROL METHOD/PRESCRIPTION

INPUT VAR:

NOTES: AJ181 Categories Collapsed

VARNAME: AJ182_P1

LABEL: LOCATION MAIN BIRTH CONTROL RECEIVED (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	20379	94.95
	1	PRIVATE DOCTORS OFFICE	460	2.14
	2	HMO FACILITY	165	0.77
	3	HOSPITAL OR HOSPITAL CLINIC	104	0.48
	4	PLANNED PARENTHOOD	106	0.49
	5	COUNTY HEALTH DEPARTMENT, FAMILY PLANNIN	30	0.14
	6	OTHER CLINIC	12	0.06
	7	PHARMACY	156	0.73
	91	SOME OTHER PLACE	40	0.19

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL, NOT CURRENTLY PREGNANT,

AND RECEIVED BIRTH CONTROL METHOD/PRESCRIPTION

INPUT VAR:

NOTES: AJ182 Categories Collapsed

VARNAME: AJ144V3

LABEL: RECEIVED BIRTH CONTROL INFO FROM DR PAST YR

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	15425	71.87
	1	YES	110	0.51
	2	NO	5917	27.57

UNIVERSE: ADULTS <65 YEARS OLD BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSIONS: AJ144, AJ144B. NEW VERSION IN 2021 DUE TO

UNIVERSE CHANGE.

VARNAME: AJ172V3

LABEL: CURRENTLY USING BIRTH CONTROL

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	15425	71.87
	1	YES	1886	8.79
	2	NO	2750	12.81
	3	NO FEMALE SEXUAL PARTNER	1391	6.48

UNIVERSE: ADULTS <65 YEARS OLD BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSIONS: AJ172V2, AJ172. NEW VERSION CREATED IN 2021 DUE

TO NEW UNIVERSE.

VARNAME: AJ174V2_1

LABEL: BIRTH CONTROL METHOD: TUBAL LIGATION

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19566	91.16
	1	YES	197	0.92
	2	NO	1689	7.87

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174_1. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

VARNAME: AJ174V2_2

LABEL: BIRTH CONTROL METHOD: VASECTOMY

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19566	91.16
	1	YES	489	2.28
	2	NO	1397	6.51

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174_2. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

VARNAME: AJ174V2_3

LABEL: BIRTH CONTROL METHOD: IUD

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19566	91.16
	1	YES	288	1.34
	2	NO	1598	7.45

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174_3. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

VARNAME: AJ174V2_4

LABEL: BIRTH CONTROL METHOD: IMPLANT

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19566	91.16
	1	YES	54	0.25
	2	NO	1832	8.54

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174_4. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

VARNAME: AJ174V2_5

LABEL: BIRTH CONTROL METHOD: BIRTH CONTROL PILLS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19566	91.16
	1	YES	367	1.71
	2	NO	1519	7.08

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174_5. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

VARNAME: AJ174V2_6

LABEL: BIRTH CONTROL METHOD: OTHER HORMONAL METHODS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19566	91.16
	1	YES	51	0.24
	2	NO	1835	8.55

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174_6. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

VARNAME: AJ174V2_7

LABEL: BIRTH CONTROL METHOD: CONDOMS (MALE)

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19566	91.16
	1	YES	608	2.83
	2	NO	1278	5.95

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174_7. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

VARNAME: AJ174V2_91

LABEL: BIRTH CONTROL METHOD: OTHER

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19566	91.16
	1	YES	12	0.06
	2	NO	1874	8.73

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: SAME AS AJ174V2_8 FROM PRIOR YEARS. PREVIOUS VERSION: AJ174_8. NEW

VERSION CREATED IN 2021 DUE TO NEW UNIVERSE.

VARNAME: AJ174V2_9

LABEL: BIRTH CONTROL METHOD: OTHER BIRTH CONTROL

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19566	91.16
	1	YES	31	0.14
	2	NO	1855	8.64

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174_9. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

VARNAME: AJ174V2_10

LABEL: BIRTH CONTROL METHOD: HYSTERECTOMY

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19566	91.16
	1	YES	21	0.10
	2	NO	1865	8.69

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174_1. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

VARNAME: AJ175V2

LABEL: MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	18702	87.14
	1	TRYING TO GET PREGNANT/WANT A BABY	336	1.57
	2	HAVEN'T FOUND A METHOD I LIKE	100	0.47
	3	COST	22	0.10
	4	HAVEN'T HAD TIME TO GO IN FOR BIRTH CONT	42	0.20
	5	NO TRANSPORTATION	5	0.02
	6	DON'T KNOW WHERE TO GET IT	13	0.06
	7	DON'T BELIEVE IN BIRTH CONTROL	138	0.64
	8	WORRIED ABOUT SIDE EFFECTS AND/OR HEALTH	197	0.92
	9	PARTNER WON'T LET ME	51	0.24
	10	NO NEED/DON'T WANT	301	1.40
	11	INABILITY TO GET PREGNANT	1134	5.28
	12	NO SEXUAL PARTNER	204	0.95
	13	OTHER	207	0.96

UNIVERSE: ADULTS <65 YEARS WHO WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND NOT USING BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ175. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

VARNAME: AJ175V2_P1

LABEL: MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	18702	87.14
	1	TRYING TO GET PREGNANT/WANT A BABY	336	1.57
	2	OTHER	440	2.05
	3	DON'T BELIEVE IN BIRTH CONTROL	138	0.64
	4	WORRIED ABOUT SIDE EFFECTS AND/OR HEALTH	197	0.92
	5	NO NEED/DON'T WANT	301	1.40
	6	INABILITY TO GET PREGNANT	1134	5.28
	7	NO SEXUAL PARTNER	204	0.95

UNIVERSE: ADULTS <65 YEARS WHO WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

NOT USING BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ175_P1. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE. AJ175 Categories Collapsed.

VARNAME: AJ183V2

LABEL: RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	15425	71.87
	1	YES	115	0.54
	2	NO	5912	27.55

UNIVERSE: ADULTS <65 YEARS OLD BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ183. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

VARNAME:	AJ184V2

LABEL: TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21337	99.41
	2	VASECTOMY (MALE STERILIZATION)	13	0.06
	3	IUD (MIRENA, PARAGARD, SKYLA, KYLEENA,	8	0.04
	4	IMPLANT (IMPLANON, NEXPLANON, ETC.)	3	0.01
	5	BIRTH CONTROL PILLS	59	0.27
	6	OTHER HORMONAL METHODS (INJECTION/DEPO-P	6	0.03
	7	CONDOMS (MALE)	26	0.12

UNIVERSE: ADULTS <65 YEARS OLD BORN MALE AT BIRTH WHO RECEIVED BIRTH CONTROL

METHOD/PRESCRIPTION

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ184. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

VARNAME: AJ185V2

LABEL: LOCATION MAIN BIRTH CONTROL RECEIVED

	FREQ	%
KY SKIPPED	11	0.05
PPLICABLE	21337	99.41
ATE DOCTORS OFFICE	38	0.18
FACILITY	13	0.06
PITAL OR HOSPITAL CLINIC	16	0.07
NNED PARENTHOOD	19	0.09
NTY HEALTH DEPARTMENT, FAMILY PLANNIN	5	0.02
OOL OR SCHOOL-BASED CLINIC	1	0.00
IAN HEALTH SERVICE	2	0.01
RMACY	20	0.09
E OTHER PLACE	1	0.00
	XY SKIPPED PPLICABLE VATE DOCTORS OFFICE FACILITY PITAL OR HOSPITAL CLINIC NNED PARENTHOOD NTY HEALTH DEPARTMENT, FAMILY PLANNIN DOL OR SCHOOL-BASED CLINIC IAN HEALTH SERVICE RMACY E OTHER PLACE	XY SKIPPED 11 PPLICABLE 21337 VATE DOCTORS OFFICE 38 FACILITY 13 PITAL OR HOSPITAL CLINIC 16 NNED PARENTHOOD 19 NTY HEALTH DEPARTMENT, FAMILY PLANNIN 5 DOL OR SCHOOL-BASED CLINIC 1 IAN HEALTH SERVICE 2 RMACY 20

UNIVERSE: ADULTS <65 YEARS OLD BORN MALE AT BIRTH WHO RECEIVED BIRTH CONTROL

METHOD/PRESCRIPTION

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ185. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

VARNAME: AD79

LABEL: EVER TAKEN PREP/TRUVADA IN PAST 30 DAYS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	20580	95.89
	1	YES	90	0.42
	2	NO	782	3.64

UNIVERSE: ALL GAY/BISEXUAL MALES, MALES WHO HAVE HAD MALE SEXUAL PARTNERS,

AND TRANSGENDER ADULTS

INPUT VAR:

NOTES:

VARNAME: AD80

LABEL: EVER TAKEN PREP/TRUVADA IN PAST 12 MOS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	20670	96.31
	1	YES	18	0.08
	2	NO	764	3.56

UNIVERSE: ALL GAY/BISEXUAL MALES, MALES WHO HAVE HAD MALE SEXUAL PARTNERS,

AND TRANSGENDER ADULTS WHO HAVE NOT TAKEN PREP/TRUVADA IN PAST 30

DAYS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AD81

LABEL: EVER TAKEN PREP/TRUVADA

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	20688	96.39
	1	YES	42	0.20
	2	NO	722	3.36

UNIVERSE: ALL GAY/BISEXUAL MALES, MALES WHO HAVE HAD MALE SEXUAL PARTNERS,

AND TRANSGENDER ADULTS WHO HAVE NOT TAKEN PREP/TRUVADA IN PAST 12

MOS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AD82

LABEL: EVER HEARD OF PREP/TRUVADA

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	20730	96.58
	1	YES	489	2.28
	2	NO	233	1.09

UNIVERSE: ALL GAY/BISEXUAL MALES, MALES WHO HAVE HAD MALE SEXUAL PARTNERS,

AND TRANSGENDER ADULTS WHO HAVE NOT EVER TAKEN PREP/TRUVADA

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AD83

LABEL: EVER BEEN TESTED FOR HIV

VALUE: -2 PROXY SKIPPED 11 0.05
1 YES 8079 37.64
2 NO 13373 62.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AD84

LABEL: OFFERED OR ASKED FOR HIV TEST

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	13373	62.31
	1	I WAS OFFERED THE TEST	2449	11.41
	2	I ASKED FOR THE TEST	3099	14.44
	3	I DON'T REMEMBER	887	4.13
	4	SOME OTHER REASON	14	0.07
	5	I WAS REQUIRED TO TAKE THE TEST	1630	7.59

UNIVERSE: ALL ADULTS WHO HAVE EVER BEEN TESTED FOR HIV

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AD85

LABEL: EVER OFFERED AN HIV TEST

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	8079	37.64
	1	YES	958	4.46
	2	NO	12415	57.84

UNIVERSE: ALL ADULTS WHO HAVE NEVER BEEN TESTED FOR HIV

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

VARNAME: AJ57V2

LABEL: CURRENT OR PAST INTIMATE PARTNER EVER HIT, SLAP, PUSH, KICK, OR P

FREQ YES 3650 17.01 VALUE: 1

17813 82.99 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ57. New version due to

new universe.

VARNAME: AJ58V2

LABEL: CURRENT OR PAST INTIMATE PARTNER EVER FORCED UNWANTED SEX SINCE T

FREQ 1 VALUE:

1624 7.57 19839 92.43 YES NO 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ58. New version due to

new universe.

VARNAME: EVERVIOV2

LABEL: INTIMATE PARTNER PHY/SEX VIOLENCE SINCE AGE 18

FREQ % 4201 19.57 YES VALUE: 1

17262 80.43 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR: AJ57 AJ58

NOTES:

VARNAME: AJ59V2

LABEL: INTIMATE PARTNER THREW SOMETHING THAT COULD HURT R

FREQ % VALUE: -1 17813 82.99 224 1.04 3426 15.96 INAPPLICABLE YES 1

2 NO

UNIVERSE: ADULTS WHO WERE HIT, SLAPPED, PUSHED, KICKED, OR PHYSICALLY HURT

BY INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ59. New version due to

new universe.

VARNAME: AJ60V2

LABEL: INTIMATE PARTNER PUSHED, GRABBED, OR SLAPPED R

VALUE: -1 INAPPLICABLE 17813 82.99
1 YES 348 1.62
2 NO 3302 15.38

UNIVERSE: ADULTS WHO WERE HIT, SLAPPED, PUSHED, KICKED, OR PHYSICALLY HURT

BY INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ60. New version due to

new universe.

VARNAME: AJ61V2

LABEL: INTIMATE PARTNER KICKED, BIT, HIT, CHOKED, OR BEAT UP R

FREQ %
VALUE: -1 INAPPLICABLE 17813 82.99
1 YES 154 0.72
2 NO 3496 16.29

UNIVERSE: ADULTS WHO WERE HIT, SLAPPED, PUSHED, KICKED, OR PHYSICALLY HURT

BY INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ61. New version due to

new universe.

VARNAME: AJ64V2

LABEL: INTIMATE PARTNER THREATENED R WITH USE OF GUN, KNIFE, OR OTHER WE

VALUE: -1 INAPPLICABLE 17813 82.99
1 YES 45 0.21
2 NO 3605 16.80

UNIVERSE: ADULTS WHO WERE HIT, SLAPPED, PUSHED, KICKED, OR PHYSICALLY HURT

BY INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ64. New version due to

new universe.

VARNAME: AJ66V2

LABEL: INTIMATE PARTNER PHYSICALLY FORCED R TO HAVE UNWANTED SEX

VALUE: -1 INAPPLICABLE 19839 92.43
1 YES 81 0.38
2 NO 1543 7.19

UNIVERSE: ADULTS WHO WERE HIT, SLAPPED, PUSHED, KICKED, PHYSICALLY HURT, OR

FORCED INTO UNWANTED SEX BY INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ66. New version due to

new universe.

VARNAME: AJ67V2

LABEL: # OF TIMES INTIMATE PARTNER PHYSICALLY HURT AND/OR FORCED R TO HA

MEAN STATISTICS

N 483 MIN 1 MAX 100 MEAN 4.27

UNIVERSE: ADULTS WHO WERE PHYSICALLY HURT AND/OR FORCED TO HAVE UNWANTED SEX

BY AN INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ67. New version due to

new universe.

VARNAME: AJ69V2_1

LABEL: INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: CURRENT SO

VALUE: -1 INAPPLICABLE 20980 97.75
1 YES 90 0.42
2 NO 393 1.83

UNIVERSE: ADULTS WHO WERE PHYSICALLY HURT AND/OR FORCED TO HAVE UNWANTED SEX

BY AN INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ69. New version due to

new universe. Qx varname = MODAJ69

VARNAME: AJ69V2_2

LABEL: INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: FORMER SO

VALUE: -1 INAPPLICABLE 20980 97.75
1 YES 96 0.45
2 NO 387 1.80

UNIVERSE: ADULTS WHO WERE PHYSICALLY HURT AND/OR FORCED TO HAVE UNWANTED SEX

BY AN INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ69. New version due to

new universe. Qx varname = MODAJ69

VARNAME: AJ69V2_3

LABEL: INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: FIANCE

VALUE: -1 INAPPLICABLE 20980 97.75
1 YES 6 0.03
2 NO 477 2.22

UNIVERSE: ADULTS WHO WERE PHYSICALLY HURT AND/OR FORCED TO HAVE UNWANTED SEX

BY AN INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ69. New version due to

new universe. Qx varname = MODAJ69

VARNAME: AJ69V2_4

LABEL: INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: SPOUSE/PARTNER

VALUE: -1 INAPPLICABLE 20980 97.75
1 YES 184 0.86
2 NO 299 1.39

UNIVERSE: ADULTS WHO WERE PHYSICALLY HURT AND/OR FORCED TO HAVE UNWANTED SEX

BY AN INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ69. New version due to

new universe. Qx varname = MODAJ69

VARNAME: AJ69V2_5

LABEL: INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: FORMER SPOUSE/PARTNE

VALUE: -1 INAPPLICABLE 20980 97.75
1 YES 48 0.22
2 NO 435 2.03

UNIVERSE: ADULTS WHO WERE PHYSICALLY HURT AND/OR FORCED TO HAVE UNWANTED SEX

BY AN INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ69. New version due to

new universe. Qx varname = MODAJ69

VARNAME: AJ69V2_6

LABEL: INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: SOMEONE DATING

VALUE: -1 INAPPLICABLE 20980 97.75
1 YES 34 0.16
2 NO 449 2.09

UNIVERSE: ADULTS WHO WERE PHYSICALLY HURT AND/OR FORCED TO HAVE UNWANTED SEX

BY AN INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ69. New version due to

new universe. Qx varname = MODAJ69

VARNAME: AJ69V2_7

LABEL: INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: FIRST DATE

VALUE: -1 INAPPLICABLE 20980 97.75 1 YES 10 0.05 2 NO 473 2.20

UNIVERSE: ADULTS WHO WERE PHYSICALLY HURT AND/OR FORCED TO HAVE UNWANTED SEX

BY AN INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ69. New version due to

new universe. Qx varname = MODAJ69

VARNAME: AJ69V2_91

LABEL: INTIMATE PARTNER RELATIONSHIP TO RESPONDENT: OTHER

VALUE: -1 INAPPLICABLE 20980 97.75
1 YES 37 0.17
2 NO 446 2.08

UNIVERSE: ADULTS WHO WERE PHYSICALLY HURT AND/OR FORCED TO HAVE UNWANTED SEX

BY AN INTIMATE PARTNER IN PAST 12 MONTHS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AJ69. New version due to

new universe. Qx varname = MODAJ69

VARNAME: MODVIOV2

LABEL: INTIMATE PARTNER MODERATE PHYSICAL VIOLENCE PAST 12 MONTHS

VALUE: -1 INAPPLICABLE 17813 82.99
1 YES 413 1.92
2 NO 3237 15.08

UNIVERSE: ADULTS WHO EVER EXPERIENCED PHYSICAL VIOLENCE SINCE TURNING 18

INPUT VAR: AJ59 AJ60

NOTES:

VARNAME: PHYVIOV2

LABEL: INTIMATE PARTNER PHYSICAL VIOLENCE PAST 12 MONTHS

VALUE: -1 INAPPLICABLE 17813 82.99
1 YES 440 2.05
2 NO 3210 14.96

UNIVERSE: ADULTS WHO EVER EXPERIENCED PHYSICAL VIOLENCE SINCE TURNING 18

INPUT VAR: AJ59 AJ60 AJ61 AJ64

NOTES:

VARNAME: SEXVIOV2

LABEL: INTIMATE PARTNER SEXUAL VIOLENCE PAST 12 MONTHS

VALUE: -1 INAPPLICABLE 19839 92.43
1 YES 81 0.38
2 NO 1543 7.19

UNIVERSE: ADULTS WHO EVER EXPERIENCED SEXUAL VIOLENCE SINCE TURNING 18

INPUT VAR: AJ66V2

NOTES:

SECTION E: WOMEN'S HEALTH

VARNAME: AD13

LABEL: CURRENTLY PREGNANT

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	17415	81.14
	1	YES	128	0.60
	2	NO	3909	18.21

UNIVERSE: FEMALES AGES 18-45 YEARS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION.

SECTION F: MENTAL HEALTH

VARNAME: AJ29

LABEL: FEEL NERVOUS PAST 30 DAYS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	ALL OF THE TIME	433	2.02
	2	MOST OF THE TIME	1494	6.96
	3	SOME OF THE TIME	5391	25.12
	4	A LITTLE OF THE TIME	7293	33.98
	5	NOT AT ALL	6841	31.87

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ30

LABEL: FEEL HOPELESS PAST 30 DAYS

		FREQ	%
-2	PROXY SKIPPED	11	0.05
1	ALL OF THE TIME	241	1.12
2	MOST OF THE TIME	732	3.41
3	SOME OF THE TIME	2700	12.58
4	A LITTLE OF THE TIME	4292	20.00
5	NOT AT ALL	13487	62.84
	1 2 3 4	1 ALL OF THE TIME 2 MOST OF THE TIME 3 SOME OF THE TIME 4 A LITTLE OF THE TIME	-2 PROXY SKIPPED 11 1 ALL OF THE TIME 241 2 MOST OF THE TIME 732 3 SOME OF THE TIME 2700 4 A LITTLE OF THE TIME 4292

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ31

LABEL: FEEL RESTLESS PAST 30 DAYS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	ALL OF THE TIME	454	2.12
	2	MOST OF THE TIME	1364	6.36
	3	SOME OF THE TIME	4707	21.93
	4	A LITTLE OF THE TIME	6345	29.56
	5	NOT AT ALL	8582	39.99

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ32

LABEL: FEEL DEPRESSED PAST 30 DAYS

		FREQ	%
-2	PROXY SKIPPED	11	0.05
1	ALL OF THE TIME	175	0.82
2	MOST OF THE TIME	556	2.59
3	SOME OF THE TIME	1948	9.08
4	A LITTLE OF THE TIME	3546	16.52
5	NOT AT ALL	15227	70.95
	1 2 3 4	1 ALL OF THE TIME 2 MOST OF THE TIME 3 SOME OF THE TIME 4 A LITTLE OF THE TIME	-2 PROXY SKIPPED 11 1 ALL OF THE TIME 175 2 MOST OF THE TIME 556 3 SOME OF THE TIME 1948 4 A LITTLE OF THE TIME 3546

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ33

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	ALL OF THE TIME	648	3.02
	2	MOST OF THE TIME	1535	7.15
	3	SOME OF THE TIME	3542	16.50
	4	A LITTLE OF THE TIME	5772	26.89
	5	NOT AT ALL	9955	46.38

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ34

LABEL: FEEL WORTHLESS PAST 30 DAYS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	ALL OF THE TIME	254	1.18
	2	MOST OF THE TIME	530	2.47
	3	SOME OF THE TIME	1625	7.57
	4	A LITTLE OF THE TIME	2996	13.96
	5	NOT AT ALL	16047	74.77

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: DSTRS30

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH

VALUE: -2 PROXY SKIPPED 11 0.05
1 YES 1503 7.00
2 NO 19949 92.95

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS

NOTES: BASED ON DISTRESS>=13

VARNAME: DISTRESS

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS

MEAN STATISTICS

 N
 21452

 MIN
 0

 MAX
 24

 MEAN
 4.55

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

VARNAME: DSTRS_P1

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)

MEAN STATISTICS

N 21452 MIN 0 MAX 21 MEAN 4.54

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED

DATA; TOPCODE = 21

VARNAME: AF62

LABEL: ANY MONTH PAST 12 MONTHS FELT WORSE

VALUE: -2 PROXY SKIPPED 11 0.05
1 YES 5561 25.91
2 NO 15891 74.04

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF63

LABEL: FEEL NERVOUS WORST MONTH

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	15891	74.04
	1	ALL OF THE TIME	801	3.73
	2	MOST OF THE TIME	1671	7.79
	3	SOME OF THE TIME	1840	8.57
	4	A LITTLE OF THE TIME	914	4.26
	5	NOT AT ALL	335	1.56

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE

PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF64

LABEL: FEEL HOPELESS WORST MONTH

VALUE:	-2 -1 1 2 3 4	PROXY SKIPPED INAPPLICABLE ALL OF THE TIME MOST OF THE TIME SOME OF THE TIME A LITTLE OF THE TIME	FREQ 11 15891 635 1272 1599 1034	% 0.05 74.04 2.96 5.93 7.45 4.82
	4	A LITTLE OF THE TIME	1034	4.82
	5	NOT AT ALL	1021	4.76

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE

PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF65

LABEL: FEEL RESTLESS WORST MONTH

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	15891	74.04
	1	ALL OF THE TIME	653	3.04
	2	MOST OF THE TIME	1236	5.76
	3	SOME OF THE TIME	1852	8.63
	4	A LITTLE OF THE TIME	1143	5.33
	5	NOT AT ALL	677	3.15

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE

PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF66

LABEL: FEEL DEPRESSED WORST MONTH

VALUE:	-2 -1 1 2 3 4	PROXY SKIPPED INAPPLICABLE ALL OF THE TIME MOST OF THE TIME SOME OF THE TIME A LITTLE OF THE TIME	FREQ 11 15891 588 1134 1373	% 0.05 74.04 2.74 5.28 6.40 5.17
	5	NOT AT ALL	1356	6.32

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE

PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF67

LABEL: FEEL EVERYTHING AN EFFORT WORST MONTH

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	15891	74.04
	1	ALL OF THE TIME	1033	4.81
	2	MOST OF THE TIME	1494	6.96
	3	SOME OF THE TIME	1457	6.79
	4	A LITTLE OF THE TIME	939	4.37
	5	NOT AT ALL	638	2.97

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE

PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF68

LABEL: FEEL WORTHLESS WORST MONTH

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	15891	74.04
	1	ALL OF THE TIME	546	2.54
	2	MOST OF THE TIME	872	4.06
	3	SOME OF THE TIME	1083	5.05
	4	A LITTLE OF THE TIME	1090	5.08
	5	NOT AT ALL	1970	9.18

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE

PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF69B

LABEL: EMOTIONS INTERFERE W/WORK WORST MONTH

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	16568	77.19
	1	A LOT	1334	6.22
	2	SOME	2262	10.54
	3	NOT AT ALL	603	2.81
	4	DOES NOT WORK	685	3.19

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL

DISTRESS IN THE PAST 12 MONTHS

INPUT VAR: WORK2

NOTES: CANNOT BE TRENDED WITH AF69 (2009)

VARNAME: AF70B

LABEL: EMOTIONS INTERFERE W/CHORES WORST MONTH

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	16121	75.11
	1	A LOT	2220	10.34
	2	SOME	2545	11.86
	3	NOT AT ALL.	566	2.64

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST

12 MONTHS

INPUT VAR: CHORES2

NOTES: CANNOT BE TRENDED WITH AF70 (2009)

VARNAME: AF71B

LABEL: EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	16121	75.11
	1	A LOT	2378	11.08
	2	SOME	2422	11.28
	3	NOT AT ALL	531	2.47

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST

12 MONTHS

INPUT VAR: SOCIAL2

NOTES: CANNOT BE TRENDED WITH AF71 (2009)

VARNAME: AF72B

LABEL: EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	16121	75.11
	1	A LOT	1904	8.87
	2	SOME	2813	13.11
	3	NOT AT ALL	614	2.86

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST

12 MONTHS

INPUT VAR: FAMILY2

NOTES: CANNOT BE TRENDED WITH AF72 (2009)

VARNAME: AF73B

LABEL: # DAYS CAN'T WORK B/C MENTAL PROBL PAST 12 MOS

MEAN STATISTICS

N 5331 MIN 0 MAX 365 MEAN 43.25

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST

12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF73 (2009)

VARNAME: DSTRS12

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR

VALUE: -2 PROXY SKIPPED 11 0.05
1 YES 2880 13.42
2 NO 18572 86.53

UNIVERSE: ALL ADULTS

INPUT VAR: DSTRSYR

NOTES: BASED ON DSTRSYR>=13

VARNAME: DSTRSYR

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)

MEAN STATISTICS

N 21452 MIN 0 MAX 24 MEAN 5.53

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS AF63 AF64 AF65 AF66 AF67 AF68

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

VARNAME: CHORES2

LABEL: CHORE IMPAIRMENT PAST 12 MONTHS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	16121	75.11
	0	NONE	566	2.64
	1	MODERATE	2545	11.86
	2	SEVERE	2220	10.34

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS

(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF70B

NOTES: CANNOT BE TRENDED WITH CHORES (2009)

VARNAME: IMPAIR2

LABEL: FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS

MEAN STATISTICS

N 5331 MIN 0 MAX 2 MEAN 1.27

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS

(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF69B AF70B AF71B AF72B

NOTES: CANNOT BE TRENDED WITH IMPAIR (2009)

VARNAME: SOCIAL2

LABEL: SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	16121	75.11
	0	NONE	531	2.47
	1	MODERATE	2422	11.28
	2	SEVERE	2378	11.08

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS

(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF71B

NOTES: CANNOT BE TRENDED WITH SOCIAL (2009)

VARNAME: WORK2

LABEL: WORK IMPAIRMENT PAST 12 MONTHS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	17253	80.38
	0	NONE	603	2.81
	1	MODERATE	2262	10.54
	2	SEVERE	1334	6.22

UNIVERSE: ADULTS 70 OR YOUNGER WHO WORK AND EXPERIENCED MODERATE TO SEVERE

PSYCHOLOGICAL DISTRESS (K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF69B

NOTES: CANNOT BE TRENDED WITH WORK (2009)

VARNAME: FAMILY2

LABEL: FAMILY LIFE IMPAIRMENT PAST 12 MONTHS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	16121	75.11
	0	NONE	614	2.86
	1	MODERATE	2813	13.11
	2	SEVERE	1904	8.87

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS

(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF72B

NOTES: CANNOT BE TRENDED WITH FAMILY (2009)

VARNAME: AF81

LABEL: NEEDED HELP FOR EMOT/MNTL OR ALCOH/DRUG PRBLM IN PAST YR

VALUE: -2 PROXY SKIPPED 11 0.05
1 YES 5168 24.08
2 NO 16284 75.87

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ1

LABEL: INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS

FREQ -2 -1 PROXY SKIPPED INAPPLICABLE VALUE: 11 0.05 16284 75.87 19.68 1 YES 4223 3.52 NO 755 NO INSURANCE 190 0.89 3

UNIVERSE: ALL ADULTS WHO HAVE FELT NEED FOR HELP FOR EMOTIONAL/MENTAL

PROBLEMS OR HAVE SEEN SOMEONE FOR EMOTIONAL/MENTAL HEALTH PROBLEMS

WITHIN PAST YEAR AND HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

VARNAME: AF74

LABEL: SEEN PCP FOR MNTL OR ALCOH/DRUG PRBLM IN PAST YR

VALUE: -2 PROXY SKIPPED 11 0.05
1 YES 2401 11.19
2 NO 19051 88.76

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF75

LABEL: SEEN PSYCHIATRIST ETC FOR MNTL OR ALCOH/DRUG PRBLM IN PAST YR

VALUE: -2 PROXY SKIPPED 11 0.05
1 YES 3052 14.22
2 NO 18400 85.73

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ5

LABEL: TAKE DAILY RX FOR EMOT/PERSONAL PROBLEM PAST 12 MOS

VALUE: -2 PROXY SKIPPED 11 0.05
1 YES 2973 13.85
2 NO 18479 86.10

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF76

LABEL: SEEK HELP FOR MENTAL HLTH OR ALCOHOL/DRUG PROBLEM

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	17485	81.47
	1	MENTAL-EMOTIONAL HEALTH	3756	17.50
	2	ALCOHOL-DRUG PROBLEM	38	0.18
	3	BOTH MENTAL AND ALCOHOL-DRUG	173	0.81

UNIVERSE: ALL ADULTS WHO HAVE SEEN PROFESSIONAL FOR MENTAL HEALTH OR

DRUG/ALCOHOL PROB

INPUT VAR:

NOTES:

VARNAME: AF77

LABEL: # VISITS TO PROFESSIONAL FOR PROBLEMS W/ MENTAL OR DRUGS/ALCOHOL

MEAN STATISTICS

N 3967 MIN 0 MAX 365 MEAN 11.13

UNIVERSE: ALL ADULTS WHO HAVE SEEN PROFESSIONAL FOR MENTAL HEALTH OR

DRUG/ALCOHOL PROB

INPUT VAR:

NOTES:

VARNAME: AF78

LABEL: STILL RECEIVING TRIMENT FROM PROFESSIONAL FOR MNTL OR ALCOH/DRUGS

			FREQ	%
VALUE: -2 PROXY SKIPPED -1 INAPPLICABLE 1 YES 2 NO	PROXY SKIPPED	11	0.05	
	-1	INAPPLICABLE	17485	81.47
	1	YES	2520	11.74
	2	NO	1447	6.74

UNIVERSE: ALL ADULTS WHO HAVE SEEN PROFESSIONAL FOR MENTAL HEALTH OR

DRUG/ALCOHOL PROB

INPUT VAR:

NOTES:

VARNAME: AF79

LABEL: COMPLETED RECOMMENDED MENTAL HEALTH TREATMENT

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	20005	93.21
	1	YES	892	4.16
	2	NO	555	2.59

UNIVERSE: ADULT WHO HAVE SEEN PROFESSIONAL FOR MENTAL HEALTH OR DRUG/ALCOHOL

PROB AND ARE NOT CURRENTY RECEIVING TREATMENT FOR THESE PROBS

INPUT VAR:

NOTES:

VARNAME: AF80

LABEL: MAIN REASON QUIT MENTAL HEALTH TREATMENT

VALUE:	-2 -1 1	PROXY SKIPPED INAPPLICABLE GOT BETTER/NO LONGER NEEDED TREATMENT	FREQ 11 20897 104	% 0.05 97.36 0.48
	2	NOT GETTING BETTER	20	0.09
	3	WANTED TO HANDLE PROBLEM ON MY OWN	104	0.48
	4	HAD BAD EXPERIENCES WITH TREATMENT	66	0.31
	5	LACK OF TIME OR TRANSPORTATION	53	0.25
	6	TOO EXPENSIVE	63	0.29
	7	INSURANCE DOES NOT COVER	48	0.22
	8	NOT GIVEN A SET COURSE OF TREATMENT	11	0.05
	9	DID NOT WANT TO TAKE MEDICINE	5	0.02
	10	OTHER	39	0.18
	11	COVID	4	0.02
	12	NO APPTS AVAILABLE/DRS FULLY BOOKED	38	0.18

UNIVERSE: ALL ADULTS WHO DID NOT COMPLETE RECMMNDED TRIMENT FOR MENT/ALCHL

PROB

INPUT VAR:

NOTES: NEW COVID CATEGORY ADDED IN 2020

VARNAME: AF82

LABEL: DID NOT SEEK PROF HELP: COST OF TREATMENT

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19434	90.55
	1	YES	935	4.36
	2	NO	1083	5.05

UNIVERSE: ALL ADULTS WHO FELT NEEDED EMOTIONAL TRIMENT BUT DID NOT RECEIVE IT

INPUT VAR:

NOTES:

VARNAME: AF83

LABEL: DID NOT SEEK PROF HELP: NOT COMFORTABLE

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19434	90.55
	1	YES	734	3.42
	2	NO	1284	5.98

UNIVERSE: ALL ADULTS WHO FELT NEEDED EMOTIONAL TRIMENT BUT DID NOT RECEIVE IT

INPUT VAR:

NOTES:

VARNAME: AF84

LABEL: DID NOT SEEK PROF HELP: SOMEONE FOUND OUT

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19434	90.55
	1	YES	495	2.31
	2	NO	1523	7.10

UNIVERSE: ALL ADULTS WHO FELT NEEDED EMOTIONAL TRIMENT BUT DID NOT RECEIVE IT

INPUT VAR:

NOTES:

VARNAME: AF85

LABEL: DID NOT SEEK PROF HELP: HARD TO GET APPNT

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19434	90.55
	1	YES	631	2.94
	2	NO	1387	6.46

UNIVERSE: ALL ADULTS WHO FELT NEEDED EMOTIONAL TRIMENT BUT DID NOT RECEIVE IT

INPUT VAR:

NOTES:

VARNAME: AG44

LABEL: HOW OFTEN USE THE INTERNET

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	ALMOST CONSTANTLY	4868	22.68
	2	MANY TIMES A DAY	9487	44.20
	3	A FEW TIMES A DAY	4793	22.33
	4	LESS THAN A FEW TIMES A DAY	2304	10.73

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG45

LABEL: HOW OFTEN USED COMPUTER FOR SOCIAL MEDIA

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	ALMOST CONSTANTLY	2102	9.79
	2	MANY TIMES A DAY	6008	27.99
	3	A FEW TIMES A DAY	5824	27.14
	4	LESS THAN A FEW TIMES A DAY	7518	35.03

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG46

LABEL: SOUGHT HELP FROM ONLINE TOOL FOR MENTAL HEALTH OR ALCOHOL/DRUGS

VALUE: -2 PROXY SKIPPED 11 0.05
1 YES 1599 7.45
2 NO 19853 92.50

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG47

LABEL: USEFULNESS OF GETTING HELP FROM ONLINE TOOL

% FREQ 0.05 -2 -1 VALUE: PROXY SKIPPED INAPPLICABLE 11 19853 92.50 VERY 1 437 2.04 SOMEWHAT NOT AT ALL 4.21 2 903 259 1.21 3

UNIVERSE: ADULTS WHO HAVE SOUGHT HELP FROM ONLINE TOOL

INPUT VAR:

NOTES:

VARNAME: AG48

LABEL: MAIN REASONS FOR NOT GETTING HELP ONLINE

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	17492	81.50
	1	GOT BETTER/ NO LONGER NEEDED	257	1.20
	2	WANTED TO HANDLE PROBLEM ON OWN	420	1.96
	3	DON'T OWN A SMARTPHONE OR COMPUTER	47	0.22
	4	DIDNT KNOW THESE APPS EXISTED OR COULDNT	238	1.11
	5	DON'T TRUST MOBILE APPS	225	1.05
	6	CONCERNS ABOUT PRIVACY AND SECURITY OF D	304	1.42
	7	DON'T THINK IT WOULD BE HELPFUL OR WORK	509	2.37
	8	COST	180	0.84
	9	DON'T HAVE TIME	145	0.68
	10	RECEIVED TRADITIONAL/ FACE-TO-FACE SERVI	1151	5.36
	11	DON'T THINK I NEEDED IT	425	1.98
	12	DON'T HAVE ENOUGH SPACE TO DOWNLOAD NEW	21	0.10
	91	OTHER	38	0.18

UNIVERSE: ADULTS WHO FELT THEY MIGHT NEED TO SEE PROFESSIONAL FOR MENTAL HEALTH IN PAST YEAR AND DID NOT SEEK HELP FROM ONLINE TOOL

INPUT VAR:

NOTES:

VARNAME: AG49

LABEL: CONNECTED WITH PEOPLE WITH SIMILAR STATUS ONLINE

VALUE: -2 PROXY SKIPPED 11 0.05
1 YES 1043 4.86
2 NO 20409 95.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG50

LABEL: CONNECTED WITH MENTAL HEALTH PROFESSIONAL ONLINE IN PAST 12 MOS

FREQ % 11 0.05 VALUE: -2 PROXY SKIPPED YES 1810 8.43 1 19642 91.52 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF110

LABEL: EXPERIENCED HAZARDOUS WEATHER-RELATED EVENTS IN PAST 2 YRS

FREQ VALUE: 1 YES 2 NO 46.12 9899

11564 53.88

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF111

LABEL: PHYSICAL HEALTH HARMED BY HAZARDOUS WEATHER-RELATED EVENTS

VALUE: -1 INAPPLICABLE 11564 53.88
1 YES 1543 7.19
2 NO 8356 38.93

UNIVERSE: ADULTS WHO EXPERIENCED A HAZARDOUS WEATHER-RELATED EVENT IN PAST 2

YRS

INPUT VAR:

NOTES:

VARNAME: AF112

LABEL: MENTAL HEALTH HARMED BY HAZARDOUS WEATHER-RELATED EVENTS

VALUE: -1 INAPPLICABLE 11564 53.88
1 YES 2128 9.91
2 NO 7771 36.21

UNIVERSE: ADULTS WHO EXPERIENCED A HAZARDOUS WEATHER-RELATED EVENT IN PAST 2

YRS

INPUT VAR:

NOTES:

VARNAME: AF113

LABEL: PROPERTY/FINANCES HARMED BY HAZARDOUS WEATHER-RELATED EVENTS

VALUE: -1 INAPPLICABLE 11564 53.88
1 YES 909 4.24
2 NO 8990 41.89

UNIVERSE: ADULTS WHO EXPERIENCED A HAZARDOUS WEATHER-RELATED EVENT IN PAST 2

YRS

INPUT VAR:

NOTES:

VARNAME: WEATHER

LABEL: EFFECTS OF WEATHER-RELATED EVENTS

FREQ % PHYSICAL MENTAL VALUE: 1 756 3.52 2 1341 6.25 BOTH 3.67 3 787 NEITHER 18579 86.56 4

UNIVERSE: ALL ADULTS

INPUT VAR: AF110 AF111 AF112

NOTES:

VARNAME: AAPI18

LABEL: EVER BEEN VICTIM OF HATE CRIME/INCIDENT IN US

FREQ % 2410 11.23 YES VALUE: 1

19053 88.77 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AAPI19A

LABEL: EXPERIENCED HATE CRIME/INCIDENT BEFORE 2020

FREQ % VALUE: -1 19053 88.77 2101 9.79 309 1.44 INAPPLICABLE YES 1

NO 309 1.44

UNIVERSE: ADULTS WHO HAVE EVER BEEN VICTIM OF HATE CRIME/INCIDENT IN US

INPUT VAR:

NOTES:

VARNAME: AAPI19B

LABEL: EXPERIENCED HATE CRIME/INCIDENT IN 2020

VALUE: -1 INAPPLICABLE 19053 88.77
1 YES 652 3.04
2 NO 1758 8.19

UNIVERSE: ADULTS WHO HAVE EVER BEEN VICTIM OF HATE CRIME/INCIDENT IN US

INPUT VAR:

NOTES:

VARNAME: AAPI19C

LABEL: EXPERIENCED HATE CRIME/INCIDENT IN 2021

VALUE: -1 INAPPLICABLE 19053 88.77
1 YES 640 2.98
2 NO 1770 8.25

UNIVERSE: ADULTS WHO HAVE EVER BEEN VICTIM OF HATE CRIME/INCIDENT IN US

INPUT VAR:

NOTES:

VARNAME: AAPI19D

LABEL: EXPERIENCED HATE CRIME/INCIDENT IN 2022

VALUE: -1 INAPPLICABLE 19053 88.77
1 YES 456 2.12
2 NO 1954 9.10

UNIVERSE: ADULTS WHO HAVE EVER BEEN VICTIM OF HATE CRIME/INCIDENT IN US

INPUT VAR:

NOTES:

VARNAME: PANDHATE_ALL

LABEL: TIME PERIOD IF EXPERIENCED HATE CRIME/INCIDENT IN US

VALUE: 1 EXPERIENCED BEFORE 2020 ONLY 1432 6.67
2 EXPERIENCED FROM 2020-2022 924 4.31
3 EXPERIENCED, BUT TIME PERIOD UNKNOWN 54 0.25
4 NEVER EXPERIENCED 19053 88.77

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: CV CREATED IN CHIS 2022.

VARNAME: PANDHATE_VCTM

LABEL: WHEN EXPERIENCED HATE CRIME/INCIDENT IN US

			FREQ	%
VALUE:	-1	INAPPLICABLE	19053	88.77
	1	EXPERIENCED BEFORE 2020 ONLY	1432	6.67
	2	EXPERIENCED FROM 2020-2022	924	4.31
	3	EXPERIENCED, BUT TIME PERIOD UNKNOWN	54	0.25

UNIVERSE: ADULTS WHO HAVE EVER BEEN VICTIM OF HATE CRIME/INCIDENT IN US

INPUT VAR:

NOTES: CV CREATED IN CHIS 2022.

CHIS 2022 Source Adult Data Dictionar	Source Adult Data Dictionary	HIS 2022 Source
---------------------------------------	------------------------------	-----------------

SECTION G: DEMOGRAPHIC INFORMATION, PART II & CHILD CARE

VARNAME: AH33

LABEL: COUNTRY OF BIRTH

VALUE:	1 2 3 4 5 6 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	UNITED STATES AMERICAN SAMOA CANADA CHINA EL SALVADOR ENGLAND GERMANY GUAM GUATEMALA HUNGARY INDIA IRAN IRELAND ITALY JAPAN KOREA MEXICO PHILIPPINES POLAND PORTUGAL PUERTO RICO RUSSIA TAIWAN VIETNAM VIRGIN ISLANDS OTHER CENTRAL AMERICA OTHER SOUTH AMERICA	FREQ 15812 7 119 583 181 112 101 19 100 7 176 84 12 27 120 342 1648 370 10 11 25 38 207 351 3 93 195	% 73.67 0.03 0.55 2.72 0.84 0.52 0.47 0.09 0.47 0.03 0.82 0.39 0.06 0.13 0.56 1.59 7.68 1.72 0.05 0.05 0.12 0.18 0.96 1.64 0.01 0.43 0.91
	25	VIETNAM	351	1.64
	27	OTHER CENTRAL AMERICA	93	0.43
	33	MIDDLE EAST	72	0.34

UNIVERSE: ALL ADULTS

INPUT VAR: CNTRYS

NOTES: BEGINNING IN 2019, RESPONDENTS ALLOWED TO SELECT FROM OVER 200

COUNTRIES OF BIRTH. TO PROTECT RESPONDENT CONFIDENTIALITY, ONLY A TRUNCATED SUBSET OF THE MOST COMMON CATEGORIES ARE DISPLAYED IN THE SOURCE DATA DICTIONARY. FULL LIST OF POSSIBLE COUNTRIES FO

VARNAME: AH33NEW

LABEL: BORN IN U.S.

FREQ % 15866 73.92 5597 26.08 VALUE: 1 BORN IN U.S. 2 BORN OUTSIDE U.S.

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

VARNAME: AH34

LABEL: MOTHER'S COUNTRY OF BIRTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	5651	26.33
	1	UNITED STATES	12765	59.47
	2	AMERICAN SAMOA	9	0.04
	3	CANADA	118	0.55
	4	CHINA	185	0.86
	5	EL SALVADOR	84	0.39
	6	ENGLAND	65	0.30
	8	GERMANY	107	0.50
	9	GUAM	3	0.01
	10	GUATEMALA	46	0.21
	11	HUNGARY	3	0.01
	12	INDIA	32	0.15
	13	IRAN	11	0.05
	14	IRELAND	29	0.14
	15	ITALY	41	0.19
	16	JAPAN	74	0.34
	17	KOREA	58	0.27
	18	MEXICO	1321	6.15
	19	PHILIPPINES	144	0.67
	20	POLAND	19	0.09
	21	PORTUGAL	23	0.11
	22	PUERTO RICO	32	0.15
	23	RUSSIA	13	0.06
	24	TAIWAN	57	0.27
	25	VIETNAM	99	0.46
	26	VIRGIN ISLANDS	2	0.01
	32	ANTIGUA AND BARBUDA	1	0.00
	33	ARGENTINA	5	0.02
	34	ARMENIA	2	0.01
	36	AUSTRALIA	11	0.05
	37	AUSTRIA	9	0.04
	43	BELARUS	2	0.01
	44	BELGIUM	4	0.02

45	BELIZE	6	0.03
48	BOLIVIA	5	0.02
51	BRAZIL	8	0.04
58	CAMBODIA	15	0.07
63	CHILE	6	0.03
64	COLOMBIA	16	0.07
66	CONGO (CONGO-BRAZZAVILLE)	1	0.00
67	COSTA RICA	4	0.02
68	CROATIA	9	0.04
69	CUBA	12	0.06
71	CZECHIA (CZECH REPUBLIC)	6	0.03
73	DENMARK	7	0.03
75	DOMINICA	1	0.00
76	DOMINICAN REPUBLIC	2	0.01
77	ECUADOR	7	0.03
78	EGYPT	6	0.03
80	ERITREA	1	0.00
81	ESTONIA	2	0.01
84	FIJI	1	0.00
85	FINLAND	6	0.03
86	FRANCE	21	0.10
92	GREECE	7	0.03
98	GUYANA	2	0.01
99	HAITI	3	0.01
101	HONDURAS	7	0.03
102	HONG KONG	19	0.09
104	INDONESIA	10	0.05
105	IRAQ	1	0.00
106	ISRAEL	7	0.03
107	JAMAICA	9	0.04
108	JORDAN	1	0.00
114	LAOS	27	0.13
115	LATVIA	1	0.00
116	LEBANON	1	0.00
121	LITHUANIA	3	0.01
123	MADAGASCAR	1	0.00
125	MALAYSIA	1	0.00
128	MALTA	2	0.01
138	MOROCCO	2	0.01

140	MYANMAR (FORMERLY BURMA)	3	0.01
143	NEPAL	1	0.00
144	NETHERLANDS	19	0.09
146	NEW ZEALAND	2	0.01
147	NICARAGUA	19	0.09
149	NIGERIA	2	0.01
151	NORTH MACEDONIA	1	0.00
152	NORWAY	8	0.04
154	PAKISTAN	3	0.01
156	PALESTINE STATE	1	0.00
157	PANAMA	8	0.04
160	PERU	16	0.07
162	ROMANIA	6	0.03
172	SERBIA	1	0.00
177	SLOVENIA	2	0.01
180	SOUTH AFRICA	5	0.02
181	SOUTH KOREA	1	0.00
183	SPAIN	9	0.04
187	SWEDEN	5	0.02
188	SWITZERLAND	10	0.05
189	SYRIA	2	0.01
192	THAILAND	13	0.06
194	TOGO	1	0.00
195	TONGA	1	0.00
196	TRINIDAD AND TOBAGO	4	0.02
198	TURKEY	7	0.03
203	UKRAINE	11	0.05
208	VENEZUELA	2	0.01
211	ZIMBABWE	1	0.00
213	SCOTLAND	26	0.12
214	WALES	2	0.01

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE U.S

INPUT VAR: CNTRYM

NOTES:

VARNAME: AH34NEW

LABEL: MOTHER BORN IN U.S.

			FREQ	%
VALUE:	-1	INAPPLICABLE	5651	26.33
	1	BORN IN U.S.	12811	59.69
	2	BORN OUTSIDE U.S.	3001	13.98

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH34

NOTES:

VARNAME: AH35

LABEL: FATHER'S COUNTRY OF BIRTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	5651	26.33
	1	UNITED STATES	12704	59.19
	2	AMERICAN SAMOA	4	0.02
	3	CANADA	116	0.54
	4	CHINA	209	0.97
	5	EL SALVADOR	77	0.36
	6	ENGLAND	36	0.17
	8	GERMANY	68	0.32
	9	GUAM	4	0.02
	10	GUATEMALA	44	0.21
	11	HUNGARY	11	0.05
	12	INDIA	37	0.17
	13	IRAN	17	0.08
	14	IRELAND	23	0.11
	15	ITALY	58	0.27
	16	JAPAN	39	0.18
	17	KOREA	47	0.22
	18	MEXICO	1469	6.84
	19	PHILIPPINES	144	0.67
	20	POLAND	35	0.16
	21	PORTUGAL	21	0.10
	22	PUERTO RICO	39	0.18
	23	RUSSIA	19	0.09
	24	TAIWAN	39	0.18
	25	VIETNAM	91	0.42
	26	VIRGIN ISLANDS	5	0.02
	33	ARGENTINA	12	0.06
	34	ARMENIA	6	0.03
	36	AUSTRALIA	4	0.02
	37	AUSTRIA	8	0.04
	40	BAHRAIN	1	0.00
	41	BANGLADESH	1	0.00
	43	BELARUS	1	0.00

 	ADOLI SURVEI DATA DICITUMARI		
44	BELGIUM	4	0.02
45	BELIZE	4	0.02
48	BOLIVIA	7	0.03
49	BOSNIA AND HERZEGOVINA	1	0.00
51	BRAZIL	6	0.03
53	BULGARIA	1	0.00
58	CAMBODIA	18	0.08
63	CHILE	6	0.03
64	COLOMBIA	4	0.02
67	COSTA RICA	3	0.01
68	CROATIA	10	0.05
69	CUBA	20	0.09
70	CYPRUS	2	0.01
71	CZECHIA (CZECH REPUBLIC)	9	0.04
73	DENMARK	3	0.01
76	DOMINICAN REPUBLIC	4	0.02
77	ECUADOR	5	0.02
78	EGYPT	7	0.03
80	ERITREA	1	0.00
83	ETHIOPIA	1	0.00
84	FIJI	1	0.00
85	FINLAND	3	0.01
86	FRANCE	7	0.03
92	GREECE	12	0.06
96	GUINEA	1	0.00
98	GUYANA	1	0.00
99	HAITI	2	0.01
101	HONDURAS	7	0.03
102	HONG KONG	14	0.07
104	INDONESIA	7	0.03
105	IRAQ	3	0.01
106	ISRAEL	7	0.03
107	JAMAICA	6	0.03
108	JORDAN	2	0.01
110	KENYA	2	0.01
114	LAOS	33	0.15
115	LATVIA	1	0.00
116	LEBANON	2	0.01
117	LESOTHO	1	0.00

121	LITHUANIA	4	0.02
124	MALAWI	1	0.00
125	MALAYSIA	3	0.01
128	MALTA	1	0.00
138	MOROCCO	1	0.00
140	MYANMAR (FORMERLY BURMA)	3	0.01
143	NEPAL	1	0.00
144	NETHERLANDS	17	0.08
146	NEW ZEALAND	1	0.00
147	NICARAGUA	16	0.07
149	NIGERIA	3	0.01
151	NORTH MACEDONIA	1	0.00
152	NORWAY	3	0.01
154	PAKISTAN	5	0.02
156	PALESTINE STATE	6	0.03
157	PANAMA	3	0.01
159	PARAGUAY	1	0.00
160	PERU	17	0.08
162	ROMANIA	4	0.02
172	SERBIA	2	0.01
175	SINGAPORE	1	0.00
176	SLOVAKIA	2	0.01
177	SLOVENIA	1	0.00
179	SOMALIA	1	0.00
180	SOUTH AFRICA	2	0.01
181	SOUTH KOREA	1	0.00
183	SPAIN	13	0.06
187	SWEDEN	10	0.05
188	SWITZERLAND	10	0.05
189	SYRIA	3	0.01
191	TANZANIA	2	0.01
192	THAILAND	4	0.02
194	TOGO	1	0.00
195	TONGA	1	0.00
196	TRINIDAD AND TOBAGO	1	0.00
197	TUNISIA	1	0.00
198	TURKEY	3	0.01
203	UKRAINE	19	0.09
208	VENEZUELA	3	0.01
211	ZIMBABWE	2	0.01
213	SCOTLAND	16	0.07
214	WALES	5	0.02

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE U.S

INPUT VAR: CNTRYF

NOTES:

VARNAME: AH35NEW

LABEL: FATHER BORN IN U.S.

VALUE: -1 INAPPLICABLE 5651 26.33 1 BORN IN U.S. 12756 59.43 2 BORN OUTSIDE U.S. 3056 14.24

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH35

NOTES:

VARNAME: CNTRYF

LABEL: COUNTRY FATHER BORN

			FREQ	%
VALUE:	-1	INAPPLICABLE	5651	26.33
	1	UNITED STATES	12756	59.43
	2	MEXICO	1469	6.84
	3	CENTRAL AMERICA	154	0.72
	4	OTHER LATIN AMERICA	95	0.44
	5	ASIA & PACIFIC ISLANDS	777	3.62
	6	EUROPE	420	1.96
	7	OTHER	141	0.66

UNIVERSE: ALL ADULTS WHO WERE BORN IN US

INPUT VAR: AH35

NOTES:

VARNAME: CNTRYM

LABEL: COUNTRY MOTHER BORN

			FREQ	%
VALUE:	-1	INAPPLICABLE	5651	26.33
	1	UNITED STATES	12811	59.69
	2	MEXICO	1321	6.15
	3	CENTRAL AMERICA	174	0.81
	4	OTHER LATIN AMERICA	99	0.46
	5	ASIA & PACIFIC ISLANDS	796	3.71
	6	EUROPE	466	2.17
	7	OTHER	145	0.68

UNIVERSE: ALL ADULTS WHO WERE BORN IN US

INPUT VAR: AH34

NOTES:

VARNAME: CNTRYS

LABEL: COUNTRY BORN

VALUE:	1 2 3 4 5	UNITED STATES MEXICO CENTRAL AMERICA OTHER LATIN AMERICA ASIA & PACIFIC ISLANDS	FREQ 15866 1648 374 251 2637	% 73.92 7.68 1.74 1.17 12.29
	6	EUROPE	469	2.19
	7	OTHER	218	1.02

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

VARNAME: CNTRYS2

LABEL: COUNTRY BORN (WORLD BANK REGIONS)

			FREQ	%
VALUE:	1	UNITED STATES	15866	73.92
	2	MEXICO	1648	7.68
	3	CANADA	119	0.55
	4	EAST ASIA AND PACIFIC	2215	10.32
	5	EUROPE AND CENTRAL ASIA	538	2.51
	6	LATIN AMERICA & THE CARIBBEAN	625	2.91
	7	MIDDLE EAST AND NORTH AFRICA	158	0.74
	8	SOUTH ASIA	222	1.03
	9	SUB-SAHARAN AFRICA	72	0.34

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES: NEW REGION GROUPS VERSION STARTING IN 2019

VARNAME: AH39

LABEL: CITIZEN OF UNITED STATES

		FREQ	%
-1	INAPPLICABLE	15859	73.89
1	YES	3999	18.63
2	NO	1464	6.82
3	APPLICATION PENDING	141	0.66
	-1 1 2 3	1 YES 2 NO	-1 INAPPLICABLE 15859 1 YES 3999 2 NO 1464

UNIVERSE: ALL ADULTS WHO WERE BORN IN A COUNTRY OTHER THAN US, GUAM, PUERTO

RICO, OR VIRGIN ISLANDS

INPUT VAR:

NOTES: BEGINNING IN CHIS 2021, NOW ASKED OF RESPONDENTS BORN IN AMERICAN

SAMOA DUE TO STATUS AS US NATIONALS, NOT US CITIZENS AT BIRTH.

VARNAME: AH40

LABEL: PERMANENT RESIDENT WITH GREEN CARD

			FREQ	%
VALUE:	-1	INAPPLICABLE	19859	92.53
	1	YES	950	4.43
	2	NO	511	2.38
	3	APPLICATION PENDING	143	0.67

UNIVERSE: ALL ADULTS WHO ARE NOT A CITIZEN OF US AND WERE BORN IN A COUNTRY

OTHER THAN US, SAMOA, GUAM, PUERTO RICO, OR VIRGIN ISLANDS

INPUT VAR:

NOTES:

VARNAME: AH4ONEW

LABEL: PERMANENT RESIDENT WITH A GREEN CARD Y/N

			FREQ	%
VALUE:	-1	INAPPLICABLE	19859	92.53
	1	PERMANENT RESIDENT	950	4.43
	2	NOT A PERMANENT RESIDENT	654	3.05

UNIVERSE: ALL ADULTS WHO ARE NOT A CITIZEN OF US AND WERE BORN IN A COUNTRY

OTHER THAN US, SAMOA, GUAM, PUERTO RICO, OR VIRGIN ISLANDS

INPUT VAR: AH40

NOTES:

VARNAME: CITIZEN1

LABEL: CITIZENSHIP AND IMMIGRATION STATUS - 4 LEVELS

VALUE: 1 US-BORN CITIZEN 15866 73.92
2 NATURALIZED CITIZEN 3993 18.60
3 NON-CITIZEN W/ GREEN CARD 950 4.43
4 NON-CITIZEN W/OUT GREEN CARD 654 3.05

UNIVERSE: ALL ADULTS

INPUT VAR: AH39 AH33 AH40

NOTES: RESPONDENTS BORN IN AMERICAN SAMOA ARE INCLUDED IN THE "US-BORN

CITIZEN" CATEGORY. THESE RESPONDENTS MAY BE US NATIONALS BY BIRTH

OR NATURALIZED US CITIZENS.

VARNAME: CITIZEN2

LABEL: CITIZENSHIP STATUS (3 LVLS)

VALUE: 1 US-BORN CITIZEN 15866 73.92
2 NATURALIZED CITIZEN 3993 18.60
3 NON-CITIZEN 1604 7.47

UNIVERSE: ALL ADULTS

INPUT VAR: AH39 AH33 AH40

NOTES: RESPONDENTS BORN IN AMERICAN SAMOA ARE INCLUDED IN THE "US-BORN

CITIZEN" CATEGORY. THESE RESPONDENTS MAY BE US NATIONALS BY BIRTH

OR NATURALIZED US CITIZENS.

VARNAME: AH41

LABEL: # OF YEARS LIVED IN UNITED STATES

MEAN STATISTICS

N 5597 MIN 0 MAX 90 MEAN 31.29

UNIVERSE: ADULTS WHO WERE BORN IN A COUNTRY OTHER THAN US, SAMOA, GUAM,

PUERTO RICO, OR VIRGIN ISLANDS

INPUT VAR: YRUS

NOTES:

VARNAME: AG36V2

LABEL: CURRENTLY HERE ON WHAT TYPE OF IMMIGRATION DOCUMENT

			FREQ	%
VALUE:	-1	INAPPLICABLE	20808	96.95
	1	TOURIST VISA	48	0.22
	2	STUDENT VISA	73	0.34
	3	WORK VISA OR PERMIT	200	0.93
	4	DEFERRED ACTION FOR CHILDHOOD ARRIVALS O	54	0.25
	6	ANOTHER DOCUMENT WHICH PERMITS STAY FOR	49	0.23
	8	REFUGE/ASYLUM STATUS	66	0.31
	9	UNDOCUMENTED	141	0.66
	91	OTHER (SPECIFY)	24	0.11

UNIVERSE: ADULTS WHO ARE NOT US CITIZENS OR PERMANENT RESIDENTS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AG36. New version due to

changed response options. Qx varname = AG36B

VARNAME: AG37V2

LABEL: VISA OR DOCUMENT VALID OR EXPIRED

			FREQ	%
VALUE:	-1	INAPPLICABLE	20874	97.26
	1	VALID	436	2.03
	2	EXPIRED	125	0.58
	3	APPLICATION PENDING	28	0.13

UNIVERSE: NON-CITIZEN/NON-U.S. RESIDENT ADULTS WITH VISA, WORK PERMIT, OTHER

DOCUMENT ALLOWING STAY (NOT ON REFUGEE/ASYLUM STATUS)

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AG37. New version due to

new skip condition. Qx varname = AG37B

VARNAME: US_VISAV2

LABEL: TYPE OF VISA, PERMIT, OR DOCUMENTATION TO STAY IN US

			FREQ	%
VALUE:	-1	INAPPLICABLE	20809	96.95
	1	VALID TOURIST VISA	18	0.08
	2	VALID STUDENT VISA	65	0.30
	3	VALID WORK VISA/PERMIT	168	0.78
	4	DACA POPULATION	46	0.21
	5	VALID OTHER TYPE OF DOCUMENT	33	0.15
	6	EXPIRED VISA OR UNDOCUMENTED	223	1.04
	7	APPLICATION PENDING	21	0.10
	8	NONE OF THESE	14	0.07
	9	REFUGEE/ASYLUM STATUS	66	0.31

UNIVERSE: ADULTS WHO ARE NOT US CITIZENS OR PERMANENT RESIDENTS

INPUT VAR: AG36V2 AG37V2

NOTES: PREVIOUS VERSION: US_VISA

VARNAME: YRUS

LABEL: YEARS LIVED IN THE U.S.

			FREQ	%
VALUE:	-1	INAPPLICABLE	15866	73.92
	1	<=1 YEAR	55	0.26
	2	2-4 YEARS	194	0.90
	3	5-9 YEARS	394	1.84
	4	10-14 YEARS	357	1.66
	5	15+ YEARS	4597	21.42

UNIVERSE: ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO OR

VIRGIN ISLANDS

INPUT VAR: AH41

NOTES:

VARNAME: YRUS6P

LABEL: YEARS LIVED IN THE US: 6+

			FREQ	%
VALUE:	-1	INAPPLICABLE	15866	73.92
	1	YES	337	1.57
	2	NO	5260	24.51

UNIVERSE: ADULTS WHO WERE BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR:

NOTES:

VARNAME: YRUS_P1

LABEL: YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	15866	73.92
	1	<5 YEARS	249	1.16
	3	5-9 YEARS	394	1.84
	4	10-14 YEARS	357	1.66
	5	15+ YEARS	4597	21.42

UNIVERSE: ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO OR

VIRGIN ISLANDS

INPUT VAR: AADATE AH41FMT AH41YR AH41

NOTES: YRUS Categories Collapsed

VARNAME: PCTLF

LABEL: PERCENT LIFE IN US

MEAN STATISTICS

N 21463 MIN 0 MAX 100 MEAN 88.70

UNIVERSE: ALL ADULTS

INPUT VAR: CNTRYS AH41FMT AH41 AH41YR SRAGE

NOTES:

VARNAME: PCTLF_P

LABEL: PERCENT LIFE IN US (PUF RECODE)

			FREQ	%
VALUE:	1	0-20	564	2.63
	2	21-40	934	4.35
	3	41-60	1527	7.11
	4	61-80	1492	6.95
	5	81+	16946	78.95

UNIVERSE: ALL ADULTS

INPUT VAR: PCTLF

NOTES: PCTLF Categories Collapsed

VARNAME: AH43A

LABEL: LIVING WITH A PARENT

			FREQ	%
VALUE:	-1	INAPPLICABLE	20222	94.22
	1	YES	881	4.10
	2	NO	360	1.68

UNIVERSE: ADULTS UNDER 30 WHO ARE [(MARRIED AND LIVING W/ SPOUSE) OR (LIVING

W/ PARTNER AND AT LEAST 3 ALL ADULTS) OR (NOT MARRIED AND LIVING

W/ AT LEAST 2 ALL ADULTS)]

INPUT VAR:

NOTES:

VARNAME: AH44A

LABEL: USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH

VALUE: -1 INAPPLICABLE 18342 85.46
1 YES 868 4.04
2 NO 2253 10.50

UNIVERSE: ADULTS LIVING WITH CHILDREN UNDER AGE 14

INPUT VAR:

NOTES:

VARNAME: AH44B

LABEL: AMOUNT PAID FOR ALL CHILD CARE ARRANGEMENTS LAST MONTH

MEAN STATISTICS

N 868 MIN 0 MAX 8600 MEAN 1159.99

UNIVERSE: ADULTS LIVING WITH CHILDREN UNDER AGE 14 WHO PAID FOR CHILD CARE

INPUT VAR:

NOTES:

VARNAME: AHCHLDC

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK

			FREQ	%
VALUE:	-1	INAPPLICABLE	20595	95.96
	1	\$0-9/WEEK	6	0.03
	2	\$10-24/WEEK	33	0.15
	3	\$25-49/WEEK	47	0.22
	4	\$50-99/WEEK	127	0.59
	5	\$100-199/WEEK	235	1.09
	6	\$200+/WEEK	420	1.96

UNIVERSE: ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE IN

THE PAST MONTH.

INPUT VAR: AH44B

NOTES:

VARNAME: ACHLDC_P1

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	20595	95.96
	1	\$0-24/WEEK	39	0.18
	3	\$25-49/WEEK	47	0.22
	4	\$50-99/WEEK	127	0.59
	5	\$100-199/WEEK	235	1.09
	6	\$200+/WEEK	420	1.96

UNIVERSE: ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE IN

THE PAST MONTH.

INPUT VAR: AH44B AH44BUNT

NOTES: ACHLDC Categories Collapsed

VARNAME: AH47

LABEL: HIGHEST GRADE OF EDUCATION COMPLETED AND RECVD CREDIT FOR

			FREQ	%
VALUE:	1	1ST GRADE	9	0.04
	2	2ND GRADE	18	0.08
	3	3RD GRADE	35	0.16
	4	4TH GRADE	32	0.15
	5	5TH GRADE	37	0.17
	6	6TH GRADE	172	0.80
	7	7TH GRADE	43	0.20
	8	8TH GRADE	117	0.55
	9	9TH GRADE	182	0.85
	10	10TH GRADE	133	0.62
	11	11TH GRADE	238	1.11
	12	12TH GRADE OR GED	2683	12.50
	13	1ST YR (FRESHMAN)	812	3.78
	14	2ND YR (SOPHOMORE)	1062	4.95
	15	3RD YR (JUNIOR)	669	3.12
	16	4TH YR (SENIOR) (BA/BS)	5032	23.44
	17	5TH YR	1020	4.75
	18	1ST YR GRAD/PROF SCHOOL	585	2.73
	19	2ND YR GRAD/PROF SCHOOL	2853	13.29
	20	3RD YR GRAD/PROF SCHOOL	696	3.24
	21	MORE THAN 3 YRS GRAD/PROF SCHOOL	1513	7.05
	22	1ST YR JR/COMMUNITY COLLEGE	578	2.69
	23	2ND YR JR/COMMUNITY COLLEGE (AA/AS)	1537	7.16
	24	1ST YR VOC/BUSINESS/TRADE SCHOOL	573	2.67
	25	2ND YR VOC/BUSINESS/TRADE SCHOOL	340	1.58
	26	MORE THAN 2 YRS VOC/BUSINESS/TRADE	399	1.86
	30	NO FORMAL EDUCATION	95	0.44

UNIVERSE: ALL ADULTS

INPUT VAR: AHEDUC

NOTES:

Notab.

VARNAME: AHEDUC

LABEL: EDUCATIONAL ATTAINMENT

			FREQ	%
VALUE:	1	GRADE 1-8	463	2.16
	2	GRADE 9-11	553	2.58
	3	GRADE 12/H.S. DIPLOMA	2683	12.50
	4	SOME COLLEGE	3121	14.54
	5	VOCATIONAL SCHOOL	1312	6.11
	6	AA OR AS DEGREE	1537	7.16
	7	BA OR BS DEGREE	6052	28.20
	8	SOME GRAD. SCHOOL	585	2.73
	9	MA OR MS DEGREE	3549	16.54
	10	PH.D. OR EQUIVALENT	1513	7.05
	91	NO FORMAL EDUCATION	95	0.44

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES:

VARNAME: AHEDC_P1

LABEL: EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)

			FREQ	%
VALUE:	1	NO FORMAL EDUCATION OR GRADE 1-8	558	2.60
	2	GRADE 9-11	553	2.58
	3	GRADE 12/H.S. DIPLOMA	2683	12.50
	4	SOME COLLEGE	3121	14.54
	5	VOCATIONAL SCHOOL	1312	6.11
	6	AA OR AS DEGREE	1537	7.16
	7	BA OR BS DEGREE/SOME GRAD SCHOOL	6637	30.92
	8	MA OR MS DEGREE ***PROC FORMAT	3549	16.54
	9	PH.D. OR EQUIVALENT	1513	7.05

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES: AHEDUC Categories Collapsed

VARNAME: AG8

LABEL: WORK STATUS OF SPOUSE LAST WEEK

			FREQ	%
VALUE:	-1	INAPPLICABLE	10868	50.64
	1	WORKING AT A JOB OR BUSINESS	5847	27.24
	2	WITH A JOB/BUSINESS, BUT NOT AT WORK	297	1.38
	3	LOOKING FOR WORK	182	0.85
	4	NOT WORKING AT A JOB OR BUSINESS	4269	19.89

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR HAVE A LEGAL PARTNER

INPUT VAR:

NOTES:

VARNAME: AG9

LABEL: TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB

			FREQ	%
VALUE:	-1	INAPPLICABLE	14849	69.18
	1	PRIVATE COMPANY/NON-PROFIT ORG	4082	19.02
	2	GOVERNMENT	1252	5.83
	3	SELF-EMPLOYED	1091	5.08
	4	FAMILY BUSINESS/FARM	189	0.88

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER THAT HAS JOB OR USUALLY WORKS

INPUT VAR:

NOTES:

VARNAME: AG9_P1

LABEL: TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	14849	69.18
	1	PRIVATE COMPANY/NON-PROFIT ORG	4082	19.02
	2	GOVERNMENT	1252	5.83
	3	SELF-EMPLOYED/FAMILY BUSINESS/FARM	1280	5.96

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER THAT HAS JOB OR USUALLY WORKS

INPUT VAR: AG9

NOTES: AG9 Categories Collapsed

VARNAME: AG10

LABEL: RESPONDENT USUALLY WORKS

			FREQ	%
VALUE:	-1	INAPPLICABLE	18123	84.44
	1	YES	1421	6.62
	2	NO	1263	5.88
	3	LOOKING FOR WORK	656	3.06

UNIVERSE: ALL ADULTS (W/ A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING

AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCL ALL ADULTS WHO

ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

VARNAME: AG11

LABEL: SPOUSE USUALLY WORKS

			FREQ	%
VALUE:	-1	INAPPLICABLE	17012	79.26
	1	YES	470	2.19
	2	NO	3821	17.80
	3	LOOKING FOR WORK	160	0.75

UNIVERSE: MARRIED OR HAVE LEGAL PARTNER ALL ADULTS WITH SPOUSE/ PARTNER WHO

IS LOOKING FOR WORK, NOT WORKING, OR REFUSED/DIDN'T KNOW ANSWER TO

QUESTION

INPUT VAR:

NOTES:

VARNAME: WRKST

LABEL: WORKING STATUS

			FREQ	%
VALUE:	1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)	10646	49.60
	2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)	1876	8.74
	3	EMPLOYED, NOT AT WORK	196	0.91
	4	UNEMPLOYED, LOOKING FOR WORK	890	4.15
	5	UNEMPLOYED, NOT LOOKING FOR WORK	7855	36.60

UNIVERSE: ALL ADULTS

INPUT VAR: AK3 AK1 AK2 AG10

NOTES: CANNOT BE TRENDED WITH WRKST 2003

VARNAME: WRKST_P1

LABEL: WORKING STATUS (PUF 1 YR RECODE)

VALUE: 1 FULL-TIME EMPLOYMENT (21+ HRS/WEEK) 10646 49.60
2 PART-TIME EMPLOYMENT (0-20 HRS/WEEK) 1876 8.74
3 OTHER EMPLOYED 196 0.91
4 UNEMPLOYED, LOOKING FOR WORK 890 4.15
5 UNEMPLOYED, NOT LOOKING FOR WORK 7855 36.60

UNIVERSE: ALL ADULTS

INPUT VAR: AK3 AK1 AK2 AG10

NOTES:

VARNAME: WRKST_S

LABEL: SPOUSE WORKING STATUS

			FREQ	%
VALUE:	-1	INAPPLICABLE - NO SPOUSE	10946	51.00
	1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)	5678	26.45
	2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)	709	3.30
	3	EMPLOYED, NOT AT WORK	73	0.34
	4	UNEMPLOYED, LOOKING FOR WORK	201	0.94
	5	UNEMPLOYED. NOT LOOKING FOR WORK	3856	17.97

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE

INPUT VAR: AH43 AK20 AG8 AG11

NOTES:

VARNAME: AG22

LABEL: EVER SERVE IN U.S. ARMED FORCES

VALUE: 1 YES 1692 7.88 2 NO 19771 92.12

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG23V2_1

LABEL: SERVED IN WORLD WAR II

FREQ % 22 NOT ASCERTAINED DON'T KNOW -9 0.10 VALUE: 1 -8 0.00 -7 REFUSED 0.01 -1 INAPPLICABLE 20257 94.38 YES 0.08 1 17 1164 5.42 NO 2

UNIVERSE: ALL ADULTS WHO EVER SERVED IN THE U.S ARMED FORCES

INPUT VAR:

NOTES: PREVIOUS VERSION: AG23_1. NEW VERSION CREATED IN 2021 DUE TO

UNIVERSE CHANGE. REFER TO AG23BEG & AG23END FOR RESPONSES PROVIDED

IN YEARS SERVED.

VARNAME: AG23V2_2

LABEL: SERVED IN KOREAN WAR

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	22	0.10
	-8	DON'T KNOW	1	0.00
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	20257	94.38
	1	YES	74	0.34
	2	NO	1107	5.16

UNIVERSE: ALL ADULTS WHO EVER SERVED IN THE U.S ARMED FORCES

INPUT VAR:

NOTES: PREVIOUS VERSION: AG23_2. NEW VERSION CREATED IN 2021 DUE TO

UNIVERSE CHANGE. REFER TO AG23BEG & AG23END FOR RESPONSES PROVIDED

IN YEARS SERVED.

VARNAME: AG23V2_3

LABEL: SERVED IN VIETNAM WAR

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	22	0.10
	-8	DON'T KNOW	1	0.00
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	20257	94.38
	1	YES	684	3.19
	2	NO	497	2.32

UNIVERSE: ALL ADULTS WHO EVER SERVED IN THE U.S ARMED FORCES

INPUT VAR:

NOTES: PREVIOUS VERSION: AG23_3. NEW VERSION CREATED IN 2021 DUE TO

UNIVERSE CHANGE. REFER TO AG23BEG & AG23END FOR RESPONSES PROVIDED

IN YEARS SERVED.

VARNAME: AG23V2_4

LABEL: SERVED IN GULF WAR/OPERATION DESERT STORM

			rnew	/0
VALUE:	-9	NOT ASCERTAINED	22	0.10
	-8	DON'T KNOW	1	0.00
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	20257	94.38
	1	YES	252	1.17
	2	NO	929	4.33

EDEU %

UNIVERSE: ALL ADULTS WHO EVER SERVED IN THE U.S ARMED FORCES

INPUT VAR:

NOTES: PREVIOUS VERSION: AG23_4. NEW VERSION CREATED IN 2021 DUE TO

UNIVERSE CHANGE. REFER TO AG23BEG & AG23END FOR RESPONSES PROVIDED

IN YEARS SERVED.

VARNAME: AG23V2_5

LABEL: SERVED IN AFGHANISTAN/OPERATION ENDURING

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	22	0.10
	-8	DON'T KNOW	1	0.00
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	20257	94.38
	1	YES	212	0.99
	2	NO	969	4.51

UNIVERSE: ALL ADULTS WHO EVER SERVED IN THE U.S ARMED FORCES

INPUT VAR:

NOTES: PREVIOUS VERSION: AG23_5. NEW VERSION CREATED IN 2021 DUE TO

UNIVERSE CHANGE. REFER TO AG23BEG & AG23END FOR RESPONSES PROVIDED

IN YEARS SERVED.

VARNAME: AG23V2_6

LABEL: SERVED IN IRAQ WAR/OPERATION IRAQI FREEDOM

			ויוגניע	/0
VALUE:	-9	NOT ASCERTAINED	22	0.10
	-8	DON'T KNOW	1	0.00
	-7	REFUSED	2	0.01
	-1	INAPPLICABLE	20257	94.38
	1	YES	243	1.13
	2	NO	938	4.37

EDEU %

UNIVERSE: ALL ADULTS WHO EVER SERVED IN THE U.S ARMED FORCES

INPUT VAR:

NOTES: PREVIOUS VERSION: AG23_6. NEW VERSION CREATED IN 2021 DUE TO

UNIVERSE CHANGE. REFER TO AG23BEG & AG23END FOR RESPONSES PROVIDED

IN YEARS SERVED.

VARNAME: AG23V2BEG

LABEL: YEAR FIRST SERVED U.S. ARMED FORCES

			FREQ	%
VALUE:	-1	INAPPLICABLE	19800	92.25
	-7	REFUSED	2	0.01
	-8	DON'T KNOW	1	0.00
	-9	NOT ASCERTAINED	22	0.10
	•	RESPONSE PROVIDED	1638	7.63

UNIVERSE: ALL ADULTS WHO EVER SERVED IN THE U.S ARMED FORCES

INPUT VAR:

NOTES: PREVIOUS VERSION: AG23BEG. NEW VERSION CREATED IN 2021 DUE TO

UNIVERSE CHANGE. REFER TO AG23 GROUP VARIABLES FOR RESPONSES

PROVIDED IN WAR SERVED IN.

VARNAME: AG23V2END

LABEL: YEAR LAST SERVED U.S. ARMED FORCES

			FREQ	%
VALUE:	-1	INAPPLICABLE	19800	92.25
	-7	REFUSED	2	0.01
	-8	DON'T KNOW	1	0.00
	-9	NOT ASCERTAINED	22	0.10
		RESPONSE PROVIDED	1638	7.63

UNIVERSE: ALL ADULTS WHO EVER SERVED IN THE U.S ARMED FORCES

INPUT VAR:

NOTES: PREVIOUS VERSION: AG23END. NEW VERSION CREATED IN 2021 DUE TO

UNIVERSE CHANGE. REFER TO AG23 GROUP VARIABLES FOR RESPONSES

PROVIDED IN WAR SERVED IN.

VARNAME: AG31

LABEL: HAVE VA SERVICE-CONNECTED DISABILITY RATING

			FREQ	%
VALUE:	-1	INAPPLICABLE	19771	92.12
	1	YES	522	2.43
	2	NO	1170	5.45

UNIVERSE: ADULTS WHO SERVED IN US ARMED FORCES

INPUT VAR:

NOTES:

VARNAME: AG32

LABEL: SERVICE-CONNECTED DISABILITY RATING

		FREQ	%
-1	INAPPLICABLE	20941	97.57
1	O PERCENT	17	0.08
2	10 OR 20 PERCENT	152	0.71
3	30 OR 40 PERCENT	84	0.39
4	50 OR 60 PERCENT	57	0.27
5	70 PERCENT OR HIGHER	212	0.99
	1 2 3 4	1 0 PERCENT 2 10 OR 20 PERCENT 3 30 OR 40 PERCENT 4 50 OR 60 PERCENT	-1 INAPPLICABLE 20941 1 0 PERCENT 17 2 10 OR 20 PERCENT 152 3 30 OR 40 PERCENT 84 4 50 OR 60 PERCENT 57

UNIVERSE: ADULTS WITH VA SERVICE-CONNECTED DISABILITY RATING

INPUT VAR:

NOTES:

VARNAME: SERVED

LABEL: LENGTH OF TIME SERVED IN ACTIVE DUTY

			FREQ	%
VALUE:	-1	INAPPLICABLE	19771	92.12
	1	<6 MONS	32	0.15
	2	6 MONS - 2 YRS	305	1.42
	3	>2 YRS - 4 YRS	535	2.49
	4	>4 YRS - <20 YRS	567	2.64
	5	20+ YRS	253	1.18

UNIVERSE: ALL ADULTS WHO HAVE SERVED IN ACTIVE DUTY

INPUT VAR: AG22 AG24NUM AG23BEG AG23END

NOTES:

VARNAME: SREDUC

LABEL: SELF-REPORTED EDUC LEVEL OF RESP (ADLTS)

VALUE: 1 < HIGH SCHOOL EDUCATION 1111 5.18
2 HIGH SCHOOL EDUCATION 2683 12.50
3 SOME COLLEGE 5970 27.82
4 COLLEGE DEGREE OR ABOVE 11699 54.51

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: FAM_SIZE

LABEL: FAMILY SIZE

MEAN STATISTICS

 N
 21463

 MIN
 1

 MAX
 12

 MEAN
 1.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DUE TO A CONSTRUCT CHANGE, THIS VARIABLE IS NOT TRENDABLE WITH

2016 AND EARLIER YEARS.

VARNAME: FAM_SIZE2

LABEL: FAMILY SIZE: INCLUDES ALL PEOPLE SUPPORTED BY HH INCOME

MEAN STATISTICS

N 21463 MIN 1 MAX 20 MEAN 2.05

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: MAY INCLUDE INDIVIDUALS NOT IN HOUSEHOLD BUT ARE SUPPORTED BY

HOUSEHOLD INCOME

VARNAME: FAM_TYPE

LABEL: FAMILY TYPE

			FREQ	%
VALUE:	1	SINGLE ADULT, 21+	9257	43.13
	2	SINGLE YOUNG ADULT, 19-20	204	0.95
	3	MARRIED, NO KIDS	6992	32.58
	4	MARRIED WITH KIDS	3334	15.53
	5	SINGLE WITH KIDS	1556	7.25
	6	SINGLE 18 YEARS OLD	120	0.56

UNIVERSE: ALL ADULTS

INPUT VAR: FAMT4

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED OR NOT LIVING WITH SPOUSE.

VARNAME: FAMTYP_P

LABEL: FAMILY TYPE (PUF RECODE)

			FREQ	%
VALUE:	1	SINGLE ADULT, 21+	9257	43.13
	2	SINGLE YOUNG ADULT, 19-20	204	0.95
	3	MARRIED, NO KIDS	6992	32.58
	4	MARRIED WITH KIDS	3334	15.53
	5	SINGLE WITH KIDS	1556	7.25
	6	SINGLE 18 YEARS OLD	120	0.56

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED OR NOT LIVING WITH SPOUSE.

VARNAME: FAMSIZE2_P1

LABEL: FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE)

MEAN STATISTICS

N 21463 MIN 1 MAX 8 MEAN 2.04

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_SIZE2

NOTES: MAY INCLUDE INDIVIDUALS NOT IN HOUSEHOLD BUT ARE SUPPORTED BY

HOUSEHOLD INCOME; TOPCODE = 8

VARNAME: FAMT4

LABEL: FAMILY TYPE - 4 LVLS

			FREQ	%
VALUE:	1	SINGLE, NO KIDS	9581	44.64
	2	MARRIED, NO KIDS	6992	32.58
	3	MARRIED WITH KIDS	3334	15.53
	4	SINGLE WITH KIDS	1556	7.25

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED OR NOT LIVING WITH SPOUSE.

SECTION H: HEALTH INSURANCE

VARNAME: AI1

LABEL: COVERED BY MEDICARE

VALUE: 1 YES 7103 33.09 2 NO 14360 66.91

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AI2

LABEL: NOT COVERED BY MEDICARE - VERIFICATION

VALUE: -1 INAPPLICABLE 21046 98.06
1 CORRECT, NOT COVERED BY MEDICARE 372 1.73
2 NOT CORRECT, R IS COVERED BY MEDICARE 45 0.21

UNIVERSE: ALL ADULTS 65 OR OLDER WITHOUT MEDICARE

INPUT VAR:

NOTES:

VARNAME: AI4

LABEL: COVERED BY MEDICARE SUPPL POLICY

VALUE: -1 INAPPLICABLE 18366 85.57
1 YES 1740 8.11
2 NO 1357 6.32

UNIVERSE: ALL ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO

INPUT VAR:

NOTES:

VARNAME: AH53

LABEL: PAYS ANY PART OF MEDICARE HMO/SUPP PREMIUM

VALUE: -1 INAPPLICABLE 15672 73.02 1 YES 4105 19.13 2 NO 1686 7.86

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE

SUPPLEMENT

INPUT VAR:

NOTES:

VARNAME: AH54

LABEL: SOMEONE ELSE PAYS ANY PART MEDICARE HMO/SUPP PREMIUM

VALUE: -1 INAPPLICABLE 15672 73.02 1 YES 1563 7.28 2 NO 4228 19.70

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE

SUPPLEMENT

INPUT VAR:

NOTES:

VARNAME: AH55_1

LABEL: HELP PAY FOR MEDICARE: CURRENT EMPLOYER

VALUE: -1 INAPPLICABLE 19900 92.72 1 YES 135 0.63 2 NO 1428 6.65

UNIVERSE: ALL ADULTS WITH MEDICARE HMO/MEDICARE SUPPLEMENT PAID BY EMPLOYER

INPUT VAR:

NOTES:

VARNAME: AH55_2

LABEL: HELP PAY FOR MEDICARE: FORMER EMPLOYER

VALUE: -1 INAPPLICABLE 19900 92.72 1 YES 907 4.23 2 NO 656 3.06

UNIVERSE: ALL ADULTS WITH MEDICARE HMO/MEDICARE SUPPLEMENT PAID BY EMPLOYER

INPUT VAR:

NOTES:

VARNAME: AH55_3

LABEL: HELP PAY FOR MEDICARE: UNION

VALUE: -1 INAPPLICABLE 19900 92.72 1 YES 92 0.43 2 NO 1471 6.85

UNIVERSE: ALL ADULTS WITH MEDICARE HMO/MEDICARE SUPPLEMENT PAID BY EMPLOYER

INPUT VAR:

NOTES:

VARNAME: AH55_4

LABEL: HELP PAY FOR MEDICARE: SPOUSE'S CURRENT EMPLOYER

VALUE: -1 INAPPLICABLE 19900 92.72 1 YES 44 0.21 2 NO 1519 7.08

UNIVERSE: ALL ADULTS WITH MEDICARE HMO/MEDICARE SUPPLEMENT PAID BY EMPLOYER

INPUT VAR:

NOTES:

VARNAME: AH55_5

LABEL: HELP PAY FOR MEDICARE: SPOUSE'S FORMER EMPLOYER

VALUE: -1 INAPPLICABLE 19900 92.72
1 YES 220 1.03
2 NO 1343 6.26

UNIVERSE: ALL ADULTS WITH MEDICARE HMO/MEDICARE SUPPLEMENT PAID BY EMPLOYER

INPUT VAR:

NOTES:

VARNAME: AH55_6

LABEL: HELP PAY FOR MEDICARE: PROF/FRATERNAL ORG

VALUE: -1 INAPPLICABLE 19900 92.72 1 YES 13 0.06 2 NO 1550 7.22

UNIVERSE: ALL ADULTS WITH MEDICARE HMO/MEDICARE SUPPLEMENT PAID BY EMPLOYER

INPUT VAR:

NOTES:

VARNAME: AH55_7

LABEL: HELP PAY FOR MEDICARE: MEDCAID/MEDI-CAL

VALUE: -1 INAPPLICABLE 19900 92.72 1 YES 87 0.41 2 NO 1476 6.88

UNIVERSE: ALL ADULTS WITH MEDICARE HMO/MEDICARE SUPPLEMENT PAID BY EMPLOYER

INPUT VAR:

NOTES:

VARNAME: AH55_9

LABEL: HELP PAY FOR MEDICARE: OTHER

VALUE: -1 INAPPLICABLE 19900 92.72 1 YES 117 0.55 2 NO 1446 6.74

UNIVERSE: ALL ADULTS WITH MEDICARE HMO/MEDICARE SUPPLEMENT PAID BY EMPLOYER

INPUT VAR:

NOTES:

VARNAME: AI6

LABEL: COVERED BY MEDI-CAL

VALUE: 1 YES 3591 16.73 2 NO 17872 83.27

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AI8

LABEL: COVERED BY HEALTH INS PLAN THROUGH EMPLOYER OR UNION

VALUE: 1 YES 11732 54.66 2 NO 9731 45.34

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AI11

LABEL: COVERED BY HEALTH PLAN PURCHASED DIRECTLY FROM INS COMPANY

VALUE: -1 INAPPLICABLE 19181 89.37
1 YES 1085 5.06
2 NO 1197 5.58

UNIVERSE: ALL ADULTS NOT COVERED BY ANY OF: MEDICARE, MEDI-CAL, OR AN

EMPLOYER-BASED HEALTH INSURANCE PLAN/HMO

INPUT VAR:

NOTES:

VARNAME: AH100

LABEL: ANYONE HELP FIND HEALTH PLAN

VALUE: -1 INAPPLICABLE 21151 98.55
1 YES 116 0.54
2 NO 196 0.91

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO

BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES: QX VARNAME = AH100H

VARNAME: AH101

LABEL: PERSON WHO HELPED FIND HEALTH PLAN

		FREQ	%
-1	INAPPLICABLE	21347	99.46
1	BROKER	76	0.35
2	FAMILY MEMBER/FRIEND	27	0.13
3	INTERNET	6	0.03
4	MORE THAN ONE SOURCE/OTHER	7	0.03
	1 2 3	1 BROKER 2 FAMILY MEMBER/FRIEND 3 INTERNET	-1 INAPPLICABLE 21347 1 BROKER 76 2 FAMILY MEMBER/FRIEND 27 3 INTERNET 6

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO

BUY INS DIRECTLY FROM INS COMPANY AND WAS HELPED BY SOMEONE

INPUT VAR:

NOTES: QX VARNAME = AH101H

VARNAME: AH103

LABEL: BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO

			FREQ	%
VALUE:	-1	INAPPLICABLE	18203	84.81
	1	YES	1089	5.07
	2	NO	2171	10.12

UNIVERSE: ALL ADULTS WITH HEALTH COVERAGE IN PAST 12 MONTHS (CURRENT AND

PAST COVERAGE) PURCHASED DIRECTLY OR THROUGH COVCA, OR UNINSURED

ADULTS (CURRENT/PAST 12 MONTHS)

INPUT VAR:

NOTES: QX VARNAME = AH103H

VARNAME: AH104

LABEL: PURCHASE INS DIRECT OR THRU COVERED CA

			FREQ	%
VALUE:	-1	INAPPLICABLE	20378	94.94
	1	INSURANCE COMPANY OR HMO	316	1.47
	2	COVERED CALIFORNIA	751	3.50
	91	OTHER	18	0.08

UNIVERSE: ADULTS WITH HEALTH COVERAGE OBTAINED DIRECTLY FROM INS.

COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AI9

LABEL: HAVE EMPLOYER-BASED HEALTH INS IN OWN NAME OR SOMEONE ELSE'S

			FREQ	%
VALUE:	-1	INAPPLICABLE	8646	40.28
	1	IN OWN NAME	10171	47.39
	2	IN SOMEONE ELSE'S NAME	2646	12.33

UNIVERSE: ALL ADULTS WHO HAVE EMPLOYER-BASED HEALTH PLAN/ HMO COVERAGE OR

PURCHASED OWN HEALTH PLAN/ HMO COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI9A

LABEL: HAVE EMPLOYER-BASED HEALTH INS IN SPOUSE'S/PARENT'S NAME

			FREQ	%
VALUE:	-1	INAPPLICABLE	18972	88.39
	1	IN HUSBAND'S/WIFE'S NAME	2171	10.12
	2	IN PARENT'S NAME	309	1.44
	3	IN SOMEONE ELSE'S NAME	11	0.05

UNIVERSE: ALL ADULTS LESS THAN 26 YEARS WHO ARE MARRIED OR HAVE LEGAL

SAME-SEX PARTNER OR LIVING WITH PARENTS WHOSE HEALH PLAN IS IN

SOMEONE ELSE'S NAME

INPUT VAR:

NOTES:

VARNAME: AH105

LABEL: GET INS THRU EMPLOYER, UNION, SHOP PROGRAM

			FREQ	%
VALUE:	-1	INAPPLICABLE	18946	88.27
	1	EMPLOYER	2099	9.78
	2	UNION	127	0.59
	3	SHOP/COVERED CALIFORNIA	201	0.94
	91	OTHER	90	0.42

UNIVERSE: ADULTS WITH EMPLOYER BASED COVERAGE AND AT FIRM <= 100 EMPLOYEES

INPUT VAR:

NOTES:

VARNAME:	AH106
VARNAME:	AUTOO

LABEL: PURCHASE BRONZE, SILVER, GOLD, PLATINUM PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	20511	95.56
	1	BRONZE	275	1.28
	2	SILVER	455	2.12
	3	GOLD	106	0.49
	4	PLATINUM	52	0.24
	5	MEDI-CAL/MEDICAID	27	0.13
	6	MINIMUM COVERAGE PLAN OR CATASTROPHIC	26	0.12
	91	OTHER	11	0.05

UNIVERSE: ADULTS WITH PRIVATE COVERAGE/EMPLOYER BASED COVERAGE OBTAINED

THROUGH COVERED CA SHOP PGM

INPUT VAR:

NOTES:

VARNAME: AH107

LABEL: GET SUBSIDY/DISCOUNT ON PLAN PREMIUM

			FREQ	%
VALUE:	-1	INAPPLICABLE	20712	96.50
	1	YES	604	2.81
	2	NO	147	0.68

UNIVERSE: ADULTS WITH COVERED CALIFORNIA COVERAGE NOT OBTAINED THROUGH SHOP

INPUT VAR:

NOTES:

VARNAME: AH108

LABEL: SPOUSE COVERED BY INS THRU SHOP PGM

VALUE: -1 INAPPLICABLE 21347 99.46
1 YES 81 0.38
2 NO 35 0.16

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE THROUGH COVERED CALIFORNIA SHOP

INPUT VAR:

NOTES:

VARNAME: AH109

LABEL: SPOUSE COVERED BY COVERED CA

VALUE: -1 INAPPLICABLE 21108 98.35
1 YES 263 1.23
2 NO 92 0.43

UNIVERSE: ADULTS WITH HEALTH COVERAGE OBTAINED DIRECTLY THROUGH COVERED

CALIFORNIA OR EMPLOYER-BASED SHOP

INPUT VAR:

NOTES:

VARNAME: AH110

LABEL: SOURCE OF COVERAGE PURCHASED DIRECTLY

			FREQ	%
VALUE:	-1	INAPPLICABLE	20374	94.93
	1	DIRECTLY FROM AN INSURANCE COMPANY OR HM	176	0.82
	2	THROUGH COVERED CALIFORNIA	777	3.62
	3	BOTH DIRECT AND COVERED CALIFORNIA	136	0.63

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS, AND WHO TRIED TO BUY INS DIRECTLY FROM INS

COMPANY/HMO/COVERED CA

INPUT VAR:

NOTES: QX VARNAME = AH110H

VARNAME: AH111

LABEL: FIND PLAN WITH NEEDED COVERAGE-COVERED CA

			FREQ	%
VALUE:	-1	INAPPLICABLE	20550	95.75
	1	VERY DIFFICULT	151	0.70
	2	SOMEWHAT DIFFICULT	235	1.09
	3	NOT TOO DIFFICULT	315	1.47
	4	NOT AT ALL DIFFICULT	212	0.99

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH111H

VARNAME: AH112

LABEL: FIND PLAN COULD AFFORD-COVERED CA

			FREQ	%
VALUE:	-1	INAPPLICABLE	20550	95.75
	1	VERY DIFFICULT	270	1.26
	2	SOMEWHAT DIFFICULT	248	1.16
	3	NOT TOO DIFFICULT	260	1.21
	4	NOT AT ALL DIFFICULT	135	0.63

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH112H

VARNAME: AH113

LABEL: ANYONE HELP R FIND HEALTH PLAN-COVERED CA

			FREQ	%
VALUE:	-1	INAPPLICABLE	20550	95.75
	1	YES	289	1.35
	2	NO	624	2.91

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH113H

VARNAME: AH114

LABEL: WHO HELPED R FIND HEALTH PLAN-COVERED CA

			FREQ	%
VALUE:	-1	INAPPLICABLE	21174	98.65
	1	BROKER	109	0.51
	2	FAMILY MEMBER/FRIEND	38	0.18
	3	INTERNET	12	0.06
	4	CERTIFIED ENROLLMENT COUNSELOR	126	0.59
	91	OTHER	4	0.02

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA AND

RECEIVED HELP TO FIND A PLAN

INPUT VAR:

NOTES: QX VARNAME = AH114H

VARNAME: AH115

LABEL: HAD NEEDED INFO TO PICK HEALTH PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	20374	94.93
	1	YES	791	3.69
	2	NO	298	1.39

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED

CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH115H

VARNAME: AH116

LABEL: GOT HEALTH PLAN OPTIONS IN OWN LANGUAGE

VALUE: -1 INAPPLICABLE 21267 99.09
1 YES 150 0.70
2 NO 46 0.21

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED

CALIFORNIA AND SPEAKS ENGLISH LESS THAN VERY WELL

INPUT VAR:

NOTES: QX VARNAME = AH116H

VARNAME: AH117

LABEL: COST OF SELECTED PLAN IMPORTANT

			FREQ	%
VALUE:	-1	INAPPLICABLE	20374	94.93
	1	VERY IMPORTANT	881	4.10
	2	SOMEWHAT IMPORTANT	191	0.89
	3	NOT IMPORTANT	17	0.08

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED

CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH117H

VARNAME: AH118

LABEL: CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT

			FREQ	%
VALUE:	-1	INAPPLICABLE	20374	94.93
	1	VERY IMPORTANT	518	2.41
	2	SOMEWHAT IMPORTANT	304	1.42
	3	NOT IMPORTANT	267	1.24

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED

CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH118H

VARNAME: AH119

LABEL: CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT

			FREQ	%
VALUE:	-1	INAPPLICABLE	20374	94.93
	1	VERY IMPORTANT	373	1.74
	2	SOMEWHAT IMPORTANT	405	1.89
	3	NOT IMPORTANT	311	1.45

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED

CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH119H

VARNAME: AH120

LABEL: CHOICE OF DOCTORS THRU PLAN IMPORTANT

			FREQ	%
VALUE:	-1	INAPPLICABLE	20374	94.93
	1	VERY IMPORTANT	494	2.30
	2	SOMEWHAT IMPORTANT	377	1.76
	3	NOT IMPORTANT	218	1.02

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED

CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH120H

VARNAME: AH121

LABEL: MOST IMPORTANT REASON CHOSE PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	20374	94.93
	1	COST	685	3.19
	2	SPECIFIC DOCTOR	133	0.62
	3	SPECIFIC HOSPITAL	54	0.25
	4	CHOICE OF DOCTORS IN NETWORK	134	0.62
	5	COVERAGE OF SERVICES	21	0.10
	6	MORE THAN ONE REASON	18	0.08
	7	OBLIGATED/HAD TO CHOOSE ONE	9	0.04
	8	DID NOT END UP GETTING/DO NOT HAVE	22	0.10
	91	OTHER	13	0.06

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED

CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH121H

VARNAME: AH98

LABEL: DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE

			FREQ	%
VALUE:	-1	INAPPLICABLE	21151	98.55
	1	VERY DIFFICULT	72	0.34
	2	SOMEWHAT DIFFICULT	97	0.45
	3	NOT TOO DIFFICULT	80	0.37
	4	NOT AT ALL DIFFICULT	63	0.29

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO

BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES: QX VARNAME = AH98H

VARNAME: AH57

LABEL: PAYS ANY PART OF EMPL-BASED HEALTH PLAN PREMIUM

			FREQ	%
VALUE:	-1	INAPPLICABLE	8646	40.28
	1	YES	9288	43.27
	2	NO	3529	16.44

UNIVERSE: ALL ADULTS WITH HEALTH INSURANCE COVERED BY EMPLOYER-BASED OR

INDIVIDUALLY PURCHASED IN OWN NAME

INPUT VAR:

NOTES:

VARNAME: AH58

LABEL: SOMEONE ELSE PAYS ANY PART EMPL-BASED PREMIUM

VALUE: -1 INAPPLICABLE 12175 56.73
1 YES 6446 30.03
2 NO 2842 13.24

UNIVERSE: ALL ADULTS WHO PAY ANY PREMIUM COST FOR EMPLOYED-BASED OR

INDIVIDUALLY PURCHASED PLAN

INPUT VAR:

NOTES:

VARNAME: AH56_1

LABEL: HELP PAY FOR EMPL-BASED INS: CURRENT EMPLOYER

VALUE: -1 INAPPLICABLE 11488 53.52 1 YES 6407 29.85 2 NO 3568 16.62

UNIVERSE: ALL ADULTS WITH EMPLOYER-BASED HEALTH PLAN OR INDIVIDUALLY

PURCHASED PLAN W/ PORTION OF THE PLAN COST PAID BY

EMPLOYER/UNION/PROF ORGANIZATION

INPUT VAR:

NOTES:

VARNAME: AH56_2

LABEL: HELP PAY FOR EMPL-BASED INS: FORMER EMPLOYER

VALUE: -1 INAPPLICABLE 11488 53.52 1 YES 1102 5.13 2 NO 8873 41.34

UNIVERSE: ALL ADULTS WITH EMPLOYER-BASED HEALTH PLAN OR INDIVIDUALLY

PURCHASED PLAN W/ PORTION OF THE PLAN COST PAID BY

EMPLOYER/UNION/PROF ORGANIZATION

INPUT VAR:

NOTES:

VARNAME: AH56_3

LABEL: HELP PAY FOR EMPL-BASED INS: UNION

VALUE: -1 INAPPLICABLE 11488 53.52 1 YES 334 1.56 2 NO 9641 44.92

UNIVERSE: ALL ADULTS WITH EMPLOYER-BASED HEALTH PLAN OR INDIVIDUALLY

PURCHASED PLAN W/ PORTION OF THE PLAN COST PAID BY

EMPLOYER/UNION/PROF ORGANIZATION

INPUT VAR:

NOTES:

VARNAME: AH56_4

LABEL: HELP PAY FOR EMPL-BASED INS: SPOUSE'S CURRENT EMPLOYER

VALUE: -1 INAPPLICABLE 11488 53.52 1 YES 1631 7.60 2 NO 8344 38.88

UNIVERSE: ALL ADULTS WITH EMPLOYER-BASED HEALTH PLAN OR INDIVIDUALLY

PURCHASED PLAN W/ PORTION OF THE PLAN COST PAID BY

EMPLOYER/UNION/PROF ORGANIZATION

INPUT VAR:

NOTES:

VARNAME: AH56 5

LABEL: HELP PAY FOR EMPL-BASED INS: SPOUSE'S FORMER EMPLOYER

VALUE: -1 INAPPLICABLE 11488 53.52 1 YES 279 1.30 2 NO 9696 45.18

UNIVERSE: ALL ADULTS WITH EMPLOYER-BASED HEALTH PLAN OR INDIVIDUALLY

PURCHASED PLAN W/ PORTION OF THE PLAN COST PAID BY

EMPLOYER/UNION/PROF ORGANIZATION

INPUT VAR:

NOTES:

VARNAME: AH56_6

LABEL: HELP PAY FOR EMPL-BASED INS: PROF/FRATERNAL ORG

VALUE: -1 INAPPLICABLE 11488 53.52 1 YES 23 0.11 2 NO 9952 46.37

UNIVERSE: ALL ADULTS WITH EMPLOYER-BASED HEALTH PLAN OR INDIVIDUALLY

PURCHASED PLAN W/ PORTION OF THE PLAN COST PAID BY

EMPLOYER/UNION/PROF ORGANIZATION

INPUT VAR:

NOTES:

VARNAME: AH56_7

LABEL: HELP PAY FOR EMPL-BASED INS: MEDICAID/MED-CAL

VALUE: -1 INAPPLICABLE 11488 53.52
1 YES 126 0.59
2 NO 9849 45.89

UNIVERSE: ALL ADULTS WITH EMPLOYER-BASED HEALTH PLAN OR INDIVIDUALLY

PURCHASED PLAN W/ PORTION OF THE PLAN COST PAID BY

EMPLOYER/UNION/PROF ORGANIZATION

INPUT VAR:

NOTES:

VARNAME: AH56_9

LABEL: HELP PAY FOR EMPL-BASED INS: MEDICARE

VALUE: -1 INAPPLICABLE 11488 53.52 1 YES 190 0.89 2 NO 9785 45.59

UNIVERSE: ALL ADULTS WITH EMPLOYER-BASED HEALTH PLAN OR INDIVIDUALLY

PURCHASED PLAN W/ PORTION OF THE PLAN COST PAID BY

EMPLOYER/UNION/PROF ORGANIZATION

INPUT VAR:

NOTES:

VARNAME: AH56_10

LABEL: HELP PAY FOR EMPL-BASED INS: OTHER

VALUE: -1 INAPPLICABLE 11488 53.52 1 YES 327 1.52 2 NO 9648 44.95

UNIVERSE: ALL ADULTS WITH EMPLOYER-BASED HEALTH PLAN OR INDIVIDUALLY

PURCHASED PLAN W/ PORTION OF THE PLAN COST PAID BY

EMPLOYER/UNION/PROF ORGANIZATION

INPUT VAR:

NOTES:

VARNAME: AH56_12

LABEL: HLP PAY EMPL-BASED INS: COVERED CA

VALUE: -1 INAPPLICABLE 11488 53.52 1 YES 149 0.69 2 NO 9826 45.78

UNIVERSE: ALL ADULTS WITH EMPLOYER-BASED HEALTH PLAN OR INDIVIDUALLY

PURCHASED PLAN W/ PORTION OF THE PLAN COST PAID BY

EMPLOYER/UNION/PROF ORGANIZATION

INPUT VAR:

NOTES:

VARNAME: AI13

LABEL: EMPLOYER OFFERS HEALTH INS TO EMPLOYEES

VALUE: -1 INAPPLICABLE 17955 83.66 1 YES 2166 10.09 2 NO 1342 6.25

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT

SELF-EMPLOYED AND DO NOT HAVE EMPLOYER-BASED COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI14

LABEL: ELIGIBLE TO BE IN EMPLOYER'S HEALTH PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	19297	89.91
	1	YES	1385	6.45
	2	NO	781	3.64

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT

SELF-EMPLOYED AND DO NOT HAVE EMLOYER-BASED COVERAGE EVEN THOUGH

OFFERED

INPUT VAR:

NOTES:

VARNAME: AI15

LABEL: MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	20078	93.55
	1	COVERED BY ANOTHER PLAN	922	4.30
	2	TOO EXPENSIVE	286	1.33
	3	DIDNT LIKE PLAN OFFERED	72	0.34
	4	DONT NEED OR BELIEVE IN HEALTH INSURANCE	24	0.11
	5	IN PROCESS	34	0.16
	6	DIDNT TAKE UP - OTHER	11	0.05
	7	RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL	1	0.00
	91	OTHER	35	0.16

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WK OR USUALLY WORK, ARE NOT

SELF-EMPLOYED, AND DO NOT HAVE EMPLOYER-BASED COVERAGE THOUGH

ELIGIBLE

INPUT VAR:

NOTES:

VARNAME: AI15A

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	20682	96.36
	1	HAVENT WORKED HERE LONG ENOUGH	85	0.40
	2	CONTRACT OR TEMP EMPLOYEE	162	0.75
	3	DONT WORK ENOUGH HOURS PER WEEK	381	1.78
	4	DOES NOT MEET AGE REQUIREMENTS	15	0.07
	5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE	4	0.02
	6	NOT ELIGIBLE - OTHER	16	0.07
	7	HAS LEFT POSITION/RETIRED/LAID OFF	48	0.22
	91	OTHER	70	0.33

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT

SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR EMPLOYER-BASED HEALTH PLAN

INPUT VAR:

NOTES:

VARNAME: AI16

LABEL: COVERED BY MILITARY HEALTH CARE

			FREQ	%
VALUE:	-1	INAPPLICABLE	20266	94.42
	1	YES	129	0.60
	2	NO	1068	4.98

UNIVERSE: ALL ADULTS WHO ARE NOT COVERED BY ANY OF: MEDICARE, MEDI-CAL,

EMPLOYER-BASED INS PLAN/HMO OR PRIVATELY PURCHASED PLAN

INPUT VAR:

NOTES:

VARNAME: AI17

LABEL: COVERED BY OTHER GOVT HEALTH PLAN

VALUE: -1 INAPPLICABLE 20395 95.02 1 YES 31 0.14 2 NO 1037 4.83

UNIVERSE: ALL ADULTS WHO ARE NOT COVERED BY ANY OF: MEDICARE, MEDI-CAL,

EMPLOYER, PRIVATE PLAN, OR MILITARY PLAN

INPUT VAR:

NOTES:

VARNAME: AI18

LABEL: COVERED BY ANY OTHER HEALTH INS PLAN NOT MENTIONED

VALUE: -1 INAPPLICABLE 20426 95.17
1 YES 304 1.42
2 NO 733 3.42

UNIVERSE: ALL ADULTS NOT COVERED BY ANY OF: MEDICARE, MEDI-CAL,

EMPLOYER-BASED, PRIVATELY PURCHASED PLAN, MILITARY PLAN, OTHER

GOVT PLAN

INPUT VAR:

NOTES:

VARNAME: AI19_1

LABEL: TYPE OF HEALTH INS: EMPLOYER OR UNION

VALUE: -1 INAPPLICABLE 21159 98.58
1 YES 92 0.43
2 NO 212 0.99

UNIVERSE: ALL ADULTS NOT COVERED BY ANY OF: MEDICARE, MEDI-CAL,

EMPLOYER-BASED, PRIVATELY PURCHASED PLAN, MILITARY PLAN, OTHER

GOVT PLAN, AND HAS PLAN THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: AI19_2

LABEL: TYPE OF HEALTH INS: SCHOOL, PROFESSIONAL ASSOCIATION, ETC.

VALUE: -1 INAPPLICABLE 21159 98.58
1 YES 36 0.17
2 NO 268 1.25

UNIVERSE: ALL ADULTS NOT COVERED BY ANY OF: MEDICARE, MEDI-CAL,

EMPLOYER-BASED, PRIVATELY PURCHASED PLAN, MILITARY PLAN, OTHER

GOVT PLAN, AND HAS PLAN THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: AI19_3

LABEL: TYPE OF HEALTH INS: DIRECT PURCHASE

VALUE: -1 INAPPLICABLE 21159 98.58
1 YES 74 0.34
2 NO 230 1.07

UNIVERSE: ALL ADULTS NOT COVERED BY ANY OF: MEDICARE, MEDI-CAL,

EMPLOYER-BASED, PRIVATELY PURCHASED PLAN, MILITARY PLAN, OTHER

GOVT PLAN, AND HAS PLAN THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: AI19_4

LABEL: TYPE OF HEALTH INS: MEDICARE

VALUE: -1 INAPPLICABLE 21159 98.58
1 YES 1 0.00
2 NO 303 1.41

UNIVERSE: ALL ADULTS NOT COVERED BY ANY OF: MEDICARE, MEDI-CAL,

EMPLOYER-BASED, PRIVATELY PURCHASED PLAN, MILITARY PLAN, OTHER

GOVT PLAN, AND HAS PLAN THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: AI19_5

LABEL: TYPE OF HEALTH INS: MEDI-CAL

VALUE: -1 INAPPLICABLE 21159 98.58
1 YES 9 0.04
2 NO 295 1.37

UNIVERSE: ALL ADULTS NOT COVERED BY ANY OF: MEDICARE, MEDI-CAL,

EMPLOYER-BASED, PRIVATELY PURCHASED PLAN, MILITARY PLAN, OTHER

GOVT PLAN, AND HAS PLAN THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: AI19_7

LABEL: TYPE OF HEALTH INS: MILITARY HEALTH CARE

VALUE: -1 INAPPLICABLE 21159 98.58 2 NO 304 1.42

UNIVERSE: ALL ADULTS NOT COVERED BY ANY OF: MEDICARE, MEDI-CAL,

EMPLOYER-BASED, PRIVATELY PURCHASED PLAN, MILITARY PLAN, OTHER

GOVT PLAN, AND HAS PLAN THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: AI19_8

LABEL: TYPE OF HEALTH INS: INDIAN HEALTH SERVICE, TRIBAL PROGRAM

VALUE: -1 INAPPLICABLE 21159 98.58 1 YES 4 0.02 2 NO 300 1.40

UNIVERSE: ALL ADULTS NOT COVERED BY ANY OF: MEDICARE, MEDI-CAL,

EMPLOYER-BASED, PRIVATELY PURCHASED PLAN, MILITARY PLAN, OTHER

GOVT PLAN, AND HAS PLAN THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: AI19_9

LABEL: TYPE OF HEALTH INS: OTHER GOVT HEALTH PLAN

VALUE: -1 INAPPLICABLE 21159 98.58
1 YES 30 0.14
2 NO 274 1.28

UNIVERSE: ALL ADULTS NOT COVERED BY ANY OF: MEDICARE, MEDI-CAL,

EMPLOYER-BASED, PRIVATELY PURCHASED PLAN, MILITARY PLAN, OTHER

GOVT PLAN, AND HAS PLAN THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: AI19_10

LABEL: TYPE OF HEALTH INS: OTHER NON-GOVT HEALTH PLAN

VALUE: -1 INAPPLICABLE 21159 98.58
1 YES 58 0.27
2 NO 246 1.15

UNIVERSE: ALL ADULTS NOT COVERED BY ANY OF: MEDICARE, MEDI-CAL,

EMPLOYER-BASED, PRIVATELY PURCHASED PLAN, MILITARY PLAN, OTHER

GOVT PLAN, AND HAS PLAN THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: AI19_12

LABEL: TYPE OF HEALTH INS: COVERED CA

VALUE: -1 INAPPLICABLE 21159 98.58
1 YES 9 0.04
2 NO 295 1.37

UNIVERSE: INSURED ADULTS WITH HEALTH COVERAGE OTHER THAN MEDICARE HMO WITH

HEALTH INSURANCE COVERAGE THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: AI19_13

LABEL: TYPE OF HEALTH INS: COVERED CA THROUGH SHOP

VALUE: -1 INAPPLICABLE FREQ % 21159 98.58

2 NO 304 1.42

UNIVERSE: INSURED ADULTS WITH HEALTH COVERAGE OTHER THAN MEDICARE HMO WITH

HEALTH INSURANCE COVERAGE THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: AH59

LABEL: OBTAINED PLAN IN YOUR OR SOMEONE ELSE'S NAME

VALUE: -1 INAPPLICABLE 21263 99.07
1 IN OWN NAME 98 0.46
2 IN SOMEONE ELSE'S NAME 102 0.48

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE THROUGH EMPLOYER, UNION, SOME

ORGANIZATION OR PURCHASED DIRECTLY

INPUT VAR:

NOTES:

VARNAME: AH60

LABEL: PLAN IN SPOUSE'S/ SPOUSE'S PARENT'S/SOMEONE ELSE'S NAME

			FREQ	%
VALUE:	-1	INAPPLICABLE	21365	99.54
	1	IN HUSBAND'S / WIFE'S NAME	53	0.25
	2	IN PARENT'S NAME	42	0.20
	3	IN SOMEONE ELSE'S NAME	3	0.01

UNIVERSE: ALL ADULTS YOUNGER THAN 26 YEARS WHO ARE MARRIED OR HAVE LEGAL

SAME-SEX PARTNER OR LIVING WITH PARENTS AND HAVE HEALTH PLAN IN

SOMEONE ELSE'S NAME

INPUT VAR:

NOTES:

VARNAME: AI20

LABEL: COVERED BY INDIAN HEALTH SERVICE, TRIBAL

			FREQ	%
VALUE:	-1	INAPPLICABLE	20375	94.93
	1	YES	167	0.78
	2	NO	921	4.29

UNIVERSE: AMERICAN INDIAN OR ALASKA NATIVE ALL ADULTS NOT COVERED BY IND

HLTH INSURANCE

INPUT VAR:

NOTES:

VARNAME: AI37

LABEL: SPOUSE COVERED BY MEDICARE

VALUE: -1 INAPPLICABLE 18609 86.70
1 YES 2604 12.13
2 NO 250 1.16

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER 65 OR OLDER

INPUT VAR:

NOTES:

VARNAME: AI37A

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

VALUE: -1 INAPPLICABLE 20388 94.99
1 YES 724 3.37
2 NO 351 1.64

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AGE 65 OR OVER WITH MEDICARE NOT

COVERED BY HMO

INPUT VAR:

NOTES:

VARNAME: AI38

LABEL: SPOUSE COVERED BY MEDI-CAL

VALUE: -1 INAPPLICABLE 20555 95.77
1 YES 695 3.24
2 NO 213 0.99

UNIVERSE: ALL ADULTS COVERED BY MEDI-CAL AND LIVING WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: AI40

LABEL: SPOUSE HAS INS THROUGH YOUR EMPLOYER

VALUE: -1 INAPPLICABLE 16697 77.79
1 YES 3401 15.85
2 NO 1365 6.36

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER BASED HEALTH INSURANCE AND LIVING

WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: AI40A

LABEL: SPOUSE HAS INS THROUGH HIS/HER OWN EMPLOYER

VALUE: -1 INAPPLICABLE 17308 80.64
1 YES 2814 13.11
2 NO 1341 6.25

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE WHO ARE EMPLOYED

INPUT VAR:

NOTES:

VARNAME: AI41

LABEL: SPOUSE COVERED BY YOUR DIRECT HEALTH INS

VALUE: -1 INAPPLICABLE 21265 99.08
1 YES 123 0.57
2 NO 75 0.35

UNIVERSE: ALL ADULTS COVERED BY A PRIVATELY PURCHASED PLAN AND LIVING WITH

SPOUSE

INPUT VAR:

NOTES:

VARNAME: AI42

LABEL: SPOUSE COVERED BY MILITARY HEALTH CARE

VALUE: -1 INAPPLICABLE 21408 99.74
1 YES 43 0.20
2 NO 12 0.06

UNIVERSE: ALL ADULTS COVERED BY MILITARY HEALTHCARE AND LIVING WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: AI42A

LABEL: SPOUSE COVERED BY GOVT HEALTH PLAN

VALUE: -1 INAPPLICABLE 21441 99.90
1 YES 11 0.05
2 NO 11 0.05

UNIVERSE: ALL ADULTS COVERED BY GOVERNMENT HEALTHCARE AND LIVING WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: AI46

LABEL: SPOUSE HAS HEALTH INS THROUGH OTHER SOURCE

VALUE: -1 INAPPLICABLE 11156 51.98
1 YES 2022 9.42
2 NO 8285 38.60

UNIVERSE: ALL ADULTS WHO ARE LIVING WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: AI47_1

LABEL: SPOUSE'S INS: EMPLOYER/UNION

VALUE: -1 INAPPLICABLE 19441 90.58
1 YES 1008 4.70
2 NO 1014 4.72

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE WHO HAS INS THROUGH OTHER SOURCE

INPUT VAR:

NOTES:

VARNAME: AI47_2

LABEL: SPOUSE'S INS: SCHOOL, PROFESSIONAL ASSOCIATION, ETC.

VALUE: -1 INAPPLICABLE 19441 90.58 1 YES 36 0.17 2 NO 1986 9.25

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE WHO HAS INS THROUGH OTHER SOURCE

INPUT VAR:

NOTES:

VARNAME: AI47_3

LABEL: SPOUSE'S INS: DIRECTLY PURCHASED HEALTH PLAN

VALUE: -1 INAPPLICABLE 19441 90.58
1 YES 252 1.17
2 NO 1770 8.25

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE WHO HAS INS THROUGH OTHER SOURCE

INPUT VAR:

NOTES:

VARNAME: AI47_4

LABEL: SPOUSE'S INS: MEDICARE

VALUE: -1 INAPPLICABLE 19441 90.58
1 YES 317 1.48
2 NO 1705 7.94

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE WHO HAS INS THROUGH OTHER SOURCE

INPUT VAR:

NOTES:

VARNAME: AI47_5

LABEL: SPOUSE'S INS: MEDI-CAL

VALUE: -1 INAPPLICABLE 19441 90.58
1 YES 99 0.46
2 NO 1923 8.96

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE WHO HAS INS THROUGH OTHER SOURCE

INPUT VAR:

NOTES:

VARNAME: AI47_7

LABEL: SPOUSE'S INS: MILITARY CARE

VALUE: -1 INAPPLICABLE 19441 90.58 1 YES 170 0.79 2 NO 1852 8.63

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE WHO HAS INS THROUGH OTHER SOURCE

INPUT VAR:

NOTES:

VARNAME: AI47_8

LABEL: SPOUSE'S INS: INDIAN HEALTH SERVICE, TRIBAL HEALTH

VALUE: -1 INAPPLICABLE 19441 90.58
1 YES 7 0.03
2 NO 2015 9.39

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE WHO HAS INS THROUGH OTHER SOURCE

INPUT VAR:

NOTES:

VARNAME: AI47_9

LABEL: SPOUSE'S INS: OTHER GOVT PLAN

VALUE: -1 INAPPLICABLE 19441 90.58
1 YES 86 0.40
2 NO 1936 9.02

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE WHO HAS INS THROUGH OTHER SOURCE

INPUT VAR:

NOTES:

VARNAME: AI47_10

LABEL: SPOUSE'S INS: OTHER NON-GOVT HEALTH PLAN

VALUE: -1 INAPPLICABLE 19441 90.58
1 YES 77 0.36
2 NO 1945 9.06

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE WHO HAS INS THROUGH OTHER SOURCE

INPUT VAR:

NOTES:

VARNAME: AI47_12

LABEL: SPOUSE'S INS: COVERED CA

VALUE: -1 INAPPLICABLE 19441 90.58 1 YES 151 0.70 2 NO 1871 8.72

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE WHO HAS INS THROUGH OTHER SOURCE

INPUT VAR:

NOTES:

VARNAME: AI47_13

LABEL: SPOUSE'S INS: SHOP PGM

VALUE: -1 INAPPLICABLE 19441 90.58
1 YES 11 0.05
2 NO 2011 9.37

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE WHO HAS INS THROUGH OTHER SOURCE

INPUT VAR:

NOTES:

VARNAME: AI48

LABEL: SPOUSE HAS NO HEALTH INS FROM ANY SOURCE

VALUE: -1 INAPPLICABLE 21071 98.17
1 YES 357 1.66
2 NO 35 0.16

UNIVERSE: ALL ADULTS LIVING TOGETHER WITH SPOUSE WHO HAS NO HEALTH INSURANCE

FROM ANY SOURCE

INPUT VAR:

NOTES:

VARNAME: AI49_1

LABEL: SPOUSE'S INS: EMPLOYER/UNION

VALUE: -1 INAPPLICABLE 21428 99.84 1 YES 20 0.09 2 NO 15 0.07

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AND INCORRECTLY REPORTED THAT SPOUSE

HAS NO HEALTH INSURANCE FROM ANY SOURCE

INPUT VAR:

NOTES:

VARNAME: AI49_2

LABEL: SPOUSE'S INS: SCHOOL, PROFESSIONAL ASSOCIATION, ETC.

VALUE: -1 INAPPLICABLE 21428 99.84 1 YES 1 0.00 2 NO 34 0.16

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AND INCORRECTLY REPORTED THAT SPOUSE

HAS NO HEALTH INSURANCE FROM ANY SOURCE

INPUT VAR:

NOTES:

VARNAME: AI49_3

LABEL: SPOUSE'S INS: DIRECTLY PURCHASED HEALTH PLAN

VALUE: -1 INAPPLICABLE 21428 99.84
1 YES 2 0.01
2 NO 33 0.15

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AND INCORRECTLY REPORTED THAT SPOUSE

HAS NO HEALTH INSURANCE FROM ANY SOURCE

INPUT VAR:

NOTES:

VARNAME: AI49_4

LABEL: SPOUSE'S INS: MEDICARE

VALUE: -1 INAPPLICABLE 21428 99.84 2 NO 35 0.16

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AND INCORRECTLY REPORTED THAT SPOUSE

HAS NO HEALTH INSURANCE FROM ANY SOURCE

INPUT VAR:

NOTES:

VARNAME: AI49_5

LABEL: SPOUSE'S INS: MEDI-CAL

VALUE: -1 INAPPLICABLE 21428 99.84 2 NO 35 0.16

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AND INCORRECTLY REPORTED THAT SPOUSE

HAS NO HEALTH INSURANCE FROM ANY SOURCE

INPUT VAR:

NOTES:

VARNAME: AI49_7

LABEL: SPOUSE'S INS: MILITARY CARE

VALUE: -1 INAPPLICABLE 21428 99.84 2 NO 35 0.16

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AND INCORRECTLY REPORTED THAT SPOUSE

HAS NO HEALTH INSURANCE FROM ANY SOURCE

INPUT VAR:

NOTES:

VARNAME: AI49_8

LABEL: SPOUSE'S INS: INDIAN HEALTH SERVICE, TRIBAL HEALTH

VALUE: -1 INAPPLICABLE 21428 99.84
1 YES 3 0.01
2 NO 32 0.15

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AND INCORRECTLY REPORTED THAT SPOUSE

HAS NO HEALTH INSURANCE FROM ANY SOURCE

INPUT VAR:

NOTES:

VARNAME: AI49_9

LABEL: SPOUSE'S INS: OTHER GOVT PLAN

VALUE: -1 INAPPLICABLE 21428 99.84 2 NO 35 0.16

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AND INCORRECTLY REPORTED THAT SPOUSE

HAS NO HEALTH INSURANCE FROM ANY SOURCE

INPUT VAR:

NOTES:

VARNAME: AI49_10

LABEL: SPOUSE'S INS: OTHER NON-GOVT HEALTH PLAN

VALUE: -1 INAPPLICABLE 21428 99.84
1 YES 8 0.04
2 NO 27 0.13

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AND INCORRECTLY REPORTED THAT SPOUSE

HAS NO HEALTH INSURANCE FROM ANY SOURCE

INPUT VAR:

NOTES:

VARNAME: AI49_12

LABEL: SPOUSE'S OTH INS: COVERED CA

VALUE: -1 INAPPLICABLE 21428 99.84
1 YES 3 0.01
2 NO 32 0.15

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AND INCORRECTLY REPORTED THAT SPOUSE

HAS NO HEALTH INSURANCE FROM ANY SOURCE

INPUT VAR:

NOTES:

VARNAME: AI49_13

LABEL: SPOUSE'S OTH INS: SHOP PGM

VALUE: -1 INAPPLICABLE 21428 99.84 2 NO 35 0.16

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AND INCORRECTLY REPORTED THAT SPOUSE

HAS NO HEALTH INSURANCE FROM ANY SOURCE

INPUT VAR:

NOTES:

VARNAME: AH62

LABEL: SPOUSE'S INS IN OWN OR SOMEONE ELSE'S NAME

VALUE: -1 INAPPLICABLE 20034 93.34
1 IN SPOUSE'S NAME 1384 6.45
2 IN SOMEONE ELSE'S NAME 45 0.21

UNIVERSE: ALL ADULTS WHOSE SPOUSE IS COVERED BY CURRENT OR FORMER EMPLOYER,

UNION, OR PROF ORG

INPUT VAR:

NOTES:

VARNAME: AI45_P1

LABEL: MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)

FREQ % 20407 95.08 INAPPLICABLE VALUE: -1 699 1 COVERED BY ANOTHER PLAN 3.26 1.08 2 TOO EXPENSIVE 232 93 0.43 3 DIDNT LIKE PLAN OFFERED 0.15 OTHER REASON 32

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO

EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED

AND ELIGIBLE

INPUT VAR: AI45

NOTES: AI45 Categories Collapsed

VARNAME: AH63

LABEL: PLAN IN OWN/SPOUSE'S PARENTS/SOMEONE ELSE'S NAME

VALUE: -1 INAPPLICABLE 21418 99.79
1 IN ADULT RESPONDENT'S NAME 40 0.19
3 IN SOMEONE ELSE'S NAME 5 0.02

UNIVERSE: SPOUSE COVRD BY EMPLYR, UNION, OR PROF ORG IN SOMEONE ELSE'S NAME

INPUT VAR:

NOTES:

VARNAME: AI43

LABEL: SPOUSE'S EMPLOYER OFFERS HEALTH INS

VALUE: -1 INAPPLICABLE 19320 90.02 1 YES 1318 6.14 2 NO 825 3.84

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) THAT IS

NOT SELF-EMPLOYED AND HAS NO EMPLOYER-BASED HEALTH INSURANCE

COVERAGE IN OWN NAME

INPUT VAR:

NOTES:

VARNAME: AI44

LABEL: SPOUSE IS ELIGIBLE TO BE IN EMPLOYER'S HEALTH PLAN

VALUE: -1 INAPPLICABLE 20145 93.86
1 YES 1056 4.92
2 NO 262 1.22

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO

EMPLOYER-BASED HEALTH INSURANCE COVERAGE IN OWN NAME EVEN THOUGH

OFFERED

INPUT VAR:

NOTES:

VARNAME: AI45A_P1

LABEL: MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	21201	98.78
	1	HAVENT WORKED HERE LONG ENOUGH	31	0.14
	2	CONTRACT OR TEMP EMPLOYEE	51	0.24
	3	DONT WORK ENOUGH HOURS PER WEEK	123	0.57
	4	OTHER REASON	57	0.27

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHOSE

EMPLOYER OFFERS HLTH INSURANCE IN OWN NAME BUT IS NOT ELIGIBLE

INPUT VAR: AI45A

NOTES: AI45A Categories Collapsed

VARNAME: AI45

LABEL: MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	20407	95.08
	1	COVERED BY ANOTHER PLAN	699	3.26
	2	TOO EXPENSIVE	232	1.08
	3	DIDNT LIKE PLAN OFFERED	93	0.43
	4	DONT NEED OR BELIEVE IN HEALTH INSURANCE	9	0.04
	5	IN PROCESS	6	0.03
	6	DIDNT TAKE UP - OTHER	2	0.01
	7	RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL	2	0.01
	91	OTHER	13	0.06

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO

EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED

AND ELIGIBLE

INPUT VAR:

NOTES:

VARNAME: AI45A

LABEL: MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	21201	98.78
	1	HAVENT WORKED HERE LONG ENOUGH	31	0.14
	2	CONTRACT OR TEMP EMPLOYEE	51	0.24
	3	DONT WORK ENOUGH HOURS PER WEEK	123	0.57
	4	DOES NOT MEET AGE REQUIREMENTS	4	0.02
	5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE	1	0.00
	6	NOT ELIGIBLE - OTHER	13	0.06
	7	HAS LEFT POSITION/RETIRED/LAID OFF	18	0.08
	91	OTHER	21	0.10

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHOSE EMPLOYER OFFERS HLTH INSURANCE IN OWN NAME BUT IS NOT ELIGIBLE

INPUT VAR:

NOTES:

VARNAME: AI22C

LABEL: MAIN HEALTH PLAN IS HMO

VALUE: -1 INAPPLICABLE 5075 23.65 1 YES 9378 43.69 2 NO 7010 32.66

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE

HMO

INPUT VAR:

NOTES:

VARNAME: AH122

LABEL: IS HEALTH PLAN A PPO OR EPO

			FREQ	%
VALUE:	-1	INAPPLICABLE	15909	74.12
	1	PPO	5010	23.34
	2	EPO	294	1.37
	3	НМО	35	0.16
	85	OTHER	215	1.00

UNIVERSE: INSURED ADULTS WITH HEALTH COVERAGE OTHER THAN MEDICARE HMO WHOSE

HEALTH PLAN IS NOT AN HMO

INPUT VAR:

NOTES:

VARNAME: AI25NEW

LABEL: RX COVERAGE EDITED FOR MEDI-CAL

VALUE: -1 INAPPLICABLE 717 3.34
1 YES 19847 92.47
2 NO 899 4.19

UNIVERSE: ALL ADULTS

INPUT VAR: INSMD AI25

NOTES: ADJUSTED FOR RX COVERAGE UNDER MEDI-CAL

VARNAME: AI25

LABEL: COVERED FOR PRESCRIPTION DRUGS

VALUE: -1 INAPPLICABLE 737 3.43
1 YES 19457 90.65
2 NO 1269 5.91

UNIVERSE: ALL ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI22A

LABEL: NAME OF MAIN HEALTH PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	5055	23.55
	2	AETNA	697	3.25
	5	ALAMEDA ALLIANCE FOR HEALTH	33	0.15
	7	ANTHEM BLUE CROSS OF CALIFORNIA (BLUE CR	3158	14.71
	12	BLUE SHIELD OF CALIFORNIA (BLUE SHIELD)	1780	8.29
	14	CALIFORNIA HEALTH AND WELLNESS PLAN		0.41
	16	CALOPTIMA (CALOPTIMA ONE CARE)	64	0.30
	17	CALVIVA HEALTH	85	0.40
	22	CENTRAL CALIFORNIA ALLIANCE FOR HEALTH	53	0.25
	26	CIGNA HEALTHCARE	495	2.31
	35	GOLD COAST HEALTH PLAN	18	0.08
	38	HEALTH NET	570	2.66
	40	HEALTH PLAN OF SAN JOAQUIN	15	0.07
	44	HUMANA HEALTH PLAN	3	0.01
	45	INLAND EMPIRE HEALTH PLAN (IEHP)	170	0.79
	47	KAISER PERMANENTE	4223	19.68
	49	KERN FAMILY HEALTH CARE	57	0.27
	50	LA CARE HEALTH PLAN	312	1.45
	52	MEDI-CAL	891	4.15
	53	MEDICARE	141	0.66
	54	MOLINA HEALTHCARE OF CALIFORNIA	22	0.10
	57	PARTNERSHIP HEALTHPLAN OF CALIFORNIA	141	0.66
	70	SHARP HEALTH PLAN	111	0.52
	71	SUTTER HEALTH PLAN	63	0.29
	73	UNITEDHEALTHCARE	989	4.61
	78	WESTERN HEALTH ADVANTAGE	41	0.19
	80	CENCAL HEALTH	17	0.08
	81	CONTRA COSTA HEALTH PLAN	10	0.05
	91	OTHER (SPECIFY):	1127	5.25
	94	BLUE CROSS AND BLUE SHIELD	667	3.11
	108	MILITARY HEALTH CARE (TRICARE, VA, CHAMP	367	1.71

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE

HMO

INPUT VAR:

NOTES: BEGINNING IN CHIS 2022, CATEGORY 108 MILITARY HEALTH CARE

(TRICARE, VA, CHAMP-VA) WAS ADDED AS A RESPONSE OPTION. CONSIDER

COMBINING CATEGORIES 87, 89, AND 93 FROM PREVIOUS YEARS FOR

COMPARISON TO CATEGORY 108 IN CHIS 2022 AND BEYOND.

VARNAME: AI22A_UPCODED

LABEL: NAME OF MAIN HEALTH PLAN

		ED E0	0/
0	DON'TH WHOLE	•	%
-			1.07
•			0.16
-			23.65
			3.25
			0.17
•			14.88
			0.01
		-	0.00
		-	0.00
			8.34
			0.05
			0.46
			0.31
			0.40
	CARE 1ST HEALTH PLAN (CARE FIRST HEALTH	4	0.02
	CAREMORE HEALTH PLAN	2	0.01
22	CENTRAL CALIFORNIA ALLIANCE FOR HEALTH	55	0.26
23	CENTRAL HEALTH PLAN	4	0.02
24	CHINESE COMMUNITY HEALTH PLAN	1	0.00
26	CIGNA HEALTHCARE	499	2.32
28	COMMUNITY CARE HEALTH PLAN	3	0.01
29	COMMUNITY HEALTH GROUP	24	0.11
35	GOLD COAST HEALTH PLAN	18	0.08
38	HEALTH NET	583	2.72
40	HEALTH PLAN OF SAN JOAQUIN	25	0.12
42	HERITAGE PROVIDER NETWORK	2	0.01
43	HUMANA GOLD PLUS	2	0.01
44	HUMANA HEALTH PLAN	30	0.14
45	INLAND EMPIRE HEALTH PLAN (IEHP)	175	0.82
46	INTER VALLEY HEALTH PLAN	1	0.00
47	KAISER PERMANENTE	4230	19.71
48	KAISER PERMANENTE SENIOR ADVANTAGE	8	0.04
49	KERN FAMILY HEALTH CARE	57	0.27
	24 26 28 29 35 38 40 42 43 44 45 46 47 48	TREFUSED TINAPPLICABLE AETNA ALAMEDA ALLIANCE FOR HEALTH ANTHEM BLUE CROSS OF CALIFORNIA (BLUE CR ASPIRE HEALTH PLAN BLUE CROSS CALIFORNIACARE BLUE SHIELD 65 PLUS BLUE SHIELD OF CALIFORNIA (BLUE SHIELD) BRAND NEW DAY (UNIVERSAL CARE) CALIFORNIA HEALTH AND WELLNESS PLAN CALOPTIMA (CALOPTIMA ONE CARE) CALVIVA HEALTH CARE 1ST HEALTH PLAN (CARE FIRST HEALTH CARE AST HEALTH PLAN (CARE FIRST HEALTH CAREMORE HEALTH PLAN CENTRAL CALIFORNIA ALLIANCE FOR HEALTH CIGNA HEALTH PLAN CIGNA HEALTH PLAN COMMUNITY CARE HEALTH PLAN COMMUNITY CARE HEALTH PLAN COMMUNITY CARE HEALTH PLAN HEALTH NET HEALTH NET HEALTH PLAN OF SAN JOAQUIN HEALTH PLAN OF SAN JOAQUIN HEALTH PLAN OF SAN JOAQUIN HEALTH PLAN HEALTH PLAN HEALTH PLAN HEALTH PLAN TINLAND EMPIRE HEALTH PLAN (IEHP) INTER VALLEY HEALTH PLAN KAISER PERMANENTE KAISER PERMANENTE	TREFUSED 34 1

______ 320 50 LA CARE HEALTH PLAN 1.49 901 152 52 MEDI-CAL 4.20 53 MEDICARE 0.71 77 54 MOLINA HEALTHCARE OF CALIFORNIA 0.36 0.01 55 MONARCH HEALTH PLAN 2 ON LOK SENIOR HEALTH SERVICES 1
PARTNERSHIP HEALTHPLAN OF CALIFORNIA 156 56 0.00 0.73 57 2 60 PRIMECARE MEDICAL NETWORK 0.01 0.01 PROVIDENCE HEALTH NETWORK 3 61 28 0.13 6 0.03 67 SCAN HEALTH PLAN 68 SCRIPPS HEALTH PLAN SERVICES 6 0.03 114 0.53 70 SHARP HEALTH PLAN SUTTER HEALTH PLAN 0.43 71 92 73 1022 4.76 UNITEDHEALTHCARE 74 UNITEDHEALTHCARE SECURE HORIZON 5 0.02 0.08 76 VALLEY HEALTH PLAN 17 VENTURA COUNTY HEALTH CARE PLAN 0.02 77 4 78 WESTERN HEALTH ADVANTAGE 53 20 80 CENCAL HEALTH 0.09 CONTRA COSTA HEALTH PLAN ALTAMED HEALTH SERVICES 0.07 81 15 83 6 0.03 84 SAN FRANCISCO HEALTH PLAN 5 0.02 214 85 OTHER (SPECIFY): 1.00 SAN MATEO HEALTH COMMISSION
SANTA CLARA FAMILY HEALTH PLAN
BLUE CROSS AND BLUE SHIELD
ALIGNMENT HEALTH PLAN
CENTRO DE SALUD - SAN YSIDRO PACE 1 0.00 7 0.03 709 3.30 8 0.04 86 90 94 95 0.01 CENTRO DE SALUD - SAN YSIDRO PACE 2 97 100 HEALTH PLAN OF SAN MATEO 3 3 102 MEDIEXCEL HEALTH PLAN 0.01 103 OSCAR HEALTH PLAN 35 0.16 107 STANFORD HEALTH CARE ADVANTAGE 1 0.00 108 MILITARY HEALTH CARE (TRICARE, VA, CHAMP 435 2.03

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR:

NOTES: BEGINNING IN CHIS 2022, CATEGORY 108 MILITARY HEALTH CARE

(TRICARE, VA, CHAMP-VA) WAS ADDED AS A RESPONSE OPTION. CONSIDER

COMBINING CATEGORIES 87, 89, AND 93 FROM PREVIOUS YEARS FOR

COMPARISON TO CATEGORY 108 IN CHIS 2022 AND BEYOND.

VARNAME: AI22A_P

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

			FREQ	%
VALUE:	-8	DON'T KNOW	229	1.07
	-7	REFUSED	34	0.16
	-1	INAPPLICABLE	5075	23.65
	1	KAISER	4238	19.75
	2	BLUE CROSS	3195	14.89
	3	UNITED HEALTHCARE (FORMER PACIFICARE)	1027	4.78
	4	BLUE SHIELD	1790	8.34
	5	HEALTH NET	583	2.72
	6	AETNA	698	3.25
	7	CIGNA HEALTH CARE	499	2.32
	8	OTHER	4095	19.08

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE

MMO

INPUT VAR: AI22A

NOTES: AI22A CATEGORIES COLLAPSED. BEGINNING IN CHIS 2022, CATEGORY 108

MILITARY HEALTH CARE (TRICARE, VA, CHAMP-VA) WAS ADDED AS A

RESPONSE OPTION. CONSIDER COMBINING CATEGORIES 87, 89, AND 93 FROM

PREVIOUS YEARS FOR COMPARISON TO CHIS 2022 CATEGORY 108.

VARNAME: HMO

LABEL: HMO STATUS

VALUE: 1 HMO 10196 47.51 2 NON-HMO 10470 48.78 3 UNINSURED 797 3.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH71

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000

			FREQ	%
VALUE:	-1	INAPPLICABLE	8451	39.37
	1	YES	5021	23.39
	2	NO	6816	31.76
	3	YES, BUT ONLY WHEN I GO OUT OF NETWORK	1175	5.47

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH

INS

INPUT VAR:

NOTES:

VARNAME: AH71_P1

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)

VALUE: -1 INAPPLICABLE 8451 39.37
1 YES 5021 23.39
2 NO 7991 37.23

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH

INS

INPUT VAR: AH71

NOTES: AH71 Categories Collapsed

VARNAME: AH72

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000

			FREQ	%
VALUE:	-1	INAPPLICABLE	8451	39.37
	1	YES	4184	19.49
	2	NO	7753	36.12
	3	YES, BUT ONLY WHEN I GO OUT OF NETWORK	1075	5.01

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH

PLANS WITH A DEDUCTIBLE < \$2,000

INPUT VAR:

NOTES:

VARNAME: AH72_P1

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	8451	39.37
	1	YES	4184	19.49
	2	NO	8828	41.13

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH

PLANS WITH A DEDUCTIBLE < \$2,000

INPUT VAR: AH72

NOTES: AH72 Categories Collapsed

VARNAME: AI31

LABEL: HAD CURRENT INS FOR ALL 12 OF PAST 12 MOS

VALUE: -1 INAPPLICABLE 737 3.43
1 YES 18156 84.59
2 NO 2570 11.97

UNIVERSE: ALL ADULTS WHO ARE INSURED

INPUT VAR:

NOTES:

VARNAME: AI32

LABEL: HAD OTHER HEALTH INS WHEN NOT COVERED BY CURRENT INS

VALUE: -1 INAPPLICABLE 18563 86.49
1 YES 2140 9.97
2 NO 760 3.54

UNIVERSE: ALL ADULTS WHO HAVE NOT HAD CURRENT HEALTH INSURANCE IN PAST 12

CONSECUTIVE MONTHS

INPUT VAR:

NOTES:

VARNAME: AH73B

LABEL: SPECIAL FUND TO PAY MEDICAL EXPENSES

VALUE: -1 INAPPLICABLE 8451 39.37
1 YES 3503 16.32
2 NO 9509 44.30

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS

COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AI33_1

LABEL: OTHER INS: MEDI-CAL

VALUE: -1 INAPPLICABLE 19323 90.03 1 YES 230 1.07 2 NO 1910 8.90

UNIVERSE: ALL ADULTS WHO HAVE NOT HAD CURRENT HEALTH COVERAGE FOR PAST 12

CONSECUTIVE MOS AND HAVE USED ANOTHER INS WHEN NOT COVERED BY

CURRENT INS

INPUT VAR:

NOTES:

VARNAME: AI33_3

LABEL: OTHER INS: EMPLOYER/UNION

VALUE: -1 INAPPLICABLE 19323 90.03 1 YES 1146 5.34 2 NO 994 4.63

UNIVERSE: ALL ADULTS WHO HAVE NOT HAD CURRENT HEALTH COVERAGE FOR PAST 12

CONSECUTIVE MOS AND HAVE USED ANOTHER INS WHEN NOT COVERED BY

CURRENT INS

INPUT VAR:

NOTES:

VARNAME: AI33_6

LABEL: OTHER INS: BOUGHT DIRECT

VALUE: -1 INAPPLICABLE 19323 90.03 1 YES 191 0.89 2 NO 1949 9.08

UNIVERSE: ALL ADULTS WHO HAVE NOT HAD CURRENT HEALTH COVERAGE FOR PAST 12

CONSECUTIVE MOS AND HAVE USED ANOTHER INS WHEN NOT COVERED BY

CURRENT INS

INPUT VAR:

NOTES:

VARNAME: AI33_4

LABEL: OTHER INS: OTHER HEALTH PLAN

VALUE: -1 INAPPLICABLE 19323 90.03 1 YES 344 1.60 2 NO 1796 8.37

UNIVERSE: ALL ADULTS WHO HAVE NOT HAD CURRENT HEALTH COVERAGE FOR PAST 12

CONSECUTIVE MOS AND HAVE USED ANOTHER INS WHEN NOT COVERED BY

CURRENT INS

INPUT VAR:

NOTES:

VARNAME: AI33_7

LABEL: OTHER INS: COVERED CA

VALUE: -1 INAPPLICABLE 19323 90.03 1 YES 298 1.39 2 NO 1842 8.58

UNIVERSE: ALL ADULTS WHO HAVE NOT HAD CURRENT HEALTH COVERAGE FOR PAST 12

CONSECUTIVE MOS AND HAVE USED ANOTHER INS WHEN NOT COVERED BY

CURRENT INS

INPUT VAR:

NOTES:

VARNAME: AI34

LABEL: ANY TIME IN PAST 12 MOS HAD NO HEALTH INS AT ALL

VALUE: -1 INAPPLICABLE 18742 87.32 1 YES 550 2.56 2 NO 2171 10.12

UNIVERSE: ALL ADULTS WHO ARE CURRENTLY INSURED AND HAD OTHER INS WHEN NOT

COVERED BY CURRENT INS IN THE LAST 12 MOS OR REFUSED/DON'T KNOW IF

HAD OTHER COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI35

LABEL: # OF MOS IN PAST 12 MOS HAD NO HEALTH INS AT ALL

MEAN STATISTICS

N 1002 MIN 0 MAX 11 MEAN 2.96

UNIVERSE: ALL ADULTS WHO ARE CURRENTLY COVERED BUT HAVE NOT BEEN COVERED ALL

OF PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AI36

LABEL: MAIN REASON NO HEALTH INS IN PAST 12 MOS

			FREQ	%
VALUE:	-1	INAPPLICABLE	20812	96.97
	1	CAN'T AFFORD/TOO EXPENSIVE	219	1.02
	2	NOT ELIGIBLE DUE TO WORKING STATUS	210	0.98
	3	NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB	3	0.01
	4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	27	0.13
	5	FAMILY SITUATION CHANGED	27	0.13
	6	DON'T BELIEVE IN INSURANCE	3	0.01
	7	SWITCHED INSURANCE COMPANIES, DELAY	85	0.40
	8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	10	0.05
	9	CAN'T QUALIFY FOR PUBLIC PROGRAM COVERAG	4	0.02
	10	PROCRASTINATION/HASN'T TAKEN STEPS TO GE	7	0.03
	11	DON'T KNOW WHERE OR HOW TO GET INSURANCE	7	0.03
	12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	14	0.07
	14	NO NEED - GENERAL	3	0.01
	15	IN PROCESS OF LOOKING FOR/GETTING INSURA	9	0.04
	16	OTHER	19	0.09
	92	COVERED BY HEALTH INSURANCE	4	0.02

UNIVERSE: ALL ADULTS WHO ARE CURRENTLY COVERED BUT HAVE NOT BEEN COVERED ALL

OF PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME:	AH140

LABEL: REASON FOR NOT HAVING HEALTH INSURANCE IN PAST YEAR RELATED TO EM

			FREQ	%
VALUE:	-1	INAPPLICABLE	21253	99.02
	1	LOST JOB	87	0.41
	2	REDUCTION IN HOURS	20	0.09
	3	CHANGE IN EMPLOYER	97	0.45
	91	SOMETHING ELSE	6	0.03

UNIVERSE: ADULTS WHO WERE UNINSURED AT ANY TIME IN PAST YEAR DUE TO

EMPLOYMENT-RELATED REASON

INPUT VAR:

NOTES:

VARNAME: AI24

LABEL: MAIN REASON NOT HAVE HEALTH INS AT ALL

			FREQ	%
VALUE:	-1	INAPPLICABLE	20726	96.57
	1	CAN'T AFFORD/TOO EXPENSIVE	375	1.75
	2	NOT ELIGIBLE DUE TO WORKING STATUS	79	0.37
	4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	83	0.39
	5	FAMILY SITUATION CHANGED	26	0.12
	6	DON'T BELIEVE IN INSURANCE	31	0.14
	7	SWITCHED INSURANCE COMPANIES, DELAY	9	0.04
	8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	35	0.16
	9	CAN'T QUALIFY FOR PUBLIC PROGRAM COVERAG	6	0.03
	10	PROCRASTINATION/HASN'T TAKEN STEPS TO GE	14	0.07
	11	DON'T KNOW WHERE OR HOW TO GET INSURANCE	8	0.04
	12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	3	0.01
	13	NOT OFFERED AT JOB	3	0.01
	14	NO NEED - GENERAL	13	0.06
	15	IN PROCESS OF LOOKING FOR/GETTING INSURA	12	0.06
	16	OTHER	13	0.06
	92	COVERED BY HEALTH INSURANCE	27	0.13

UNIVERSE: ALL ADULTS WHO HAVE NO HEALTH INSURANCE COVERAGE AT ALL

INPUT VAR:

NOTES:

VARNAME: AH141

LABEL: REASON FOR NOT CURRENTLY HAVING HEALTH INSURANCE RELATED TO EMPLO

			FREQ	%
VALUE:	-1	INAPPLICABLE	21384	99.63
	1	LOST JOB	48	0.22
	2	REDUCTION IN HOURS	12	0.06
	3	CHANGE IN EMPLOYER	14	0.07
	91	SOMETHING ELSE	5	0.02

UNIVERSE: ADULTS WHO ARE CURRENTLY UNINSURED DUE TO EMPLOYMENT-RELATED REASON

INPUT VAR:

NOTES:

VARNAME: AH74

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE: -1 INAPPLICABLE 20812 96.97
1 YES 312 1.45
2 NO 339 1.58

UNIVERSE: ALL ADULTS WHO WERE UNINSURED AT SOME POINT IN THE LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH75

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE: -1 INAPPLICABLE 20726 96.57
1 YES 330 1.54
2 NO 407 1.90

UNIVERSE: ALL ADULTS WHO WERE UNINSURED IN THE LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AI27

LABEL: COVERED BY HEALTH INS AT ANY TIME IN PAST 12 MOS

VALUE: -1 INAPPLICABLE 20726 96.57
1 YES 218 1.02
2 NO 519 2.42

UNIVERSE: ALL ADULTS WHO HAVE NO HEALTH INSURANCE COVERAGE AT ALL

INPUT VAR:

NOTES:

VARNAME: AI28

LABEL: HOW LONG SINCE LAST HAD HEALTH INS

VALUE: -1 INAPPLICABLE 20944 97.58
1 1 TO 3 YRS AGO 148 0.69
2 MORE THAN 3 YRS AGO 216 1.01
3 NEVER HAD HEALTH INSURANCE COVERAGE 155 0.72

UNIVERSE: ALL ADULTS WHO WERE NOT COVERED BY HEALTH INSURANCE AT ANY TIME

DURING THE PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AI29

LABEL: # MOS OF PAST 12 MOS HAD HEALTH INS

MEAN STATISTICS

N 218 MIN 0 MAX 12 MEAN 8.16

UNIVERSE: ALL ADULTS WHO CURRENTLY HAVE NO HEALTH INSURANCE COVERAGE BUT HAD

COVERAGE AT SOME POINT IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AI30_1

LABEL: HEALTH INS TYPE IN PAST 12 MOS: MEDI-CAL

VALUE: -1 INAPPLICABLE 21247 98.99
1 YES 38 0.18
2 NO 178 0.83

UNIVERSE: ALL ADULTS WITH COVERAGE BUT WHO DID NOT HAVE COVERAGE ALL OF PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AI30_3

LABEL: HEALTH INS TYPE IN PAST 12 MOS: EMPLOYER/UNION

VALUE: -1 INAPPLICABLE 21247 98.99
1 YES 100 0.47
2 NO 116 0.54

UNIVERSE: ALL ADULTS WITH COVERAGE BUT WHO DID NOT HAVE COVERAGE ALL OF PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AI30_6

LABEL: HEALTH INS TYPE IN PAST 12 MOS: BOUGHT DIRECT

VALUE: -1 INAPPLICABLE 21247 98.99
1 YES 18 0.08
2 NO 198 0.92

UNIVERSE: ALL ADULTS WITH COVERAGE BUT WHO DID NOT HAVE COVERAGE ALL OF PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AI30_4

LABEL: HEALTH INS TYPE IN PAST 12 MOS: OTHER HEALTH PLAN

VALUE: -1 INAPPLICABLE 21247 98.99
1 YES 50 0.23
2 NO 166 0.77

UNIVERSE: ALL ADULTS WITH COVERAGE BUT WHO DID NOT HAVE COVERAGE ALL OF PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AI30_7

LABEL: HEALTH INS TYPE IN PAST 12 MOS: COVERED CA

VALUE: -1 INAPPLICABLE 21247 98.99
1 YES 22 0.10
2 NO 194 0.90

UNIVERSE: ALL ADULTS WITH COVERAGE BUT WHO DID NOT HAVE COVERAGE ALL OF PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AH14

LABEL: PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS

VALUE: 1 YES 1737 8.09 2 NO 19726 91.91

UNIVERSE: ALL ADULTS WHO WERE NOT HOSPITALIZED FOR ASTHMA DURING THE PAST 12

MOS

INPUT VAR:

NOTES:

VARNAME: AH101_P

LABEL: PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	21347	99.46
	1	BROKER	76	0.35
	2	FAMILY MEMBER/FRIEND	27	0.13
	3	INTERNET	6	0.03
	4	OTHER/MULTIPLE REASONS	7	0.03

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO

BUY INS DIRECTLY FROM INS COMPANY AND WAS HELPED BY SOMEONE

INPUT VAR: AH101

NOTES: AH101 CATEGORIES COLLAPSED. QX VARNAME=AH101H.

VARNAME: AH98_P1

LABEL: DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	21151	98.55
	1	VERY DIFFICULT	72	0.34
	2	SOMEWHAT DIFFICULT	97	0.45
	3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT	143	0.67

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO

BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH98

NOTES: AH98 Categories Collapsed. Qx varname=AH98H

VARNAME: AH99

LABEL: DIFFICULTY FINDING PLAN THAT IS AFFORDABLE

			FREQ	%
VALUE:	-1	INAPPLICABLE	21151	98.55
	1	VERY DIFFICULT	117	0.55
	2	SOMEWHAT DIFFICULT	84	0.39
	3	NOT TOO DIFFICULT	59	0.27
	4	NOT AT ALL DIFFICULT	52	0.24

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO

BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES: QX VARNAME = AH99H

VARNAME: AH99_P1

LABEL: DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	21151	98.55
	1	VERY DIFFICULT	117	0.55
	2	SOMEWHAT DIFFICULT	84	0.39
	3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT	111	0.52

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO

BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH99

NOTES: AH99 Categories Collapsed. Qx varname=AH99H

VARNAME: AH123

LABEL: MEDICARE ADVANTAGE PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	14315	66.70
	1	YES	4051	18.87
	2	NO	3097	14.43

UNIVERSE: ADULTS WITH MEDICARE COVERAGE

INPUT VAR:

NOTES:

VARNAME: AH126

LABEL: SIGN UP DIRECTLY OR THROUGH EMPLOYER

			FREQ	%
VALUE:	-1	INAPPLICABLE	15672	73.02
	1	DIRECTLY	2881	13.42
	2	CURRENT EMPLOYER	113	0.53
	3	FORMER EMPLOYER	1217	5.67
	4	UNION	87	0.41
	5	FAMILY BUSINESS	13	0.06
	6	AARP	535	2.49
	7	SPOUSE'S EMPLOYER	276	1.29
	8	SPOUSE'S UNION	21	0.10
	9	PROFESSIONAL/FRATERNAL ORGANIZATION	39	0.18
	91	OTHER	609	2.84

UNIVERSE: ADULTS WITH STANDARD MEDICARE AND MEDICARE SUPPLEMENT/MEDI-GAP

INPUT VAR:

NOTES:

VARNAME: AH126_P1

LABEL: SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE)

			FKEQ	/₀
VALUE:	-1	INAPPLICABLE	15672	73.02
	1	DIRECTLY	2881	13.42
	2	CURRENT EMPLOYER	113	0.53
	3	FORMER EMPLOYER	1217	5.67
	4	UNION	87	0.41
	5	OTHER	661	3.08
	6	AARP	535	2.49
	7	SPOUSE'S EMPLOYER/UNION	297	1.38

UNIVERSE: ADULTS WITH STANDARD MEDICARE AND MEDICARE SUPPLEMENT/MEDI-GAP

INPUT VAR: AH126

NOTES: AH126 Categories Collapsed

VARNAME: AH127

LABEL: SPOUSE'S MEDICARE THROUGH AN HMO

VALUE: -1 INAPPLICABLE 18859 87.87
1 YES 1529 7.12
2 NO 1075 5.01

UNIVERSE: ADULTS WHOSE SPOUSE IS COVERED BY MEDICARE

INPUT VAR:

NOTES:

VARNAME: INS

LABEL: CURRENTLY INSURED

VALUE: 1 YES 20666 96.29 2 NO 797 3.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INS_S

LABEL: SPOUSE CURRENTLY INSURED

VALUE: -1 INAPPLICABLE 11156 51.98
1 YES 9947 46.34
2 NO 360 1.68

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INS12M

LABEL: MOS COVERED BY HEALTH PLANS LAST 12 MOS

MEAN STATISTICS

N 21463 MIN 0 MAX 12 MEAN 11.53

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: UNINSANY

LABEL: UNINSURED IN PAST 12 MOS

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	1	0.00
	-1	SKIPPED - AGES>=65	6679	31.12
	1	UNINSURED ALL YEAR	557	2.60
	2	UNINSURED PART YEAR	716	3.34
	3	INSURED ALL YEAR	13510	62.95

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: INS64

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65

			FREQ	%
VALUE:	-1	SKIPPED - AGE >= 65	6679	31.12
	1	UNINSURED	778	3.62
	2	MEDI-CAL (MEDICAID)	2926	13.63
	4	MEDICARE	133	0.62
	5	EMPLOYMENT-BASED	9711	45.25
	6	PRIVATELY PURCHASED	1070	4.99
	7	OTHER PUBLIC	166	0.77

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: INS64_P

LABEL: CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	6679	31.12
	1	UNINSURED	778	3.62
	2	MEDI-CAL (MEDICAID)	2926	13.63
	3	MEDICARE	133	0.62
	4	EMPLOYMENT-BASED	9711	45.25
	5	PRIVATELY PURCHASED	1070	4.99
	6	CHIP/OTHER PUBLIC PRGM	166	0.77

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INS64

NOTES:

VARNAME: INS64_S

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR SPOUSE - UNDER 65

			FREQ	%
VALUE:	-1	NO SPOUSE IN HH OR AGE >= 65	14010	65.28
	1	UNINSURED	350	1.63
	2	MEDI-CAL (MEDICAID)	598	2.79
	4	MEDICARE	110	0.51
	5	EMPLOYMENT-BASED	5676	26.45
	6	PRIVATELY PURCHASED	636	2.96
	7	OTHER PUBLIC	83	0.39

UNIVERSE: ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR:

NOTES:

VARNAME: INS64S_P

LABEL: SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	14010	65.28
	1	UNINSURED	350	1.63
	2	MEDI-CAL (MEDICAID)	598	2.79
	3	MEDICARE	110	0.51
	4	EMPLOYMENT-BASED	5676	26.45
	5	PRIVATELY PURCHASED	636	2.96
	6	CHIP/OTHER PUBLIC PRGM	83	0.39

UNIVERSE: ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR: INS64_S

NOTES:

VARNAME: INSANY

LABEL: ANY INS IN LAST 12 MOS

			FREQ	%
VALUE:	1	CURRENTLY UNINSURED	797	3.71
	2	UNINS. ANY PAST 12 MO	530	2.47
	3	INSURED ALL PAST 12 MO	20136	93.82

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INST_12

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	1	0.00
	-1	INAPPLICABLE-AGE>=65	6679	31.12
	1	MEDI-CAL (MEDICAID) ONLY	2650	12.35
	2	EMPLOYER-BASED COVERAGE ONLY (EBI)	9152	42.64
	3	PRIVATE COVERAGE ONLY	923	4.30
	4	OTHER COVERAGE ONLY	276	1.29
	5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	509	2.37
	6	UNINSURED ONLY	557	2.60
	7	UNINSURED + EMPLOYER-BASED ONLY	214	1.00
	8	ANY 1 OR MORE TYPES + UNINSURED	502	2.34

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSLT12

NOTES:

VARNAME: INS65

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

			FREQ	%
VALUE:	-1	SKIPPED - AGE < 65	14784	68.88
	1	MEDICARE + MEDI-CAL (MEDICAID)	906	4.22
	2	MEDICARE + OTHER	5044	23.50
	3	MEDICARE ONLY	360	1.68
	4	OTHER ONLY	350	1.63
	5	UNINSURED	19	0.09

UNIVERSE: ALL ADULTS 65 YEARS AND OVER

INPUT VAR:

NOTES:

VARNAME: INS65_S

LABEL: TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+

			FREQ	%
VALUE:	-1	NO SPOUSE IN HH OR AGE < 65	18609	86.70
	1	MEDICARE + MEDICAID	146	0.68
	2	MEDICARE + OTHER	813	3.79
	3	MEDICARE ONLY	1651	7.69
	4	OTHER ONLY	234	1.09
	5	UNINSURED	10	0.05

UNIVERSE: ALL ADULTS WITH SPOUSE 65 YEARS AND OVER

INPUT VAR:

NOTES:

VARNAME: INSTYPE

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES

			FREQ	%
VALUE:	1	UNINSURED	797	3.71
	2	MEDICARE & MEDICAID	1173	5.47
	3	MEDICARE & OTHERS	4971	23.16
	4	MEDICARE ONLY	566	2.64
	5	MEDICAID	2705	12.60
	7	EMPLOYMENT-BASED	9985	46.52
	8	PRIVATELY PURCHASED	1081	5.04
	9	OTHER PUBLIC	185	0.86

UNIVERSE: ALL ADULTS

INPUT VAR: INS INSMD INSMC INSEM INSHF INSPR INSML INSOT INSOG INSHK SRAGE

NOTES:

VARNAME: INS6TP_M

LABEL: TYPE OF CURRENT HEALTH COVERAGE: 0-64 YEARS (HEALTH PROFILES)

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	1	0.00
	-1	SKIPPED - AGE >= 65	6679	31.12
	1	UNINSURED ALL OR PART OF LAST 12 MONTHS	1273	5.93
	2	EBHI FOR ALL OF LAST 12 MONTHS	9152	42.64
	3	MEDI-CAL OR HF FOR ALL OF LAST 12 MONTHS	2650	12.35
	4	PRIVATELY PURCHASED FOR ALL OF LAST 12 M	923	4.30
	5	OTHER	785	3.66

UNIVERSE: ADULTS 18-64

INPUT VAR: INS6TP

NOTES:

VARNAME: INS9TP

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS)

			FREQ	%
VALUE:	1	UNINSURED	797	3.71
	2	MEDICARE + EMPLOYER-BASED	1552	7.23
	3	MEDICARE AND OTHERS (NO EMPLOYER-BASED)	5158	24.03
	4	MEDICAID + EMPLOYER-BASED	413	1.92
	5	MEDICAID (NO EMPLOYER-BASED)	2292	10.68
	7	EMPLOYER BASED (NO MEDICARE OR MEDICAID)	9985	46.52
	8	PRIVATE PURCHASE	1081	5.04
	9	OTHER PUBLIC	185	0.86

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE INS INSMD INSMC INSEM INSHF INSPR INSML INSOT INSOG INSHK

NOTES:

VARNAME: IHS

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE: 1 YES 171 0.80 2 NO 21292 99.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: IHS_S

LABEL: SPOUSE COVERED BY INDIAN HEALTH SERVICES

VALUE: -1 INAPPLICABLE 11156 51.98
1 YES 9 0.04
2 NO 10298 47.98

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSEM

LABEL: COVERED BY EMPLOYER-BASED PLANS

VALUE: 1 YES 11950 55.68 2 NO 9513 44.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSEM_S

LABEL: SPOUSE COVERED BY EMPLOYER-BASED PLANS

VALUE: -1 INAPPLICABLE 11156 51.98
1 YES 6626 30.87
2 NO 3681 17.15

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSMC

LABEL: COVERED BY MEDICARE

VALUE: 1 YES 6710 31.26 2 NO 14753 68.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: MC_TYPE

LABEL: TYPE OF MEDICARE COVERAGE

			FREQ	%
VALUE:	-1	NOT ENROLLED IN MEDICARE	14753	68.74
	1	MEDICARE ADVANTAGE	3868	18.02
	2	MEDICARE + MEDICARE SUPPLEMENTAL PLAN	1696	7.90
	3	OTHER MEDICARE	1146	5.34

UNIVERSE: ADULTS WITH MEDICARE COVERAGE

INPUT VAR: INSMC AI4 AH123

NOTES:

VARNAME: INSMC_S

LABEL: SPOUSE COVERED BY MEDICARE

			FREQ	%
VALUE:	-1	INAPPLICABLE	11156	51.98
	1	YES	2734	12.74
	2	NO	7573	35.28

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSMD

LABEL: COVERED BY MEDI-CAL

VALUE: 1 YES 3880 18.08 2 NO 17583 81.92

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSMD_S

LABEL: SPOUSE COVERED BY MEDI-CAL

VALUE: -1 INAPPLICABLE 11156 51.98
1 YES 759 3.54
2 NO 9548 44.49

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSML

LABEL: COVERED BY MILITARY HEALTH PLANS

VALUE: 1 YES 129 0.60 2 NO 21334 99.40

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSML_S

LABEL: SPOUSE COVERED BY MILITARY HEALTH PLANS

FREQ % 11156 51.98 FREQ VALUE: -1 INAPPLICABLE 212 0.99 1

YES NO 10095 47.03 2

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSOG

LABEL: COVERED BY OTHER GOVT PLANS

FREQ % VALUE: 1 YES 2 NO 0.28 61

21402 99.72

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSOG_S

LABEL: SPOUSE COVERED BY OTHER GOVT PLANS

VALUE: -1 INAPPLICABLE 11156 51.98
1 YES 97 0.45
2 NO 10210 47.57

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSLT_P

LABEL: HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	1	0.00
	-1	INAPPLICABLE	6679	31.12
	1	MEDI-CAL (MEDICAID) ONLY	2650	12.35
	2	EMPLOYER-BASED OR MILITARY ONLY	9259	43.14
	3	UNINSURED ONLY	557	2.60
	4	PRIVATEDLY PURCHASED ONLY	923	4.30
	5	PARTIALLY INSURED WITH MC/HF	159	0.74
	6	PARTIALLY INSURED WITH NO MC/HF	557	2.60
	7	INSURE ALL YEAR WITH SOME MC/HF	160	0.75
	8	HEALTHY FAM ONLY/OTHER INSURED ALL YEAR	518	2.41

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSLT12R

NOTES: INSLT12 Categories Collapsed

VARNAME: INSOT

LABEL: COVERED BY OTHER NON-GOVT PLANS

VALUE: 1 YES 407 1.90 2 NO 21056 98.10

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSOT_S

LABEL: SPOUSE COVERED BY OTHER NON-GOVT PLANS

VALUE: -1 INAPPLICABLE 11156 51.98
1 YES 85 0.40
2 NO 10222 47.63

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSPR

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE: 1 YES 1159 5.40 2 NO 20304 94.60

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSPR_S

LABEL: SPOUSE COVERED BY PLANS PURCHASED ON OWN

FREQ % 11156 51.98 VALUE: -1 INAPPLICABLE 808 3.76 1

YES NO 9499 44.26 2

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: COVRDCA

LABEL: PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA

% FREQ VALUE: 1 YES 2 NO 994 4.63

20469 95.37

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: COVRDCA_S

LABEL: SPOUSE WITH PRIVATE/EMPLOYER-BASED COVERAGE FROM COVERED CALIFORN

VALUE: -1 INAPPLICABLE 11156 51.98
1 YES 490 2.28
2 NO 9817 45.74

UNIVERSE: ALL ADULT RESPONDENTS WITH SPOUSE/PARTNER

INPUT VAR:

NOTES:

VARNAME: INSPS

LABEL: PRIMARY OR SECONDARY COVERAGE

VALUE: -1 INAPPLICABLE 8546 39.82
1 PRIMARY 10650 49.62
2 SECONDARY 2267 10.56

UNIVERSE: ALL ADULTS COVERED BY EMPLOYMENT-BASED OR DIRECTLY PURCHASED

INSURANCE PLANS

INPUT VAR:

NOTES:

VARNAME: INSPS_S

LABEL: SPOUSE PRIMARY OR SECONDARY COVERAGE

			FREQ	%
VALUE:	-1	INAPPLICABLE	14847	69.17
	1	PRIMARY	3913	18.23
	2	SECONDARY	2697	12.57
	3	NOT SPECIFIED AS PRIMARY OR SECONDARY	6	0.03

UNIVERSE: ALL ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED OR

DIRECTLY PURCHASED INSURANCE PLANS

INPUT VAR:

NOTES:

VARNAME: PAR_ELIG

LABEL: PARTICIPATION IN MEDI-CAL PROGRAM

VALUE: -1 INAPPLICABLE 17387 81.01
1 YES 3880 18.08
2 NO 196 0.91

UNIVERSE: ADULTS 18-64 ELIGIBLE FOR MEDI-CAL PROGRAM

INPUT VAR: INSMD ELIGPRG5

NOTES:

VARNAME: PAR_MAGI

LABEL: PARTICIPATION IN MEDI-CAL PROGRAM: ACA MAGI GUIDELINES

VALUE: -1 INAPPLICABLE 16866 78.58
1 YES 3880 18.08
2 NO 717 3.34

UNIVERSE: ADULTS 18-64 ELIGIBLE FOR MEDI-CAL PROGRAM

INPUT VAR: INSMD ELGMAGI5

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON

MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION

TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

VARNAME: CC_SUBS

LABEL: SUBSIDY AND TYPE OF COVERED CALIFORNIA COVERAGE

			FREQ	%
VALUE:	-1	UNINSURED OR INSURANCE NOT THROUGH COVER	20469	95.37
	1	SUBSIDIZED COVERED CA COVERAGE	639	2.98
	2	UNSUBSIDIZED COVERED CA COVERAGE	158	0.74
	3	SHOP COVERAGE	197	0.92

UNIVERSE: ADULTS WITH HEALTH COVERAGE OBTAINED DIRECTLY THROUGH COVERED

CALIFORNIA OR THROUGH EMPLOYER BY COVERED CALIFORNIA SHOP

INPUT VAR:

NOTES:

VARNAME:	CC	TIER
VARIVANE.		LIEN

LABEL: PLAN TIER/LEVEL OF PRIVATE COVERAGE FROM COVERED CALIFORNIA

			FREQ	%
VALUE:	-1	INAPPPLICABLE	20469	95.37
	1	BRONZE	296	1.38
	2	SILVER	495	2.31
	3	GOLD	112	0.52
	4	PLATINUM	53	0.25
	6	MINIMUM COVERAGE PLAN OR CATASTROPHIC	27	0.13
	91	OTHER (SPECIFY)	11	0.05

UNIVERSE: ADULTS WITH HEALTH COVERAGE OBTAINED DIRECTLY THROUGH COVERED CALIFORNIA OR THROUGH EMPLOYER BY COVERED CALIFORNIA SHOP

INPUT VAR:

NOTES:

VARNAME: RSN_UNI2

LABEL: REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS

			FREQ	%
VALUE:	-1	INAPPLICABLE- INSURED ALL YEAR	20136	93.82
	1	CAN'T AFFORD/TOO EXPENSIVE	546	2.54
	2	NOT ELIGIBLE DUE TO WORKING STATUS	241	1.12
	3	NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB	1	0.00
	4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	105	0.49
	5	FAMILY SITUATION CHANGED	49	0.23
	6	DON'T BELIEVE IN INSURANCE	33	0.15
	7	SWITCHED INSURANCE COMPANIES, DELAY	83	0.39
	8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	42	0.20
	9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	10	0.05
	10	PROCRASTINATION/HASNT TAKEN STEPS TO GET	20	0.09
	11	DONT KNOW WHERE OR HOW TO GET INSURANCE/	13	0.06
	12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	13	0.06
	13	NOT OFFERED AT JOB	3	0.01
	14	NO NEED - GENERAL	16	0.07
	15	IN PROCESS OF LOOKING FOR/GETTING INSURA	18	0.08
	16	OTHER	27	0.13
	92	R THOUGHT WAS INSURED	107	0.50

UNIVERSE: ALL ADULTS WHO ARE UNINSURED ANYTIME PAST 12 MONTHS

INPUT VAR: AI24 AI36 INSANY

NOTES:

VARNAME: RSN_UNIN

LABEL: REASON FOR CURRENTLY UNINSURED STATUS

			FREQ	%
VALUE:	-1	SKIP-INSURANCE	20666	96.29
	1	CANT AFFORD/TOO EXPENSIVE	367	1.71
	2	NOT ELIGIBLE DUE TO WORKING STATUS	78	0.36
	4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	82	0.38
	5	FAMILY SITUATION CHANGED	25	0.12
	6	DONT BELIEVE IN INSURANCE	31	0.14
	7	SWITCHED INSURANCE COMPANIES, DELAY	8	0.04
	8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	33	0.15
	9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	6	0.03
	10	PROCRASTINATION/HASNT TAKEN STEPS TO GET	13	0.06
	11	DONT KNOW WHERE OR HOW TO GET INSURANCE/	7	0.03
	12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	3	0.01
	13	NOT OFFERED AT JOB	3	0.01
	14	NO NEED - GENERAL	12	0.06
	15	IN PROCESS OF LOOKING FOR/GETTING INSURA	12	0.06
	16	OTHER	13	0.06
	92	R THOUGHT WAS INSURED	104	0.48

UNIVERSE: ALL ADULTS WHO ARE UNINSURED

INPUT VAR: AI24 AI36 INS

NOTES:

VARNAME: OFFTK

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS

			FREQ	%
VALUE:	-1	UNEMPLOYED OR SELF-EMPLOYED	8177	38.10
	1	ACCEPTED EBI	9815	45.73
	2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	1356	6.32
	3	WAS OFFERED EBI, NOT ELIGIBLE	776	3.62
	4	WAS NOT OFFERED EBI	1339	6.24

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM INSPS AK1 AG10 AK4 AI13 AI14

NOTES:

VARNAME: OFFTK_S

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE

VALUE: -1 UNEMPLOYED OR SELF-EMPLOYED 15524 72.33
1 ACCEPTED EBI 3968 18.49
2 NOT ACCEPT EBI, OFFERED AND ELIGIBLE 932 4.34
3 WAS OFFERED EBI, NOT ELIGIBLE 251 1.17
4 WAS NOT OFFERED EBI 788 3.67

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM_S INSPS_S AG8 AG11 AG9 AI43 AI44

NOTES:

VARNAME: AH79B

LABEL: REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN

VALUE: -1 INAPPLICABLE 4351 20.27
1 YES 654 3.05
2 NO 16458 76.68

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES ADULTS WITH MEDI-CAL)

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH80B

LABEL: REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS

VALUE: -1 INAPPLICABLE 20809 96.95
1 YES 349 1.63
2 NO 305 1.42

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES MEDI-CAL) WHO REPORTED REACHING

LIMIT OF INSURANCE COMPANY

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH81B

LABEL: EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B

VALUE: 1 YES 2075 9.67 2 NO 19388 90.33

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH83B

LABEL: AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING

			FREQ	%
VALUE:	-1	INAPPLICABLE	19388	90.33
	1	LESS THAN \$1,000	421	1.96
	2	\$1,000 TO LESS THAN \$2,000	412	1.92
	3	\$2,000 TO LESS THAN \$4,000	479	2.23
	4	\$4,000 TO LESS THAN \$8,000	360	1.68
	5	\$8,000 OR MORE	374	1.74
	6	NONE	29	0.14

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S

MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH84B

LABEL: UNINSURED AT TIME MEDICAL CARE WAS PROVIDED

		FREQ	%
VALUE:	-1	INAPPLICABLE 1938	8 90.33
	1	YES 399	1.86
	2	NO 1591	7.41
	3	MORE THAN ONE PERSON WITH MEDICAL BILL P 85	0.40

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S

MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH85B

LABEL: UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS

VALUE: -1 INAPPLICABLE 19388 90.33 1 YES 726 3.38 2 NO 1349 6.29

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S

MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH86B

LABEL: TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS

VALUE: -1 INAPPLICABLE 19388 90.33 1 YES 1192 5.55 2 NO 883 4.11

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S

MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: INSLMT12M

LABEL: REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS

VALUE: -1 INAPPLICABLE 4351 20.27
1 YES 349 1.63
2 NO 16763 78.10

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES ADULTS WITH MEDI-CAL)

INPUT VAR: AH79B AH80B

NOTES:

VARNAME: AH128

LABEL: AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE

MEAN STATISTICS

N 9288
MIN 0
MAX 9000
MEAN 401.51

UNIVERSE: ADULTS COVERED BY EMPLOYER-BASED OR PRIVATELY-PURCHASED INSURANCE

WHO PAY ANY OR ALL OF PREMIUM/COST

INPUT VAR:

NOTES:

VARNAME: AH129

LABEL: AMOUNT EMPLOYER/UNION/PROF ORG CONTRIBUTES TO HEALTH PLAN EACH MO

MEAN STATISTICS

N 9975 MIN 0 MAX 9000 MEAN 555.22

UNIVERSE: ADULTS WHO RECEIVE CONTRIBUTIONS FROM EMPLOYER, UNION, ETC. TO PAY

FOR INSURANCE

INPUT VAR:

NOTES:

VARNAME: AH130

LABEL: HAS MONEY IN HSA ACCOUNT

VALUE: -1 INAPPLICABLE 18196 84.78
1 YES 2841 13.24
2 NO 426 1.98

UNIVERSE: ADULTS WHO HAVE MEDICAL EXPENSE ACCOUNTS (HSA)

INPUT VAR:

NOTES:

VARNAME: AH131V2

LABEL: AMOUNT OF MONEY IN HSA ACCOUNT

MEAN STATISTICS

N 2841 MIN 0 MAX 99000 MEAN 5073.54

UNIVERSE: ADULTS WHO HAVE MEDICAL EXPENSE ACCOUNTS (HSA)

INPUT VAR:

NOTES: PREVIOUS VERSION: AH131. NEW VERSION CREATED IN 2021 DUE TO CHANGE

IN ALLOWABLE RANGE LIMIT.

VARNAME: AH131V2_P

LABEL: AMOUNT OF MONEY IN HSA ACCOUNT (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	18622	86.76
	1	\$ 0	12	0.06
	2	\$1 - \$999	938	4.37
	3	\$1000 - \$1999	504	2.35
	4	\$2000 - \$2999	454	2.12
	5	\$3000 - \$3999	140	0.65
	6	\$4000 - \$4999	84	0.39
	7	\$5,000+	709	3.30

UNIVERSE: ADULTS WHO HAVE MEDICAL EXPENSE ACCOUNTS (HSA)

INPUT VAR:

NOTES: PREVIOUS VERSION: AH131_P. NEW VERSION CREATED IN 2021 DUE TO

CHANGE IN ALLOWABLE RANGE LIMIT. AH131 Categories Collapsed.

VARNAME: HSAAMTV2

LABEL: AMOUNT IN HEALTH SAVINGS ACCOUNTS

MEAN STATISTICS

N 3267 MIN 0 MAX 99000 MEAN 4411.97

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS

COMPANY/HMO/COVERED CALIFORNIA WITH HEALTH SAVINGS ACCOUNTS

INPUT VAR:

NOTES: PREVIOUS VERSION: HSAAMT. NEW VERSION CREATED IN 2021 DUE TO

CHANGE IN ALLOWABLE RANGE LIMIT FOR AH131.

VARNAME: HSAAMTV2_P1

LABEL: AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	18196	84.78
	1	\$ 0	438	2.04
	2	\$1 - \$999	938	4.37
	3	\$1000 - \$1999	504	2.35
	4	\$2000 - \$2999	454	2.12
	5	\$3000 - \$3999	140	0.65
	6	\$4000 - \$4999	84	0.39
	7	\$5000+	709	3.30

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS

COMPANY/HMO/COVERED CALIFORNIA WITH HEALTH SAVINGS ACCOUNTS

INPUT VAR:

NOTES: PREVIOUS VERSION: HSAAMT_P1. NEW VERSION CREATED IN 2021 DUE TO

CHANGE IN ALLOWABLE RANGE LIMIT FOR AH131. HSAAMT Categories

Collapsed.

VARNAME: AH132

LABEL: LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN

MEAN STATISTICS

N 18156 MIN 1 MAX 729 MEAN 132.29

UNIVERSE: ADULTS WHO HAD THE SAME HEALTH INSURANCE FOR ALL OF THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH133

LABEL: # OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN

MEAN STATISTICS

N 2900 MIN 0 MAX 12 MEAN 5.27

UNIVERSE: ADULTS WITH A DIFFERENT HEALTH PLAN FROM CURRENT PLAN IN THE PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: TCURPLAN

LABEL: TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS

MEAN STATISTICS

N 20725 MIN 0 MAX 729 MEAN 116.55

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR: AI31 AH132 AH133

NOTES:

VARNAME: AH134

LABEL: HEALTH INSURANCE BEFORE CURRENT PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	21397	99.69
	1	MEDI-CAL	13	0.06
	3	THROUGH CURRENT OR FORMER EMPLOYER/UNION	23	0.11
	5	PURCHASED DIRECTLY	5	0.02
	6	COVERED CALIFORNIA	16	0.07
	91	OTHER HEALTH PLAN	9	0.04

UNIVERSE: ADULTS WHO HAD 2 OR MORE DIFFERENT TYPES OF HEALTH PLAN IN THE

PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH135

LABEL: OTHER HEALTH INSURANCE BEFORE CURRENT PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	2726	12.70
	1	MEDI-CAL	1661	7.74
	3	THROUGH CURRENT OR FORMER EMPLOYER/UNION	7735	36.04
	5	PURCHASED DIRECTLY	1026	4.78
	6	COVERED CALIFORNIA	968	4.51
	91	OTHER HEALTH PLAN	1893	8.82
	95	NO OTHER HEALTH PLAN	5454	25.41

UNIVERSE: ADULTS WITH CURRENT HEALTH PLAN IN ALL OF THE PAST 12 MOS OR

UNINSURED DURING PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: PINSTYPE

LABEL: TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN

			FREQ	%
VALUE:	-1	INAPP, NOT INSURED	737	3.43
	1	MEDI-CAL	1861	8.67
	3	ESI	8779	40.90
	5	PRIVATE PURCHASE	1191	5.55
	6	COVERED CA	1226	5.71
	91	OTHER PLAN	2215	10.32
	95	NO PREVIOUS PLAN	5454	25.41

UNIVERSE: CURRENTLY INSURED ADULTS WHO HAD DIFFERENT HEALTH INSURANCE BEFORE

CURRENT PLAN

INPUT VAR: AI31 AI32 AH134 AH135 AI33_B AI33_A

NOTES:

VARNAME: AH136

LABEL: LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN

MEAN STATISTICS

N 13347 MIN 1 MAX 729 MEAN 147.41

UNIVERSE: ADULTS WHO HAD A DIFFERENT HEALTH PLAN FROM CURRENT PLAN OR DID

NOT HAVE A PRIOR HEALTH PLAN

INPUT VAR:

NOTES:

VARNAME: AH137

LABEL: EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS

VALUE: -1 INAPPLICABLE 737 3.43
1 YES 3125 14.56
2 NO 17601 82.01

UNIVERSE: ALL INSURED ADULTS

INPUT VAR:

NOTES:

VARNAME: AH139

LABEL: SELF-REPORTED SATISFACTION WITH CURRENT HEALTH PLAN

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	737	3.43
	1	VERY SATISFIED	10574	49.27
	2	SOMEWHAT SATISFIED	7989	37.22
	3	SOMEWHAT DISSATISFIED	1493	6.96
	4	VERY DISSATISFIED	659	3.07

UNIVERSE: ADULTS WHO HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

SECTION I: CHILD & ADOLESCENT HEALTH INSURANCE

VARNAME: AI90

LABEL: CHILD PLAN THRU EMPLOYER, UNION, SHOP PGM

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21310	99.29
	1	EMPLOYER	96	0.45
	2	UNION	10	0.05
	3	SHOP / COVERED CALIFORNIA	22	0.10
	91	OTHER	14	0.07

UNIVERSE: CHILDREN WITH EMPLOYER OR UNION BASED COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI91

LABEL: PURCHASE CHILD PLAN DIRECTLY OR COVERED CA

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21432	99.86
	1	INSURANCE COMPANY OR HMO	10	0.05
	2	COVERED CALIFORNIA	10	0.05

UNIVERSE: CHILDREN WITH PRIVATE COVERAGE OBTAINED DIRECTLY THROUGH INS

COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AI93

LABEL: GET SUBSIDY ON CHILD PLAN PREMIUM PAID

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21442	99.90
	1	YES	7	0.03
	2	NO	3	0.01

UNIVERSE: CHILDREN WITH HEALTH COVERAGE OBTAINED DIRECTLY THROUGH COVERED

CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: CF9_13

LABEL: TYPE OF PLAN MISSED: COVERED CA THROUGH SHOP

			FREQ	%
			TILLY	
VALUE:	-8	DON'T KNOW	1	0.00
	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21443	99.91
	2	NO	8	0.04

UNIVERSE: CHILDREN WITH DIFF HEALTH INS THAN ADULT RESPONDENT OR R'S SPOUSE

AND NOT COVERED BY: MEDI-CAL, SOMEONE'S EMPLOYER/UNION, DIRECTLY PURCHASED INS, MILITARY HEALTH CARE, OTHER GOVT HEALTH PLAN, AND

PLAN NOT YET MENTIONED

INPUT VAR:

NOTES:

VARNAME: AI115

LABEL: CHILD'S HEALTH PLAN A PPO OR EPO

			FREQ	%
VALUE:	-2	PROXY SKIP	11	0.05
	-1	INAPPLICABLE	20669	96.30
	1	PPO	723	3.37
	2	EPO	41	0.19
	3	HMO	1	0.00
	4	MEDI-CAL	2	0.01
	91	OTHER	16	0.07

UNIVERSE: INSURED CHILDREN WITH HEALTH COVERAGE OTHER THAN MEDICARE OR

MEDI-CAL WHOSE HEALTH PLAN IS NOT AN HMO

INPUT VAR:

NOTES:

VARNAME: AI94

LABEL: TEEN PLAN THRU EMPLOYER, UNION, SHOP PGM

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21324	99.35
	1	EMPLOYER	80	0.37
	2	UNION	3	0.01
	3	SHOP / COVERED CALIFORNIA	27	0.13
	91	OTHER	18	0.08

UNIVERSE: ADOLESCENTS WITH EMPLOYER OR UNION BASED COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI95

LABEL: PURCHASE TEEN PLAN DIRECTLY OR COVERED CA

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21444	99.91
	1	INSURANCE COMPANY OR HMO	6	0.03
	2	COVERED CALIFORNIA	2	0.01

UNIVERSE: ADOLESCENTS WITH PRIVATE COVERAGE OBTAINED DIRECTLY THROUGH INS

COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AI97

LABEL: GET SUBSIDY ON TEEN PLAN PREMIUM PAID

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21450	99.94
	2	NO	2	0.01

UNIVERSE: ADOLESCENTS WITH HEALTH COVERAGE OBTAINED THROUGH SOMEONE'S

EMPLOYER/UNION OR COV CA, BUT NOT THROUGH COV CA SHOP PGM

INPUT VAR:

NOTES:

VARNAME: IA9_13

LABEL: TYPE OF PLAN MISSED: COVERED CA THROUGH SHOP

VALUE: -2 PROXY SKIPPED 11 0.05
-1 INAPPLICABLE 21449 99.93
2 NO 3 0.01

UNIVERSE: ALL ADULTS W/ ADOLESCENTS COVERED BY PLAN THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: IA1A

LABEL: MAIN REASON TEEN NOT ENROLLED IN MEDI-CAL

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21422	99.81
	2	DIDN'T KNOW IF ELIGIBLE	7	0.03
	3	INCOME TOO HIGH, NOT ELIGIBLE	14	0.07
	5	OTHER NOT ELIGIBLE	4	0.02
	8	ALREADY HAVE INSURANCE	3	0.01
	9	DIDN'T KNOW IT EXISTED	2	0.01

UNIVERSE: ADOLESCENTS WHO DO NOT HAVE HEALTH INSURANCE NOR MEDI-CAL

INPUT VAR:

NOTES: NOT ASKED IN PROXY INTERVIEW

VARNAME: AI116

LABEL: TEEN'S HEALTH PLAN A PPO OR EPO

			FREQ	%
VALUE:	-2	PROXY SKIP	11	0.05
	-1	INAPPLICABLE	20677	96.34
	1	PPO	707	3.29
	2	EPO	46	0.21
	3	HMO	2	0.01
	4	MEDI-CAL	1	0.00
	91	OTHER	19	0.09

UNIVERSE: INSURED ADOLESCENTS WITH HEALTH COVERAGE OTHER THAN MEDICARE OR

MEDI-CAL WHOSE HEALTH PLAN IS NOT AN HMO

INPUT VAR:

NOTES:

VARNAME: IA26_6

LABEL: TEEN'S OTHER HEALTH INS: DIRECT PURCHASE

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21286	99.18
	1	YES	2	0.01
	2	NO	164	0.76

UNIVERSE: ADOLESCENTS WHO CURRENTLY HAVE HEALTH INS BUT DID NOT HAVE INS ALL

OF THE PAST 12 MOS AND HAD DIFF INS WHEN NOT COVERED BY CURRENT

PLAN

INPUT VAR:

NOTES:

VARNAME:	IA26	7

LABEL: TEEN'S OTHER HEALTH INS: COVERED CA

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21286	99.18
	1	YES	12	0.06
	2	NO	154	0.72

UNIVERSE: ADOLESCENTS WHO CURRENTLY HAVE HEALTH INS BUT DID NOT HAVE INS ALL

OF THE PAST 12 MOS AND HAD DIFF INS WHEN NOT COVERED BY CURRENT

PLAN

INPUT VAR:

NOTES:

CHIS	2022	Source	Adult	Data	Dictional	٦,

SECTION J: HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH

VARNAME: AH1V2

LABEL: HAVE USUAL SOURCE OF HEALTH CARE

VALUE: 1 YES 18401 85.73 2 NO 3062 14.27

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: USE CAUTION WHEN TRENDING WITH AH1V2 FROM PRIOR YEARS. CHIS

CONDUCTED A 2022 EXPERIMENT TO TEST REMOVAL OF TRANSITION

STATEMENTS TO INCREASE DATA COMPLETENESS. AN UNINTENDED

CONSEQUENCE OF THIS WAS AN OBSERVED DECREASE IN "YES" RESPONSES TO AH1V2 IN 2022

VARNAME: AH3

LABEL: KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE

			FREQ	%
VALUE:	-1	INAPPLICABLE	3062	14.27
	1	DOCTOR'S OFFICE/KAISER/HMO	14421	67.19
	2	CLINIC/HEALTH CENTER/HOSPITAL CLINIC	3411	15.89
	3	EMERGENCY ROOM	159	0.74
	4	COMPLEMENTARY AND ALTERNATIVE MEDICINE	48	0.22
	5	FAMILY/FRIEND IS HEALTH PROVIDER	34	0.16
	6	INTERNET/LIBRARY	51	0.24
	91	SOME OTHER PLACE	38	0.18
	94	NO ONE PLACE	239	1.11

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF HEALTH INSURANCE/ CARE

INPUT VAR:

NOTES:

VARNAME: AJ80

LABEL: HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA

VALUE: -1 INAPPLICABLE 16490 76.83 1 YES 3805 17.73 2 NO 1168 5.44

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF CARE AND HAS PERSONAL DR AND

HAVE ASTHMA OR DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AJ202

LABEL: RECEIVED CARE FROM A DOCTOR VIA VIDEO/TELEPHONE CONVERSATION INST

VALUE: 1 YES 10640 49.57 2 NO 10823 50.43

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ203_1

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN

VALUE: -1 INAPPLICABLE 10823 50.43
1 YES 1239 5.77
2 NO 9401 43.80

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ203_2

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE

VALUE: -1 INAPPLICABLE 10823 50.43
1 YES 547 2.55
2 NO 10093 47.03

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ203_3

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: MENTAL OR EMOTIONAL HEALTH

VALUE: -1 INAPPLICABLE 10823 50.43 1 YES 1673 7.79 2 NO 8967 41.78

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ203_4

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER

VALUE: -1 INAPPLICABLE 10823 50.43
1 YES 69 0.32
2 NO 10571 49.25

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ203_5

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT

VALUE: -1 INAPPLICABLE 10823 50.43 1 YES 1750 8.15 2 NO 8890 41.42

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ203_6

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC

VALUE: -1 INAPPLICABLE 10823 50.43
1 YES 2021 9.42
2 NO 8619 40.16

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ203_7

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY

VALUE: -1 INAPPLICABLE 10823 50.43
1 YES 128 0.60
2 NO 10512 48.98

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ203_8

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS

VALUE: -1 INAPPLICABLE 10823 50.43 1 YES 1940 9.04 2 NO 8700 40.53

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ203_9

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP

VALUE: -1 INAPPLICABLE 10823 50.43 1 YES 4714 21.96 2 NO 5926 27.61

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ203_10

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION

VALUE: -1 INAPPLICABLE 10823 50.43
1 YES 474 2.21
2 NO 10166 47.37

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ203_11

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA

VALUE: -1 INAPPLICABLE 10823 50.43
1 YES 655 3.05
2 NO 9985 46.52

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ203_12

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL HEALTH PROBLEM

VALUE: -1 INAPPLICABLE 10823 50.43
1 YES 392 1.83
2 NO 10248 47.75

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ203_13

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-19

VALUE: -1 INAPPLICABLE 10823 50.43 1 YES 317 1.48 2 NO 10323 48.10

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ204

LABEL: RATE OVERALL EXPERIENCE OF MOST RECENT VIDEO VISIT COMPARED TO IN

			FREQ	%
VALUE:	-1	INAPPLICABLE	10823	50.43
	1	MUCH WORSE	340	1.58
	2	SOMEWHAT WORSE	1792	8.35
	3	ABOUT THE SAME	4832	22.51
	4	SOMEWHAT BETTER	1037	4.83
	5	MUCH BETTER	998	4.65
	6	DID NOT HAVE VIDEO VISIT	1641	7.65

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ205

LABEL: RATE OVERALL EXPERIENCE OF MOST RECENT PHONE VISIT COMPARED TO IN

			FREQ	%
VALUE:	-1	INAPPLICABLE	10823	50.43
	1	MUCH WORSE	395	1.84
	2	SOMEWHAT WORSE	1994	9.29
	3	ABOUT THE SAME	4918	22.91
	4	SOMEWHAT BETTER	938	4.37
	5	MUCH BETTER	875	4.08
	6	DID NOT HAVE PHONE VISIT	1520	7.08

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH3_P1

LABEL: KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	3062	14.27
	1	DOCTOR'S OFFICE/KAISER/HMO	14421	67.19
	2	CLINIC/HEALTH CENTER/HOSPITAL CLINIC	3411	15.89
	3	EMERGENCY ROOM	159	0.74
	4	OTHER/NO ONE PLACE	410	1.91

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF HEALTH INSURANCE/ CARE

INPUT VAR: AH3

NOTES: AH3 Categories Collapsed

VARNAME: USOC

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE: 1 YES 18242 84.99 2 NO 3221 15.01

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL_TP AH1V2

NOTES: USE CAUTION WHEN TRENDING WITH USOC FROM PRIOR YEARS. CHIS

CONDUCTED A 2022 EXPERIMENT TO TEST REMOVAL OF TRANSITION

STATEMENTS TO INCREASE DATA COMPLETENESS. AN UNINTENDED

CONSEQUENCE OF THIS WAS AN OBSERVED DECREASE IN "YES" RESPONSES TO AH1V2.

VARNAME: USUAL

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

VALUE: 1 YES 18401 85.73 2 NO 3062 14.27

UNIVERSE: ALL ADULTS

INPUT VAR: AH1V2

NOTES: USE CAUTION WHEN TRENDING WITH USUAL FROM PRIOR YEARS. CHIS

CONDUCTED A 2022 EXPERIMENT TO TEST REMOVAL OF TRANSITION

STATEMENTS TO INCREASE DATA COMPLETENESS. AN UNINTENDED

CONSEQUENCE OF THIS WAS AN OBSERVED DECREASE IN "YES" RESPONSES TO AH1V2.

VARNAME: USUAL_TP

LABEL: USUAL SOURCE OF CARE (7 LVLS)

			FREQ	%
VALUE:	1	DOC OFFICE/HMO/KAISER	14421	67.19
	2	COMMUN/GOV CLIN, COMMUN HOSP	3411	15.89
	3	EMERGENCY ROOM	159	0.74
	5	SOME OTHER PLACE	171	0.80
	6	NO ONE PARTICULAR PLACE	239	1.11
	7	NO USUAL SOURCE OF CARE	3062	14.27

UNIVERSE: ALL ADULTS

INPUT VAR: AH1V2 AH3

NOTES: USE CAUTION WHEN TRENDING WITH USUAL_TP FROM PRIOR YEARS. CHIS

CONDUCTED A 2022 EXPERIMENT TO TEST REMOVAL OF TRANSITION STATEMENTS TO INCREASE DATA COMPLETENESS. AN UNINTENDED

CONSEQUENCE OF THIS WAS AN OBSERVED DECREASE IN "YES" RESPONSES TO AH1V2.

CONDEQUENCE OF THE WIP IN ODDERVED PROMERDS IN THE THEOLOGICAL TO MILTAR.

VARNAME: USUAL5TP

LABEL: USUAL SOURCE OF CARE (5 LVLS)

			FREQ	%
VALUE:	1	DOC OFFICE/HMO/KAISER	14421	67.19
	2	COMMUN/GOV CLIN, COMMUN HOSP	3411	15.89
	3	EMERGENCY ROOM/URGENT CARE	159	0.74
	4	OTHER PLACE/NO ONE PLACE	410	1.91
	5	NO USUAL SOURCE OF CARE	3062	14.27

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL_TP AH1V2

NOTES: USE CAUTION WHEN TRENDING WITH USUAL5TP FROM PRIOR YEARS. CHIS

CONDUCTED A 2022 EXPERIMENT TO TEST REMOVAL OF TRANSITION

STATEMENTS TO INCREASE DATA COMPLETENESS. AN UNINTENDED

CONSEQUENCE OF THIS WAS AN OBSERVED DECREASE IN "YES" RESPONSES TO AH1V2.

VARNAME: AH5

LABEL: # OF TIMES SAW MD IN PAST 12 MOS

MEAN STATISTICS

N 21463 MIN 0 MAX 207 MEAN 4.22

UNIVERSE: ALL ADULT

INPUT VAR: DOCT_YR

NOTES:

VARNAME: AH6

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	18254	85.05
	0	WITHIN THE PAST YR	542	2.53
	1	1 TO 2 YRS AGO	1194	5.56
	2	2 TO 5 YRS AGO	957	4.46
	3	MORE THAN 5 YRS AGO	403	1.88
	4	NEVER	113	0.53

UNIVERSE: ADULT RESPONDENT WHO HAVE NOT SEEN A DOC IN LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: ACMDNUM

LABEL: # OF DOCTOR VISITS PAST YEAR

			FREQ	%
VALUE:	0	O TIME	3209	14.95
	1	1 TIMES	3805	17.73
	2	2 TIMES	3948	18.39
	3	3 TIMES	2574	11.99
	4	4 TIMES	2117	9.86
	5	5 TIMES	1317	6.14
	6	6 TIMES	1232	5.74
	7	7-8 TIMES	862	4.02
	8	9-12 TIMES	1312	6.11
	9	13-24 TIMES	721	3.36
	10	25+ TIMES	366	1.71

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

VARNAME: DOCT_YR

LABEL: VISITED DOCTOR IN PAST 12 MOS

VALUE: 1 YES 18254 85.05 2 NO 3209 14.95

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

VARNAME: AJ77

LABEL: HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER

VALUE: -1 INAPPLICABLE 3062 14.27 1 YES 17046 79.42 2 NO 1355 6.31

UNIVERSE: ADULT WHO USUALLY HAVE A PLACE TO GO WHEN SICK OR NEED ADVICE

ABOUT HEALTH

INPUT VAR:

NOTES: Not trendable with CHIS 2009 AJ77

VARNAME: AJ8V3

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT

VALUE: -2 PROXY SKIPPED 11 0.05
-1 INAPPLICABLE 18499 86.19
1 YES 180 0.84
2 NO 2773 12.92

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR

INPUT VAR:

NOTES: Previous versions: AJ8, AJ8B. Qx varname = AJ8B.

VARNAME: AJ50V2

LABEL: LANGUAGE DOCTOR SPEAKS TO R

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	18679	87.03
	1	ENGLISH	1401	6.53
	2	SPANISH	801	3.73
	3	CANTONESE	54	0.25
	4	VIETNAMESE	102	0.48
	5	TAGALOG	16	0.07
	6	MANDARIN	207	0.96
	7	KOREAN	137	0.64
	8	ASIAN INDIAN LANGUAGES	7	0.03
	9	RUSSIAN	6	0.03
	12	JAPANESE	5	0.02
	13	OTHER ASIAN	6	0.03
	15	GERMAN	1	0.00
	17	OTHER EUROPEAN	1	0.00
	18	FARSI	7	0.03
	19	ARMENIAN	8	0.04
	20	ARABIC	2	0.01
	23	OTHER	8	0.04
	24	ENGLISH AND SPANISH	2	0.01
	25	OTHER TWO LANGUAGES	2	0.01

UNIVERSE: ALL ADULTS WHO EVER SAW A DR AND DID NOT HAVE HARD TIME

UNDERSTANDING MD AT LAST APPT AND SPEAK LANG OTHER THAN ENGLISH AT

HOME

INPUT VAR:

NOTES: Previous version: AJ50

VARNAME: AJ50V2_P

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	18679	87.03
	1	ENGLISH	1401	6.53
	2	SPANISH	801	3.73
	3	VIETNAMESE	102	0.48
	4	KOREAN	137	0.64
	5	CANTONESE	54	0.25
	6	MANDARIN	207	0.96
	7	OTHER	71	0.33

UNIVERSE: ALL ADULTS WHO EVER SAW A DR AND DID NOT HAVE HARD TIME

UNDERSTANDING MD AT LAST APPT AND SPEAK LANG OTHER THAN ENGLISH AT

HOME

INPUT VAR:

NOTES: Previous version: AJ50_P. AJ50V2 categories collapsed.

VARNAME: AJ9V2

LABEL: MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21272	99.11
	1	YES	131	0.61
	2	NO	49	0.23

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR AND HAD A HARD TIME

UNDERSTANDING DOCTOR

INPUT VAR:

NOTES: Previous version: AJ9

VARNAME: AJ10V2

LABEL: NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19871	92.58
	1	YES	323	1.50
	2	NO	1258	5.86

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR AND DIDN'T HAVE HARD TIME

UNDERSTANDING DOCTOR SPEAKING TO THEM IN ENGLISH

INPUT VAR:

NOTES: Previous version: AJ10

VARNAME: AJ11V2

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21129	98.44
	1	MINOR CHILD (UNDER AGE 18)	4	0.02
	2	AN ADULT FAMILY MEMBER OF FRIEND OF MINE	99	0.46
	3	NON-MEDICAL OFFICE STAFF	32	0.15
	4	MEDICAL STAFF INCLUDING NURSES / DOCTORS	79	0.37
	5	PROFESSIONAL INTERPRETER (BOTH IN PERSON	88	0.41
	6	OTHER (PATIENTS, SOMEONE ELSE)	5	0.02
	7	DID NOT HAVE SOMEONE TO HELP	16	0.07

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR AND HAD A HARD TIME

UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED SOMEONE ELSE'S

HELP TO UNDERSTAND

INPUT VAR:

NOTES: Previous version: AJ11

VARNAME: AH16

LABEL: DELAY/NOT GET PRESCRIPTION IN PAST 12 MO

VALUE: 1 YES 2245 10.46 2 NO 19218 89.54

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ19

LABEL: COST/NO INSUR DELAYED GETTING PRESCRIPTION

VALUE: -1 INAPPLICABLE 19218 89.54
1 YES 761 3.55
2 NO 1484 6.91

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET TRIMENT MD PRESCRIBED IN LAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AH22

LABEL: DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS

FREQ % 4148 19.33 VALUE: 1 YES

17315 80.67 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ20

LABEL: COST/NO INSR DELAYED GETTING NEEDED CARE

FREQ % VALUE: -1 INAPPLICABLE

17315 80.67 1311 6.11 2837 13.22 YES 1 NO

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12

MOS

INPUT VAR:

NOTES:

VARNAME: AJ102

LABEL: SOUGHT APPNT W/DOC IN 2 DAYS PAST YR

VALUE: -1 INAPPLICABLE 405 1.89
1 YES 6553 30.53
2 NO 14505 67.58

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

VARNAME: AJ103

LABEL: HOW OFTEN GET APPNT IN 2 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	14910	69.47
	1	NEVER	1357	6.32
	2	SOMETIMES	2012	9.37
	3	USUALLY	1708	7.96
	4	ALWAYS	1476	6.88

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE AND WHO

TRIED TO GET A DOC APPT. WITH/IN TWO DAYS

INPUT VAR:

NOTES:

VARNAME: TIMAPPT

LABEL: ABLE TO GET AN APPOINTMENT IN A TIMELY WAY

VALUE: -1 INAPPLICABLE 14910 69.47
1 YES 5196 24.21
2 NO 1357 6.32

UNIVERSE: INSURED ADULTS/ADULTS WITH USUAL SOURCE OF CARE WHO NEEDED DR.

APPT. WITHIN 2 DAYS IN PAST YEAR

INPUT VAR: AJ102 AJ103

NOTES:

VARNAME: AJ105

LABEL: KNOW RIGHTS TO INTERPRETER DURING MED VISIT

VALUE: -2 PROXY SKIPPED 11 0.05
-1 INAPPLICABLE 20233 94.27
1 YES 941 4.38
2 NO 278 1.30

UNIVERSE: ALL ADULTS WHO SPEAK ENGLISH NOT WELL OR NOT AT ALL

INPUT VAR:

NOTES:

VARNAME: AJ114

LABEL: TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP

			FREQ	%
VALUE:	-1	INAPPLICABLE	113	0.53
	0	ONE YEAR AGO OR LESS	15212	70.88
	1	MORE THAN 1 UP TO 2 YEARS AGO	3048	14.20
	2	MORE THAN 2 UP TO 5 YEARS AGO	1847	8.61
	3	MORE THAN 5 YEARS AGO	939	4.37
	4	NEVER	304	1.42

UNIVERSE: ADULTS EVER SEEN DOCTOR FOR OWN HEALTH

INPUT VAR: CARE_PV

NOTES:

VARNAME: AJ115

LABEL: # OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY

MEAN STATISTICS

N 21463 MIN 0 MAX 365 MEAN 5.15

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RESPONDENTS SELECTING "DID NOT HAVE JOB IN PAST 12 MONTHS" ARE

GIVEN A VALUE OF "O" DAYS FOR AJ115.

VARNAME: AJ115_P1

LABEL: # OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1

			FREQ	%
VALUE:	0	O DAYS	14747	68.71
	1	1 DAYS	708	3.30
	2	2 DAYS	1036	4.83
	3	3 DAYS	832	3.88
	4	4-5 DAYS	1368	6.37
	5	6-10 DAYS	1310	6.10
	6	11-15 DAYS	501	2.33
	7	16-20 DAYS	182	0.85
	8	21-25 DAYS	98	0.46
	9	26-30 DAYS	172	0.80
	10	31-35 DAYS	19	0.09
	11	36-40 DAYS	32	0.15
	12	41-45 DAYS	35	0.16
	13	46-50 DAYS	18	0.08
	14	51-55 DAYS	3	0.01
	15	56-60 DAYS	64	0.30
	16	61-65 DAYS	7	0.03
	17	66-70 DAYS	6	0.03
	18	71-75 DAYS	8	0.04
	19	76-80 DAYS	6	0.03
	20	81-85 DAYS	4	0.02
	21	86-90 DAYS	73	0.34
	22	91-95 DAYS	4	0.02
	23	96-100 DAYS	11	0.05
	25	106-110 DAYS	1	0.00
	26	111-115 DAYS	3	0.01
	27	116-120 DAYS	29	0.14
	28	121-125 DAYS	4	0.02
	29	126-130 DAYS	2	0.01
	30	131-364 DAYS	126	0.59
	31	365 DAYS	54	0.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: AJ115 CATEGORIZED. RESPONDENTS SELECTING DID NOT HAVE JOB IN PAST

12 MONTHS ARE GIVEN A VALUE OF "O" DAYS FOR AJ115.

VARNAME: WORKSICK

LABEL: # OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (THOSE

MEAN STATISTICS

N 14500 MIN 0 MAX 365 MEAN 7.63

UNIVERSE: ALL ADULTS

INPUT VAR: AJ115

NOTES: EXCLUDED VALUE "996" FOR DID NOT HAVE A JOB IN PAST YEAR IN

CALCULATING THE MEAN (6,963 CASES IN 2022). INPUT VARIABLE AJ115.

VARNAME: WORKSICK_P1

LABEL: # OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1

			FREQ	%
VALUE:	0	O DAYS	7784	36.27
	1	1 DAY	708	3.30
	2	2 DAYS	1036	4.83
	3	3 DAYS	832	3.88
	4	4-5 DAYS	1368	6.37
	5	6-10 DAYS	1310	6.10
	6	11-15 DAYS	501	2.33
	7	16-20 DAYS	182	0.85
	8	21-25 DAYS	98	0.46
	9	26-30 DAYS	172	0.80
	10	31-35 DAYS	19	0.09
	11	36-40 DAYS	32	0.15
	12	41-45 DAYS	35	0.16
	13	46-50 DAYS	18	0.08
	14	51-55 DAYS	3	0.01
	15	56-60 DAYS	64	0.30
	16	61-65 DAYS	7	0.03
	17	66-70 DAYS	6	0.03
	18	71-75 DAYS	8	0.04
	19	76-80 DAYS	6	0.03
	20	81-85 DAYS	4	0.02
	21	86-90 DAYS	73	0.34
	22	91-95 DAYS	4	0.02
	23	96-100 DAYS	11	0.05
	25	106-110 DAYS	1	0.00
	26	111-115 DAYS	3	0.01
	27	116-120 DAYS	29	0.14
	28	121-125 DAYS	4	0.02
	29	126-130 DAYS	2	0.01
	30	131-364 DAYS	126	0.59
	31	365 DAYS	54	0.25
	32	DID NOT HAVE JOB IN PAST 12 MONTHS	6963	32.44

UNIVERSE: ALL ADULTS

INPUT VAR: AJ115 WORKSICK

NOTES: CHIS 2021 PUF RECODE. CATEGORICAL RECODE OF WORKSICK. INPUT

VARIABLE AJ115.

VARNAME: AJ129

LABEL: EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED

VALUE: -1 INAPPLICABLE 17315 80.67
1 YES 1961 9.14
2 NO 2187 10.19

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ130

LABEL: MAIN REASON DELAYED/NO CARE: COST OR NO INS

VALUE: -1 INAPPLICABLE 20152 93.89
1 YES 1149 5.35
2 NO 162 0.75

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST

YR DUE TO COST/LACK OF INSURANCE

INPUT VAR:

NOTES:

VARNAME: AJ131

LABEL: MAIN REASON FOR DELAYING NEEDED CARE

			FREQ	%
VALUE:	-1	INAPPLICABLE	18464	86.03
	1	COULDN'T GET APPOINTMENT	996	4.64
	2	MY INSURANCE NOT ACCEPTED	54	0.25
	3	INSURANCE DID NOT COVER	67	0.31
	4	LANGUAGE PROBLEMS	10	0.05
	5	TRANSPORTATION PROBLEMS	120	0.56
	6	HOURS NOT CONVENIENT	164	0.76
	7	NO CHILD CARE FOR CHILDREN AT HOME	25	0.12
	8	FORGOT OR LOST REFERRAL	138	0.64
	9	I DIDN'T HAVE TIME	510	2.38
	10	COULDN'T AFFORD/COST TOO MUCH	55	0.26
	11	NO INSURANCE	5	0.02
	12	DID NOT THINK SERIOUS ENOUGH/NEEDED	75	0.35
	13	NOT SATISFIED WITH HEALTH CARE RECEIVED	87	0.41
	14	PROCRASTINATION OR LACK OF MOTIVATION	95	0.44
	15	ANXIETY, FEAR, OR AVOIDANCE OF MEDICAL C	113	0.53
	16	OTHER REASON	95	0.44
	17	COVID-RELATED REASON	390	1.82

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST

YR DUE TO OTHER REASON (NOT DUE TO COST/LACK OF INSURANCE)

INPUT VAR:

NOTES:

VARNAME: AJ131_P1

LABEL: MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	18464	86.03
	1	COULDN'T GET APPOINTMENT	996	4.64
	2	COST, INSURANCE (NOT COVRD/ACCPTD, NO INS)	181	0.84
	5	TRANSPORTATION PROBLEMS	120	0.56
	6	HOURS NOT CONVENIENT	164	0.76
	9	I DIDN'T HAVE TIME	510	2.38
	12	DID NOT THINK SERIOUS ENOUGH/NEEDED	75	0.35
	13	NOT SATISFIED WITH HEALTH CARE RECEIVED	87	0.41
	14	OTHER REASON	753	3.51
	15	ANXIETY, FEAR, AVOIDANCE OF MEDICAL CARE	113	0.53

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST

YR DUE TO OTHER REASON (NOT DUE TO COST/LACK OF INSURANCE)

INPUT VAR: AJ131

NOTES: AJ131 Categories Collapsed

VARNAME: CARE_PV

LABEL: HAD A PREVENTIVE CARE VISIT IN PAST YEAR

VALUE: 1 YES 15212 70.88 2 NO 6251 29.12

UNIVERSE: ALL ADULTS

INPUT VAR: AJ114

NOTES:

VARNAME: RN_FORGO

LABEL: REASONS FORGONE NECESSARY CARE

VALUE: -1 INAPPLICABLE 17315 80.67
1 COST 1209 5.63
2 COULDN'T GET APPOINTMENT 996 4.64
3 DIDN'T HAVE TIME 674 3.14
4 OTHERS 1269 5.91

UNIVERSE: ADULTS WHO DELAYED NEEDED MEDICAL CARE

INPUT VAR: AJ20 AJ130 AJ131

NOTES:

VARNAME: FORGO

LABEL: HAD TO FORGO NECESSARY CARE

VALUE: 1 YES 2187 10.19 2 NO 19276 89.81

UNIVERSE: ALL ADULTS

INPUT VAR: AH22 AJ129

NOTES:

VARNAME: AG1

LABEL: TIME SINCE LAST VISIT TO DENTIST/SPECIALIST

			FREQ	%
VALUE:	0	HAVE NEVER VISIT	249	1.16
	1	6 MONTHS AGO OR LESS	13075	60.92
	2	MORE THAN 6 MONTHS UP TO 1 YEAR AGO	2542	11.84
	3	MORE THAN 1 YEAR UP TO 2 YEARS AGO	2104	9.80
	4	MORE THAN 2 YEARS UP TO 5 YEARS AGO	2044	9.52
	5	MORE THAN 5 YEARS AGO	1449	6.75

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ167

LABEL: ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM

			FREQ	%
VALUE:	-1	INAPPLICABLE	249	1.16
	1	ROUTINE CHECKUP OR CLEANING	15052	70.13
	2	SPECIFIC PROBLEM	3480	16.21
	3	ВОТН	2682	12.50

UNIVERSE: ADULTS WHO HAVE EVER BEEN TO THE DENTIST

INPUT VAR:

NOTES:

VARNAME: AJ168

LABEL: CONDITION OF TEETH

			FREQ	%
VALUE:	1	EXCELLENT	2420	11.28
	2	VERY GOOD	6477	30.18
	3	GOOD	6695	31.19
	4	FAIR	3727	17.36
	5	POOR	1572	7.32
	6	HAS NO NATURAL TEETH	572	2.67

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG3

LABEL: HAVE ANY KIND OF DENTAL INSURANCE

VALUE: 1 YES 15474 72.10 2 NO 5989 27.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ136

LABEL: NEEDED TO SEE MED SPECIALIST PAST YR

FREQ % 10146 47.27 YES VALUE: 1

2 NO 11317 52.73

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ137

LABEL: HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS

VALUE: -1 FREQ % INAPPLICABLE

11317 52.73 1524 7.10 8622 40.17 YES NO

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

VARNAME: AJ138

LABEL: NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR

VALUE: -1 INAPPLICABLE 11317 52.73 1 YES 1030 4.80 2 NO 9116 42.47

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR: SC_NEWP

NOTES:

VARNAME: AJ139

LABEL: INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR

VALUE: -1 INAPPLICABLE 11488 53.52 1 YES 1091 5.08 2 NO 8884 41.39

UNIVERSE: INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR: SC_INS

NOTES:

VARNAME: AJ133

LABEL: HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS

VALUE: 1 YES 1632 7.60 2 NO 19831 92.40

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ134

LABEL: NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR

VALUE: 1 YES 1499 6.98 2 NO 19964 93.02

UNIVERSE: ALL ADULTS

INPUT VAR: PC_NEWP

NOTES:

VARNAME: AJ135

LABEL: INSURANCE NOT ACCEPTED BY DOC PAST YR

FREQ %
VALUE: -1 INAPPLICABLE 737 3.43
1 YES 1256 5.85
2 NO 19470 90.71

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR: PC_INS

NOTES:

VARNAME: PC_INS

LABEL: PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS

VALUE: -1 INAPPLICABLE 737 3.43
1 YES 1256 5.85
2 NO 19470 90.71

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR: AJ135

NOTES:

VARNAME: PC_NEWP

LABEL: PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENT

VALUE: 1 YES 1499 6.98 2 NO 19964 93.02

UNIVERSE: ALL ADULTS

INPUT VAR: AJ134

NOTES:

VARNAME: SC_INS

LABEL: SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I

VALUE: -1 INAPPLICABLE 11488 53.52 1 YES 1091 5.08 2 NO 8884 41.39

UNIVERSE: INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR: AJ139

NOTES:

VARNAME: SC_NEWP

LABEL: SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT

VALUE: -1 INAPPLICABLE 11317 52.73
1 YES 1030 4.80
2 NO 9116 42.47

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR: AJ138

NOTES:

VARNAME: AH12V2

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

FREQ % 3756 17.50 17707 82.50 YES NO VALUE: 1

2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Previous version: AH12

VARNAME: AH95

LABEL: # TIMES VISITED ER IN PAST 12 MOS

MEAN STATISTICS

N 3756 MIN 0 MAX130 MEAN 1.79

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH95_P

LABEL: # TIMES VISITED ER IN PAST 12 MOS (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	17707	82.50
	0	O TIME	37	0.17
	1	1 TIME	2342	10.91
	2	2 TIMES	808	3.76
	3	3 TIMES	296	1.38
	4	4 TIMES	117	0.55
	5	5 TIMES	60	0.28
	6	6 TIMES	39	0.18
	7	7-8 TIMES	15	0.07
	8	9-12 TIMES	24	0.11
	9	13-24 TIMES	12	0.06
	10	25+ TIMES	6	0.03

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH IN PAST 12 MOS

INPUT VAR: AH95

NOTES: AH95 Categories Collapsed

VARNAME: AH95_P1

LABEL: # TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	17707	82.50
	0	O TIMES	37	0.17
	1	1 TIMES	2342	10.91
	2	2 TIMES	808	3.76
	3	3 TIMES	296	1.38
	4	4 TIMES	117	0.55
	5	5+ TIMES	156	0.73

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH IN PAST 12 MOS

INPUT VAR: AH95

NOTES: AH95 Categories Collapsed

VARNAME: ER

LABEL: ER VISIT WITHIN THE PAST YEAR

FREQ % 3756 17.50 17707 82.50 YES NO VALUE: 1

UNIVERSE: ALL ADULTS

INPUT VAR: AH12 AH13A AB67 AB109 AB115

NOTES:

VARNAME: AJ152V2

LABEL: RECEIVED CARE WHILE AT ANOTHER HEALTH FACILITY FROM HEALTH PROVID

FREQ VALUE: 1 YES 2 NO 1438 6.70

20025 93.30 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ152. QX VARNAME = AJ152B.

VARNAME: AJ153V2_1

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN

VALUE: -1 INAPPLICABLE 20025 93.30
1 YES 432 2.01
2 NO 1006 4.69

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_1. QX VARNAME = AJ153B.

VARNAME: AJ153V2_2

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE

VALUE: -1 INAPPLICABLE 20025 93.30
1 YES 150 0.70
2 NO 1288 6.00

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_2. QX VARNAME = AJ153B.

VARNAME: AJ153V2_3

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: MENTAL OR EMOTIONAL HEALTH

VALUE: -1 INAPPLICABLE 20025 93.30
1 YES 358 1.67
2 NO 1080 5.03

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_3. QX VARNAME = AJ153B.

VARNAME: AJ153V2_4

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER

VALUE: -1 INAPPLICABLE 20025 93.30
1 YES 4 0.02
2 NO 1434 6.68

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_4. QX VARNAME = AJ153B.

VARNAME: AJ153V2_5

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT

VALUE: -1 INAPPLICABLE 20025 93.30
1 YES 198 0.92
2 NO 1240 5.78

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_5. QX VARNAME = AJ153B. INCLUDES CANCER

CARE RESPONSES.

VARNAME: AJ153V2_6

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC

VALUE: -1 INAPPLICABLE 20025 93.30
1 YES 65 0.30
2 NO 1373 6.40

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_6. QX VARNAME = AJ153B.

VARNAME: AJ153V2_7

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY

VALUE: -1 INAPPLICABLE 20025 93.30
1 YES 35 0.16
2 NO 1403 6.54

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_7. QX VARNAME = AJ153B.

VARNAME: AJ153V2_8

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS

VALUE: -1 INAPPLICABLE 20025 93.30
1 YES 107 0.50
2 NO 1331 6.20

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_8. QX VARNAME = AJ153B.

VARNAME: AJ153V2_9

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP

VALUE: -1 INAPPLICABLE 20025 93.30
1 YES 72 0.34
2 NO 1366 6.36

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_9. QX VARNAME = AJ153B.

VARNAME: AJ153V2_10

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION

VALUE: -1 INAPPLICABLE 20025 93.30
1 YES 101 0.47
2 NO 1337 6.23

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_10. QX VARNAME = AJ153B.

VARNAME: AJ153V2_11

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA

VALUE: -1 INAPPLICABLE 20025 93.30
1 YES 145 0.68
2 NO 1293 6.02

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_11. QX VARNAME = AJ153B.

VARNAME: AJ153V2_12

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL HEALTH PROBLEM

VALUE: -1 INAPPLICABLE 20025 93.30
1 YES 115 0.54
2 NO 1323 6.16

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_12. QX VARNAME = AJ153B.

VARNAME: AJ153V2_13

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-RELATED PROBLEM

VALUE: -1 INAPPLICABLE 20025 93.30
1 YES 42 0.20
2 NO 1396 6.50

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: ADDED IN 2020 DUE TO COVID-19 PANDEMIC. QX VARNAME = AJ153B.

VARNAME: AJ176

LABEL: DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN

VALUE: -1 INAPPLICABLE 19292 89.88
1 YES 1682 7.84
2 NO 489 2.28

UNIVERSE: ADULTS WITH INSURANCE IN THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ177

LABEL: DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL

FREQ % 17503 81.55 2714 12.65 1246 5.81 VALUE: -1 INAPPLICABLE YES 1

2 NO

UNIVERSE: ADULTS WITH INSURANCE IN THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ87

LABEL: PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR

FREQ VALUE: 1 YES 2 NO 27.77 5960

15503 72.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ101V2

LABEL: CURRENTLY PROVIDE CARE

VALUE: -1 INAPPLICABLE 15503 72.23 1 YES 2881 13.42 2 NO 3079 14.35

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC

ILLNESS OR DISABILITY

INPUT VAR:

NOTES: Previous version: AJ101. Qx varname = AJ101B.

VARNAME: AF22V2

LABEL: EVER HAD HOME BLOOD STOOL TEST

VALUE: -1 INAPPLICABLE 10109 47.10
1 YES 6483 30.21
2 NO 4871 22.69

UNIVERSE: ADULTS AGES 50-75

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AF22. New version due to

new universe.

VARNAME: AF24V2

LABEL: WHEN WAS MOST RECENT HOME BLOOD STOOL TEST

			FREQ	%
VALUE:	-1	INAPPLICABLE	14980	69.79
	1	A YEAR AGO OR LESS	3237	15.08
	2	MORE THAN 1 YEAR AGO UP TO 2 YEARS AGO	1163	5.42
	3	MORE THAN 2 YEARS AGO UP TO 3 YEARS AGO	626	2.92
	4	MORE THAN 3 YEARS AGO UP TO 5 YEARS AGO	534	2.49
	5	MORE THAN 5 YEARS AGO	923	4.30

UNIVERSE: ADULTS AGES 50-75 WHO EVER HAD HOME BLOOD STOOL TEST

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AF24. New version due to

new universe.

VARNAME: FOBT2V2

LABEL: BLOOD STOOL TEST PAST 2 YEARS

			FREQ	%
VALUE:	-1	INAPPLICABLE	10109	47.10
	1	YES	4400	20.50
	2	NO	6954	32.40

UNIVERSE: ADULTS AGE 50-75

INPUT VAR: AF22V2 AF24V2

NOTES:

VARNAME: AF14V2

LABEL: EVER HAD SIGMOIDOSCOPY, COLONOSCOPY, OR PROCTOSCOPY

			FREQ	%
VALUE:	-1	INAPPLICABLE	10109	47.10
	1	YES	7850	36.57
	2	NO	3504	16.33

UNIVERSE: ADULTS AGES 50-75

INPUT VAR:

NOTES: RECLAIMED IN CHIS 2021. PREVIOUS VERSION: AF14. NEW VERSION DUE TO

NEW UNIVERSE. QX VARNAME = MODAF14.

VARNAME: AF16V2

LABEL: HOW LONG SINCE LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY

			FREQ	%
VALUE:	-1	INAPPLICABLE	13613	63.43
	1	WITHIN THE PAST YEAR	1590	7.41
	2	1 TO 2 YRS AGO	1259	5.87
	3	2 TO 3 YRS AGO	1252	5.83
	4	3 TO 5 YRS AGO	1665	7.76
	5	5 TO 10 YRS AGO	2084	9.71

UNIVERSE: ADULTS AGES 50-75 WHO EVER HAD

SIGMOIDOSCOPY/COLONOSCOPY/PROCTOSCOPY

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AF16. New version due to

new universe.

VARNAME: AB61V2

LABEL: TYPE OF MOST RECENT RECTAL EXAM

			FREQ	%
VALUE:	-1	INAPPLICABLE	13613	63.43
	1	SIGMOIDOSCOPY	315	1.47
	2	COLONOSCOPY	7445	34.69
	3	PROCTOSCOPY	90	0.42

UNIVERSE: ADULTS 50-75 YRS OLD WHO EVER HAD

SIGMOIDOSCOPY/COLONOSCOPY/PROCTOSCOPY

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AB61. New version due to

removal of "Something Else" response option.

VARNAME: AF17V2

LABEL: MAIN REASON FOR LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY

			FREQ	%
VALUE:	-1	INAPPLICABLE	13613	63.43
	1	PART OF A ROUTINE PHYSICAL EXAM/AS A SCR	5652	26.33
	2	BECAUSE OF A SPECIFIC PROBLEM	905	4.22
	3	FOLLOW-UP TEST OF AN EARLIER TEST OR SCR	700	3.26
	4	BECAUSE OF FAMILY HISTORY	593	2.76

UNIVERSE: ADULTS AGES 50-75 WHO EVER HAD

SIGMOIDOSCOPY/COLONOSCOPY/PROCTOSCOPY

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AF17. New version due to

new universe.

CHIS 2022 Source Adult Data Dictionary

SECTION K: EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY

VARNAME: AK1

LABEL: WORK STATUS LAST WEEK

		FREQ	%
1	WORKING AT A JOB/BUSINESS	11488	53.52
2	WITH A JOB/BUSINESS BUT NOT AT WORK	491	2.29
3	LOOKING FOR WORK	898	4.18
4	NOT WORKING JOB/BUSINESS (UNEMP)	8586	40.00
	1 2 3 4	WITH A JOB/BUSINESS BUT NOT AT WORK LOOKING FOR WORK	1 WORKING AT A JOB/BUSINESS 11488 2 WITH A JOB/BUSINESS BUT NOT AT WORK 491 3 LOOKING FOR WORK 898

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOTE ADDED TO QUESTIONNAIRE TO CLARIFY HOW TO RESPOND FOR WORKED

REMOTELY FROM HOME

VARNAME: AK2

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK

			FREQ	%
VALUE:	-1	INAPPLICABLE	11488	53.52
	1	TAKING CARE OF HOUSE OR FAMILY	886	4.13
	2	ON PLANNED VACATION	288	1.34
	3	COULDN'T FIND A JOB	498	2.32
	4	GOING TO SCHOOL/STUDENT	320	1.49
	5	RETIRED	5799	27.02
	6	PHYSICAL DISABILITY	836	3.90
	7	UNABLE TO WORK TEMPORARILY	170	0.79
	8	ON LAYOFF OR STRIKE	74	0.34
	9	ON FAMILY OR MATERNITY LEAVE	57	0.27
	10	OFF SEASON	149	0.69
	11	SICK	185	0.86
	91	OTHER	713	3.32

UNIVERSE: ALL ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK,

OR NOT WORKING AT A JOB LAST WEEK

INPUT VAR:

NOTES:

VARNAME: AK2_P1

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	11488	53.52
	1	TAKING CARE OF HOUSE OR FAMILY	886	4.13
	2	ON PLANNED VACATION	288	1.34
	3	COULDN'T FIND A JOB	498	2.32
	4	GOING TO SCHOOL/STUDENT	320	1.49
	5	RETIRED	5799	27.02
	6	PHYSICAL DISABILITY	836	3.90
	7	UNABLE TO WORK TEMPORARILY	170	0.79
	8	ON LAYOFF OR STRIKE	74	0.34
	10	OFF SEASON	149	0.69
	11	SICK	185	0.86
	91	OTHER	770	3.59

UNIVERSE: ALL ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK,

OR NOT WORKING AT A JOB LAST WEEK

INPUT VAR: AK2

NOTES: AK2 Categories Collapsed

VARNAME: AK3

LABEL: # OF USUAL HRS WORKED PER WEEK

MEAN STATISTICS

N 13022 MIN 0 MAX 95 MEAN 36.54

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AK3_P1

LABEL: # OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE)

MEAN STATISTICS

N 13022 MIN 0 MAX 80 MEAN 36.52

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK3

NOTES: TOPCODE=80

VARNAME: AK3_P1V2

LABEL: # OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE VERSION 2)

			FREQ	%
VALUE:	-1	INAPPLICABLE	8441	39.33
	1	<= 0	500	2.33
	2	1 - 9	706	3.29
	3	10 - 19	669	3.12
	4	20 - 29	1019	4.75
	5	30 - 39	1478	6.89
	6	40 - 49	6125	28.54
	7	50 - 59	1661	7.74
	8	60 - 69	641	2.99
	9	70 - 79	119	0.55
	10	80+	104	0.48

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK3

NOTES: AK3 Categories Collapsed

VARNAME: AK4

LABEL: TYPE OF EMPLOYER AT MAIN JOB

			FREQ	%
VALUE:	-1	INAPPLICABLE	8491	39.56
	1	PRIVATE COMPANY, NON-PROFIT ORG	7995	37.25
	2	GOVERNMENT	2643	12.31
	3	SELF-EMPLOYED	2020	9.41
	4	FAMILY BUSINESS OR FARM	314	1.46

UNIVERSE: ALL ADULTS WITH A JOB OR WHO USUALLY WORK (EXCLUDING THOSE WHO ARE

LESS THAN 65 AND DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

VARNAME: AK5

LABEL: TYPE OF BUSINESS/INDUSTRY EMPLOYED BY

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	23	0.11
	-8	DON'T KNOW	6	0.03
	-7	REFUSED	9	0.04
	-1	INAPPLICABLE	8491	39.56
	91	INDUSTRY PROVIDED	12934	60.26

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND

DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

VARNAME:	AK6
A WIMMUIT.	DII.O

LABEL: MAIN OCCUPATION

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	23	0.11
	-8	DON'T KNOW	2	0.01
	-7	REFUSED	6	0.03
	-1	INAPPLICABLE	8491	39.56
	91	OCCUPATION PROVIDED	12941	60.29

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND

DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

VARNAME: INDMAIN2

LABEL: MAIN INDUSTRY - RECODE (CENSUS 2010. IND. CLASSIFICATION SCH.)

			FREQ	%
VALUE:	-8	DK	7	0.03
	-7	REFUSED	11	0.05
	-1	INAPPLICABLE	9029	42.07
	1	AGRICULTURE, FORESTRY, FISHING, HUNTING,	200	0.93
	2	CONSTRUCTION	447	2.08
	3	MANUFACTURING	965	4.50
	4	WHOLESALE TRADE	148	0.69
	5	RETAIL TRADE	828	3.86
	6	TRANSPORTATION, WAREHOUSING, AND UTILITI	563	2.62
	7	INFORMATION	309	1.44
	8	FINANCE AND INSURANCE, REAL ESTATE, RENT	777	3.62
	9	PROFESSIONAL, SCIENTIFIC, MANAGEMENT, AD	2139	9.97
	10	EDUCATIONAL SERVICES, HEALTH CARE AND SO	3611	16.82
	11	ARTS, ENTERTAINMENT, RECREATION, ACCOMMO	681	3.17
	12	OTHER SERVICES, EXCEPT PUBLIC ADMINISTRA	538	2.51
	13	PUBLIC ADMINISTRATION	993	4.63
	14	MILITARY	76	0.35
	99	COULD NOT BE CODED	141	0.66

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND

DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES: MAJORITY OF CASES WERE AUTOCODED USING NIOSH INDUSTRY AND

OCCUPATION COMPUTERIZED CODING SYSTEM (NIOCCS). RECORDS THAT DID NOT MATCH BOTH 1&O RESPONSES ON NIOCCS WERE CODED BY THE US CENSUS NATIONAL PROCESSING CENTER. FOR MORE INFORMATION SEE: WWW.CSAMS.C

VARNAME: IND_FLAG3

LABEL: CENSUS INDUSTRY CODE - CODING METHOD

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	18	0.08
	-1	INAPPLICABLE	9029	42.07
	1	MANUALLY CODED BY U.S. CENSUS BUREAU	1616	7.53
	2	AUTO-CODE BY NIOCSS	10800	50.32

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND

DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES: BEGINNING IN 2021, NIOCCS REQUIRED A SECURE ACCESS MANAGEMENT

SERVICE ACCOUNT WHICH UTILIZES A HIGH EFFICIENCY MACHINE LEARNING TECHNOLOGY. AS SUCH, INCREASES IN I/O CODING VIA AUTOCODING MAY BE

SEEN STARTING IN CHIS 2021.

VARNAME: OCCMAIN2

LABEL: MAIN OCCUPATION - RECODE (CENSUS 2010 OCC. CLASSIFICATION SCH.)

			FREQ	%
VALUE:	-8	DK	2	0.01
	-7	REFUSED	8	0.04
	-1	INAPPLICABLE	8933	41.62
	1	MANAGEMENT, BUSINESS, AND FINANCIAL OCCU	2375	11.07
	2	COMPUTER, ENGINEERING, AND SCIENCE OCCUP	1564	7.29
	3	EDUCATION, LEGAL, COMMUNITY SERVICE, ART	2147	10.00
	4	HEALTHCARE PRACTITIONERS AND TECHNICAL O	869	4.05
	5	SERVICE OCCUPATIONS	1503	7.00
	6	SALES AND RELATED OCCUPATIONS	780	3.63
	7	OFFICE AND ADMINISTRATIVE SUPPORT OCCUPA	1512	7.04
	8	FARMING, FISHING, AND FORESTRY OCCUPATIO	86	0.40
	9	CONSTRUCTION AND EXTRACTION OCCUPATIONS	240	1.12
	10	INSTALLATION, MAINTENANCE, AND REPAIR OC	205	0.96
	11	PRODUCTION OCCUPATIONS	379	1.77
	12	TRANSPORTATION AND MATERIAL MOVING OCCUP	560	2.61
	13	MILITARY SPECIFIC OCCUPATIONS	41	0.19
	99	COULD NOT BE CODED	259	1.21

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND

DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES: MAJORITY OF CASES WERE AUTOCODED USING NIOSH INDUSTRY AND

OCCUPATION COMPUTERIZED CODING SYSTEM (NIOCCS). RECORDS THAT DID NOT MATCH BOTH 1&O RESPONSES ON NIOCCS WERE CODED BY THE US CENSUS NATIONAL PROCESSING CENTER. FOR MORE INFORMATION SEE: WWW.CSAMS.C

VARNAME: OCC_FLAG3

LABEL: CENSUS OCCUPATION CODE - CODING METHOD

FREQ % VALUE: -9 NOT ASCERTAINED 10 0.05 8933 41.62 -1 INAPPLICABLE 7.57 MANUALLY CODED BY U.S. CENSUS BUREAU 1625 10895 AUTO-CODE BY NIOCSS 50.76

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND

DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES: BEGINNING IN 2021, NIOCCS REQUIRED A SECURE ACCESS MANAGEMENT

SERVICE ACCOUNT WHICH UTILIZES A HIGH EFFICIENCY MACHINE LEARNING TECHNOLOGY. AS SUCH, INCREASES IN I/O CODING VIA AUTOCODING MAY BE

SEEN STARTING IN CHIS 2021.

VARNAME: AK7

LABEL: LENGTH OF TIME WORKING AT MAIN JOB

MEAN STATISTICS

N 13022 MIN 1 MAX 602 MEAN 122.05

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AK7_P1

LABEL: LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE)

MEAN STATISTICS

N 13022 MIN 1 MAX 456 MEAN 120.72

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK7

NOTES: TOPCODE = 456

VARNAME: AK7_P1V2

LABEL: LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2)

			FREQ	%
VALUE:	-1	INAPPLICABLE	8441	39.33
VALUE.	-1	INAFFLICADLE	0441	39.33
	1	< 1 YEAR	1632	7.60
	2	< 2 YEARS	1128	5.26
	3	<5 YEARS	2598	12.10
	4	<10 YEARS	2554	11.90
	5	<20 YEARS	2651	12.35
	6	20+ YEARS	2459	11.46

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK7

NOTES: AK7 Categories Collapsed

VARNAME: AKWKLNG

LABEL: TIME AT MAIN JOB

			FREQ	%
VALUE:	-1	INAPPLICABLE	8441	39.33
	0	<1 YEAR	836	3.90
	1	1 YEAR	1632	7.60
	2	2 YEARS	1007	4.69
	3	3 YEARS	966	4.50
	4	4 YEARS	750	3.49
	5	5 YEARS	803	3.74
	6	6-9 YEARS	1860	8.67
	7	10-14 YEARS	1487	6.93
	8	15-19 YEARS	1209	5.63
	9	20-29 YEARS	1576	7.34
	10	30+ YEARS	896	4.17

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT

WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR: AK7 AK7UNT

NOTES:

VARNAME: AK8

LABEL: # PEOPLE WORKING FOR EMPLOYER/YOU

			FREQ	%
VALUE:	-1	INAPPLICABLE	8491	39.56
	1	1 OR 2	1802	8.40
	2	3 - 9	1067	4.97
	3	10 - 24	904	4.21
	4	25 - 50	731	3.41
	5	51 - 100	673	3.14
	6	101 - 200	686	3.20
	7	201 - 999	1256	5.85
	8	1,000 OR MORE	5853	27.27

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK AND ARE NOT GOV. EMPLOYEE

INPUT VAR:

NOTES:

VARNAME: AK10

LABEL: ESTIMATED EARNINGS BEFORE TAXES AND DEDUCTIONS LAST MONTH

MEAN STATISTICS

N 13022 MIN 0 MAX 999995 MEAN 13740.52

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AK10_P

LABEL: RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

N 13022 MIN 0 MAX 30000 MEAN 8009.76

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK10

NOTES: TOPCODE=30,000

VARNAME: AK20

LABEL: # OF HRS PER WEEK SPOUSE USUALLY WORKS

MEAN STATISTICS

N 6614 MIN 0 MAX 90 MEAN 38.24

UNIVERSE: ALL ADULTS WHOSE SPOUSE IS CURRENTLY WORKING/USUALLY WORKING OR

HAS JOB/BUSINESS BUT NOT AT WORK

INPUT VAR:

NOTES:

VARNAME: AK20_P1

LABEL: # OF HRS PER WEEK SPOUSE USUALLY WORKS (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	14849	69.18
	0	O HOURS	190	0.89
	1	1-9 HOURS	237	1.10
	2	10-19 HOURS	252	1.17
	3	20-29 HOURS	450	2.10
	4	30-40 HOURS	3750	17.47
	5	41-49 HOURS	461	2.15
	6	50-59 HOURS	763	3.55
	7	60-69 HOURS	364	1.70
	8	70-79 HOURS	76	0.35
	9	80+ HOURS	71	0.33

UNIVERSE: ALL ADULTS WHOSE SPOUSE IS CURRENTLY WORKING/USUALLY WORKING OR

HAS JOB/BUSINESS BUT NOT AT WORK

INPUT VAR:

NOTES: AK20 Categories Collapsed

VARNAME: AK10A

LABEL: SPOUSE'S EARNINGS LAST MONTH

MEAN STATISTICS

N 6424 MIN 0 MAX 999995 MEAN 14329.47

UNIVERSE: ALL ADULTS WHOSE SPOUSE WORKS MORE THAN O HOURS PER WEEK

INPUT VAR:

NOTES:

VARNAME: AK22_P1

LABEL: HH TOTAL ANN. INC BEFORE TAXES IN PREVIOUS YEAR (PUF 1 YR RECODE)

			FREQ	%
VALUE:	1	LESS THAN 10000	1103	5.14
	2	10,000-19,999	1533	7.14
	3	20,000-29,999	1434	6.68
	4	30,000-39,999	1486	6.92
	5	40,000-49,999	1284	5.98
	6	50,000-59,999	1232	5.74
	7	60,000-69,999	1210	5.64
	8	70,000-79,999	1329	6.19
	9	80,000-89,999	1091	5.08
	10	90,000-99,999	874	4.07
	11	100,000-109,999	1254	5.84
	12	110,000-119,999	526	2.45
	13	120,000-129,000	972	4.53
	14	130,000-139,000	467	2.18
	15	140,000-149,999	453	2.11
	16	150,000-159,999	799	3.72
	17	160,000-169,999	351	1.64
	18	170,000-179,000	306	1.43
	19	OVER 180,000	3759	17.51

UNIVERSE: ALL ADULTS

INPUT VAR: AK22

NOTES: AK22 Categories Collapsed

VARNAME: AK10A_P

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

N 6424 MIN 0 MAX 30000 MEAN 8129.06

UNIVERSE: ALL ADULTS WHOSE SPOUSE WORKS MORE THAN O HOURS PER WEEK

INPUT VAR: AK10A

NOTES: TOPCODE=30,000

VARNAME: AK22

LABEL: HOUSEHOLD TOTAL ANNUAL INC BEFORE TAXES IN PREVIOUS YEAR

MEAN STATISTICS

N 21463 MIN 0 MAX 999995 MEAN 110755.9

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK22_P

LABEL: HOUSEHOLD'S TOTAL ANNUAL INC IN PREVIOUS YEAR (PUF RECODE)

MEAN STATISTICS

N 21463 MIN 0 MAX 300000 MEAN 100870.1

UNIVERSE: ALL ADULTS

INPUT VAR: AK22

NOTES: TOPCODE=300,000

VARNAME: AK11

LABEL: HH ANNUAL INCOME MORE OR LESS THAN \$20K

FREQ %
VALUE: -1 INAPPLICABLE 21463 100.00

UNIVERSE: ALL ADULTS WHO REFUSED/DIDN'T KNOW HOUSEHOLD'S TOTAL ANNUAL INCOME

INPUT VAR:

NOTES:

VARNAME: AK12

LABEL: RANGE FOR HH INCOME LESS THAN \$20K

FREQ %
VALUE: -1 INAPPLICABLE 21463 100.00

UNIVERSE: ALL ADULTS WHO REFUSED/DIDN'T KNOW HOUSEHOLD'S TOTAL ANNUAL INCOME

AND THEN REPORTED IT WAS LESS THAN 20K

INPUT VAR:

NOTES:

VARNAME: AK13

LABEL: HH ANNUAL INCOME MORE OR LESS THAN \$70K

FREQ %

VALUE: -1 INAPPLICABLE 21463 100.00

UNIVERSE: ALL ADULTS WHO REFUSED/DIDN'T KNOW HOUSEHOLD'S TOTAL ANNUAL INCOME

AND THEN REPORTED IT WAS MORE THAN 20K

INPUT VAR:

NOTES:

VARNAME: AK14

LABEL: RANGE FOR HH INCOME \$20K TO \$70K

FREQ %
VALUE: -1 INAPPLICABLE 21463 100.00

UNIVERSE: ALL ADULTS WHO REFUSED/DIDN'T KNOW HOUSEHOLD'S TOTAL ANNUAL INCOME

AND THEN REPORTED IT WAS 70K OR LESS

INPUT VAR:

NOTES:

VARNAME: AK15

LABEL: HH ANNUAL INCOME MORE OR LESS THAN \$135K

FREQ %
VALUE: -1 INAPPLICABLE 21463 100.00

UNIVERSE: ALL ADULTS WHO REFUSED/DIDN'T KNOW HOUSEHOLD'S TOTAL ANNUAL INCOME

AND THEN REPORTED IT WAS MORE THAN 70K

INPUT VAR:

NOTES:

VARNAME: AK16

LABEL: RANGE FOR HH INCOME \$70K TO \$135K

FREQ % 21463 100.00 VALUE: -1 INAPPLICABLE

UNIVERSE: ALL ADULTS WHO REFUSED/DIDN'T KNOW HOUSEHOLD'S TOTAL ANNUAL INCOME

AND THEN REPORTED IT EQUAL TO \$135K OR LESS

INPUT VAR:

NOTES:

VARNAME: AK17V2

LABEL: # OF PEOPLE IN HOUSEHOLD SUPPORTED BY TOTAL HOUSEHOLD INCOME (INC

MEAN STATISTICS

N 20681 MIN 1 MAX15 MEAN 2.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Previous version: AK17

VARNAME: AK18V2

LABEL: # OF CHILDREN IN HOUSEHOLD SUPPORTED BY TOTAL HOUSEHOLD INCOME (I

MEAN STATISTICS

N 860 MIN 0 MAX 10 MEAN 1.63

UNIVERSE: ALL ADULTS WHO HAVE CHILDREN UNDER AGE 18 IN HH AND RS TOTAL

INCOME SUPPORTS OTHER ALL ADULTS IN HH OTHER THAN CHILDREN UNDER 18

INPUT VAR:

NOTES: PREVIOUS VERSION: AK18

VARNAME: AK32V2

LABEL: HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH (I

VALUE: 1 YES 1980 9.23 2 NO 19483 90.77

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Previous version: AK32

VARNAME: AK33V2

LABEL: # OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE

MEAN STATISTICS

N 1980 MIN 1 MAX 20 MEAN 1.58

UNIVERSE: ALL ADULTS WHOSE HH INCOME SUPPORTS SOMEONE IN U.S. BUT NOT IN

HOUSEHOLD

INPUT VAR:

NOTES: PREVIOUS VERSION: AK33

VARNAME: AK33V2_P1

LABEL: # OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE

			FKEQ	%
VALUE:	-1	INAPPLICABLE	19483	90.77
	1	1 PERSON	1259	5.87
	2	2 PEOPLE	496	2.31
	3	3 PEOPLE	225	1.05

UNIVERSE: ALL ADULTS WHOSE HH INCOME SUPPORTS SOMEONE IN U.S. BUT NOT IN

HOUSEHOLD

INPUT VAR:

NOTES: TOPCODE = 3; PREVIOUS VERSION: AK33_P1

VARNAME: AK136

LABEL: SEEN OR HEARD ABOUT NEW 2020 CA PAID FAMILY/MEDICAL LEAVE LAW

FREQ % 7514 35.01 YES VALUE: 1

13949 64.99 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK137

LABEL: TOOK PAID LEAVE LONGER THAN 2 WEEKS FROM WORK DUE TO OWN/FAMILY M

FREQ 10.10 2167

VALUE: 1 YES 2 NO 19296 89.90 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK138_1

LABEL: REASON FOR PAID LEAVE: OWN HEALTH

VALUE: -1 INAPPLICABLE 19296 89.90
1 YES 979 4.56
2 NO 1188 5.54

UNIVERSE: ADULTS WHO TOOK >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN PAST 5

YEARS

INPUT VAR:

NOTES:

VARNAME: AK138_2

LABEL: REASON FOR PAID LEAVE: FAMILY MEMBER'S HEALTH

VALUE: -1 INAPPLICABLE 19296 89.90
1 YES 605 2.82
2 NO 1562 7.28

UNIVERSE: ADULTS WHO TOOK >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN PAST 5

YEARS

INPUT VAR:

NOTES:

VARNAME: AK138_3

LABEL: REASON FOR PAID LEAVE: ARRIVAL OR NEWBORN, NEWLY ADOPTED CHILD, O

VALUE: -1 INAPPLICABLE 19296 89.90
1 YES 738 3.44
2 NO 1429 6.66

UNIVERSE: ADULTS WHO TOOK >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN PAST 5

YEARS

INPUT VAR:

NOTES:

VARNAME: AK138_91

LABEL: REASON FOR PAID LEAVE: OTHER

VALUE: -1 INAPPLICABLE 19296 89.90
1 YES 32 0.15
2 NO 2135 9.95

UNIVERSE: ADULTS WHO TOOK >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN PAST 5

YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_1

LABEL: REASON DID NOT TAKE LEAVE: FEAR OF LOSING JOB

VALUE: -1 INAPPLICABLE 2167 10.10
1 YES 802 3.74
2 NO 18494 86.17

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_2

LABEL: REASON DID NOT TAKE LEAVE: FEAR OF HURTING CHANGES OF JOB ADVANCE

VALUE: -1 INAPPLICABLE 2167 10.10
1 YES 336 1.57
2 NO 18960 88.34

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_3

LABEL: REASON DID NOT TAKE LEAVE: COULD NOT AFFORD TO GO ON LEAVE

VALUE: -1 INAPPLICABLE 2167 10.10
1 YES 1115 5.19
2 NO 18181 84.71

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_4

LABEL: REASON DID NOT TAKE LEAVE: EMPLOYER DENIED REQUEST FOR LEAVE

VALUE: -1 INAPPLICABLE 2167 10.10
1 YES 129 0.60
2 NO 19167 89.30

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_5

LABEL: REASON DID NOT TAKE LEAVE: NOT ELIGIBLE

VALUE: -1 INAPPLICABLE 2167 10.10
1 YES 1319 6.15
2 NO 17977 83.76

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_6

LABEL: REASON DID NOT TAKE LEAVE: DIDN'T KNOW ABOUT LEAVE PROGRAM

VALUE: -1 INAPPLICABLE 2167 10.10
1 YES 1044 4.86
2 NO 18252 85.04

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_7

LABEL: REASON DID NOT TAKE LEAVE: PROCESS TO APPLY FOR LEAVE TOO COMPLIC

VALUE: -1 INAPPLICABLE 2167 10.10
1 YES 223 1.04
2 NO 19073 88.86

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_8

LABEL: REASON DID NOT TAKE LEAVE: USED OTHER AVAILABLE LEAVE OPTIONS (E.

VALUE: -1 INAPPLICABLE 2167 10.10
1 YES 1053 4.91
2 NO 18243 85.00

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

VARNAME: AK139_9

LABEL: REASON DID NOT TAKE LEAVE: DID NOT NEED TO TAKE LEAVE

VALUE: -1 INAPPLICABLE 2167 10.10
1 YES 15859 73.89
2 NO 3437 16.01

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

VARNAME: AM1

LABEL: HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS

FREQ % 3 0.01 PROXY SKIPPED -2 VALUE: -1 INAPPLICABLE 16102 75.02 2.32 1 OFTEN TRUE 499 1671 7.79 3188 14.85 2 SOMETIMES TRUE 3 NEVER TRUE

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS

INPUT VAR:

NOTES:

VARNAME: AM2

LABEL: HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	3	0.01
	-1	INAPPLICABLE	16102	75.02
	1	OFTEN TRUE	622	2.90
	2	SOMETIMES TRUE	1744	8.13
	3	NEVER TRUE	2992	13.94

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS

INPUT VAR:

NOTES:

VARNAME: AM3

LABEL: ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

			FREQ	%
VALUE:	-2	PROXY SKIPPED	3	0.01
	-1	INAPPLICABLE	16102	75.02
	1	YES	1246	5.81
	2	NO	4112	19.16

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS

INPUT VAR:

NOTES:

VARNAME: AM3A

LABEL: HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

			FREQ	%
VALUE:	-2	PROXY SKIPPED	3	0.01
	-1	INAPPLICABLE	20214	94.18
	1	ALMOST EVERY MONTH	435	2.03
	2	SOME MONTHS BUT NOT EVERY MONTH	562	2.62
	3	ONLY IN 1 OR 2 MONTHS	249	1.16

UNIVERSE: ALL ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME 200% FPL OR LESS AND

SKIPPED MEALS IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AM4

LABEL: ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	3	0.01
	-1	INAPPLICABLE	16102	75.02
	1	YES	1291	6.02
	2	NO	4067	18.95

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL

INPUT VAR:

NOTES:

VARNAME: AM5

LABEL: HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS

VALUE: -2 PROXY SKIPPED 3 0.01
-1 INAPPLICABLE 16102 75.02
1 YES 872 4.06
2 NO 4486 20.90

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL

INPUT VAR:

NOTES:

VARNAME: FSLEV

LABEL: FOOD SECURITY STATUS LEVEL

VALUE: -1 INAPPLICABLE - >=200% FPL 16140 75.20
1 FOOD SECURITY 3175 14.79
2 FOOD INSECURITY W/O HUNGER 1344 6.26
3 FOOD INSECURITY W/ HUNGER 804 3.75

UNIVERSE: ALL ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (EXCL.

PROXIES)

INPUT VAR: POVLL AM1 AM2 AM3 AM3A AM4 AM5 PROXY

NOTES:

VARNAME: FSLEVCB

LABEL: FOOD SECURITY STATUS (2 LVLS)

VALUE: -1 INAPPLICABLE - >=200% FPL 16140 75.20 1 FOOD SECURITY 3175 14.79 2 FOOD INSECURITY WITH/ WITHOUT HUNGER 2148 10.01

UNIVERSE: ALL ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (EXCL.

PROXIES)

INPUT VAR: FSLEV

NOTES:

VARNAME: POVGWD2

LABEL: FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (CONTINUOUS)

MEAN STATISTICS

 N
 21463

 MIN
 0

 MAX
 883

 MEAN
 9.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: POVLL_ACA

LABEL: FAMILY POVERTY THRESHOLD LEVEL: ACA (4 LVLS)

VALUE: 1 0-138% FPL 3535 16.47
2 139%-249% FPL 3090 14.40
3 250%-399% FPL 3504 16.33
4 400%+ FPL 11334 52.81

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES:

VARNAME: POVGWD

LABEL: FAMILY POVERTY THRESHOLD LEVEL

MEAN STATISTICS

N 21463 MIN 0 MAX 883 MEAN 9.44

UNIVERSE: ALL ADULTS

INPUT VAR: FPG

NOTES:

VARNAME: POVGWD_P

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)

MEAN STATISTICS

N 21463 MIN 0 MAX 24 MEAN 6.05

UNIVERSE: ALL ADULTS

INPUT VAR: POVGWD

NOTES: TOPCODE=24

VARNAME: POVGWD_P1

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE)

MEAN STATISTICS

N 21463 MIN 0 MAX 6 MEAN 3.81

UNIVERSE: ALL ADULTS

INPUT VAR: POVGWD

NOTES:

VARNAME: POVLL2_P1

LABEL: POVERTY LEVEL AS TIMES OF 100% FPL (PUF 1 YR RECODE)

MEAN STATISTICS

N 21463 MIN 0 MAX 15 MEAN 5.27

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL AK22 POVRT100 POVRT200 POVRT300

NOTES: TOPCODE=15. VALUES ROUNDED TO THE NEAREST 100th.

VARNAME: POVLL2_P1V2

LABEL: POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2)

MEAN STATISTICS

N 21463 MIN 0 MAX 6 MEAN 3.89

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES:

VARNAME: POVLL

LABEL: POVERTY LEVEL

VALUE: FREQ %
VALUE: 1 0-99% FPL 2430 11.32
2 100-199% FPL 2896 13.49
3 200-299% FPL 2472 11.52
4 300% FPL AND ABOVE 13665 63.67

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: POVLL2

LABEL: POVERTY LEVEL AS TIMES OF 100% FPL

MEAN STATISTICS

 N
 21463

 MIN
 0

 MAX
 77

 MEAN
 5.78

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL AK22 POVRT100 POVRT200 POVRT300

NOTES: VALUES ROUNDED TO THE NEAREST 100th.

VARNAME: POVLL2_P

LABEL: POVERTY LEVEL - 100% FPL (PUF RECODE)

MEAN STATISTICS

N 21463 MIN 0 MAX 24 MEAN 5.57

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES: TOPCODE=24. VALUES ROUNDED TO THE NEAREST 100th.

VARNAME: ELGMAGI3

LABEL: MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)

FREQ %
VALUE: -5 INSURED 14006 65.26
-1 INAPPLICABLE-AGES>=65 6679 31.12
1 MEDI-CAL (MEDICAID) ELIG. 199 0.93
3 NOT ELIG. 579 2.70

UNIVERSE: UNINSURED ADULTS UNDER AGE 65

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON

MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION

TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

VARNAME: ELGMAGI4

LABEL: MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (3 LVLS)

			FREQ	%
VALUE:	-5	INSURED	14006	65.26
	-1	INAPPLICABLE - AGES >=65	6679	31.12
	1	MEDI-CAL (MEDICAID) ELIG.	199	0.93
	3	NOT ELIGCIT./PR	435	2.03
	4	NOT ELIGOTHER	144	0.67

UNIVERSE: UNINSURED ADULTS UNDER AGE 65

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON

MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION

TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

VARNAME: ELGMAGI5

LABEL: MEDI-CAL ELIG FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS)

			FKEQ	%
VALUE:	-1	SKIPPED - AGES >=65	6679	31.12
	1	MEDI-CAL ELIG.	3289	15.32
	3	NOT ELIGCIT./PR	11054	51.50
	4	NOT ELIGOTHER	441	2.05

UNIVERSE: ALL ADULTS UNDER AGE 65

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON

MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION

TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

VARNAME: ELGMAGI64

LABEL: PUBLIC COVERAGE FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS)

			FREQ	%
VALUE:	-1	SKIPPED - AGES >=65	6679	31.12
	1	MEDI-CAL ELIGIBLE	3289	15.32
	3	CITIZEN/LPR, NOT ELIGIBLE	11054	51.50
	4	NON-LPR, NOT ELIGIBLE	441	2.05

UNIVERSE: ALL ADULTS UNDER AGE 65

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON

MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION

TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

VARNAME: ELGMAGI65

LABEL: MEDI-CAL ELIGIBILITY FOR AGED & DISABLED FPL PROGRAM - AGES 65 AN

			FREQ	%
VALUE:	-1	INAPPLICABLE	14784	68.88
	1	MEETS EITHER OLDER ADULT OR SSI CRITERIA	680	3.17
	3	INELIGIBLE (US CITIZEN/GREEN CARD)	5991	27.91
	4	TNELIGIBLE (NON-CITIZEN OR NOT GREEN CAR.	8	0.04

UNIVERSE: ADULTS 65 YEARS OF AGE AND OLDER

INPUT VAR:

NOTES: CV CREATED IN CHIS 2022.

VARNAME: ELGSPMAGI

LABEL: ELIG PRGM INCL STATE POSSIBLE CHILD COVERAGE EXPANSIONS: ACA MAGI

		FREQ	%
-5	INSURED	14006	65.26
-1	INAPPLICABLE - AGES >=65	6679	31.12
1	MEDI-CAL (MEDICAID) ELIG.	199	0.93
4	NOT ELIGCIT./PR	435	2.03
5	NOT ELIGOTHER	144	0.67
	-1 1 4	-1 INAPPLICABLE - AGES >=65 1 MEDI-CAL (MEDICAID) ELIG. 4 NOT ELIGCIT./PR	-5 INSURED 14006 -1 INAPPLICABLE - AGES >=65 6679 1 MEDI-CAL (MEDICAID) ELIG. 199 4 NOT ELIGCIT./PR 435

UNIVERSE: ALL ADULTS UNDER AGE 65

INPUT VAR:

NOTES:

VARNAME: AL17V2

LABEL: PAID ALIMONY OR CHILD SUPPORT LAST MONTH

WALTE.	-1	INAPPLICABLE	FREQ	% 75.02
VALUE:	-1	INAPPLICABLE	16102	15.02
	1	YES, RESPONDENT PAID	72	0.34
	2	YES, SPOUSE/PARTNER PAID	40	0.19
	3	YES, BOTH PAID	22	0.10
	4	NO	5227	24.35

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS

THAN 200% FPL

INPUT VAR:

NOTES: PREVIOUS VERSION: AL17. QX VARNAME = AL17.

CHIS 2022 Source Adult Data Dictionary							
SECTION L: PUBLIC PROGRAM PARTICIPATION							

VARNAME: AL2V2

LABEL: RECEIVING TANF OR CALWORKS

VALUE: -1 INAPPLICABLE 16102 75.02 1 YES 512 2.39 2 NO 4849 22.59

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS

THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL2

VARNAME: AL5V2

LABEL: RECEIVING FOOD STAMP BENEFITS

VALUE: -1 INAPPLICABLE 16102 75.02 1 YES 1793 8.35 2 NO 3568 16.62

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS

THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL5

VARNAME: AL6V2

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

VALUE: -1 INAPPLICABLE 16102 75.02 1 YES 690 3.21 2 NO 4671 21.76

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS

THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL6

VARNAME: AL7V2

LABEL: CURRENTLY ON WIC

VALUE: -1 INAPPLICABLE 21066 98.15
1 YES 192 0.89
2 NO 205 0.96

UNIVERSE: ADULT WOMEN WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR

LESS THAN 200% FPL AND HAS A CHILD UNDER AGE 7

INPUT VAR:

NOTES: Previous version: AL7

VARNAME: AL9V2

LABEL: ASSETS WORTH MORE THAN \$5,000

			FREQ	%
VALUE:	-1	INAPPLICABLE	19731	91.93
	1	YES	751	3.50
	2	NO	981	4.57

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS

THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL9

VARNAME: AL22

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

			FREQ	%
VALUE:	-1	INAPPLICABLE	18726	87.25
	1	YES	589	2.74
	2	NO	2148	10.01

UNIVERSE: ALL ADULTS UNDER 65 WHO ARE RETIRED, DISABLED, OR DO NOT USUALLY

WORK

INPUT VAR:

NOTES:

VARNAME: AL32V2

LABEL: RECD ANY WORKERS COMPENSATION LAST MO

VALUE: -1 INAPPLICABLE 16102 75.02 1 YES 47 0.22 2 NO 5314 24.76

UNIVERSE: ADULTS WITH ANNUAL HOUSEHOLD INCOME EQUAL TO OR LESS THAN 200% FPL

AND MEDI-CAL OR UNINSURED

INPUT VAR:

NOTES: PREVIOUS VERSION: AL32

VARNAME: AL33V2

LABEL: TOTAL AMOUNT RECD WORKERS COMPENSATION LAST MO

MEAN STATISTICS

N 47
MIN 10
MAX 20000
MEAN 2375.17

UNIVERSE: ADULTS WITH ANNUAL HOUSEHOLD INCOME EQUAL TO OR LESS THAN 200% FPL

AND MEDI-CAL OR UNINSURED

INPUT VAR:

NOTES: PREVIOUS VERSION: AL33

VARNAME: AL15V3

LABEL: RECVD ALIMONY/CHILD SUPPORT LAST MONTH

VALUE: -1 INAPPLICABLE 16102 75.02 1 YES 188 0.88 2 NO 5173 24.10

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS

THAN 200% FPL ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS

EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES: PREVIOUS VERSIONS: AL15, AL15B. QX VARNAME = AL15B.

VARNAME: AL16V3

LABEL: TOTAL CHILD SUPPORT RECVD LAST MONTH

MEAN STATISTICS

N 188 MIN 22 MAX 96269 MEAN 1060.19

UNIVERSE: ALL ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME EQUAL TO OR LESS THAN

200% FPL AND SPOUSE AND/OR SELF RECEIVED MONEY LAST MONTH FOR

CHILD SUPPORT

INPUT VAR:

NOTES: PREVIOUS VERSIONS: AL16, AL16B. QX VARNAME = AL16B.

VARNAME: AL18AV2

LABEL: RECVD SOCIAL SECURITY OR PENSION LAST MONTH

VALUE: -1 INAPPLICABLE 19256 89.72
1 YES 1605 7.48
2 NO 602 2.80

UNIVERSE: ALL ADULTS 65 OR OLDER WHO ARE NOT MARRIED/LIVING WITH PARTNER OR

OVER 50 WHO ARE MARRIED/LIVING WITH SPOUSE, AND TOTAL ANNUAL

HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

INPUT VAR:

NOTES: PREVIOUS VERSION: AL18A. QX VARNAME = AL18A.

VARNAME: AL18V2

LABEL: TOTAL ALIMONY OR CHILD SUPPORT PAID LAST MONTH

MEAN STATISTICS

N 134 MIN 10 MAX 3994 MEAN 632.32

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS

THAN 200% FPL AND SPOUSE AND/OR SELF PAID ALIMONY/CHILD SUPPORT

LAST MONTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AL18. QX VARNAME = AL18.

VARNAME: AL19V2

LABEL: MAIN REASON NOT ENROLLED IN MEDI-CAL

			FREQ	%
VALUE:	-1	INAPPLICABLE	21103	98.32
	1	PAPERWORK TOO DIFFICULT	19	0.09
	2	DIDN'T KNOW IF ELIGIBLE	97	0.45
	3	INCOME TOO HIGH, NOT ELIGIBLE	41	0.19
	4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	67	0.31
	5	OTHER NOT ELIGIBLE	30	0.14
	6	DON'T BELIEVE IN HEALTH INSURANCE	9	0.04
	7	DON'T NEED IT BECAUSE HEALTHY	12	0.06
	8	ALREADY HAVE INSURANCE	10	0.05
	9	DIDN'T KNOW IT EXISTED	26	0.12
	10	DON'T LIKE/WANT WELFARE	22	0.10
	11	NO REASON/HAS NOT APPLIED	4	0.02
	12	IN PROCESS OF GETTING INSURANCE	9	0.04
	13	DON'T KNOW HOW TO APPLY/HAVE NOT APPLIED	2	0.01
	14	HAD PUBLIC COVERAGE AND WAS DROPPED/CANC	4	0.02
	15	TOO EXPENSIVE	2	0.01
	16	OTHER	6	0.03

UNIVERSE: ALL ADULTS WHO ARE UNINSURED WITH ANNUAL HH EQUAL TO OR LESS THAN

200% FPL

INPUT VAR:

NOTES: PREVIOUS VERSION: AL19. QX VARNAME = AL19.

VARNAME: AL19V2_P1

LABEL: MAIN REASON NOT ENROLLED IN MEDI-CAL (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	21103	98.32
	1	PAPERWORK TOO DIFFICULT	19	0.09
	2	DIDN'T KNOW IT EXISTED, IF ELIGIBLE, OR	125	0.58
	3	INCOME TOO HIGH, NOT ELIGIBLE	41	0.19
	4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	67	0.31
	5	OTHER NOT ELIGIBLE	30	0.14
	6	ALREADY HAVE OR IN PROCESS OF GETTING IN	19	0.09
	7	OTHER REASON	59	0.27

UNIVERSE: ALL ADULTS WHO ARE UNINSURED WITH ANNUAL HH EQUAL TO OR LESS THAN

200% FPL

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

VARNAME: AL18BV2

LABEL: TOTAL AMOUNT OF SOCIAL SECURITY OR PENSION RECVD LAST MONTH

MEAN STATISTICS

N 1605 MIN 1 MAX 185700 MEAN 3349.31

UNIVERSE: ALL ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING W PARTNER OR

OVER 50 WHO ARE MARRIED AND LIVING W SPOUSE AND ANNUAL HH INCOME IS 200% FPL OR LESS AND RECEIVED SOCIAL SECURITY OR PENSION PYMT

INPUT VAR:

NOTES: PREVIOUS VERSION: AL18B. QX VARNAME = AL18B.

VARNAME: AL40V2

LABEL: LENGTH OF TIME HAD MEDI-CAL

MEAN STATISTICS

N 2988 MIN 1 MAX 720 MEAN 117.04

UNIVERSE: ADULTS WHO CURRENTLY HAVE OR USED TO HAVE MEDI-CAL AND WHOSE TOTAL

ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL40

VARNAME: AL40V2_P1

LABEL: LENGTH OF TIME HAD MEDI-CAL (PUF 1YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	18475	86.08
	1	<1 YEAR	211	0.98
	2	<2 YEARS	204	0.95
	3	<3 YEARS	279	1.30
	4	<4 YEARS	202	0.94
	5	<5 YEARS	161	0.75
	6	<6 YEARS	262	1.22
	7	<7 YEARS	136	0.63
	8	<8 YEARS	141	0.66
	9	<9 YEARS	114	0.53
	10	<10 YEARS	73	0.34
	11	10+ YEARS	1205	5.61

UNIVERSE: ADULTS WHO CURRENTLY HAVE OR USED TO HAVE MEDI-CAL AND WHOSE TOTAL

ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL40_P1

VARNAME: AL86

LABEL: WAIT TIME WITH COUNTY OFFICE ABOUT MEDICAL BENEFITS IN PAST 12 MO

			FREQ	%
VALUE:	-1	INAPPLICABLE	18475	86.08
	1	5 MINUTES OR LESS	301	1.40
	2	MORE THAN 5, UP TO 15 MINUTES	414	1.93
	3	MORE THAN 15, UP TO 30 MINUTES	345	1.61
	4	MORE THAN 30 MINUTES	662	3.08
	5	NEVER CONTACTED THE COUNTY OFFICE	1266	5.90

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL87

LABEL: METHOD OF CONTACTING COUNTY OFFICE

			FREQ	%
VALUE:	-1	INAPPLICABLE	19741	91.98
	1	VISITED OFFICE IN PERSON	299	1.39
	2	CALLED OFFICE	1109	5.17
	3	DIRECTLY CONTACTED ELIGIBILITY WORKER	138	0.64
	4	ONLINE	104	0.48
	5	MAIL	65	0.30
	6	ASSISTANCE FROM FAMILY, FRIEND, COMMUNIT	1	0.00
	91	OTHER	6	0.03

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE

COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AL88

LABEL: LENGTH OF TIME COUNTY REP TO TAKE CARE OF R'S PROBLEM

			FREQ	%
VALUE:	-1	INAPPLICABLE	19741	91.98
	1	A WEEK OR LESS	986	4.59
	2	MORE THAN 1 WEEK UP TO 2 WEEKS	360	1.68
	3	MORE THAN 2 WEEKS UP TO A MONTH	192	0.89
	4	MORE THAN A MONTH	184	0.86

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE

COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AL89

LABEL: COUNTY REP ANSWER ALL OF R'S QUESTIONS

			FREQ	%
VALUE:	-1	INAPPLICABLE	19741	91.98
	1	STRONGLY AGREE	544	2.53
	2	AGREE	770	3.59
	3	NEITHER AGREE NOR DISAGREE	245	1.14
	4	DISAGREE	97	0.45
	5	STRONGLY DISAGREE	66	0.31

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE

COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AL90

LABEL: COUNTY REP TREATED R WITH RESPECT

			FREQ	%
VALUE:	-1	INAPPLICABLE	19741	91.98
	1	STRONGLY AGREE	646	3.01
	2	AGREE	788	3.67
	3	NEITHER AGREE NOR DISAGREE	206	0.96
	4	DISAGREE	50	0.23
	5	STRONGLY DISAGREE	32	0.15

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE

COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AL91_1

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: REDUCE WAIT TIMES

			FREQ	%
VALUE:	-1	INAPPLICABLE	18475	86.08
	1	YES	1457	6.79
	2	NO	1531	7.13

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_2

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: SPEND MORE TIME WITH R

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 335 1.56
2 NO 2653 12.36

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_3

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: EXPLAIN THINGS BETTER

FREQ %
VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 778 3.62
2 NO 2210 10.30

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_4

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: TELL R THE NEXT STEPS

VALUE: -1 INAPPLICABLE 18475 86.08 1 YES 779 3.63 2 NO 2209 10.29

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_5

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: NO IMPROVEMENTS

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 861 4.01
2 NO 2127 9.91

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_6

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE LOCATIONS/STAFF

VALUE: -1 INAPPLICABLE 18475 86.08 1 YES 16 0.07 2 NO 2972 13.85

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_7

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE WAYS TO REACH STAFF

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 16 0.07
2 NO 2972 13.85

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_8

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: BETTER ATTITUDE

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 31 0.14
2 NO 2957 13.78

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_9

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: SIMPLIFIED/UP-TO-DATE SYSTEM/ONL

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 23 0.11
2 NO 2965 13.81

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_10

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE KNOWLEDGE/SKILLS OF STAF

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 17 0.08
2 NO 2971 13.84

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_11

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: EXPAND MEDICAL COVERAGE/SERVICES

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 25 0.12
2 NO 2963 13.81

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_13

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE COMMUNICATION

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 22 0.10
2 NO 2966 13.82

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_12

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: OTHERS

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 58 0.27
2 NO 2930 13.65

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL92

LABEL: SATISFACTION RATING OF COUNTY OFFICE

			FREQ	%
VALUE:	-1	INAPPLICABLE	18475	86.08
	1	VERY SATISFIED	751	3.50
	2	SOMEWHAT SATISFIED	917	4.27
	3	NEITHER SATISFIED OR DISSATISFIED	599	2.79
	4	SOMEWHAT DISSATISFIED	193	0.90
	5	VERY DISSATISFIED	157	0.73
	6	NOT APPLICABLE	371	1.73

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL93

LABEL: RENEWED MEDI-CAL IN PAST 12 MOS

			FREQ	%
VALUE:	-1	INAPPLICABLE	18475	86.08
	1	YES	1722	8.02
	2	NO	1266	5.90

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL94

LABEL: HAVE ISSUES RENEWING MEDI-CAL

			FREQ	%
VALUE:	-1	INAPPLICABLE	19741	91.98
	1	YES	172	0.80
	2	NO	1550	7.22

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND THEN RENEWED MEDI-CAL IN PAST

12 MOS

INPUT VAR:

NOTES:

VARNAME: AL95

LABEL: TEMPORARILY LOST COVERAGE FOR 1 TO 2 MOS

			FREQ	%
VALUE:	-1	INAPPLICABLE	19913	92.78
	1	YES, LOST COVERAGE FOR 1-2 MONTHS	48	0.22
	2	YES, LOST COVERAGE	17	0.08
	3	YES, HAD TO REAPPLY	96	0.45
	4	NONE OF THE ABOVE	1389	6.47

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND THEN RENEWED MEDI-CAL IN PAST

12 MOS WITHOUT PROBLEMS

INPUT VAR:

NOTES:

VARNAME: AL95_P1

LABEL: TEMPORARILY LOST COVERAGE OR HAD TO REAPPLY (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	19913	92.78
	1	YES, LOST COVERAGE FOR ANY PERIOD OF TIME	65	0.30
	2	YES, HAD TO REAPPLY	96	0.45
	3	NONE OF THE ABOVE	1389	6.47

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND THEN RENEWED MEDI-CAL IN PAST

12 MOS WITHOUT PROBLEMS

INPUT VAR:

NOTES: AL95 Categories Collapsed

VARNAME: AL96

LABEL: COVERAGE PRIOR TO MEDI-CAL

			FREQ	%
VALUE:	-1	INAPPLICABLE	18647	86.88
	1	UNINSURED	1201	5.60
	2	EMPLOYER-BASED	597	2.78
	3	PRIVATE	172	0.80
	4	COVERED CALIFORNIA	351	1.64
	5	OTHER	495	2.31

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND DID NOT HAVE PROBLEMS RENEWING

MEDI-CAL IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AL97

LABEL: PROBLEM CHANGING TO MEDI-CAL

VALUE: -1 INAPPLICABLE 20445 95.26 1 YES 84 0.39 2 NO 934 4.35

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND USED TO HAVE COVERED CALIFORNIA OR OTHER HEALTH INSURANCE

BEFORE CHANGING TO MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL98_1

LABEL: TYPE OF PROBLEM CHANGING TO MEDI-CAL: PAID PREMIUMS WHILE WAITING

VALUE: -1 INAPPLICABLE 21379 99.61 1 YES 18 0.08 2 NO 66 0.31

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND HAD PROBLEM CHANGING TO MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL98_2

LABEL: TYPE OF PROBLEM CHANGING TO MEDI-CAL: CONFLICTING ELIGIBILITY NOT

VALUE: -1 INAPPLICABLE 21379 99.61 1 YES 37 0.17 2 NO 47 0.22

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND HAD PROBLEM CHANGING TO MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL98_3

LABEL: TYPE OF PROBLEM CHANGING TO MEDI-CAL: DELAY

VALUE: -1 INAPPLICABLE 21379 99.61 1 YES 39 0.18 2 NO 45 0.21

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND HAD PROBLEM CHANGING TO MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL98_4

LABEL: TYPE OF PROBLEM CHANGING TO MEDI-CAL: UNABLE TO SEE PROVIDER

VALUE: -1 INAPPLICABLE 21379 99.61 1 YES 17 0.08 2 NO 67 0.31

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND HAD PROBLEM CHANGING TO MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL98_5

LABEL: TYPE OF PROBLEM CHANGING TO MEDI-CAL: A LOT OF PAPERWORK

VALUE: -1 INAPPLICABLE 21379 99.61 1 YES 40 0.19 2 NO 44 0.21

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND HAD PROBLEM CHANGING TO MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL98_6

LABEL: TYPE OF PROBLEM CHANGING TO MEDI-CAL: HAD TO FILE APPEAL

VALUE: -1 INAPPLICABLE 21379 99.61 1 YES 6 0.03 2 NO 78 0.36

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND HAD PROBLEM CHANGING TO MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL105_1

LABEL: NOTICE OF ACTIONS: EASY TO READ OR UNDERSTAND

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 1783 8.31
2 NO 1205 5.61

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL105_2

LABEL: NOTICE OF ACTIONS: DIFFICULT TO READ OR UNDERSTAND

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 424 1.98
2 NO 2564 11.95

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL105_3

LABEL: NOTICE OF ACTIONS: CONTAIN HELPFUL INFORMATION

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 747 3.48
2 NO 2241 10.44

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL105_4

LABEL: NOTICE OF ACTIONS: DOES NOT CONTAIN HELPFUL INFORMATION

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 219 1.02
2 NO 2769 12.90

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL105_5

LABEL: NOTICE OF ACTIONS: NEVER GOT A NOTICE OF ACTIONS

VALUE: -1 INAPPLICABLE 18475 86.08
1 YES 448 2.09
2 NO 2540 11.83

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL106_1

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: REDUCE TEXT

VALUE: -1 INAPPLICABLE 18923 88.17
1 YES 379 1.77
2 NO 2161 10.07

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A

NOTICE OF ACTIONS

INPUT VAR:

NOTES:

VARNAME: AL106_2

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: SIMPLIFY LANGUAGE/READING LEVEL

VALUE: -1 INAPPLICABLE 18923 88.17
1 YES 548 2.55
2 NO 1992 9.28

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A

NOTICE OF ACTIONS

INPUT VAR:

NOTES:

VARNAME: AL106_3

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: SHORTER PARAGRAPHS/SENTENCES

VALUE: -1 INAPPLICABLE 18923 88.17
1 YES 355 1.65
2 NO 2185 10.18

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A

NOTICE OF ACTIONS

INPUT VAR:

NOTES:

VARNAME: AL106_4

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: SEND FEWER NOTICES

VALUE: -1 INAPPLICABLE 18923 88.17
1 YES 358 1.67
2 NO 2182 10.17

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A

NOTICE OF ACTIONS

INPUT VAR:

NOTES:

VARNAME: AL106_5

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: GIVE CLEAR STEPS OF WHAT TO DO

VALUE: -1 INAPPLICABLE 18923 88.17
1 YES 1063 4.95
2 NO 1477 6.88

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A

NOTICE OF ACTIONS

INPUT VAR:

NOTES:

VARNAME: AL106_6

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: NO IMPROVEMENTS NEEDED

VALUE: -1 INAPPLICABLE 18923 88.17
1 YES 852 3.97
2 NO 1688 7.86

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A

NOTICE OF ACTIONS

INPUT VAR:

NOTES:

VARNAME: AL107

LABEL: ABLE TO UPDATE CONTACT INFORMATION

			FREQ	%
VALUE:	-1	INAPPLICABLE	18475	86.08
	1	YES	1398	6.51
	2	NO	146	0.68
	3	DID NOT NEED TO UPDATE	1444	6.73

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL108_1

LABEL: REASON WHY NOT ABLE TO UPDATE CONTACT INFO: CHANGES DID NOT UPDAT

			FREQ	%
VALUE:	-1	INAPPLICABLE	21317	99.32
	1	YES	26	0.12
	2	NO	120	0.56

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE NOT ABLE

TO UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL108_2

LABEL: REASON WHY NOT ABLE TO UPDATE CONTACT INFO: DON'T KNOW HOW TO UPD

VALUE: -1 INAPPLICABLE 21317 99.32 1 YES 66 0.31 2 NO 80 0.37

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE NOT ABLE

TO UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL108_3

LABEL: REASON WHY NOT ABLE TO UPDATE CONTACT INFO: DID NOT NEED TO UPDAT

VALUE: -1 INAPPLICABLE 21317 99.32 1 YES 57 0.27 2 NO 89 0.41

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE NOT ABLE

TO UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL108V2

LABEL: FIRST SELECTED REASON WHY NOT ABLE TO UPDATE CONTACT INFO

			FREQ	%
VALUE:	-1	INAPPLICABLE	21317	99.32
	1	MY CHANGES DID NOT UPDATE	26	0.12
	2	I DON''T KNOW HOW TO UPDATE MY INFORMATI	66	0.31
	3	DID NOT NEED TO UPDATE	54	0.25

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE NOT ABLE

TO UPDATE CONTACT INFO

INPUT VAR:

NOTES: SINGLE RESPONSE VERSION OF AL108 BASED ON FIRST/MAIN SELECTION

VARNAME: AL109

LABEL: EASY TO UPDATE CONTACT INFO

			FREQ	%
VALUE:	-1	INAPPLICABLE	20065	93.49
	1	STRONGLY AGREE	472	2.20
	2	AGREE	671	3.13
	3	NEITHER AGREE NOR DISAGREE	182	0.85
	4	DISAGREE	55	0.26
	5	STRONGLY DISAGREE	18	0.08

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL110_1

LABEL: HOW UPDATED CONTACT INFO: VISITED OFFICE IN PERSON

VALUE: -1 INAPPLICABLE 20065 93.49
1 YES 207 0.96
2 NO 1191 5.55

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL110_2

LABEL: HOW UPDATED CONTACT INFO: CALLED COUNTY OFFICE

VALUE: -1 INAPPLICABLE 20065 93.49
1 YES 436 2.03
2 NO 962 4.48

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL110_3

LABEL: HOW UPDATED CONTACT INFO: CALLED HEALTH PLAN

VALUE: -1 INAPPLICABLE 20065 93.49
1 YES 110 0.51
2 NO 1288 6.00

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL110_4

LABEL: HOW UPDATED CONTACT INFO: DIRECTLY CONTACTED ELIGIBILITY WORKER

VALUE: -1 INAPPLICABLE 20065 93.49
1 YES 171 0.80
2 NO 1227 5.72

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL110_5

LABEL: HOW UPDATED CONTACT INFO: ONLINE

VALUE: -1 INAPPLICABLE 20065 93.49
1 YES 402 1.87
2 NO 996 4.64

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL110_6

LABEL: HOW UPDATED CONTACT INFO: MAIL

VALUE: -1 INAPPLICABLE 20065 93.49
1 YES 345 1.61
2 NO 1053 4.91

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL110_7

LABEL: HOW UPDATED CONTACT INFO: PORTAL

VALUE: -1 INAPPLICABLE 20065 93.49
1 YES 47 0.22
2 NO 1351 6.29

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL110_91

LABEL: HOW UPDATED CONTACT INFO: OTHER

VALUE: -1 INAPPLICABLE 20065 93.49
1 YES 10 0.05
2 NO 1388 6.47

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

VARNAME: AL99

LABEL: AVOIDED GOVT BENEFITS BECAUSE WORRIED WILL DISQUALIFY R FROM GREE

VALUE: -1 INAPPLICABLE 15866 73.92
1 YES 723 3.37
2 NO 4874 22.71

UNIVERSE: ADULTS WHO WERE BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR:

NOTES:

VARNAME: AL104

LABEL: AVOIDED GOVT BENEFITS BECAUSE WORRIED WILL DISQUALIFY R FROM GREE

VALUE: -1 INAPPLICABLE 20740 96.63 1 YES 313 1.46 2 NO 410 1.91

UNIVERSE: ADULTS WHO WERE BORN OUTSIDE US AND AVOIDED GOVT BENEFITS B/C

WORRIED WILL DISQUALIFY FROM GREEN CARD/CITZNSHIP

INPUT VAR:

NOTES:

VARNAME: AL100

LABEL: ASKED TO PROVIDE SSN WHEN GETTING MEDICAL SERVICES

VALUE: -1 INAPPLICABLE 15866 73.92
1 YES 1346 6.27
2 NO 4251 19.81

UNIVERSE: ADULTS WHO WERE BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR:

NOTES:

VARNAME: AL101

LABEL: ASKED TO PROVIDE SSN WHEN GETTING MEDICAL SERVICES PAST 12 MOS

VALUE: -1 INAPPLICABLE 20117 93.73
1 YES 611 2.85
2 NO 735 3.42

UNIVERSE: ADULTS WHO WERE BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR:

NOTES:

VARNAME: AL102

LABEL: ASKED TO PROVIDE SSN WHEN ENROLLING CHILD IN SCHOOL

VALUE: -1 INAPPLICABLE 15866 73.92
1 YES 669 3.12
2 NO 4928 22.96

UNIVERSE: ADULTS WHO WERE BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR:

NOTES:

VARNAME: AL103

LABEL: ASKED TO PROVIDE SSN WHEN ENROLLING CHILD IN SCHOOL PAST 12 MOS

VALUE: -1 INAPPLICABLE 20794 96.88
1 YES 233 1.09
2 NO 436 2.03

UNIVERSE: ADULTS WHO WERE BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR:

NOTES:

VARNAME: SSNCIT_YN

LABEL: ASKED FOR SSN OR CITIZENSHIP TO GET MEDICAL SERVICES/SCHOOL ENROL

VALUE: -1 INAPPLICABLE 15866 73.92
1 YES 754 3.51
2 NO 4843 22.56

UNIVERSE: ADULTS NOT BORN IN US OR TERRITORIES

INPUT VAR: AH33 AL100 AL101 AL102 AL103

NOTES:

SECTION M: HOUSING & COMMUNITY INVOLVEMENT

VARNAME: AK23

LABEL: LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME

VALUE: 1 HOUSE 14656 68.28
2 DUPLEX 939 4.37
3 BUILDING WITH 3 OR MORE UNITS 5100 23.76
4 MOBILE HOME 768 3.58

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK25

LABEL: OWN OR RENT HOME

FREQ % -9 NOT ASCERTAINED DON'T KNOW REFUSED 560 VALUE: 2.61 -8 3 0.01 12 -7 0.06 13323 62.07 6622 30.85 943 4.39 1 OWN RENT OTHER ARRANGEMENT 2 3

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: HOUSETYPE

LABEL: HOUSING STATUS

			FREQ	%
VALUE:	1	RENTING IN MULTI-UNIT BUILDING	4422	20.60
	2	RENTING IN SINGLE-UNIT BUILDING	2460	11.46
	3	HOMEOWNER IN MULTI-UNIT BUILDING	1438	6.70
	4	HOMEOWNER IN SINGLE-UNIT BUILDING	12200	56.84
	5	LIVING WITH OTHER ARRANGEMENTS	943	4.39

UNIVERSE: ALL ADULTS

INPUT VAR: AK23 AK25

NOTES: CV CREATED IN CHIS 2022.

VARNAME: AM14

LABEL: HOW LONG LIVED AT CURRENT ADDRESS (LENGTH OF TIME IN MONTHS)

MEAN STATISTICS

N 21463 MIN 1 MAX 1044 MEAN 159.66

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED IN CHIS 2021

VARNAME: TIMEAD

LABEL: LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS)

MEAN STATISTICS

N 21463 MIN 1 MAX 1044 MEAN 159.66

UNIVERSE: ALL ADULTS

INPUT VAR: AM14TOTAL

NOTES:

VARNAME: TIMEAD_P1

LABEL: LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS) (PUF 1 YR RECODE

			FREQ	%
VALUE:	1	1 MONTH	167	0.78
	2	2 MONTHS	193	0.90
	3	3 MONTHS	211	0.98
	4	4 MONTHS	173	0.81
	5	5 MONTHS	154	0.72
	6	6 MONTHS	249	1.16
	7	7 MONTHS	175	0.82
	8	8 MONTHS	231	1.08
	9	9 MONTHS	168	0.78
	10	10 MONTHS	206	0.96
	11	11 MONTHS	98	0.46
	12	12 MONTHS	1204	5.61
	13	13-60 MONTHS	4883	22.75
	14	61-120 MONTHS	3605	16.80
	15	121-180 MONTHS	2353	10.96
	16	181-240 MONTHS	2098	9.77
	17	241-300 MONTHS	1788	8.33
	18	301-360 MONTHS	1208	5.63
	19	361-420 MONTHS	785	3.66
	20	421-480 MONTHS	560	2.61
	21	481-540 MONTHS	374	1.74
	22	541-600 MONTHS	307	1.43
	23	>600 MONTHS	273	1.27

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

VARNAME: AM15

LABEL: HOW LONG LIVED IN CURRENT NEIGHBORHOOD

MEAN STATISTICS

N 7053 MIN 1 MAX 900 MEAN 44.00

UNIVERSE: ADULTS WHO LIVED AT CURRENT ADDRESS FOR <5 YEARS

INPUT VAR:

NOTES: RECLAIMED IN CHIS 2021

VARNAME: TIMENEV2

LABEL: LENGTH OF TIME LIVED AT CURRENT NEIGHBORHOOD (MONTHS)

MEAN STATISTICS

N 6642 MIN 0 MAX 900 MEAN 43.91

UNIVERSE: ADULTS WHO HAVE LIVED AT CURRENT ADDRESS <5 YRS

INPUT VAR: AM15YR AM15MON

NOTES: PREVIOUS VERSION: TIMENE

VARNAME: TIMENEV2_P1

LABEL: LENGTH OF TIME LIVED AT CURRENT NEIGHBORHOOD (MONTHS) (PUF 1 YR R

			FREQ	%
VALUE:	-1	INAPPLICABLE	14821	69.05
	0	O MONTHS	16	0.07
	1	1 MONTH	113	0.53
	2	2 MONTHS	131	0.61
	3	3 MONTHS	131	0.61
	4	4 MONTHS	113	0.53
	5	5 MONTHS	114	0.53
	6	6 MONTHS	187	0.87
	7	7 MONTHS	130	0.61
	8	8 MONTHS	171	0.80
	9	9 MONTHS	133	0.62
	10	10 MONTHS	154	0.72
	11	11 MONTHS	69	0.32
	12	12 MONTHS	934	4.35
	13	13-60 MONTHS	3480	16.21
	14	61-120 MONTHS	346	1.61
	15	121-180 MONTHS	159	0.74
	16	181-240 MONTHS	88	0.41
	17	241-300 MONTHS	49	0.23
	18	301-360 MONTHS	45	0.21
	19	361-420 MONTHS	29	0.14
	20	421-480 MONTHS	17	0.08
	21	481-540 MONTHS	11	0.05
	22	541-600 MONTHS	9	0.04
	23	>600 MONTHS	13	0.06

UNIVERSE: ADULTS WHO HAVE LIVED AT CURRENT ADDRESS <5 YRS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

VARNAME: AM183

LABEL: HOW FEEL ABOUT CURRENT HOUSING SITUATION

		FREQ	%
-2	PROXY SKIPPED	11	0.05
1	VERY STABLE	13167	61.35
2	FAIRLY STABLE	5095	23.74
3	SOMEWHAT STABLE	2247	10.47
4	FAIRLY UNSTABLE	605	2.82
5	VERY UNSTABLE	338	1.57
	1 2 3 4	1 VERY STABLE 2 FAIRLY STABLE 3 SOMEWHAT STABLE 4 FAIRLY UNSTABLE	-2 PROXY SKIPPED 11 1 VERY STABLE 13167 2 FAIRLY STABLE 5095 3 SOMEWHAT STABLE 2247 4 FAIRLY UNSTABLE 605

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION IN 2022.

VARNAME: STABLEHOUSE

LABEL: HAS STABLE HOUSING

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	HAS STABLE HOUSING	20509	95.56
	2	HAS UNSTABLE HOUSING	943	4.39

UNIVERSE: ALL ADULTS

INPUT VAR: AM183

NOTES: CV CREATED IN CHIS 2022.

VARNAME: AM184

LABEL: HOW OFTEN WORRY ABOUT STRUGGLING TO KEEP UP WITH MORTGAGE/RENT PA

VALUE: 1 VERY OFTEN 1318 6.14
2 SOMEWHAT OFTEN 1958 9.12
3 FROM TIME TO TIME 4395 20.48
4 ALMOST NEVER 13792 64.26

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185_1

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: TAKE ON ADDITIO

VALUE: 1 YES 2449 11.41 2 NO 19014 88.59

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185_2

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: STOP SAVING FOR

FREQ % 2646 12.33 VALUE: 1 YES

18817 87.67 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185_3

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: ACCUMULATE CRED

FREQ 1 VALUE: YES 2995 13.95

18468 2 NO 86.05

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185_4

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA

FREQ YES NO 1059 VALUE: 4.93 1

20404 95.07

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185_5

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA

FREQ % 9.90 VALUE: 1 YES 2124

2 NO 19339 90.10

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185_6

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO NEIGHBO

FREQ % 1 VALUE: 2.60 YES 557

20906 2 NO 97.40

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185_7

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO PLACE W

FREQ %

YES NO 1.25 VALUE: 269 1 21194 98.75

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185_8

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: NONE OF THESE/N

VALUE: 1 YES FREQ % 15358 71.56

2 NO 6105 28.44

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ178

LABEL: DOCTOR'S OFFICE CONNECTS FAMILY WITH COMMUNITY-BASED SERVICES

VALUE: -1 INAPPLICABLE 13150 61.27 1 YES 1442 6.72 2 NO 6871 32.01

UNIVERSE: ADULTS WHO HAVE USUAL SOURCE OF CARE AND HOUSEHOLD INCOME <= 400

FPL

INPUT VAR:

NOTES:

VARNAME: AM186

LABEL: # OF TIMES STOPPED BY POLICE IN PAST 3 YEARS

VALUE: 1 0 17737 82.64
2 1 2523 11.76
3 2 716 3.34
4 3 242 1.13
5 4 86 0.40
6 5 OR MORE 159 0.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM187

LABEL: EVER BEEN ARRESTED AND BOOKED FOR BREAKING THE LAW (NOT INCLUDING

VALUE: 1 YES 2639 12.30 2 NO 18824 87.70

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM188

LABEL: SOMEONE LIVED WITH EVER BEEN ARRESTED AND BOOKED FOR BREAKING THE

FREQ % 2061 9.60 VALUE: 1 YES

19402 90.40 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: ARRSTBK

LABEL: YOU OR HOUSEMATE EVER BEEN ARRESTED AND BOOKED

FREQ % 1 VALUE: YES 3935 18.33

17528 2 NO 81.67

UNIVERSE: ALL ADULTS

INPUT VAR: AM187 AM188

NOTES:

VARNAME: PLCSTOP

LABEL: STOPPED BY POLICE IN PAST 3 YEARS

YES NO VALUE: 1 17737 82.64

UNIVERSE: ALL ADULTS

INPUT VAR: AM186

NOTES:

VARNAME: AM186_P1

LABEL: # OF TIMES STOPPED BY POLICE IN PAST 3 YEARS (PUF 1 YR RECODE)

			FKEQ	%
VALUE:	0	O TIMES	17737	82.64
	1	1 TIME	2523	11.76
	2	2 TIMES	716	3.34
	3	3 TIMES	242	1.13
	4	4+ TIMES	245	1.14

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

VARNAME: AM19

LABEL: PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	1	STRONGLY AGREE	5006	23.32
	2	AGREE	12936	60.27
	3	DISAGREE	2851	13.28
	4	STRONGLY DISAGREE	659	3.07

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM20

LABEL: PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG

FREQ % VALUE: -2 PROXY SKIPPED 0.05 11 STRONGLY AGREE 390 1.82 1 2115 9.85 13443 62.63 5504 25.64 2 AGREE DISAGREE 3 4 STRONGLY DISAGREE

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM21

LABEL: PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

VALUE: -2 PROXY SKIPPED 11 0.05
1 STRONGLY AGREE 3332 15.52
2 AGREE 14540 67.74
3 DISAGREE 2999 13.97
4 STRONGLY DISAGREE 581 2.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK28

LABEL: HOW OFTEN FEEL SAFE IN NEIGHBORHOOD

		FREQ	%
-2	PROXY SKIPPED	11	0.05
1	ALL OF THE TIME	7571	35.27
2	MOST OF THE TIME	11636	54.21
3	SOME OF THE TIME	1938	9.03
4	NONE OF THE TIME	307	1.43
	1 2 3	1 ALL OF THE TIME 2 MOST OF THE TIME 3 SOME OF THE TIME	-2 PROXY SKIPPED 11 1 ALL OF THE TIME 7571 2 MOST OF THE TIME 11636 3 SOME OF THE TIME 1938

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM39

LABEL: VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR

VALUE: 1 YES 2801 13.05 2 NO 18662 86.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Reclaimed from CHIS 2016

VARNAME: AM44

LABEL: CONFIDENT TO EXPRESS VIEWS IN FRONT OF PEERS

			FREQ	%
VALUE:	1	DEFINITELY COULD NOT	1390	6.48
	2	PROBABLY COULD NOT	2608	12.15
	3	MAYBE COULD	4881	22.74
	4	PROBABLY COULD	6228	29.02
	5	DEFINITELY COULD	6356	29.61

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM45

LABEL: CAN CONTACT ELECTED OFFICIAL IN COMMUNITY

			FREQ	%
VALUE:	1	DEFINITELY COULD NOT	1241	5.78
	2	PROBABLY COULD NOT	2324	10.83
	3	MAYBE COULD	4477	20.86
	4	PROBABLY COULD	5895	27.47
	5	DEFINITELY COULD	7526	35.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM48

LABEL: ACTIVE MEMBER IN COMMUNITY POLITICAL GROUP (NOT POLITICAL PARTY)

FREQ % 2170 10.11 19293 89.89 VALUE: 1 YES

2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: DMC8

LABEL: WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF RACE/ETHNICITY

FREQ % PROXY SKIPPED 11 0.05 1463 6.82 19989 93.13 VALUE: -2 YES 1 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION IN 2022.

VARNAME: DMC9

LABEL: HOW LONG AGO TREATED UNFAIRLY W/ MEDICAL CARE DUE TO RACE/ETHNICI

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	19989	93.13
	1	A YEAR AGO OR LESS	460	2.14
	2	MORE THAN 1 UP TO 2 YEARS AGO	275	1.28
	3	MORE THAN 2 UP TO 3 YEARS AGO	191	0.89
	4	MORE THAN 3 UP TO 5 YEARS AGO	194	0.90
	5	MORE THAN 5 UP TO 10 YEARS AGO	163	0.76
	6	MORE THAN 10 UP TO 20 YEARS AGO	107	0.50
	7	MORE THAN 20 YEARS AGO	73	0.34

UNIVERSE: ADULTS REPORTING WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF

RACE/ETHNICITY

INPUT VAR:

NOTES: PROXY RESPONDENTS NOT INCLUDED IN THIS QUESTION IN 2022.

VARNAME: DISCRIM

LABEL: DISCRIMINATION IN HEALTHCARE

VALUE: 1 YES 735 3.42 2 NO 20728 96.58

UNIVERSE: ALL ADULTS

INPUT VAR: DMC8 DMC9

NOTES:

SECTION N: DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO.

VARNAME: REGION41

LABEL: STRATA REGIONS (41)

			FREQ	%
VALUE:	11	BUTTE	225	1.05
	12	SHASTA	225	1.05
	13	HUMBOLDT/DEL NORTE	275	1.28
	14	SIS./LAS./TRI./MOD.	134	0.62
	15	MENDOCINO/LAKE	501	2.33
	16	TEHAMA/GLENN/COLUSA	231	1.08
	17	SUTTE/YUBA	535	2.49
	18	NEVADA/PLUMAS/SIERRA	311	1.45
	19	TU/CA/AM/IN/MA/MO/ALP	217	1.01
	21	SANTA CLARA	761	3.55
	22	ALAMEDA	674	3.14
	23	CONTRA COSTA	461	2.15
	24	SAN FRANCISCO	443	2.06
	25	SAN MATEO	305	1.42
	26	SONOMA	247	1.15
	27	SOLANO	255	1.19
	28	MARIN	253	1.18
	29	NAPA	239	1.11
	31	SACRAMENTO	629	2.93
	32	PLACER	253	1.18
	33	YOLO	229	1.07
	34	EL DORADO	243	1.13
	41	FRESNO	396	1.85
	42	KERN	345	1.61
	43	SAN JOAQUIN	291	1.36
	44	STANISLAUS	255	1.19
	45	TULARE	276	1.29
	46	MERCED	250	1.16
	47	KINGS	239	1.11
	48	MADERA	271	1.26
	51	VENTURA	342	1.59
	52	SANTA BARBARA	252	1.17
	53	SANTA CRUZ	259	1.21

54	SAN LUIS OBISPO	235	1.09
55	MONTEREY/SAN BENITO	511	2.38
61	LOS ANGELES	4579	21.33
71	ORANGE	1221	5.69
72	SAN DIEGO	2239	10.43
73	SAN BERNARDINO	775	3.61
74	RIVERSIDE	840	3.91
75	IMPERIAL	241	1.12

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY

NOTES: SIMILAR TO REGION44

VARNAME: REGION44

LABEL: STRATA REGIONS (44)

			FREQ	%
VALUE:	110	BUTTE	225	1.05
	120	SHASTA	225	1.05
	130	HUMBOLDT	243	1.13
	131	DEL NORTE/SIS/LAS/TRI/MOD/PLUMAS/SIERRA	204	0.95
	150	MENDOCINO	239	1.11
	151	LAKE	262	1.22
	160	TEHAMA/GLENN/COLUSA	231	1.08
	170	SUTTE	273	1.27
	171	YUBA	262	1.22
	180	NEVADA	273	1.27
	190	TU/CA/AM/IN/MA/MO/ALP	217	1.01
	210	SANTA CLARA	761	3.55
	220	ALAMEDA	674	3.14
	230	CONTRA COSTA	461	2.15
	240	SAN FRANCISCO	443	2.06
	250	SAN MATEO	305	1.42
	260	SONOMA	247	1.15
	270	SOLANO	255	1.19
	280	MARIN	253	1.18
	290	NAPA	239	1.11
	310	SACRAMENTO	629	2.93
	320	PLACER	253	1.18
	330	YOLO	229	1.07
	340	EL DORADO	243	1.13
	410	FRESNO	396	1.85
	420	KERN	345	1.61
	430	SAN JOAQUIN	291	1.36
	440	STANISLAUS	255	1.19
	450	TULARE	276	1.29
	460	MERCED	250	1.16
	470	KINGS	239	1.11
	480	MADERA	271	1.26
	510	VENTURA	342	1.59

520	SANTA BARBARA	252	1.17
530	SANTA CRUZ	259	1.21
540	SAN LUIS OBISPO	235	1.09
550	MONTEREY	260	1.21
551	SAN BENITO	251	1.17
610	LOS ANGELES	4579	21.33
710	ORANGE	1221	5.69
720	SAN DIEGO	2239	10.43
730	SAN BERNARDINO	775	3.61
740	RIVERSIDE	840	3.91
750	IMPERIAL	241	1.12

UNIVERSE: ALL ADULTS

INPUT VAR: SRSTRATA

NOTES: SIMILAR TO SRSTRATA, BUT WITH SINGLE ENTRIES FOR LA AND SD

COUNTIES.

VARNAME: REGION7

LABEL: STRATA REGIONS (7)

			FREQ	%
VALUE:	10	NORTH./SIERRA COUNTIES	2654	12.37
	20	GREATER BAY AREA	3638	16.95
	30	SACRAMENTO AREA	1354	6.31
	40	SAN JOAQUIN VALLEY	2323	10.82
	50	CENTRAL COAST	1599	7.45
	60	LOS ANGELES	4579	21.33
	70	OTHER SOUTHERN CAL.	5316	24.77

UNIVERSE: ALL ADULTS

INPUT VAR: REGION44

NOTES: COUNTIES COMBINED TO FORM 7 LARGER GEOGRAPHIC REGIONS.

VARNAME: SRCNTY

LABEL:	COUNTY OF	FRESIDENCE		
			FREQ	%
VALUE:	1	ALAMEDA	674	3.14
	2	ALPINE	8	0.04
	3	AMADOR	34	0.16
	4	BUTTE	225	1.05
	5	CALAVERAS	21	0.10
	6	COLUSA	32	0.15
	7	CONTRA COSTA	461	2.15
	8	DEL NORTE	32	0.15
	9	EL DORADO	243	1.13
	10	FRESNO	396	1.85
	11	GLENN	60	0.28
	12	HUMBOLDT	243	1.13
	13	IMPERIAL	241	1.12
	14	INYO	44	0.21
	15	KERN	345	1.61
	16	KINGS	239	1.11
	17	LAKE	262	1.22
	18	LASSEN	22	0.10
	19	LOS ANGELES	4579	21.33
	20	MADERA	271	1.26
	21	MARIN	253	1.18
	22	MARIPOSA	29	0.14
	23	MENDOCINO	239	1.11
	24	MERCED	250	1.16
	25	MODOC	24	0.11
	26	MONO	28	0.13
	27	MONTEREY	260	1.21
	28	NAPA	239	1.11
	29	NEVADA	273	1.27
	30	ORANGE	1221	5.69
	31	PLACER	253	1.18
	32	PLUMAS	35	0.16
	33	RIVERSIDE	840	3.91

34	SACRAMENTO	629	2.93
35	SAN BENITO	251	1.17
36	SAN BERNARDINO	775	3.61
37	SAN DIEGO	2239	10.43
38	SAN FRANCISCO	443	2.06
39	SAN JOAQUIN	291	1.36
40	SAN LUIS OBISPO	235	1.09
41	SAN MATEO	305	1.42
42	SANTA BARBARA	252	1.17
43	SANTA CLARA	761	3.55
44	SANTA CRUZ	259	1.21
45	SHASTA	225	1.05
46	SIERRA	3	0.01
47	SISKIYOU	78	0.36
48	SOLANO	255	1.19
49	SONOMA	247	1.15
50	STANISLAUS	255	1.19
51	SUTTER	273	1.27
52	TEHAMA	139	0.65
53	TRINITY	10	0.05
54	TULARE	276	1.29
55	TUOLUMNE	53	0.25
56	VENTURA	342	1.59
57	YOLO	229	1.07
58	YUBA	262	1.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: SELF-REPORTED COUNTY AFTER IMPUTATION OR LOGICAL EDITS.

VARNAME: FIPS_CNT

LABEL: FIPS COUNTY (PROVIDED BY UCLA)

LADLL.	TITO COONT	(TROVIDED DI OCER)		
			FREQ	%
VALUE:	1	ALAMEDA	674	3.14
	3	ALPINE	8	0.04
	5	AMADOR	34	0.16
	7	BUTTE	225	1.05
	9	CALAVERAS	21	0.10
	11	COLUSA	32	0.15
	13	CONTRA COSTA	461	2.15
	15	DEL NORTE	32	0.15
	17	EL DORADO	243	1.13
	19	FRESNO	396	1.85
	21	GLENN	60	0.28
	23	HUMBOLDT	243	1.13
	25	IMPERIAL	241	1.12
	27	INYO	44	0.21
	29	KERN	345	1.61
	31	KINGS	239	1.11
	33	LAKE	262	1.22
	35	LASSEN	22	0.10
	37	LOS ANGELES	4579	21.33
	39	MADERA	271	1.26
	41	MARIN	253	1.18
	43	MARIPOSA	29	0.14
	45	MENDOCINO	239	1.11
	47	MERCED	250	1.16
	49	MODOC	24	0.11
	51	MONO	28	0.13
	53	MONTEREY	260	1.21
	55	NAPA	239	1.11
	57	NEVADA	273	1.27
	59	ORANGE	1221	5.69
	61	PLACER	253	1.18
	63	PLUMAS	35	0.16
	65	RIVERSIDE	840	3.91

67	SACRAMENTO	629	2.93
69	SAN BENITO	251	1.17
71	SAN BERNARDINO	775	3.61
73	SAN DIEGO	2239	10.43
75	SAN FRANCISCO	443	2.06
77	SAN JOAQUIN	291	1.36
79	SAN LUIS OBISPO	235	1.09
81	SAN MATEO	305	1.42
83	SANTA BARBARA	252	1.17
85	SANTA CLARA	761	3.55
87	SANTA CRUZ	259	1.21
89	SHASTA	225	1.05
91	SIERRA	3	0.01
93	SISKIYOU	78	0.36
95	SOLANO	255	1.19
97	SONOMA	247	1.15
99	STANISLAUS	255	1.19
101	SUTTER	273	1.27
103	TEHAMA	139	0.65
105	TRINITY	10	0.05
107	TULARE	276	1.29
109	TUOLUMNE	53	0.25
111	VENTURA	342	1.59
113	YOLO	229	1.07
115	YUBA	262	1.22

UNIVERSE: ALL ADULTS

INPUT VAR: TRACT10

NOTES: SAME AS SRCNTY BUT CODED FOR EASY MERGING W/ CENSUS DATA.

VARNAME: SRSTRATA

LABEL: SELF-REPORTED STRATA

			FREQ	%
VALUE:	1.1	LA SPA 1 - ANTELOPE VALLEY	267	1.24
	1.2	LA SPA 2 - SAN FERNANDO	822	3.83
	1.3	LA SPA 3 - SAN GABRIEL	705	3.28
	1.4	LA SPA 4 - METRO	462	2.15
	1.5	LA SPA 5 - WEST	242	1.13
	1.6	LA SPA 6 - SOUTH	846	3.94
	1.7	LA SPA 7 - EAST	591	2.75
	1.8	LA SPA 8 - SOUTH BAY	644	3.00
	2.1	SD HHSA REGION 1 - NORTH COASTAL	382	1.78
	2.2	SD HHSA REGION 2 - NORTH CENTRAL	389	1.81
	2.3	SD HHSA REGION 3 - CENTRAL	343	1.60
	2.4	SD HHSA REGION 4 - SOUTH	368	1.71
	2.5	SD HHSA REGION 5 - EAST	387	1.80
	2.6	SD HHSA REGION 6 - NORTH INLAND	370	1.72
	3	ORANGE	1221	5.69
	4	SANTA CLARA	761	3.55
	5	SAN BERNARDINO	775	3.61
	6	RIVERSIDE	840	3.91
	7	ALAMEDA	674	3.14
	8	SACRAMENTO	629	2.93
	9	CONTRA COSTA	461	2.15
	10	FRESNO	396	1.85
	11	SAN FRANCISCO	443	2.06
	12	VENTURA	342	1.59
	13	SAN MATEO	305	1.42
	14	KERN	345	1.61
	15	SAN JOAQUIN	291	1.36
	16	SONOMA	247	1.15
	17	STANISLAUS	255	1.19
	18	SANTA BARBARA	252	1.17
	19	SOLANO	255	1.19
	20	TULARE	276	1.29
	21	SANTA CRUZ	259	1.21

22	MARIN	253	1.18
23	SAN LUIS OBISPO	235	1.09
24	PLACER	253	1.18
25	MERCED	250	1.16
26	BUTTE	225	1.05
27	SHASTA	225	1.05
28	YOLO	229	1.07
29	EL DORADO	243	1.13
30	IMPERIAL	241	1.12
31	NAPA	239	1.11
32	KINGS	239	1.11
33	MADERA	271	1.26
34	MONTEREY	260	1.21
35	HUMBOLDT	243	1.13
36	NEVADA	273	1.27
37	MENDOCINO	239	1.11
38	SUTTER	273	1.27
39	YUBA	262	1.22
40	LAKE	262	1.22
41	SAN BENITO	251	1.17
42	TEHAMA, ETC.	231	1.08
43	DEL NORTE, ETC.	204	0.95
44	TUOLUMNE, CALAVERAS, ETC.	217	1.01

UNIVERSE: ALL ADULTS

INPUT VAR: REGION44

NOTES: SAME COMBINING SCHEME AS SAMPLING STRATA. INCL SPA, HHSA REGIONS.

VARNAME: BESTZIP

LABEL: ZIPCODE

FREQ %

VALUE: . 0 - HIGH 21463 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: POSTAL ZIP, NOT THE ZCTA. USED FOR LINKING CENSUS OR ADMIN DATA.

VARNAME: CCPREG19

LABEL: COVERED CALIFORNIA PRICING REGIONS

			FREQ	%
VALUE:	1	NORTHERN COUNTIES	2553	11.89
	2	NAPA, SONOMA, SOLANO, MARIN	994	4.63
	3	SACRAMENTO, PLACER, EL DORADO, YOLO	1354	6.31
	4	SAN FRANCISCO	443	2.06
	5	CONTRA COSTA	461	2.15
	6	ALAMEDA	674	3.14
	7	SANTA CLARA	761	3.55
	8	SAN MATEO	305	1.42
	9	SANTA CRUZ, MONTEREY, SAN BENITO	770	3.59
	10	SAN JOAQUIN, STANISLAUS, MERCED, MARIPOSA,	1101	5.13
	11	FRESNO, KINGS, MADERA	906	4.22
	12	SAN LUIS OBISPO, VENTURA, SANTA BARBARA	829	3.86
	13	MONO, INYO, IMPERIAL	313	1.46
	14	KERN	345	1.61
	15	LOS ANGELES (NORTHEAST)	1764	8.22
	16	LOS ANGELES (SOUTHWEST)	2815	13.12
	17	SAN BERNADINO, RIVERSIDE	1615	7.52
	18	ORANGE	1221	5.69
	19	SAN DIEGO	2239	10.43

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY BESTZIP

NOTES: CALIFORNIA IS DIVIDED INTO 19 REGIONS VARYING IN PRICING FOR

COVERED CALIFORNIA (HEALTH EXCHG) PREMIUMS. FOR MORE INFO:

https://www.coveredca.com/PDFs/CC-health-plans-booklet-rev4.pdf

VARNAME: UR_CLRT2

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

FREQ VALUE: 1 17849 83.16 URBAN

RURAL 3614 16.84

UNIVERSE: ALL ADULTS

INPUT VAR: UR_CLRT

NOTES:

VARNAME: UR_IHS

LABEL: RURAL AND URBAN - IHS

FREQ VALUE: 1 URBAN 2 RURAL

13206 61.53 8257 38.47 8257 2 RURAL

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY BESTZIP

NOTES:

VARNAME: UR_OMB

LABEL: RURAL AND URBAN - OMB

FREQ %

VALUE: 1 METROPOLITAN 2 NON-METROPOLITAN 19794 92.22

1669 7.78

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY

NOTES:

VARNAME: UR_RHP

LABEL: RURAL AND URBAN - RHP

VALUE: 1 URBAN 18674 87.01 2 RURAL 2789 12.99

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY CBLK

NOTES:

VARNAME: UR_CLRT4

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

VALUE: 1 URBAN 8956 41.73
2 MIXED 2038 9.50
3 SUBURBAN 6855 31.94
4 RURAL 3614 16.84

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT COMPARABLE TO UR_CLRT FROM 2016 AND PRIOR YEARS DUE TO CHANGES

IN CLARITAS METHODOLOGY

CHIS 2022 Source Adult Data Dictionary

SECTION O: FULL DESIGN & REPLICATE WEIGHT SERIES 0-80

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDWO LABEL: CHIS2022 RAKED WEIGHT - FULL SAMPLE FREQ FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW1 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 1 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: ______ VARNAME: RAKEDW2 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 2 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW3 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 3 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW4 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 4 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW5 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 5 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW6 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 6 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW7 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 7 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW8 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 8 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW9 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 9 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW10 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 10 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: ______ VARNAME: RAKEDW11 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 11 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW12 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 12 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW13 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 13 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: ______ VARNAME: RAKEDW14 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 14 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW15 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 15 FREQ 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW16 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 16 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: ______ VARNAME: RAKEDW17 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 17 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW18 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 18 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW19 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 19 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: ______ VARNAME: RAKEDW20 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 20 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW21 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 21 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW22 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 22 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: ______ VARNAME: RAKEDW23 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 23 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW24 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 24 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW25 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 25 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: ______ VARNAME: RAKEDW26 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 26 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW27 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 27 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW28 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 28 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW29 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 29 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW30 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 30 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW31 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 31 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: ______

VARNAME: RAKEDW32

LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 32

FREQ %

VALUE: . 0 - HIGH 21463 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW33 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 33 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW34 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 34 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW35 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 35

FREQ %

VALUE: . 0 - HIGH 21463 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW36 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 36 FREQ 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW37 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 37 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW38 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 38 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW39 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 39 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW40 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 40 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: ______ VARNAME: RAKEDW41 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 41 FREQ VALUE: . O - HIGH 21463 100.00

2022 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW42

LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 42

VALUE: . 0 - HIGH FREQ % 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW43

LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 43

FREQ %

VALUE: . 0 - HIGH 21463 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW44

LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 44

FREQ %

VALUE: . 0 - HIGH 21463 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW45 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 45 FREQ 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW46 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 46 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW47 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 47 FREQ VALUE: . O - HIGH 21463 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW48 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 48 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW49 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 49 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW50 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 50 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW51 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 51 FREQ 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW52 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 52 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: ______ VARNAME: RAKEDW53 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 53 FREQ VALUE: . O - HIGH 21463 100.00

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW54 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 54 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW55 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 55 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW56 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 56 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW57 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 57 FREQ 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW58 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 58 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW59 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 59 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW60 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 60 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW61 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 61 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW62 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 62

FREQ %

VALUE: . 0 - HIGH 21463 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW63 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 63 FREQ 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW64 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 64 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW65 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 65 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW66 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 66 FREQ 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW67 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 67 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW68 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 68 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW69 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 69 FREQ 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW70 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 70 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: ______ VARNAME: RAKEDW71 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 71 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW72 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 72 FREQ 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW73 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 73 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: ______ VARNAME: RAKEDW74 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 74 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW75 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 75 FREQ 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW76 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 76 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW77 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 77 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS

2022 CALIFORNIA HEALTH INTERVIEW SURVEY

ADULT SURVEY DATA DICTIONARY VARNAME: RAKEDW78 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 78 FREQ % 21463 100.00 VALUE: . O - HIGH UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW79 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 79 FREQ % VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR: NOTES: VARNAME: RAKEDW80 LABEL: CHIS2022 RAKED WEIGHT - REPLICATE 80 FREQ VALUE: . O - HIGH 21463 100.00 UNIVERSE: ALL ADULTS INPUT VAR:

SECTION P: VOTER ENGAGEMENT

2022 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

VARNAME: AP73V2

LABEL: FREQUENCY OF VOTING IN PRESIDENTIAL ELECTIONS

VALUE: -1 INAPPLICABLE 1604 7.47
1 ALWAYS 16468 76.73
2 SOMETIMES 2122 9.89
3 NEVER 1269 5.91

UNIVERSE: ADULTS WITH US CITIZENSHIP

INPUT VAR:

NOTES: PREVIOUS VERSION: AP73

VARNAME: AP74V2

LABEL: FREQUENCY OF VOTING IN STATE ELECTIONS

VALUE: -1 INAPPLICABLE 1604 7.47
1 ALWAYS 14738 68.67
2 SOMETIMES 3590 16.73
3 NEVER 1531 7.13

UNIVERSE: ADULTS WITH US CITIZENSHIP

INPUT VAR:

NOTES: PREVIOUS VERSION: AP74

2022 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

VARNAME: AP75V2

LABEL: FREQUENCY OF VOTING IN LOCAL ELECTIONS

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: AP75

VARNAME: VOTE_ENG2

LABEL: VOTER ENGAGEMENT

VALUE: -1 INAPPLICABLE 1604 7.47
1 ALWAYS ENGAGED 11933 55.60
2 FREQUENTLY ENGAGED 2810 13.09
3 SOMETIMES ENGAGED 4033 18.79
4 NEVER ENGAGED 1083 5.05

UNIVERSE: ADULTS WITH US CITIZENSHIP

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

VARNAME: AP80

LABEL: MAIN REASON DID NOT VOTE

			FREQ	%
VALUE:	-1	INAPPLICABLE	12023	56.02
	1	I DISLIKE POLITICS	1116	5.20
	2	VOTING HAS LITTLE TO DO WITH THE WAY REA	450	2.10
	3	I DID NOT LIKE ANY OF THE CANDIDATES ON	672	3.13
	4	MY ONE VOTE IS NOT GOING TO AFFECT HOW T	351	1.64
	5	I WAS NOT INFORMED ENOUGH ABOUT THE CAND	2172	10.12
	6	I DID NOT SEE A DIFFERENCE BETWEEN THE C	293	1.37
	7	I WAS NOT INTERESTED IN WHAT WAS HAPPENI	414	1.93
	8	I JUST DID NOT THINK ABOUT DOING IT.	723	3.37
	9	I FORGOT OR WAS TOO LAZY	1194	5.56
	10	I HAD TO WORK OR WAS TOO BUSY TO VOTE	484	2.26
	11	I DID NOT HAVE TRANSPORTATION	96	0.45
	12	AGAINST RELIGIOUS/OTHER BELIEFS OR MY RE	70	0.33
	13	COVID	6	0.03
	91	OTHER	1399	6.52

UNIVERSE: ADULTS WHO DO NOT ALWAYS VOTE IN ALL PRESIDENTIAL, STATE, LOCAL

ELECTIONS

INPUT VAR:

NOTES: NEW COVID CATEGORY ADDED IN 2020

VARNAME: VOTE_RSNNO

LABEL: MAIN REASON DID NOT VOTE

VALUE:	-1 1 2 3 4	INAPPLICABLE TOO BUSY OR FORGOT DON'T LIKE OR CARE ABOUT POLITICS VOTING DOESN'T MAKE A DIFFERENCE DON'T KNOW ENOUGH ABOUT CANDIDATES/ISSUE	FREQ 12023 2401 2202 801 2465	% 56.02 11.19 10.26 3.73 11.48
	4 5	OTHER	1565	7.29
	6	COVID	6	0.03

UNIVERSE: ADULTS WHO SOMETIMES OR NEVER VOTE IN ELECTIONS

INPUT VAR: AP80

NOTES:

SECTION S: SUICIDE IDEATION

2022 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

VARNAME: AF86

LABEL: EVER THOUGHT TO COMMIT SUICIDE

VALUE: -2 PROXY SKIPPED 11 0.05
1 YES 4025 18.75
2 NO 17427 81.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF87

LABEL: THOUGHT OF SUICIDE ANY TIME PAST YR

VALUE: -2 PROXY SKIPPED 11 0.05
-1 INAPPLICABLE 17427 81.20
1 YES 856 3.99
2 NO 3169 14.76

UNIVERSE: ALL ADULTS WHO EVER THOUGHT TO COMMIT SUICIDE

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

VARNAME: AF88

LABEL: EVER ATTEMPTED SUICIDE

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	17427	81.20
	1	YES	1202	5.60
	2	NO	2823	13.15

UNIVERSE: ALL ADULTS WHO EVER THOUGHT TO COMMIT SUICIDE

INPUT VAR:

NOTES:

VARNAME: AF89

LABEL: ATTEMPTED SUICIDE PAST 12 MOS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	21172	98.64
	1	YES	55	0.26
	2	NO	225	1.05

UNIVERSE: ALL ADULTS WHO SERIOUSLY THOUGHT ABOUT SUICIDE IN PAST 12 MOS AND

EVER ATTEMPTED SUICIDE

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

VARNAME: AF91

LABEL: THOUGHT OF SUICIDE IN PAST 2 MOS

			FREQ	%
VALUE:	-2	PROXY SKIPPED	11	0.05
	-1	INAPPLICABLE	20596	95.96
	1	YES	415	1.93
	2	NO	441	2.05

UNIVERSE: ALL ADULTS WHO SERIOUSLY THOUGHT ABOUT COMMITTING SUICIDE IN PAST

12 MOS

INPUT VAR:

NOTES:

SECTION CV: COVID-19

2022 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

VARNAME: CV1

LABEL: EVER HAD OR THOUGHT HAD COVID-19

VALUE: 1 YES 8226 38.33 2 NO 13237 61.67

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV2

LABEL: CONTACTED HEALTH PROFESSIONAL ABOUT COVID-19 CONCERNS

VALUE: -1 INAPPLICABLE 13237 61.67
1 YES 4212 19.62
2 NO 4014 18.70

UNIVERSE: ADULTS WHO HAD OR THOUGHT HAD COVID-19

INPUT VAR:

NOTES:

VARNAME: CV4

LABEL: EVER TESTED FOR COVID-19

VALUE: 1 YES 17528 81.67 2 NO 3935 18.33

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2022 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

VARNAME: CV5

LABEL: EVER RECEIVED POSITIVE TEST RESULT FOR COVID-19

VALUE: -1 INAPPLICABLE 3935 18.33 1 YES 6136 28.59 2 NO 11392 53.08

UNIVERSE: ADULTS WHO WERE EVER TESTED FOR COVID-19

INPUT VAR:

NOTES:

VARNAME: CV15

LABEL: EVER EXPERIENCED LONG-LASTING COVID-19 SYMPTOMS FOR 2 MONTHS OR L

VALUE: -1 INAPPLICABLE 13022 60.67
1 YES 2532 11.80
2 NO 5909 27.53

UNIVERSE: ADULTS WHO HAD OR THOUGHT HAD COVID-19 OR HAVE EVER RECEIVED A

POSITIVE COVID-19 TEST RESULT

INPUT VAR:

NOTES:

VARNAME: CV7V2_1

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: LOST JOB DUE TO LAYOFF

FREQ % 1587 7.39 VALUE: 1 YES

19876 92.61 NO 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NEW VERSION CREATED IN CHIS 2022. PREVIOUS VERSION: CV7. NOTES:

VARNAME: CV7V2_2

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: REDUCED JOB HOURS OR I

FREQ VALUE: 1 YES

2417 11.26 19046 88.74 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION CREATED IN CHIS 2022. PREVIOUS VERSION: CV7.

VARNAME: CV7V2_4

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CONTINUED WORK AS AN E

FREQ % 2844 13.25 VALUE: YES 1

18619 86.75 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

VARNAME: CV7V2_5

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CHILDCARE DIFFICULTIES

FREQ % 492 2.29 VALUE: 1 YES

NO 20971 97.71 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NEW VERSION CREATED IN CHIS 2022. PREVIOUS VERSION: CV7. NOTES:

VARNAME: CV7V2_6

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING RE

FREQ % VALUE: 8.33 1 YES 1787

19676 91.67 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION CREATED IN CHIS 2022. PREVIOUS VERSION: CV7.

VARNAME: CV7V2_7

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING FO

FREQ % 2131 9.93 VALUE: 1

YES NO 19332 90.07

UNIVERSE: ALL ADULTS

INPUT VAR:

VARNAME: CV7V2_8

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: TREATED UNFAIRLY DUE T

FREQ % 504 2.35 VALUE: 1 YES

20959 97.65 NO 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NEW VERSION CREATED IN CHIS 2022. PREVIOUS VERSION: CV7. NOTES:

VARNAME: CV7V2_9

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: OTHER

FREQ % VALUE: 2.00 1 YES 429

21034 2 98.00 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION CREATED IN CHIS 2022. PREVIOUS VERSION: CV7.

VARNAME: CV7V2_10

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: NONE OF THESE

FREQ

YES 10239 47.71 VALUE: 1

11224 52.29

UNIVERSE: ALL ADULTS

INPUT VAR:

VARNAME: CV7V2_11

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: INCREASED MENTAL HEALT

FREQ % 0.59 VALUE: 1 127 YES

NO 21336 99.41 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NEW VERSION CREATED IN CHIS 2022. PREVIOUS VERSION: CV7. NOTES:

VARNAME: CV7V2_12

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: LOST JOB DUE TO VACCIN

FREQ % VALUE: 1.13 1 YES 243

21220 98.87 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION CREATED IN CHIS 2022. PREVIOUS VERSION: CV7.

VARNAME: CV7V2_13

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: WORK ENTIRELY FROM HOM

FREQ % 3334 15.53 YES NO VALUE: 1

18129 84.47

UNIVERSE: ALL ADULTS

INPUT VAR:

VARNAME: CV7V2_14

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: WORK SOME DAYS AT HOME

VALUE: 1 YES FREQ % 2475 11.53

2 NO 18988 88.47

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION CREATED IN CHIS 2022. PREVIOUS VERSION: CV7.

VARNAME: CV7V2_15

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: QUIT JOB TO TAKE CARE

VALUE: 1 YES FREQ % 277 1.29

2 NO 21186 98.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION CREATED IN CHIS 2022. PREVIOUS VERSION: CV7.

VARNAME: CV16

LABEL: LEVEL OF VACCINATION FOR COVID-19

VALUE: 1 FULLY VACCINATED 19355 90.18
2 PARTIALLY VACCINATED 482 2.25
3 NOT VACCINATED 1626 7.58

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV17_1

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: WORRIED A

VALUE: -1 INAPPLICABLE 19355 90.18
1 YES 1176 5.48
2 NO 932 4.34

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

VARNAME: CV17_2

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: VACCINE D

VALUE: -7 REFUSED 4 0.02
-1 INAPPLICABLE 19355 90.18
1 YES 897 4.18
2 NO 1207 5.62

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

VARNAME: CV17_3

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: DON'T KNO

VALUE: -7 REFUSED 6 0.03
-1 INAPPLICABLE 19355 90.18
1 YES 527 2.46
2 NO 1575 7.34

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

VARNAME: CV17_4

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: VACCINE I

VALUE: -7 REFUSED 5 0.02
-1 INAPPLICABLE 19355 90.18
1 YES 742 3.46
2 NO 1361 6.34

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

VARNAME: CV17_5

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: DON'T BEL

VALUE: 77 REFUSED 6 0.03
-1 INAPPLICABLE 19355 90.18
1 YES 300 1.40
2 NO 1802 8.40

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

VARNAME: CV17_6

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: PLAN TO G

VALUE: -7 REFUSED 6 0.03
-1 INAPPLICABLE 19355 90.18
1 YES 341 1.59
2 NO 1761 8.20

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

VARNAME: CV17_7

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: ALREADY H

VALUE: 77 REFUSED 6 0.03
-1 INAPPLICABLE 19355 90.18
1 YES 49 0.23
2 NO 2053 9.57

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

VARNAME: CV17_91

LABEL: REASON FOR NOT BEING FULLY VACCINATED AGAINST COVID-19: OTHER

VALUE: -7 REFUSED 6 0.03
-1 INAPPLICABLE 19355 90.18
1 YES 86 0.40
2 NO 2016 9.39

UNIVERSE: ALL ADULTS WHO ARE NOT FULLY VACCINATED

INPUT VAR:

NOTES:

VARNAME: CV18

LABEL: LIKELINESS OF RECEIVING COVID-19 BOOSTER SHOT

			FREQ	%
VALUE:	-1	INAPPLICABLE	2108	9.82
	1	VERY LIKELY	5230	24.37
	2	SOMEWHAT LIKELY	1242	5.79
	3	NOT VERY LIKELY	826	3.85
	4	NOT AT ALL LIKELY	852	3.97
	5	ALREADY RECEIVED A BOOSTER	11205	52.21

UNIVERSE: ALL ADULTS WHO ARE FULLY VACCINATED

INPUT VAR:

NOTES:

VARNAME: CV19_1

LABEL: REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: WORRIED A

			FREQ	%
VALUE:	-8	DON'T KNOW	3	0.01
	-7	REFUSED	1	0.00
	-1	INAPPLICABLE	19785	92.18
	1	YES	387	1.80
	2	NO	1287	6.00

UNIVERSE: ADULTS WHO ARE NOT FULLY VACCINATED OR WHO ARE FULLY VACCINATED

BUT UNLIKELY TO RECEIVE BOOSTER SHOT

INPUT VAR:

NOTES:

VARNAME: CV19_2

LABEL: REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: VACCINE D

			FREQ	%
VALUE:	-8	DON'T KNOW	3	0.01
	-7	REFUSED	1	0.00
	-1	INAPPLICABLE	19785	92.18
	1	YES	95	0.44
	2	NO	1579	7.36

UNIVERSE: ADULTS WHO ARE NOT FULLY VACCINATED OR WHO ARE FULLY VACCINATED

BUT UNLIKELY TO RECEIVE BOOSTER SHOT

INPUT VAR:

NOTES:

VARNAME: CV19_3

LABEL: REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: DON'T KNO

			FREQ	%
VALUE:	-8	DON'T KNOW	3	0.01
	-7	REFUSED	1	0.00
	-1	INAPPLICABLE	19785	92.18
	1	YES	118	0.55
	2	NO	1556	7.25

UNIVERSE: ADULTS WHO ARE NOT FULLY VACCINATED OR WHO ARE FULLY VACCINATED

BUT UNLIKELY TO RECEIVE BOOSTER SHOT

INPUT VAR:

NOTES:

VARNAME: CV19_4

LABEL: REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: BOOSTER V

VALUE: -1 INAPPLICABLE 19785 92.18
1 YES 920 4.29
2 NO 758 3.53

UNIVERSE: ADULTS WHO ARE NOT FULLY VACCINATED OR WHO ARE FULLY VACCINATED

BUT UNLIKELY TO RECEIVE BOOSTER SHOT

INPUT VAR:

NOTES:

VARNAME: CV19_5

LABEL: REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: DON'T BEL

FREQ % -8 DON'T KNOW REFUSED VALUE: 3 0.01 -7 1 0.00 19785 92.18 -1 INAPPLICABLE 42 0.20 1632 7.60 YES 1 2 NO

UNIVERSE: ADULTS WHO ARE NOT FULLY VACCINATED OR WHO ARE FULLY VACCINATED

BUT UNLIKELY TO RECEIVE BOOSTER SHOT

INPUT VAR:

NOTES:

VARNAME: CV19_6

LABEL: REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: ALREADY H

			FREQ	%
VALUE:	-8	DON'T KNOW	3	0.01
	-7	REFUSED	1	0.00
	-1	INAPPLICABLE	19785	92.18
	1	YES	45	0.21
	2	NO	1629	7.59

UNIVERSE: ADULTS WHO ARE NOT FULLY VACCINATED OR WHO ARE FULLY VACCINATED

BUT UNLIKELY TO RECEIVE BOOSTER SHOT

INPUT VAR:

NOTES:

VARNAME: CV19_91

LABEL: REASON WHY NOT LIKELY TO RECEIVE COVID-19 BOOSTER SHOT: OTHER

			FREQ	%
VALUE:	-8	DON'T KNOW	3	0.01
	-7	REFUSED	1	0.00
	-1	INAPPLICABLE	19785	92.18
	1	YES	107	0.50
	2	NO	1567	7.30

UNIVERSE: ADULTS WHO ARE NOT FULLY VACCINATED OR WHO ARE FULLY VACCINATED

BUT UNLIKELY TO RECEIVE BOOSTER SHOT

INPUT VAR:

NOTES:

VARNAME: CV10

LABEL: HOW OFTEN WORE FACE COVERING WHEN LEFT HOME IN PAST WEEK

			FREQ	%
VALUE:	1	NEVER	4149	19.33
	2	SOMETIMES	5998	27.95
	3	USUALLY	4119	19.19
	4	ALWAYS	6945	32.36
	5	I DID NOT LEAVE HOME IN THE PAST WEEK	252	1.17

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV22

LABEL: PARTICIPATED IN ANY GATHERINGS WITH >1,000 ATTENDEES INDOOR OR >1

VALUE: 1 YES 2606 12.14 2 NO 18857 87.86

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV20_1

LABEL: WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: TELEVISION

FREQ % VALUE: 1 YES 13138 61.21

NO 8325 38.79 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV20_10

LABEL: WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: RELIGIOUS LEAD

FREQ % 1 YES VALUE: 2.54 546

20917 97.46 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV20_11

LABEL: WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: ELDERS/COMMUNI

FREQ % YES NO VALUE: 379 1.77 1

21084 98.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV20_12

LABEL: WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: NONE OF THESE

FREQ VALUE: 1 YES 1231 5.74

NO 20232 94.26 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV20_2

LABEL: WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: RADIO

FREQ 1 VALUE: YES 5723 26.66

15740 2 NO 73.34

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV20_3

LABEL: WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: NEWSPAPER

FREQ %

VALUE: 32.13 1 6895

YES NO 14568 67.87

UNIVERSE: ALL ADULTS

INPUT VAR:

VARNAME: CV20_4

LABEL: WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: GOVERNMENTAL A

FREQ % VALUE: 1 YES 6144 28.63

NO 15319 71.37 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV20_5

LABEL: WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: DOCTOR

FREQ 1 VALUE: 5296 24.68 YES

16167 2 NO 75.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV20_6

LABEL: WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: FAMILY

FREQ

YES NO VALUE: 25.53 1 5480

15983 74.47

UNIVERSE: ALL ADULTS

INPUT VAR:

VARNAME: CV20_7

LABEL: WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: FRIENDS

FREQ % VALUE: 1 4985 23.23 YES

NO 16478 76.77 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV20_8

LABEL: WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: EMPLOYER

FREQ 1 4187 19.51 17276 80.49 VALUE: YES

2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV20_9

LABEL: WHERE GET UPDATED NEWS/INFORMATION ABOUT COVID-19: SOCIAL MEDIA

FREQ 7060 VALUE: 32.89 1

YES NO 14403 67.11

UNIVERSE: ALL ADULTS

INPUT VAR:

VARNAME: CV21

LABEL: WHERE GET MOST INFORMATION ABOUT COVID-19

			FREQ	%
VALUE:	-1	INAPPLICABLE	6316	29.43
	1	TELEVISION	5174	24.11
	2	RADIO	900	4.19
	3	NEWSPAPER	2296	10.70
	4	GOVERNMENTAL AGENCIES	2022	9.42
	5	YOUR DOCTOR	781	3.64
	6	FAMILY MEMBERS	662	3.08
	7	FRIENDS	222	1.03
	8	YOUR EMPLOYER	984	4.58
	9	SOCIAL MEDIA, SUCH AS FACEBOOK, TWITTER,	2053	9.57
	10	RELIGIOUS LEADER	32	0.15
	11	ELDERS/COMMUNITY LEADERS	21	0.10

UNIVERSE: ADULTS WHO GET COVID-19 NEWS/INFORMATION FROM >1 SOURCE

INPUT VAR:

NOTES:

VARNAME: AG21V2

LABEL: LANGUAGES OF TV/RADIO/NEWSPAPERS THAT WATCH/LISTEN/READ

			FREQ	%
VALUE:	1	ONLY ENGLISH	16401	76.42
	2	BOTH ENGLISH AND OTHER LANGUAGE(S)	4245	19.78
	3	ONLY OTHER LANGUAGE(S)	817	3.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED IN CHIS 2022. PREVIOUS VERSION: AG21. NEW NAME GIVEN DUE

TO CHANGE IN UNIVERSE AND CONTEXT OF QUESTION. PREVIOUSLY ASKED GENERALLY; IN 2022, ASKED SPECIFICALLY IN CONTEXT OF NEWS ABOUT

COVID-19.

VARNAME: CV14V2

LABEL: HOW OFTEN FOLLOWED STATE & LOCAL GUIDELINES WHEN GATHERING WITH P

			FREQ	%
VALUE:	1	NEVER	2530	11.79
	2	SOMETIMES	3856	17.97
	3	USUALLY	5910	27.54
	4	ALWAYS	9167	42.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NEW VERSION CREATED IN CHIS 2022. PREVIOUS VERSION: CV14.

VARNAME: CVA1

LABEL: EXPERIENCED A HATE INCIDENT DUE TO COVID-19 OUTBREAK

			FREQ	%
VALUE:	-1	INAPPLICABLE	17796	82.91
	1	YES	261	1.22
	2	NO	3406	15.87

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: CVA2_1

LABEL: EXPERIENCED PHYSICAL ABUSE/ATTACK HATE INCIDENT DUE TO COVID-19 0

VALUE: -1 INAPPLICABLE 21202 98.78
1 YES 19 0.09
2 NO 242 1.13

UNIVERSE: ASIAN OR NHPI ADULTS WHO EXPERIENCED A HATE INCIDENT DUE TO

COVID-19

INPUT VAR:

NOTES:

VARNAME: CVA2_2

LABEL: EXPERIENCED VERBAL ABUSE/INSULT HATE INCIDENT DUE TO COVID-19 OUT

VALUE: -1 INAPPLICABLE 21202 98.78
1 YES 199 0.93
2 NO 62 0.29

UNIVERSE: ASIAN OR NHPI ADULTS WHO EXPERIENCED A HATE INCIDENT DUE TO

COVID-19

INPUT VAR:

NOTES:

VARNAME: CVA2_3

LABEL: EXPERIENCED CYBERBULLYING HATE INCIDENT DUE TO COVID-19 OUTBREAK

VALUE: -1 INAPPLICABLE 21202 98.78
1 YES 31 0.14
2 NO 230 1.07

UNIVERSE: ASIAN OR NHPI ADULTS WHO EXPERIENCED A HATE INCIDENT DUE TO

COVID-19

INPUT VAR:

NOTES:

VARNAME: CVA2_4

LABEL: EXPERIENCED SOME OTHER HATE INCIDENT DUE TO COVID-19 OUTBREAK

VALUE: -1 INAPPLICABLE 21202 98.78
1 YES 17 0.08
2 NO 244 1.14

UNIVERSE: ASIAN OR NHPI ADULTS WHO EXPERIENCED A HATE INCIDENT DUE TO

COVID-19

INPUT VAR:

NOTES:

VARNAME: CVA2_5

LABEL: EXPERIENCED NONE OF THESE HATE INCIDENTS DUE TO COVID-19 OUTBREAK

VALUE: -1 INAPPLICABLE 21202 98.78
1 YES 43 0.20
2 NO 218 1.02

UNIVERSE: ASIAN OR NHPI ADULTS WHO EXPERIENCED A HATE INCIDENT DUE TO

COVID-19

INPUT VAR:

NOTES:

VARNAME: CVA3

LABEL: WITNESSED ANOTHER API PERSON TREATED UNFAIRLY DUE TO RACE/ETHNICI

VALUE: -1 INAPPLICABLE 17796 82.91
1 YES 694 3.23
2 NO 2973 13.85

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: CVA4

LABEL: HAD DIFFICULTIES PERFORMING WORK DUE TO POOR INTERNET OR LACK OF

VALUE: -1 INAPPLICABLE 17796 82.91
1 YES 413 1.92
2 NO 3254 15.16

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: SRCERLYV2

LABEL: MOST RELIED UPON SOURCE OF COVID-19 INFORMATION

			FREQ	%
VALUE:	1	TELEVISION	7499	34.94
	2	RADIO	1115	5.19
	3	NEWSPAPER	2742	12.78
	4	GOVERNMENTAL AGENCIES	2463	11.48
	5	YOUR DOCTOR	1013	4.72
	6	FAMILY MEMBERS	809	3.77
	7	FRIENDS	290	1.35
	8	YOUR EMPLOYER	1270	5.92
	9	SOCIAL MEDIA, SUCH AS FACEBOOK, TWITTER,	2959	13.79
	10	RELIGIOUS LEADER	38	0.18
	11	ELDERS/COMMUNITY LEADERS	34	0.16
	12	NONE OF THESE	1231	5.74

UNIVERSE: ALL ADULTS

INPUT VAR: CV20 CV21

NOTES: PREVIOUS VERSION: SRCERLY. NEW VERSION CREATED DUE TO CHANGE IN

UNIVERSE FROM API ONLY TO ALL ADULTS.

VARNAME: CVA7

LABEL: LOCAL GOV'T HAS DONE A GOOD JOB MANAGING COVID-19 OUTBREAK

			FREQ	%
VALUE:	-1	INAPPLICABLE	17796	82.91
	1	STRONGLY AGREE	524	2.44
	2	AGREE	1754	8.17
	3	NEITHER AGREE NOR DISAGREE	1023	4.77
	4	DISAGREE	260	1.21
	5	STRONGLY DISAGREE	106	0.49

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: CVA8

LABEL: NAT'L GOV'T HAS DONE A GOOD JOB MANAGING COVID-19 OUTBREAK

			FREQ	%
VALUE:	-1	INAPPLICABLE	17796	82.91
	1	STRONGLY AGREE	369	1.72
	2	AGREE	1420	6.62
	3	NEITHER AGREE NOR DISAGREE	1059	4.93
	4	DISAGREE	576	2.68
	5	STRONGLY DISAGREE	243	1.13

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: CVA9

LABEL: CHILD'S SCHOOL MET NEEDS TO CONTINUE EDUCATING DURING STAY AT HOM

			FREQ	%
VALUE:	-1	INAPPLICABLE	21191	98.73
	1	STRONGLY AGREE	91	0.42
	2	AGREE	113	0.53
	3	NEITHER AGREE NOR DISAGREE	43	0.20
	4	DISAGREE	14	0.07
	5	STRONGLY DISAGREE	9	0.04
	6	MY CHILD'S SCHOOL HAS STOPPED INSTRUCTIO	2	0.01

UNIVERSE: ASIAN OR NHPI ADULTS WITH SELECTED SCHOOL-AGE CHILD IN HH

INPUT VAR:

NOTES:

VARNAME: CVA10

LABEL: TEEN'S SCHOOL MET NEEDS TO CONTINUE EDUCATING DURING STAY AT HOME

			FREQ	%
VALUE:	-1	INAPPLICABLE	21024	97.95
	1	STRONGLY AGREE	127	0.59
	2	AGREE	218	1.02
	3	NEITHER AGREE NOR DISAGREE	63	0.29
	4	DISAGREE	18	0.08
	5	STRONGLY DISAGREE	12	0.06
	6	MY TEEN'S SCHOOL HAS STOPPED INSTRUCTION	1	0.00

UNIVERSE: ASIAN OR NHPI ADULTS WITH SELECTED TEEN IN HH

INPUT VAR:

NOTES:

VARNAME: CVA11_1

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: MORTGAG

VALUE: -1 INAPPLICABLE 21137 98.48
1 YES 89 0.41
2 NO 237 1.10

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES:

VARNAME: CVA11_2

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: RENT

VALUE: -1 INAPPLICABLE 21137 98.48
1 YES 163 0.76
2 NO 163 0.76

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES:

VARNAME: CVA11_3

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: CAR

VALUE: -1 INAPPLICABLE 21137 98.48
1 YES 85 0.40
2 NO 241 1.12

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES:

VARNAME: CVA11_4

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: INSURAN

VALUE: -1 INAPPLICABLE 21137 98.48
1 YES 113 0.53
2 NO 213 0.99

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES:

VARNAME: CVA11_5

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: UTILITI

VALUE: -1 INAPPLICABLE 21137 98.48
1 YES 154 0.72
2 NO 172 0.80

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES:

VARNAME: CVA11_6

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: CREDIT

VALUE: -1 INAPPLICABLE 21137 98.48
1 YES 175 0.82
2 NO 151 0.70

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES:

VARNAME: CVA11_7

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: OTHER/N

			FREQ	%
VALUE:	-1	INAPPLICABLE	21137	98.48
	1	YES	24	0.11
	2	NO	302	1.41

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES: COMBINES REMAINING "OTHER" RESPONSES WITH THOSE WHO SELECTED "NONE

OF THESE"

VARNAME: ASIAN10_NHPI

LABEL: ASIAN SUBTYPES - 11 TYPES (INCL. NATIVE HAWAIIAN/PACIFIC ISLANDER

		FREQ	%
-1	NON-ASIAN	17796	82.91
1	CHINESE	1273	5.93
2	JAPANESE	323	1.50
3	KOREAN	407	1.90
4	FILIPINO	546	2.54
5	SOUTH ASIAN	279	1.30
6	VIETNAMESE	373	1.74
7	SOUTHEAST ASIAN	111	0.52
8	CAMBODIAN	19	0.09
9	NATIVE HAWAIIAN/PACIFIC ISLANDER	124	0.58
10	OTHER ASIAN	46	0.21
11	TWO OR MORE ASIAN TYPES	166	0.77
	1 2 3 4 5 6 7 8 9	1 CHINESE 2 JAPANESE 3 KOREAN 4 FILIPINO 5 SOUTH ASIAN 6 VIETNAMESE 7 SOUTHEAST ASIAN 8 CAMBODIAN 9 NATIVE HAWAIIAN/PACIFIC ISLANDER 10 OTHER ASIAN	-1 NON-ASIAN 17796 1 CHINESE 1273 2 JAPANESE 323 3 KOREAN 407 4 FILIPINO 546 5 SOUTH ASIAN 279 6 VIETNAMESE 373 7 SOUTHEAST ASIAN 111 8 CAMBODIAN 19 9 NATIVE HAWAIIAN/PACIFIC ISLANDER 124 10 OTHER ASIAN 46

UNIVERSE: ALL ADULTS WHO ARE ASIAN OR NHPI

INPUT VAR:

NOTES:

VARNAME: CONTACT

LABEL: HAD OR THOUGHT HAD COVID-19 AND CONTACTED HEALTH PROFESSIONAL

VALUE: -1 INAPPLICABLE 13237 61.67
1 YES 4212 19.62
2 NO 4014 18.70

UNIVERSE: ADULTS WHO EVER HAD OR THOUGHT HAD COVID-19

INPUT VAR: CV1 CV2

NOTES:

VARNAME: FAMILY_KID

LABEL: HOUSEHOLDS WITH FAMILIES WITH CHILDREN <18 YEARS OF AGE

VALUE: 1 YES 4890 22.78 2 NO 16573 77.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: JOBINSV2

LABEL: LOST/LEFT JOB OR HAD JOB HOURS REDUCED DUE TO COVID-19 AND ARE UN

FREQ % 292 1.36 VALUE: 1

YES NO 21171 98.64

UNIVERSE: ALL ADULTS

INPUT VAR: CV7V2_1 CV7V2_2 CV7V2_12 CV7V2_15 INS

NOTES: PREVIOUS VERSION: JOBINS. NEW VERSION DUE TO CHANGE IN INPUT

CATEGORIES AND NEW VERSIONS OF INPUT VARIABLES.

VARNAME: RISK

LABEL: EVER DIAGNOSED WITH ANY CHRONIC RISK FACTOR (ASTHMA, DIABETES, HB

FREQ VALUE:

10006 46.62 11457 53.38 1 YES 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR: AB22 AB17 AB29

VARNAME: RSN_NOINS

LABEL: MAIN REASON NOT HAVE HEALTH INS AT ALL (EXPANDED)

			FREQ	%
VALUE:	-1	INAPPLICABLE	20726	96.57
	1	CAN'T AFFORD/TOO EXPENSIVE	375	1.75
	2	NOT ELIGIBLE DUE TO LOST JOB	48	0.22
	3	NOT ELIGIBLE DUE TO REDUCTION IN HOURS	12	0.06
	4	NOT ELIGIBLE DUE TO CHANGE IN EMPLOYER	14	0.07
	6	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	83	0.39
	7	FAMILY SITUATION CHANGED	26	0.12
	8	DON'T BELIEVE IN INSURANCE	31	0.14
	9	DID NOT HAVE INSURANCE WHILE SWITCHING I	9	0.04
	10	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	35	0.16
	11	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	6	0.03
	12	PROCRASTINATION/HASNT TAKEN STEPS TO GET	14	0.07
	13	DONT KNOW WHERE OR HOW TO GET INSURANCE/	8	0.04
	14	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	3	0.01
	15	NOT OFFERED AT JOB	3	0.01
	16	NO NEED - GENERAL	13	0.06
	17	IN PROCESS OF LOOKING FOR/GETTING INSURA	12	0.06
	18	OTHER	18	0.08
	92	COVERED BY HEALTH INSURANCE	27	0.13

UNIVERSE: ALL ADULTS WHO HAVE NO HEALTH INSURANCE COVERAGE AT ALL

INPUT VAR: AI24 AH141

NOTES:

SECTION GV: GUN VIOLENCE

VARNAME: AGV1

LABEL: # OF FIREARMS KEPT IN HOME

MEAN STATISTICS

N 21463 MIN 0 MAX 500 MEAN 0.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AGV1_P1

LABEL: # OF FIREARMS KEPT IN HOME (PUF 1 YR RECODE)

			FREQ	%
VALUE:	0	O FIREARMS	17041	79.40
	1	1 FIREARM	1715	7.99
	2	2 FIREARMS	1001	4.66
	3	3 FIREARMS	512	2.39
	4	4 FIREARMS	327	1.52
	5	5 FIREARMS	265	1.23
	6	6 FIREARMS	119	0.55
	7	7 FIREARMS	55	0.26
	8	8 FIREARMS	80	0.37
	9	9 FIREARMS	22	0.10
	10	10 FIREARMS	146	0.68
	11	11-20 FIREARMS	132	0.62
	12	MORE THAN 20 FIREARMS	48	0.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

VARNAME: AGV2

LABEL: # OF HANDGUNS KEPT IN HOME

MEAN STATISTICS

N 2707 MIN 0 MAX 350 MEAN 2.36

UNIVERSE: ADULTS WHO HAVE MORE THAN ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES:

VARNAME: AGV2_P1

LABEL: # OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	18756	87.39
	0	O HANDGUNS	355	1.65
	1	1 HANDGUN	814	3.79
	2	2 HANDGUNS	844	3.93
	3	3 HANDGUNS	304	1.42
	4	4 HANDGUNS	129	0.60
	5	5 HANDGUNS	121	0.56
	6	6 HANDGUNS	49	0.23
	7	7 HANDGUNS	19	0.09
	8	8 HANDGUNS	20	0.09
	9	9 HANDGUNS	5	0.02
	10	10 HANDGUNS	16	0.07
	11	11-20 HANDGUNS	21	0.10
	12	MORE THAN 20 HANDGUNS	10	0.05

UNIVERSE: ADULTS WHO HAVE MORE THAN ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

VARNAME: AGV3

LABEL: FIREARM IS A HANDGUN

VALUE: -1 INAPPLICABLE 19748 92.01 1 YES 1138 5.30 2 NO 577 2.69

UNIVERSE: ADULTS WHO HAVE ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES:

VARNAME: AGV4A

LABEL: # OF FIREARMS LOADED AND LOCKED ONLY WITH TRIGGER LOCK

MEAN STATISTICS

N 2707
MIN 0
MAX 100
MEAN 0.34

UNIVERSE: ADULTS WHO HAVE MORE THAN ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES: DUE TO RESPONSE OPTION AND IMPUTATION LIMITATIONS, THE SUM OF

AGV4A - AGV4F MAY BE LESS THAN THE VALUE OF AGV1. THE SUM WILL

ALWAYS BE LESS THAN OR EQUAL TO AGV1.

VARNAME: AGV4B

LABEL: # OF FIREARMS LOADED AND STORED IN LOCK BOX

MEAN STATISTICS

N 2707 MIN 0 MAX 500 MEAN 1.00

UNIVERSE: ADULTS WHO HAVE MORE THAN ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES: DUE TO RESPONSE OPTION AND IMPUTATION LIMITATIONS, THE SUM OF

AGV4A - AGV4F MAY BE LESS THAN THE VALUE OF AGV1. THE SUM WILL

ALWAYS BE LESS THAN OR EQUAL TO AGV1.

VARNAME: AGV4C

LABEL: # OF FIREARMS LOADED AND UNLOCKED

MEAN STATISTICS

N 2707
MIN 0
MAX 99
MEAN 0.26

UNIVERSE: ADULTS WHO HAVE MORE THAN ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES: DUE TO RESPONSE OPTION AND IMPUTATION LIMITATIONS, THE SUM OF

AGV4A - AGV4F MAY BE LESS THAN THE VALUE OF AGV1. THE SUM WILL

ALWAYS BE LESS THAN OR EQUAL TO AGV1.

VARNAME: AGV4D

LABEL: # OF FIREARMS UNLOADED AND LOCKED ONLY WITH TRIGGER LOCK

MEAN STATISTICS

N 2707 MIN 0 MAX 48 MEAN 0.31

UNIVERSE: ADULTS WHO HAVE MORE THAN ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES: DUE TO RESPONSE OPTION AND IMPUTATION LIMITATIONS, THE SUM OF

AGV4A - AGV4F MAY BE LESS THAN THE VALUE OF AGV1. THE SUM WILL

ALWAYS BE LESS THAN OR EQUAL TO AGV1.

VARNAME: AGV4E

LABEL: # OF FIREARMS UNLOADED AND LOCKED WITH CABLE LOCK IN LOCK BOX

MEAN STATISTICS

N 2707
MIN 0
MAX 65
MEAN 2.17

UNIVERSE: ADULTS WHO HAVE MORE THAN ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES: DUE TO RESPONSE OPTION AND IMPUTATION LIMITATIONS, THE SUM OF

AGV4A - AGV4F MAY BE LESS THAN THE VALUE OF AGV1. THE SUM WILL

ALWAYS BE LESS THAN OR EQUAL TO AGV1.

VARNAME: AGV4F

LABEL: # OF FIREAMRS UNLOADED AND UNLOCKED

MEAN STATISTICS

N 2707
MIN 0
MAX 99
MEAN 0.67

UNIVERSE: ADULTS WHO HAVE MORE THAN ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES: DUE TO RESPONSE OPTION AND IMPUTATION LIMITATIONS, THE SUM OF

AGV4A - AGV4F MAY BE LESS THAN THE VALUE OF AGV1. THE SUM WILL

ALWAYS BE LESS THAN OR EQUAL TO AGV1.

VARNAME: AGV5

LABEL: FIREARM KEPT LOADED

VALUE: -1 INAPPLICABLE 19748 92.01
1 YES 286 1.33
2 NO 1429 6.66

UNIVERSE: ADULTS WHO HAVE ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES:

VARNAME: AGV6

LABEL: FIREARM KEPT LOCKED

			FREQ	%
VALUE:	-1	INAPPLICABLE	19748	92.01
	1	UNLOCKED	500	2.33
	2	LOCKED UP WITH A TRIGGER LOCK	316	1.47
	3	LOCKED UP WITH A CABLE LOCK, IN A LOCK B	899	4.19

UNIVERSE: ADULTS WHO HAVE ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES:

VARNAME: AGV7

LABEL: WORRIED ABOUT BEING VICTIM OF GUN VIOLENCE

			FREQ	%
VALUE:	1	VERY WORRIED	2836	13.21
	2	SOMEWHAT WORRIED	6690	31.17
	3	NOT TOO WORRIED	7975	37.16
	4	NOT AT ALL WORRIED	3962	18.46

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AGV8

LABEL: ABLE TO GET FIREARM IF WANTED WITHIN 2 DAYS

VALUE: -1 INAPPLICABLE 20357 94.85
1 YES 353 1.64
2 NO 753 3.51

UNIVERSE: ADULTS AGES 18-25

INPUT VAR:

NOTES:

VARNAME: FIREARM

LABEL: FIREARM KEPT IN HOME

VALUE: 1 YES 4422 20.60 2 NO 17041 79.40

UNIVERSE: ALL ADULTS

INPUT VAR: AGV1

NOTES:

VARNAME: HANDGUN

LABEL: HANDGUN KEPT IN HOME

VALUE: 1 YES 3490 16.26 2 NO 17973 83.74

UNIVERSE: ALL ADULTS

INPUT VAR: AGV1 AGV2 AGV3

NOTES:

VARNAME: HANDGUN_NUM

LABEL: NUMBER OF HANDGUNS KEPT IN HOME

MEAN STATISTICS

N 4422 MIN 0 MAX 350 MEAN 1.70

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE FIREARM KEPT IN HOME

INPUT VAR: AGV1 AGV2 AGV3

NOTES:

VARNAME: HANDGUNNUM_P1

LABEL: NUMBER OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	17041	79.40
	0	O HANDGUNS	932	4.34
	1	1 HANDGUN	1952	9.09
	2	2 HANDGUNS	844	3.93
	3	3 HANDGUNS	304	1.42
	4	4 HANDGUNS	129	0.60
	5	5 HANDGUNS	121	0.56
	6	6 HANDGUNS	49	0.23
	7	7 HANDGUNS	19	0.09
	8	8 HANDGUNS	20	0.09
	9	9 HANDGUNS	5	0.02
	10	10 HANDGUNS	16	0.07
	11	11-20 HANDGUNS	21	0.10
	12	MORE THAN 20 HANDGUNS	10	0.05

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE FIREARM KEPT IN HOME

INPUT VAR: HANDGUN_NUM

NOTES: PUF RECODE CREATED IN 2022.

VARNAME: GUNLOADED

LABEL: FIREARM IN HOME KEPT LOADED AND UNLOCKED

VALUE: -1 INAPPLICABLE 17041 79.40
1 YES 437 2.04
2 NO 3985 18.57

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE FIREARM

INPUT VAR: AGV4C AGV5 AGV6

NOTES:

VARNAME: GUNLOCK

LABEL: TYPE OF FIREARM LOCK USED

VALUE: -1 INAPPLICABLE 18077 84.22
1 AT LEAST ONE GUN LOCKED WITH TRIGGER LOC 711 3.31
2 AT LEAST ONE GUN LOCKED WITH CABLE LOCK/ 2434 11.34
3 AT LEAST ONE GUN LOCKED WITH TRIGGER LOC 241 1.12

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE FIREARM AND USE AT LEAST ONE LOCK

INPUT VAR: AGV1 AGV4A - AGV4F AGV5 AGV6

NOTES:

VARNAME: GUNSAFE

LABEL: FIREARMS STORAGE: LOCKED AND/OR LOADED

			FREQ	%
VALUE:	-1	INAPPLICABLE	17041	79.40
	1	ALL GUNS LOCKED & UNLOADED	2118	9.87
	2	ALL GUNS UNLOCKED & UNLOADED	695	3.24
	3	ALL GUNS LOCKED & LOADED	609	2.84
	4	ALL GUNS UNLOCKED & LOADED	198	0.92
	5	AT LEAST ONE GUN UNLOCKED & LOADED	239	1.11
	6	OTHER STORAGE COMBINATION	563	2.62

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE FIREARM

INPUT VAR: AGV1 AGV4A - AGV4F AGV5 AGV6

NOTES:

CHIS 2022 Source Adult Data Dictionary	
SECTION R: ADVERSE CHILDHOOD EXPERIENCES	;

VARNAME: AQ1

LABEL: LIVED WITH ANYONE WHO WAS DEPRESSED/MENTALLY ILL/SUICIDAL BEFORE

VALUE: 1 YES FREQ % 4867 22.68

2 NO 16596 77.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ2

LABEL: LIVED WITH ANYONE WHO WAS A PROBLEM DRINKER/ALCOHOLIC BEFORE AGE

VALUE: 1 YES FREQ % 25.29

2 NO 16035 74.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ3

LABEL: LIVED WITH ANYONE WHO USED ILLEGAL DRUGS/ABUSED PRESCRIPTION MEDS

VALUE: 1 YES 2327 10.84 2 NO 19136 89.16

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ4

LABEL: LIVED WITH ANYONE WHO SERVED JAIL/PRISON TIME BEFORE AGE 18

FREQ % 1444 6.73 VALUE: 1 YES

20019 93.27 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ5

LABEL: PARENTS SEPARATED OR DIVORCED BEFORE AGE 18

FREQ % VALUE: 1 25.65 YES 5505

15359 71.56 599 2.79 2 NO

3 PARENTS NOT MARRIED

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ6

LABEL: HOW OFTEN ADULTS IN HOME PHYSICALLY FOUGHT EACH OTHER BEFORE AGE

VALUE: 1 NEVER 17035 79.37 2 ONCE 1354 6.31 3 MORE THAN ONCE 3074 14.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ7

LABEL: HOW OFTEN ADULTS IN HOME PHYSICALLY HURT R BEFORE AGE 18

VALUE: 1 NEVER 16606 77.37 2 ONCE 1294 6.03 3 MORE THAN ONCE 3563 16.60

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ8

LABEL: HOW OFTEN ADULTS IN HOME SWEARED AT OR INSULTED R BEFORE AGE 18

VALUE: 1 NEVER 13039 60.75
2 ONCE 1446 6.74
3 MORE THAN ONCE 6978 32.51

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ9

LABEL: HOW OFTEN ADULT/OLDER PERSON IN HOME TOUCHED R SEXUALLY BEFORE AG

VALUE: 1 NEVER 18172 84.67
2 ONCE 1307 6.09
3 MORE THAN ONCE 1984 9.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ10

LABEL: HOW OFTEN ADULT/OLDER PERSON IN HOME MADE R TOUCH THEM SEXUALLY B

VALUE: 1 NEVER 19102 89.00
2 ONCE 943 4.39
3 MORE THAN ONCE 1418 6.61

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ11

LABEL: HOW OFTEN ADULT/OLDER PERSON IN HOME FORCED R TO HAVE SEX BEFORE

VALUE: 1 NEVER 20300 94.58
2 ONCE 426 1.98
3 MORE THAN ONCE 737 3.43

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ12

LABEL: EVER BEEN VICTIM OF VIOLENCE OR WITNESSED VIOLENCE IN NEIGHBORHOO

% FREQ VALUE: 1 YES 4773 22.24

> 2 NO 16690 77.76

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ13

LABEL: EVER BEEN TREATED UNFAIRLY DUE TO RACE/ETHNICITY BEFORE AGE 18

FREQ VALUE: 4255 YES 19.82

1 17208 2 NO 80.18

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ14

LABEL: EVER LIVED WITH A PARENT WHO DIED BEFORE AGE 18

FREQ YES NO 16.76 VALUE: 3597 1

17866 83.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ15

LABEL: HOW OFTEN HARD TO GET BY ON FAMILY'S INCOME BEFORE AGE 18

VALUE: 1 VERY OFTEN 2479 11.55
2 SOMEWHAT OFTEN 3540 16.49
3 NOT VERY OFTEN 6222 28.99
4 NEVER 9222 42.97

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ16

LABEL: HOW OFTEN FELT ABLE TO TALK TO FAMILY ABOUT FEELINGS BEFORE AGE 1

VALUE: 1 ALL OF THE TIME 3417 15.92
2 MOST OF THE TIME 4316 20.11
3 SOME OF THE TIME 4760 22.18
4 A LITTLE OF THE TIME 4855 22.62
5 NEVER 4115 19.17

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ17

LABEL: HOW OFTEN FELT FAMILY STOOD BY YOU DURING DIFFICULT TIMES BEFORE

		FREQ	%
1	ALL OF THE TIME	8496	39.58
2	MOST OF THE TIME	5824	27.14
3	SOME OF THE TIME	3298	15.37
4	A LITTLE OF THE TIME	2325	10.83
5	NEVER	1520	7.08
	4	2 MOST OF THE TIME 3 SOME OF THE TIME 4 A LITTLE OF THE TIME	1 ALL OF THE TIME 8496 2 MOST OF THE TIME 5824 3 SOME OF THE TIME 3298 4 A LITTLE OF THE TIME 2325

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ18

LABEL: HOW OFTEN FELT SAFE AND PROTECTED BY ADULT IN HOME BEFORE AGE 18

			FREQ	%
VALUE:	1	ALL OF THE TIME	11411	53.17
	2	MOST OF THE TIME	5186	24.16
	3	SOME OF THE TIME	2537	11.82
	4	A LITTLE OF THE TIME	1274	5.94
	5	NEVER	1055	4.92
	4 5			

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ19

LABEL: HOW OFTEN HAD AT LEAST TWO NON-PARENT ADULTS TAKE GENUINE INTERES

		FREQ	%
1	ALL OF THE TIME	6561	30.57
2	MOST OF THE TIME	4778	22.26
3	SOME OF THE TIME	4289	19.98
4	A LITTLE OF THE TIME	2515	11.72
5	NEVER	3320	15.47
	3	2 MOST OF THE TIME 3 SOME OF THE TIME 4 A LITTLE OF THE TIME	1 ALL OF THE TIME 6561 2 MOST OF THE TIME 4778 3 SOME OF THE TIME 4289 4 A LITTLE OF THE TIME 2515

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ20

LABEL: HOW OFTEN FELT SUPPORTED BY FRIENDS BEFORE AGE 18

			FREQ	%
VALUE:	1	ALL OF THE TIME	6210	28.93
	2	MOST OF THE TIME	7454	34.73
	3	SOME OF THE TIME	4745	22.11
	4	A LITTLE OF THE TIME	1964	9.15
	5	NEVER	1090	5.08

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ21

LABEL: HOW OFTEN FELT SENSE OF BELONGING AT HIGH SCHOOL BEFORE AGE 18

			FKEQ	%
VALUE:	1	ALL OF THE TIME	5148	23.99
	2	MOST OF THE TIME	6570	30.61
	3	SOME OF THE TIME	4796	22.35
	4	A LITTLE OF THE TIME	2749	12.81
	5	NEVER	2200	10.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ22

LABEL: HOW OFTEN ENJOYED PARTICIPATING IN COMMUNITY TRADITIONS BEFORE AG

			FREQ	%
VALUE:	1	ALL OF THE TIME	4699	21.89
	2	MOST OF THE TIME	5386	25.09
	3	SOME OF THE TIME	5295	24.67
	4	A LITTLE OF THE TIME	3056	14.24
	5	NEVER	3027	14.10

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ23

LABEL: EVER COMPLETED AN ACES ASSESSMENT WITH A HEALTH PROFESSIONAL

VALUE: 1 YES 1719 8.01 2 NO 19744 91.99

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ24

LABEL: EVER COMPLETED AN ACES ASSESSMENT FOR TEEN WITH A HEALTH PROFESSI

VALUE: -1 INAPPLICABLE 18948 88.28
1 YES 389 1.81
2 NO 2126 9.91

UNIVERSE: ADULTS WITH SAMPLED TEEN IN HH

INPUT VAR:

NOTES:

VARNAME: AQ25

LABEL: EVER COMPLETED AN ACES ASSESSMENT FOR CHILD WITH A HEALTH PROFESS

VALUE: -1 INAPPLICABLE 18834 87.75
1 YES 264 1.23
2 NO 2365 11.02

UNIVERSE: ADULTS WITH SAMPLED CHILD IN HH

INPUT VAR:

NOTES:

VARNAME: AQ26

LABEL: HOW IMPT FOR HEALTH CARE PROVIDERS TO ASK PATIENTS ABOUT ACES

FREQ %
VALUE: 1 VERY IMPORTANT 10450 48.69
2 SOMEWHAT IMPORTANT 9626 44.85
3 NOT AT ALL IMPORTANT 1387 6.46

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ27

LABEL: SATISFACTION WITH HEALTH CARE PROVIDER EFFORTS TO ADDRESS ACES IM

VALUE: 1 VERY SATISFIED 6415 29.89
2 SOMEWHAT SATISFIED 11025 51.37
3 NOT AT ALL SATISFIED 4023 18.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: ACE_A

LABEL: ADVERSE CHILDHOOD EXPERIENCES SCALE

VALUE: 1 0 ACE 7089 33.03
2 1 ACE 4207 19.60
3 2 ACE 3011 14.03
4 3 ACE 2327 10.84
5 4+ ACE 4829 22.50

UNIVERSE: ALL ADULTS

INPUT VAR: AQ1 - AQ11

NOTES: 11 POINT ACE SCALE MIRRORS 2009-2020 BRFSS ACE MODULE

VARNAME: ACE8

LABEL: ADVERSE CHILDHOOD EXPERIENCES SCALE (8 PT SCALE)

			FREQ	%
VALUE:	1	O ACE	7089	33.03
	2	1 ACE	4428	20.63
	3	2 ACE	3227	15.04
	4	3 ACE	2424	11.29
	5	4+ ACE	4295	20.01

UNIVERSE: ALL ADULTS

INPUT VAR: AQ1 - AQ11

NOTES: 8 POINT SCALE COMBINES TWO ACE MODULE QUESTIONS ON HOUSEHOLD

SUBSTANCE ABUSE INTO ONE ITEM AND THREE ACE MODULE QUESTIONS ON

SEXUAL ABUSE INTO ONE ITEM

VARNAME: PCE

LABEL: POSITIVE CHILDHOOD EXPERIENCES SCALE

			FREQ	%
VALUE:	1	0-2 PCES	6035	28.12
	2	3-5 PCES	8677	40.43
	3	6-7 PCES	6751	31.45

UNIVERSE: ALL ADULTS

INPUT VAR: AQ16 - AQ22

NOTES: EXPERIENCING AN ITEM ON THE PCE SCALE DEFINED AS RESPONDING "ALL

OF THE TIME" OR "MOST OF THE TIME" TO AQ16 - AQ22.