## Practical – 2

## **TRIGGER**

1	Create a trigger which displays a message "Employee added" after inserting a new record
	into the employee table.
2	Create a trigger that will cause an error message and display old and new salary when an
	update occurs that would result in a salary increase greater than 2000 of the current salary.
3	Create a trigger before employee detail is deleted, it also modifies the data into the
	department table.
	EMP( empno, name, salary, deptno, designation)
	DEPT( <u>deptno</u> ,name,noofemployee,Total_salary)
4	Create a login table Login(ID,username,login_date)
	Create a trigger which will display current user and current date before insert the record
	and update the user and login_date with current user and current date
	*take the current username in username field of Login table.
	*select user from dual;
5	Create table Temp(no integer,name char(10)) . and insert the 5 records;
	Create a trigger that 1) display all record of table and 2) display massage ('table is about
	deleted') 3) delete all records <b>before drop the table</b> Temp.

## **Trigger Syntax:**

```
CREATE [OR REPLACE] TRIGGER <trigger_name>

{BEFORE|AFTER} {INSERT|DELETE|UPDATE} ON <table_name> | <view_name>

[REFERENCING [NEW AS <new_row_name>] [OLD AS <old_row_name>] ]

[FOR EACH ROW [WHEN <trigger_condition>)]]

<trigger_body>
```

#### Example 1

END;

```
CREATE OR REPLACE TRIGGER emp_alert_trig

BEFORE INSERT ON emp

BEGIN

DBMS_OUTPUT.PUT_LINE ('New employees are about to be added');
```

# Example 2

CREATE OR REPLACE TRIGGER trig1

AFTER INSERT ON T4

REFERENCING NEW AS newRow

FOR EACH ROW WHEN (newRow.a <= 10)

**BEGIN** 

**INSERT INTO T5** 

VALUES (:newRow.b, :newRow.a);

END trig1;