Experiment 7: Configuration Management with Ansible:
Basics of Ansible:Inventory, playbooks, and Modules, Automating server Configurations with playbooks, hands-on: Writting and Running a Basic Playbook.

Install Ansible on Ubuntu

Open a terminal and follow these steps:

step 1: Update package lists
sudo apt update

step 2: Install software-properties-common (optional but helpful)
sudo apt install software-properties-common -y

step 3: Add the Ansible PPA
sudo add-apt-repository --yes --update ppa:ansible/ansible

step 4: Fix the locale
sudo locale-gen en_US.UTF-8

```
anamika@anamika-HCL:~$ sudo locale-gen en_US.UTF-8
[sudo] password for anamika:
Generating locales (this might take a while)...
  en_US.UTF-8... done
Generation complete.
```

sudo update-locale LANG=en_US.UTF-8
export LANG=en_US.UTF-8
export LC_ALL=en_US.UTF-8
locale

```
anamika@anamika-HCL:~$ locale
LANG=en_US.UTF-8
LANGUAGE=en_IN:en
LC_CTYPE="en_US.UTF-8"
LC_NUMERIC="en_US.UTF-8"
LC_TIME="en_US.UTF-8"
LC_COLLATE="en_US.UTF-8"
LC_MONETARY="en_US.UTF-8"
LC_MESSAGES="en_US.UTF-8"
LC_PAPER="en_US.UTF-8"
LC_NAME="en_US.UTF-8"
LC_ADDRESS="en_US.UTF-8"
LC_TELEPHONE="en_US.UTF-8"
LC_MEASUREMENT="en_US.UTF-8"
LC_IDENTIFICATION="en_US.UTF-8"
LC_ALL=en_US.UTF-8
```

step 5: Install Ansible
sudo apt install ansible -y

step 6: Verify installation
ansible –version

```
anamika@anamika-HCL:~$ ansible --version
ansible [core 2.17.10]
  config file = /etc/ansible/ansible.cfg
  configured module search path = ['/home/anamika/.ansible/plugins/modules', '/usr/share/ansible/plugins/modules']
  ansible python module location = /usr/lib/python3/dist-packages/ansible
  ansible collection location = /home/anamika/.ansible/collections:/usr/share/ansible/collections
  executable location = /usr/bin/ansible
  python version = 3.10.12 (main, Feb  4 2025, 14:57:36) [GCC 11.4.0] (/usr/bin/python3)
  jinja version = 3.0.3
  libyaml = True
```

step 7: Create inventory file
 vi inventory.ini

 code:

 [local]
localhost ansible_connection=local

save and exit.

step 8: create yml playbook
vi create-file.yml

code: (note:- indentation code)

```
---
- name: Create a file on remote hosts
  hosts: all
  become: true
  tasks:
    - name: Create a file called /tmp/hello.txt
      file:
        path: /tmp/hello.txt
        state: touch
```


save and exit.

Run Command:
ansible-playbook -i inventory.ini create-file.yml

```
anamika@anamika-HCL:~$ ansible-playbook -i inventory.ini create-file.yml

PLAY [Create a file on remote hosts] ***********************************************************

TASK [Gathering Facts] *************************************************************************
[WARNING]: Platform linux on host localhost is using the discovered Python interpreter at /usr/bin/python3.10, but future
installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-
core/2.17/reference_appendices/interpreter_discovery.html for more information.
ok: [localhost]

TASK [Create a file called /tmp/hello.txt] *****************************************************
changed: [localhost]

PLAY RECAP *************************************************************************************
localhost                  : ok=2    changed=1    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
```

step 8: To verify the result manually

ls -l /tmp/hello.txt
(or)
cat /tmp/hello.txt

```
anamika@anamika-HCL:~$ ls -l /tmp/hello.txt
-rw-r--r-- 1 root root 0 Apr 21 12:33 /tmp/hello.txt
```

Experiment 8: Practical Excercise:
Set up a Jenkins CI Pipeline for a Maven Project, Use Ansible to deploy Artifacts generated by Jenkins
i)   Jenkins setup (pipeline for Maven build)
ii) Ansible setup for deployment
iii) Integration between Jenkins and Ansible

Configure

⚙ General

⏱ Triggers

⌜⌐ Pipeline

🔧 Advanced

☐ Throttle builds   ?

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times

☐ Build after other projects are built   ?

☐ Build periodically   ?

☐ GitHub hook trigger for GITScm polling   ?

☐ Poll SCM   ?

☐ Trigger builds remotely (e.g., from scripts)   ?

☐ GitHub project

☐ Pipeline speed/durability override   ?

In the trigger section leave uncheck

Save the configuration.

Pipeline script: Jenkinsfile
code:

```
pipeline {
   agent any

   tools {
      maven 'Maven 3'
      jdk 'Java 11'
   }

   stages {
      stage('Checkout Code') {
         steps {
            git 'https://github.com/YOUR-USERNAME/YOUR-MAVEN-REPO.git'
         }
      }

      stage('Build with Maven') {
         steps {
            sh 'mvn clean package'
         }
      }
```

```
    stage('Archive JAR') {
        steps {
            archiveArtifacts artifacts: 'target/*.jar'
        }
    }

    stage('Deploy using Ansible') {
        steps {
            sh 'ansible-playbook -i ansible/inventory.ini ansible/deploy.yml'
        }
    }
  }
}
```

Steps to do in terminal :

1. Move to clean location:
cd ~
mkdir java-projects
cd java-projects

2.Run the Maven Archetype Command Again:
mvn archetype:generate \
  -DgroupId=com.example \
  -DartifactId=myapp \
  -DarchetypeArtifactId=maven-archetype-quickstart \
  -DinteractiveMode=false

```
java-projects/
└── myapp/
    ├── pom.xml
    └── src/
```

```
anamika@anamika-HCL:~/java-projects$ ls
myapp
anamika@anamika-HCL:~/java-projects$ cd myapp
anamika@anamika-HCL:~/java-projects/myapp$ ls
pom.xml   src
```

```
anamika@anamika-HCL:~$ cd ~
mkdir java-projects
cd java-projects
anamika@anamika-HCL:~/java-projects$ mvn archetype:generate \
  -DgroupId=com.example \
  -DartifactId=myapp \
  -DarchetypeArtifactId=maven-archetype-quickstart \
  -DinteractiveMode=false
[INFO] Scanning for projects...
[INFO]
[INFO] -----------------< org.apache.maven:standalone-pom >-------------------
[INFO] Building Maven Stub Project (No POM) 1
[INFO] --------------------------------[ pom ]---------------------------------
[INFO]
[INFO] >>> maven-archetype-plugin:3.3.1:generate (default-cli) > generate-sources @ standalone-pom >>>
[INFO]
[INFO] <<< maven-archetype-plugin:3.3.1:generate (default-cli) < generate-sources @ standalone-pom <<<
[INFO]
[INFO]
[INFO] --- maven-archetype-plugin:3.3.1:generate (default-cli) @ standalone-pom ---
[INFO] Generating project in Batch mode
[INFO] -----------------------------------------------------------------------
[INFO] Using following parameters for creating project from Old (1.x) Archetype: maven-archetype-quickstart:1.0
[INFO] -----------------------------------------------------------------------
[INFO] Parameter: basedir, Value: /home/anamika/java-projects
[INFO] Parameter: package, Value: com.example
[INFO] Parameter: groupId, Value: com.example
[INFO] Parameter: artifactId, Value: myapp
[INFO] Parameter: packageName, Value: com.example
[INFO] Parameter: version, Value: 1.0-SNAPSHOT
[INFO] project created from Old (1.x) Archetype in dir: /home/anamika/java-projects/myapp
[INFO] -----------------------------------------------------------------------
[INFO] BUILD SUCCESS
[INFO] -----------------------------------------------------------------------
[INFO] Total time:  10.652 s
[INFO] Finished at: 2025-04-22T10:29:30+05:30
[INFO] -----------------------------------------------------------------------
```

3.Create Jenkinsfile:
touch Jenkinsfile
nano Jenkinsfile

code:

```
pipeline {
   agent any

   tools {
      maven 'Maven 3'      // Make sure this name matches what you added in Jenkins tools
      jdk 'Java 11'
   }

   stages {
      stage('Build Maven Project') {
         steps {
            sh 'mvn clean package'
         }
      }

      stage('Archive Artifact') {
         steps {
            archiveArtifacts artifacts: 'target/*.jar'
         }
      }

      stage('Deploy with Ansible') {
```

```
        steps {
            sh 'ansible-playbook -i ansible/inventory.ini ansible/deploy.yml'
        }
      }
    }
  }
}
```

4.Create Ansible Directory and files:
mkdir ansible
cd ansible

5.Create inventory.ini:
nano inventory.ini

code:
[app]
localhost ansible_connection=local

6.After running below command pom.xml should be like this:
mvn clean package

note: (pom.xml will auto cretae, just check properties is added or not. If not add properties)

code:
<project xmlns="http://maven.apache.org/POM/4.0.0"

```
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
          http://maven.apache.org/maven-v4_0_0.xsd">

  <modelVersion>4.0.0</modelVersion>
  <groupId>com.example</groupId>
  <artifactId>myapp</artifactId>
  <packaging>jar</packaging>
  <version>1.0-SNAPSHOT</version>
  <name>myapp</name>
  <url>http://maven.apache.org</url>

  <properties>
    <maven.compiler.source>1.8</maven.compiler.source>
    <maven.compiler.target>1.8</maven.compiler.target>
  </properties>

  <dependencies>
    <dependency>
      <groupId>junit</groupId>
      <artifactId>junit</artifactId>
      <version>3.8.1</version>
      <scope>test</scope>
    </dependency>
  </dependencies>

</project>
```

verify:
ls target
myapp-1.0-SNAPSHOT.jar   should exist

```
anamika@anamika-HCL:~/java-projects/myapp$ ls target
classes              generated-test-sources  maven-status           surefire-reports
generated-sources  maven-archiver          myapp-1.0-SNAPSHOT.jar  test-classes
```

7.Create deploy.yml:
cd myapp
(note: install jdk, if not installed
sudo apt install default-jdk)
jar xf target/myapp-1.0-SNAPSHOT.jar META-INF/MANIFEST.MF
cat META-INF/MANIFEST.MF
verify Main-Class as above screenshot it should be com.example.App

```
anamika@anamika-HCL:~/java-projects/myapp$ jar xf target/myapp-1.0-SNAPSHOT.jar META-INF/MANIFEST.MF
anamika@anamika-HCL:~/java-projects/myapp$ cat META-INF/MANIFEST.MF
Manifest-Version: 1.0
Created-By: Maven Jar Plugin 3.2.0
Build-Jdk-Spec: 17
Main-Class: com.example.App
```

cp target/myapp-1.0-SNAPSHOT.jar /home/anamika/deploy/myapp.jar
java -jar /home/anamika/deploy/myapp.jar

```
anamika@anamika-HCL:~/java-projects/myapp$ cp target/myapp-1.0-SNAPSHOT.jar /home/anamika/deploy/myapp.jar
anamika@anamika-HCL:~/java-projects/myapp$ java -jar /home/anamika/deploy/myapp.jar
Hello World!
```

cd ansible
nano deploy.yml

code:
- name: Deploy Maven JAR
  hosts: app
  tasks:
    - name: Ensure target directory exists
      file:
        path: /opt/myapp
        state: directory
        mode: '0755'

    - name: Copy JAR file
      copy:
        src: ../target/myapp-1.0-SNAPSHOT.jar
        dest: /opt/myapp/myapp.jar

Save and exit
- - - - - - -
nano hosts.ini
code:
[app]
localhost ansible_connection=local

save and exit

```
anamika@anamika-HCL:~/java-projects/myapp/ansible$ ls
deploy.yml  hosts.ini  inventory.ini
anamika@anamika-HCL:~/java-projects/myapp/ansible$ cat hosts.ini
[app]
localhost ansible_connection=local
```
Run

Ansible Playbook with below command:
ansible-playbook hosts.ini deploy.yml

```
anamika@anamika-HCL:~/java-projects/myapp/ansible$ ansible-playbook -i hosts.ini deploy.yml

PLAY [Deploy Maven JAR] ***********************************************************************************

TASK [Gathering Facts] ************************************************************************************
[WARNING]: Platform linux on host localhost is using the discovered Python interpreter at /usr/bin/python3.10, but future
installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-
core/2.17/reference_appendices/interpreter_discovery.html for more information.
ok: [localhost]

TASK [Create deploy directory if it doesn't exist] ******************************************************
ok: [localhost]

TASK [Copy JAR to deployment folder] ******************************************************************
ok: [localhost]

TASK [Run Java Application] ********************************************************************************
changed: [localhost]

PLAY RECAP ************************************************************************************************
localhost                  : ok=4    changed=1    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0

anamika@anamika-HCL:~/java-projects/myapp/ansible$ ls
deploy.yml  hosts.ini  inventory.ini
anamika@anamika-HCL:~/java-projects/myapp/ansible$ cat hosts.ini
[app]
localhost ansible_connection=local
```