



encyclopedia of

FROGS

SNODGS

CONTENTS

01 TREE FROG

- Barking Tree Frog
- White Lipped Tree Frog
- Squirrel Tree Frog
- Gray Tree Frog

03 POISONOUS FROGS

- Blue Poison Dart Frog
- Green And Black Poison Frog

05 NARROW MOUTHED TOADS

- Eastern Mouthed Toads
- Western Narrow Mouthed Toads





White
Lipped
Tree Frog

TREE FROG

Tree frogs are a diverse family of amphibians that includes over 800 species. Not all tree frogs live in trees. Rather, the feature that unites them has to do with their feet—the last bone in their toes (called the terminal phalanx) is shaped like a claw. Tree frogs also have toe pads to help them climb and many have extra skeletal structures in their toes. Tree frogs can be a variety of colors, but most of

**Dryophytes
gratiosus is the
largest native
tree frog.**




Tree frogs are a diverse family of amphibians that includes over 800 species. Not all

As the name implies, these frogs are typically found in trees or other high-growing vegetation. They do not normally descend to the ground, except to mate and spawn, though some build foam nests on leaves and rarely leave the trees at all as

adults, and Eleutherodactylus has evolved direct development and therefore does

ther rough and warty nor smooth, having skin that is thick and leathery. Its skin can also shift colors depending on lighting, time of day, temperature,



Squirrel
Tree Frog

The squirrel tree frog (*Dryophytes squirellus*) is a small species of tree frog found in the south-eastern United States, from Texas to Virginia. This is an introduced species in the Bahamas. Squirrel tree frogs are small frogs, about 1.5 inches in length as adults. There are several color variations, but most com-

Barking
Tree Frog



Dryophytes gratiosus is the largest native tree frog in the United States, acquiring its name from the raucous and explosive call.[3] It is 5 to 7 cm (2.0 to 2.8 in) in head-body length. [4] It is variable in color, but easily recognizable due to the characteristic dark, round markings on its dorsum. Individuals may be bright or dull green, brown, yellowish, or gray in color with small, grey and green-yellow spots. It has prominent, round toe pads, and the male has a large vocal sac. *Dryophytes gratiosus* has skin that is unlike any other species of American frog.[3] Its skin is nei-




variations, but most commonly they are green and look very much like the American green tree frog. They can also be varying shades of yellow or brown, some-

Gray Tree Frog

POISONOUS

FROGS



Blue Poison Dart Frog

The blue poison dart frog or blue poison arrow frog (*Dendrobates azureus*) is a poison dart frog found in the "forest islands" surrounded by the Sipaliwini Savanna in southern Suriname. Its indigenous Tirio name is okopipi. The name "azureus" comes from its azur blue color first described as.

The black spots are unique to each frog, enabling individuals to be identified.



a valid species and usually recognized as such in the past, recent authorities generally treat it as a morph of *D. tinctorius*, although a few treat it as a subspecies of *D. tinctorius* or continue to treat it as its own species to what.



Green And Black Poison Frog



Poison dart frog also known as dart-poison frog, poison frog or formerly known as poison arrow frog is the common name of a group of frogs.



The green-and-black poison dart frog (*Dendrobates auratus*), also known as the green-and-black poison arrow frog and green poison frog (among others), is a brightly-colored member of the order Anura native to southern Central America and some Oophaga species. From a conservation standpoint, it is consid-

ered to be of least concern by the International Union wblack poison dart frog has the typical appearance of the members of its family; males average 0.75 in (1.9 cm) in snout-vent length, while females are slightly larger, averaging 1 in (2.5 cm) or longer. The green-and-black poison dart frog is one of the most variable of all poison frogs in color and pattern. This variation is to some extent individual. but also



NARROW MOUTHEDED TOADS

EASTERN

Tree frogs are a diverse family of amphibians that includes over 800 species. Not all tree frogs live in trees. Rather, the feature that unites them has to do with their feet—the last bone in their toes (called the terminal phalanx) is shaped like a claw. Tree frogs also have toe pads to help them climb and many have extra skeletal structures



Tree frogs are a diverse family of amphibians that includes over 800 species. Not all tree frogs live in trees. Rather, the feature that unites them has to do with their feet—the last bone in their toes (called the terminal phalanx) is shaped like a claw. Tree frogs also have toe pads to help them climb and many have extra skeletal structures in their toes. Tree frogs can be a variety of colors, but most of the species found in the feature that unites them has to do



“Tree frogs are a diverse family of amphibians that includes over 800 species.”



Rather, the feature that unites them has to do with their feet—the last bone in their toes (called the terminal phalanx) is shaped like a claw. Tree frogs also have toe pads to help them climb and many have extra skeletal structures in their toes. Tree frogs can be a variety of colors, but most of the species found in the

WESTERN

