

Concomitant Medications - Repeating

CDASH-style CRF · Form ID: CM · Generated from OpenClinica template for NexaDirect demo

Subject ID: _____ Site ID: _____ Visit: _____

CM Number

CM_CMSPID

Medication/Therapy

CM_CMTRT

Record only 1 medication/therapy per line. Provide the full trade or proprietary name of the medication/therapy; otherwise the generic name may be recorded.

Indication

CM_CMINDC

Record the reason the medication/therapy was taken based on clinical investigator's evaluation. If taken to treat a condition, and a diagnosis was made, the indication should be the diagnosis. If taken to treat a condition, and no diagnosis was made, the indication should be the signs and symptoms. If taken as prophylaxis, report as "Prophylaxis for" and include a description of the condition(s).

Dose

CM_CMDSTXT

Record the dose of medication/therapy taken per administration (e.g., 200).

Unit

CM_CMDOSU

Record the dose unit of the dose of concomitant medication/therapy taken (e.g., mg.).

- ☐ Percent Volume per Volume ☐ Capsule ☐ Gram ☐ Inhalation ☐ International Dosing Unit ☐ Liter per Hour
☐ Liter per Minute ☐ Milligram ☐ Milligram per Kilogram ☐ Milliliter ☐ Milliliter per Hour
☐ Milliliter per Kilogram ☐ Puff ☐ Spray ☐ Tablet ☐ Microgram ☐ Microgram per Kilogram ☐ Other

Other, Specify

CM_CMDOSUO

Dose Form

CM_CMDOSFRM

Record the pharmaceutical dosage form (e.g., Capsule, Cream) of delivery for the concomitant medication/therapy taken.

- ☐ Aerosol ☐ Capsule ☐ Cream ☐ Gas ☐ Gel ☐ Inhalant ☐ Injectable ☐ Liquid ☐ Ointment ☐ Patch
☐ Powder ☐ Spray ☐ Suppository ☐ Suspension ☐ Tablet ☐ Other

Other, Specify

CM_CMDOSFRMO

Frequency

CM_CMDOSFRQ

Record how often the medication/therapy was taken (e.g., BID, PRN).

- ☐ Twice Daily ☐ Once ☐ As Needed ☐ Daily ☐ Every Other Day ☐ Three Times Daily ☐ Unknown
☐ Other

Dose Frequency Other, Specify

CM_CMDOSFRQO

Route

CM_CMROUTE

Provide the route of administration for the medication/therapy.

☐ Intralesional ☐ Intramuscular ☐ Intraocular ☐ Intraperitoneal ☐ Nasal ☐ Oral ☐ Rectal ☐ Inhalation
☐ Subcutaneous ☐ Topical ☐ Transdermal ☐ Vaginal ☐ Other

Other, Specify

CM_CMROUTE0

Start Day

CM_CMSTDD

☐ 01 ☐ 02 ☐ 03 ☐ 04 ☐ 05 ☐ 06 ☐ 07 ☐ 08 ☐ 09 ☐ 10 ☐ 11 ☐ 12 ☐ 13 ☐ 14 ☐ 15
☐ 16 ☐ 17 ☐ 18 ☐ 19 ☐ 20 ☐ 21 ☐ 22 ☐ 23 ☐ 24 ☐ 25 ☐ 26 ☐ 27 ☐ 28 ☐ 29 ☐ 30
☐ 31

Start Month

CM_CMSTMO

☐ January ☐ February ☐ March ☐ April ☐ May ☐ June ☐ July ☐ August ☐ September ☐ October
☐ November ☐ December

Start Year

CM_CMSTYY

Ongoing

CM_CMONGO

Record the concomitant medication/therapy as ongoing if the subject has not stopped taking the concomitant medication/therapy at [the timepoint defined by the study]. If the concomitant medication is ongoing, the end date should be left blank.

☐ No ☐ Yes

End Date

CM_CMENDAT

Record the date the concomitant medication/therapy was stopped.