

ill small enough that  
e conversation. This,  
is sprawl—to this re-  
lections, and people—

lse. Jake had a hard  
ork, especially as the  
nonstop, coordinating  
most important host  
omputing at the time,  
onal life with her ca-  
ut I never got around  
at five in


tory, Jake's "yellow pages" of the Internet, prefigured by decades our age of searchable, reachable online social connections. Both of these simple, forward-thinking utilities would eventually become part of the ARPANET, folding the role of the NIC into the network itself. Like Grace Hopper with her automatic programming, Jake replaced herself with a machine.

As the ARPANET Directory—the Internet's yellow pages—grew alongside the network, Jake made important decisions about how it should be handled. One was philosophical: because the ARPANET community was such an odd mix of military people, computer scientists, and the occasional undergrad interloper, Jake insisted that names, never formal titles, be included in the directory. Keeping military rankings straight was a headache, and more importantly,

# Jake Feinler




@zeke








CHROMIUM



NODE.JS



# Open Source Flow



# GitHub Community Checklist

electron / electron

Unwatch 2,548 Star 56,364 Fork 7,338

Code Issues 814 Pull requests 33 Projects 4 Insights Settings

Pulse

Contributors

**Community**

Traffic

Commits

Code frequency

Dependency graph

Network

Forks

## Community profile

Here's how this project compares to recommended community standards.

### Checklist

✓ Description
✓ README
✓ Code of conduct
✓ Contributing
✓ License
✓ Issue template

# Issue Templates



ibash commented 7 days ago • edited ▾



- Electron version: Electron built at `aea06ed`, also reproduced on 1.8.2-beta.4
- Operating system: macOS 10.13.2

## How to reproduce

1. Clone this repo: <https://github.com/ibash/crashed-crash>
2. `yarn install`
3. `yarn start`

Crash example [here](#)

## Expected behavior

background web contents is continually crashed and recreated.

## Actual behavior

Main process eventually crashes - see link above.



zhuowenli commented 7 hours ago • edited



- Electron version: electron@2.0.0-beta.7
- Operating system: macOS 10.13.4

## Actual behavior

Election crash when `<webview>` using `partition`.

But `electron@1.8.4` is ok.

## How to reproduce

1. Use `BrowserWindow` open a link in new window. (this page has insert `<webview partition="xxx" url="http://xxx">` tags )
2. Close window.
3. Open again, then Election app will crash.



welcome bot commented 7 hours ago



👋 Thanks for opening your first issue here! If you're reporting a 🐞 bug, please make sure you include steps to reproduce it. We get a lot of issues on this repo, so please be patient and we will get back to you as soon as we can.

To help make it easier for us to investigate your issue, please follow the [contributing guidelines](#).

# Generous Permissions

## Teams

**maintainers**

134 members

Write ▾

**hubbers**

Folks who work at GitHub

7 members

Admin ▾

# Branch protection for master

---

## Protect this branch

Disables force-pushes to this branch and prevents it from being deleted.

## Require pull request reviews before merging

When enabled, all commits must be made to a non-protected branch and submitted via a pull request with at least one approved review and no changes requested before it can be merged into **master**.

### Dismiss stale pull request approvals when new commits are pushed

New reviewable commits pushed to a branch will dismiss pull request review approvals.

## Require review from Code Owners

Require an approved review in pull requests including files with a designated code owner.

### Restrict who can dismiss pull request reviews

Specify people or teams allowed to dismiss pull request reviews.

### Require status checks to pass before merging

Choose which [status checks](#) must pass before branches can be merged into **master**. When enabled, commits must first be pushed to another branch, then merged or pushed directly to **master** after status checks have passed.

## Restrict who can push to this branch

Specify people or teams allowed to push to this branch. Required status checks will still prevent these people from merging if the checks fail.

[electronjs.org](https://electronjs.org) Automation

# Heroku Review Apps



New changes since you last viewed

[View changes](#)




 emojify

● 88b479c




 vanessayuenn [deployed](#) to electron-website-pr-1130 on Feb 21


[View deployment](#)



# Demonstrable Pull Requests



# Continuous Deployment



The screenshot shows a web browser window with the Heroku dashboard for the 'electron-website' app. The URL in the address bar is <https://dashboard.heroku.com/apps/electron-website/deploy/github>. The page displays configuration for automatic deployments from GitHub. A green checkmark indicates that automatic deployments from the 'master' branch are enabled. Below this, there is a note about pushing to the 'master' branch triggering deployments. There is also an unchecked checkbox for 'Wait for CI to pass before deploy'. At the bottom, a button labeled 'Disable Automatic Deploys' is visible.

Automatic deploys

Enables a chosen branch to be automatically deployed to this app.

Automatic deploys from `master` are enabled

Every push to `master` will deploy a new version of this app. **Deploys happen automatically:** be sure that this branch in GitHub is always in a deployable state and any tests have passed before you push. [Learn more](#).

Wait for CI to pass before deploy

Only enable this option if you have a Continuous Integration service configured on your repo.

[Disable Automatic Deploys](#)

publishing Automation

Semantic Release is an ideology and a set of tools: write meaningful commit messages and leave versioning up to the machines.

# Commit Messages

SemVer's `major.minor.patch` can be thought of as  
`breaking.feature.fix`:

Commit Message	Semantic Version
<code>fix: make it work</code>	Patch
<code>feat: make it better</code>	Minor
<code>BREAKING CHANGE</code> (in commit body)	Major

Semantic Release automates the whole package release workflow, including determining the next version number, generating the release notes, and publishing the package.

This removes the connection between human emotions and version numbers, strictly following the Semantic Versioning specification.

```
$ npx semantic-release-cli setup
[?] What is your npm registry? https://registry.npmjs.org/
[?] What is your npm username? zeke
[?] What is your GitHub username? zeke
[?] What is your GitHub two-factor authentication code? 077388
? What CI are you using? Travis CI
[?] Do you want a `travis.yml` file with semantic-release setup? Yes
```

## { package.json ×

```
44     "scripts": {
45         "collect": "node script/collect.js",
46         "build": "npm-run-all build:*",
47         "build:stats": "node script/stats.js",
48         "build:module": "node script/build-module.js",
49         "build:nav": "node script/parse-nav.js",
50         "build:readme": "node script/readme.js",
51         "update-source-content": "script/update-source-content.sh",
52         "content-cleanup": "node script/i18n-content-cleanup.js",
53         "test": "npm run test-only",
54         "test-only": "mocha && standard --fix",
55         "prepack": "check-for-leaks",
56         "prepush": "check-for-leaks",
57         "pretest": "npm run build",
58         "semantic-release": "semantic-release pre && npm publish && semantic-release post",
59         "glossary": "npm-run-all glossary:*",
60         "glossary:build": "node script/build-glossary.js",
61         "glossary:upload": "node script/upload-glossary.js"
62     },
63     "electronLatestStableTag": "v1.8.4",
64     "electronMasterBranchCommit": "2e5cb930de80e79000887ba02372960fe1efbb20"
65 }
66 }
```

## Environment Variables

Notice that the values are not escaped when your builds are executed. Special characters (for bash) should be escaped accordingly.

CROWDIN\_KEY



.....

GH\_TOKEN



.....

NPM\_TOKEN



.....



**feat: add translations**

New Crowdin translations

**Confirm merge**

**Cancel**

 zeko changed the title from **New Crowdin translations** to **feat: New Crowdin translations**  
2 hours ago

 New translations quick-start.md (Spanish) ... ✓ 8ae967f

Add more commits by pushing to the **new-translations** branch on **electron/i18n**.

 All checks have passed  
4 successful checks Hide all checks

✓  Semantic Pull Request — good to go Details

✓  WIP — ready for review Details


✓  continuous-integration/travis-ci/pr — The Travis CI build passed Details

✓  continuous-integration/travis-ci/push — The Travis CI build passed Details

 This branch has no conflicts with the base branch  
Merging can be performed automatically.

**Squash and merge** ▾ You can also [open this in GitHub Desktop](#) or view [command line instructions](#).

Bots Bots Bots Bots Bots Bots



## PROBOT

GitHub Apps to automate  
and improve your workflow

Use pre-built apps to extend GitHub,  
and easily build and share your own.

A screenshot of a code editor window titled "probot.js — i18n". The tab bar shows "JS probot.js". The code editor displays the following JavaScript code:

```
1 module.exports = robot => {
2     robot.on('issues.opened', async context => {
3         // context.github is an authenticated @octokit/rest client!
4         context.github.issues.getForRepo(context.repo())
5
6         // bots can talk
7         context.github.issues.createComment(context.issue({body: 'Hello World!'}))
8     })
9 }
```



accesslint bot suggested changes on Dec 23, 2017

[View changes](#)

There are accessibility issues in these changes.

views/partials/footer.html

```
16      -      <a class="footer-nav-item icon" href="https://github.com/electron"
17      -      <a class="footer-nav-item icon" href="https://twitter.com/electron"
16      +      <a class="footer-nav-item" href="https://github.com/electron" aria-
17      +          <svg class="footer-social-icon icon-github" role="img" xmlns="ht
```




accesslint bot on Dec 23, 2017

You're missing an `alt` attribute here. This is a problem for people using screen readers. Here are some [tips for what to write](#).

# Update graphql to the latest version 🚀 #1080

 **Open**

greenkeeper wants to merge 1 commit into `master` from `greenkeeper/graphql-0.13.0`



**release-notifier** bot commented 21 minutes ago

This PR landed in [v3.0.2: lil' patchy patch](#)





ckerr commented 21 days ago

Owner



...

/trop run backport-to 1-8-x



trop bot commented 21 days ago



...

The backport process for this PR has been manually initiated, sending your 1's and 0's to "1-8-x" here we go! :D



trop bot referenced this pull request 21 days ago

**Backport (1-8-x) - net: change mime type deduction in  
URLRequestAsarJob #12374**

Merged



trop bot commented 21 days ago



...

We have automatically backported this PR to "1-8-x", please check out [#12374](#)



trop bot added the merged/1-8-x label 21 days ago



ci-reporter bot commented 3 days ago

+ 😊 ...

## The build is failing

✨ Good work on this PR so far! ✨ Unfortunately, the [Travis CI build](#) is failing as of [439d09a](#). Here's the output:

**npm test**

```
> electron-apps@1.2681.0 test /home/travis/build/electron/apps
> mocha --reporter min test/human-data.js && standard --fix

11120 passing (2s)
1 failing

1) human-submitted app data blockbench blockbench.yml colors allows goodColorOnWhite to

    AssertionError: blockbench: contrast ratio too low for goodColorOnWhite. Try: #0062
    + expected - actual

    -false
    +true

    at Context.<anonymous> (test/human-data.js:78:52)
```

I'm sure you can fix it! If you need help, don't hesitate to ask a maintainer of the project!

---

This comment was automagically generated by [ci-reporter](#). If you see a problem, open [an issue here](#).

# URLs

- [github.com/your/repo/community](https://github.com/your/repo/community)
- [github.com/apps](https://github.com/apps)
- [probot.github.io](https://probot.github.io)
- [github.com/octokit](https://github.com/octokit)
- [github.com/zeke/github-constellation-la-talk](https://github.com/zeke/github-constellation-la-talk)

When her manager returned to work the following Monday, he found two things sitting on his office chair: the spanning-tree protocol specifications and the poem, which has taken on mythical dimensions in network engineering circles. Many years later, Radia's son set *Algorhyme* to music, and Radia and her daughter, an opera singer and violinist, performed it at MIT's Lincoln Laboratory. As for the spanning-tree protocol, it transformed Ethernet from a limited, localized technology into something that could support much larger networks, and it is now fundamental to the way computers are networked. It's Radia's most famous, although by no means her only, contribution to networking. Her work might be invisible to the everyday user, but it's invisible in the way that laws are invisible or the rules of traffic in a busy city are invisible: it directs the flow of information at a layer beyond our conscious awareness. "If I do my job right," she explains, "you never see it."

fin.