

Errata: Bayesian Econometrics - Gary Koop (2003)

Original errata (1 st January, 2009): epdc.wiley.com/pub/docs/3243ba3d-b457-40a0-ae6b-63d7ae78a1b7 This errata (27 th September, 2026): github.com/zekiakyol/compact-erratas	
 Location	 Correction
Page 1, Second equation	$p(A, B) = p(B A)p(B)$ should be $p(A, B) = p(B A)p(A)$.
Page 5, 8 lines after Equation (1.8)	The probability $p(y y^*)$ should be $p(y^* y)$.
Page 20, Equation (2.18)	$var(h y) = \frac{2\bar{s}^{-2}}{\bar{\nu}}$ should be $var(h y) = \frac{2\bar{s}^{-4}}{\bar{\nu}}$. This error was also made in the MATLAB code used for the empirical example on pages 28–30, so the reported results are very slightly off.
Pages 23 and 269, Jeffreys prior	$p(\beta, h) = \frac{1}{h}$ should be $p(\beta, h) = \frac{1}{\sqrt{h}}$.
Page 36, Equation (3.7)	The $h^{\frac{1}{2}}$ term in the likelihood function should be $h^{\frac{k}{2}}$.
Page 37, Equation (3.19)	$var(h y) = \frac{2\bar{s}^{-2}}{\bar{\nu}}$ should be $var(h y) = \frac{2\bar{s}^{-4}}{\bar{\nu}}$.
Page 38, Equation (3.24)	$p(\beta, h) \propto \frac{1}{h}$ should be $p(\beta, h) \propto h^{\frac{k-2}{2}}$.
Page 42, Equation (3.37)	$PO_{12} = \frac{(X'_1 X_1)^{\frac{1}{2}} (\nu_1 s_1^2)^{-\frac{N}{2}} p(M_1)}{(X'_2 X_2)^{\frac{1}{2}} (\nu_2 s_2^2)^{-\frac{N}{2}} p(M_2)}$ should be $PO_{12} = \frac{(X'_1 X_1)^{-\frac{1}{2}} (\nu_1 s_1^2)^{-\frac{N}{2}} p(M_1)}{(X'_2 X_2)^{-\frac{1}{2}} (\nu_2 s_2^2)^{-\frac{N}{2}} p(M_2)}$.
Page 45, First line after Equation (3.38)	For notation consistency, $N(0, h^{-1}I_T)$ should be $N(0_T, h^{-1}I_T)$.
Page 45, Equation (3.39)	S should be T .
Page 46, Line 1	The reference to (3.38) should refer to (3.39).
Page 51, Table 3.2	The estimated standard deviations of the prior and posterior h are slightly off. In MATLAB file <code>ch3post.m</code> , line 58, <code>hvar=2/v1s12</code> should be <code>hvar=2/(v1*s12^2)</code> .
Page 60, 2 lines above Equation (4.3)	The text should refer to “(3.3), (4.1) and (4.2)”, not “(3.2), (4.1) and (4.2)”.
Page 66, Last line	“posterior involves is a mixture” should be “posterior involves a mixture”.
Page 66, Equation (4.14)	$CD = \frac{\hat{g}_{S_A} - \hat{g}_{S_C}}{\frac{\hat{\sigma}_A}{\sqrt{S_A}} + \frac{\hat{\sigma}_C}{\sqrt{S_C}}}$ should be $CD = \frac{\hat{g}_{S_A} - \hat{g}_{S_C}}{\sqrt{\frac{\hat{\sigma}_A^2}{S_A} + \frac{\hat{\sigma}_C^2}{S_C}}}$.
Page 79, 2 lines above Equation (4.39)	The reference to (4.38) should refer to (4.37).
Page 84, Line 4 from top	“weights are then calculated as (4.36)” should be “weights are then calculated as specified in (4.38).”
Page 84, Line 8 from top	“as in (4.35), we can ...” should be “as in (4.37), we can ...”.
Page 103, Line 18 from top	“ $g(y) = E[Skew(y)]$ or $E[Kurt(y)]$ and $g(y^\dagger) = E[Skew(y^\dagger)]$ or $E[Kurt(y^\dagger)]$.” should be “ $g(y) = Skew(y)$ or $Kurt(y)$ and $g(y^\dagger) = Skew(y^\dagger)$ or $Kurt(y^\dagger)$.”
Page 103, Posterior predictive p -value discussion	The description is correct as written but may be misleading: the stated procedure calculates the probability of values more extreme than the observed test statistic in one tail only of its posterior distribution. Under the definition used here, the posterior predictive p -value lies between 0 and 0.5. A more conventional p -value can be obtained by doubling it, which should work well when the distribution is approximately symmetric.
Page 106, Equation (5.22)	$f(\theta) = \frac{1}{p(2\pi)^{\frac{k}{2}}} \hat{\Sigma} ^{-\frac{1}{2}} \exp \left[-\frac{1}{2} (\hat{\theta} - \theta)' \hat{\Sigma}^{-1} (\hat{\theta} - \theta) \right] 1(\theta \in \hat{\Theta})$ should be $f(\theta) = \frac{1}{(1-p)(2\pi)^{\frac{k}{2}}} \hat{\Sigma} ^{-\frac{1}{2}} \exp \left[-\frac{1}{2} (\hat{\theta} - \theta)' \hat{\Sigma}^{-1} (\hat{\theta} - \theta) \right] 1(\theta \in \hat{\Theta})$.
Page 107, Line 3	“for the noninformative prior given in (5.2), and...” should be “for the noninformative prior given in (5.4), and...”.
Page 107, Paragraph 2, Line 4 from bottom	The reference should be to (5.6).
Page 120, Equation (6.8)	Insert the missing factor $ \Omega ^{-1/2}$. $h^{1/2}$ should be $h^{k/2}$.
Page 129, Description of Student- t errors	The statement “... linear regression model with independent Student- t errors” formally holds for fixed ν_λ . When ν_λ is treated as an unknown parameter and assigned a hierarchical prior, the resulting distribution is a mixture of Student- t distributions.

Page 153, Second equation from bottom	$\bar{\beta} = \bar{V} \left(\underline{V}_{\beta}^{-1} \underline{\beta} + h \sum_{i=1}^N \tilde{X}'_i [y_i - \alpha_i \iota_T] \right)$ should be $\bar{\beta} = \bar{V}_{\beta} \left(\underline{V}_{\beta}^{-1} \underline{\beta} + h \sum_{i=1}^N \tilde{X}'_i [y_i - \alpha_i \iota_T] \right).$
Page 160, Equation (7.36)	$\overline{p(\theta_2^* y, \theta_1^*)} = \frac{1}{S^*} \sum_{s^*=1}^{S^*} p(\theta_2^* y, z^{(s^*)}, \theta_1^{(s^*)})$ should be $\overline{p(\theta_2^* y, \theta_1^*)} = \frac{1}{S^*} \sum_{s^*=1}^{S^*} p(\theta_2^* y, z^{(s^*)}, \theta_1^*).$
Page 183, Third line from bottom	$E(\alpha_t \alpha_{t-1}) = 0$ should be $E(\alpha_t \alpha_{t-1}) = \alpha_{t-1}.$
Page 184, Line 5	u_t should be $\varepsilon_t.$
Page 190, 15 lines from bottom	The reference to (8.10) should be (8.19).
Page 198, Equation (8.42)	$K_t = (T_t P_t Z'_t + J_t G'_t) D'_t$ should be $K_t = (T_t P_t Z'_t + J_t G'_t) D_t^{-1}.$
Page 199, Equation (8.44)	$P_{t+1} = T_t P_t (T_t - K_t Z_t)' + J_t (J_t - K_t G_t)$ should be $P_{t+1} = T_t P_t (T_t - K_t Z_t)' + J_t (J_t - K_t G_t)'.$
Page 199, Equation (8.47)	$V_t = F_t (G'_t D_t^{-1} Z_t + [J_t - K_t G_t]' U_t [T_t - K_t Z_t]')$ should be $V_t = F_t (G'_t D_t^{-1} Z_t + [J_t - K_t G_t]' U_t [T_t - K_t Z_t]).$
Page 202, Empirical example	A small error in the MATLAB code used for this empirical example makes Table 8.1 and Figure 8.3 incorrect; see the computer-code errata below.
Page 242, Equation for $p(\eta y)$ at bottom	The equation is incorrect. Use the general form given in (8.21) on page 189.
Page 268, 9 lines from bottom	$(y_1, \dots, y_T)'$ should be $(y_1, \dots, y_N)'.$
Page 271, Below Equation (11.9)	The degrees of freedom should be $N - 1$, not $N.$
Page 271, Equation (11.12)	The ι_T 's should be ι_N 's.
Page 271, Equation Between (11.11) and (11.12)	$P_{X_r} = I_N - X_r (X'_r X_r)^{-1} X'_r$ should be $P_{X_r} = M_1 - X_r (X'_r X_r)^{-1} X'_r,$ where $M_1 = I_N - \frac{\iota_N \iota'_N}{N}.$
Page 290, Information matrix	The information matrix is based on the log likelihood, not the likelihood itself. Two equations on this page should therefore contain log likelihoods instead of likelihoods.
Page 320, Theorem B.2	Replace the theorem with: Let X and Y be two random variables, $g(\cdot)$ and $h(\cdot)$ be two functions, and a and b be constants. Then $E[ag(X) + bh(Y)] = aE[g(X)] + bE[h(Y)]$, and $var[ag(X) + bh(Y)] = a^2 var[g(X)] + b^2 var[h(Y)]$ if X and Y are independent.
Page 322, Definitions B.13 and B.14	Definitions B.13 and B.14 repeat the definitions on page 321.
Page 327, Multivariate Normal p.d.f.	$2\pi^{k/2}$ should be $(2\pi)^{k/2}.$
Page 329, Wishart distribution	The Wishart distribution is only defined for $\nu \geq N.$
Page 339, Hobert and Casella reference	The reference is in volume 91, not 96.
Page 344, Zellner and Tobias reference	Replace with Zellner, A. and Tobias, J. (2001). "Further Results on Bayesian Method of Moments Analysis of the Multiple Regression Model," <i>International Economic Review</i> , 42, 121–139.
Errors in the Computer Code on the Book's Website	
chapter8c.m	The λ 's are not passed correctly into the djs.m algorithm. This causes the empirical results on page 202 to be based on incorrect code, so those results are incorrect.
chapter7d.m, Lines 67 and 148	In the Chib marginal-likelihood calculation, the log determinants of the prior and posterior covariance matrices are multiplied by kx ; this multiplier should not be present. Koop notes that the fix had been made, but as of January 2009 the website version had not been updated.
chapter7c.m	A reader reports an error in the drawing of the slope coefficients.
chapter7d.m, sigterm1	There is a minor error in the step defining sigterm1 in two places. See equation (6.54) for the correct formulation.