


EE446 Assignment 2  
Zelamir Reynolds-Henkins


Base Model Classification Report

|              | precision | recall | f1-score | support |
|--------------|-----------|--------|----------|---------|
| 0            | 1.00      | 1.00   | 1.00     | 11694   |
| 1            | 1.00      | 1.00   | 1.00     | 13501   |
| accuracy     |           |        | 1.00     | 25195   |
| macro avg    | 1.00      | 1.00   | 1.00     | 25195   |
| weighted avg | 1.00      | 1.00   | 1.00     | 25195   |



Quantized Model Classification Report

|              | precision | recall | f1-score | support |
|--------------|-----------|--------|----------|---------|
| 0            | 1.00      | 1.00   | 1.00     | 11694   |
| 1            | 1.00      | 1.00   | 1.00     | 13501   |
| accuracy     |           |        | 1.00     | 25195   |
| macro avg    | 1.00      | 1.00   | 1.00     | 25195   |
| weighted avg | 1.00      | 1.00   | 1.00     | 25195   |



Output    Serial Monitor    X

Message (Enter to send message to 'Arduino Nano 33 BLE' on 'COM20')

---

|           |  |              |              |  |           |
|-----------|--|--------------|--------------|--|-----------|
| Sample #0 |  | Predicted: 0 | (p=0.000000) |  | Actual: 0 |
| Sample #1 |  | Predicted: 0 | (p=0.000000) |  | Actual: 0 |
| Sample #2 |  | Predicted: 1 | (p=0.996094) |  | Actual: 1 |
| Sample #3 |  | Predicted: 1 | (p=0.996094) |  | Actual: 1 |
| Sample #4 |  | Predicted: 1 | (p=0.996094) |  | Actual: 1 |
| Sample #5 |  | Predicted: 0 | (p=0.000000) |  | Actual: 0 |
| Sample #6 |  | Predicted: 1 | (p=0.996094) |  | Actual: 1 |
| Sample #7 |  | Predicted: 1 | (p=0.996094) |  | Actual: 1 |
| Sample #8 |  | Predicted: 0 | (p=0.007813) |  | Actual: 0 |
| Sample #9 |  | Predicted: 0 | (p=0.000000) |  | Actual: 0 |