



## **Power BI Desktop**

---

### **Guide d'Installation**


**Khawla Elansari**

Vous pouvez obtenir Power BI Desktop de deux façons :

- [Installer en tant qu'application à partir du Microsoft Store.](#)
- [Télécharger directement en tant qu'exécutable que vous installez sur votre ordinateur.](#)

### Installer en tant qu'application à partir du Microsoft Store :

- 1- Ouvrez un navigateur et accédez directement à la page [Power BI Desktop](#) du Microsoft Store.
- 2- Une fois arrivé dans la page Power BI Desktop du Microsoft Store, sélectionnez Installer.



### Télécharger Power BI Desktop directement :

- 1- Télécharger le fichier exécutable de Power BI Desktop à partir du Centre de téléchargement - Allez sur le lien suivant : [Download Power BI](#) puis spécifiez l'exécutable à télécharger (32 bits ou 64 bits) :

Choose the download you want

<input type="checkbox"/> File Name		Size
<input checked="" type="checkbox"/> PBIDesktopSetup_x64.exe	→ 64 bits	331.0 MB
<input type="checkbox"/> PBIDesktopSetup.exe	→ 32 bits	303.9 MB


2- Exécutez le fichier d'installation une fois son téléchargement terminé.



Power BI Desktop s'installe en tant qu'application et s'exécute sur votre ordinateur.

### Paramètres recommandés :

Une fois l'installation terminée, allez sur : **File > Options & Settings > Options** pour définir les options suivantes



Options

GLOBAL

Data Load

Power Query Editor

DirectQuery

R scripting

Python scripting

Security

Privacy

Regional Settings

Updates

Usage Data

Diagnostics

Preview features

Auto recovery

Report settings

CURRENT FILE

Data Load

Regional Settings

Privacy

Auto recovery

Application language

Language used in the Power BI Desktop user interface, such as the ribbon and dialog boxes.

English (United States)

Model language

Language used when comparing strings in data and for creating internal date fields. This only applies when a report is first created, and can't be changed on existing reports.

English (United States)

[Learn more](#)

OK

Cancel

Options

GLOBAL

Data Load

Power Query Editor

DirectQuery

R scripting

Python scripting

Security

Privacy

Regional Settings

Updates

Usage Data

Diagnostics

Preview features

Auto recovery

Report settings

CURRENT FILE

Data Load

Regional Settings

Privacy

Auto recovery

Locale for import

Locale determines the regional settings used to interpret numbers, dates, and time in imported text for this file.

English (United States)

OK

Cancel