Requirements specification for Teaching Students business process

1. General description of business process

a. A general description of the business process and a description of the performance metrics generated by this process, possible current analytical problems.

The academic year includes a comprehensive educational curriculum, with assessments such as tests, homework assignments, and examinations. These assessments are graded on a scale of 1 to 6, with 6 denoting exemplary performance.

A dedicated subject teacher leads each academic class, providing specialized instruction tailored to the subject matter. Different instructors may oversee classes within the same educational level and subject, each with their own unique pedagogical approaches. At the end of each academic year, students' academic average grade is comprehensively analysed. The analysis serves two purposes: evaluating the effectiveness of educators and reporting on progress of students.

Metrics:

- **Test scores**: from each test students achieve grades 1-6 which present their academic performance
- Number of absences: during each lesson teacher marks attendance of students and at the end we are able to calculate total number of absences

Increase in average performance (average test score) in exams/cards etc. by 4%. Compared to last month.

Decrease in absenteeism by 5% compared to last month.

b. Typical questions

- 1. Does the number of pupils in a class affect the average of the whole group?
- 2. How many students graduated with an honours certificate in the previous year? (grade point average above 4.5)
- 3. At which level of learning (in which grade 4-8) children receive the highest grades?
- 4. Does the number of absences affect a student's final grade point average?
- 5. During which semester (winter/summer) there were more absences (last academics year)?
- 6. What is the level of education for boys and girls?
- 7. Whether the place of living (countryside/city) influences the students' academic average grade.
- 8. Are there any differences between genders when we take into account absences?
- 9. Is there any difference in number of absences when we take into account children place of living?
- 10. Does distance from school affect attendance?


11. Whether communication with parents through the teacher has a positive effect on the student's academic average grade and development?

c. Data

All information on progress and learning outcomes is recorded in the school system "EduTracker", which is an electronic gradebook. This system stores information on all students, their grades in the subjects concerned and the teachers who issued them and carried out the teaching within the class.

In addition, data about employee and students are stored in the Director EXCEL sheet.

2. Data sources structures



"EduTracker"

| Table name | Attribute | Attribute | Description | |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----------------|--|
| | | type | | |
| Students | The student in the school network is identified by Personal Identification Number - studentID. | | | |
| | studentID | String – 6 | PK | |
| | | characters | | |
| | Name | String – 20 | First name | |
| | | characters | | |
| | Surname | String – 20 | Surname | |
| | | characters | | |
| | FK_Class | Numeric | FK | |
| | _ | | auto | |
| | | | generated | |
| | | | 0 | |
| | PESEL | String – 11 | Polish | |
| | | characters | Identification | |
| | | | Number | |
| Teachers | Tarchar in the School natwork is identified by | / Dorsonal Idontif | | |
| reachers | Teacher in the School network is identified by Personal Identification Number - employeeID. | | | |
| | employeeID | String – 6 | PK | |
| | | characters | | |
| | Name | String – 20 | First name | |
| | | characters | | |
| | Surname | String – 20 | Surname | |
| | | characters | | |
| | PESEL | String – 11 | Polish | |
| | | characters | Identification | |
| | | | Number | |
| Attendances | The attendance grade applies to the pupil concerned during the lesson. It is updated after each lesson in the subject. Identified by foreign keys to tables Student and Lesson. | | | |
| | check | boolean | For each | |
| | Circox | boolean | subject, each | |
| | | | student has an | |
| | | | absence | |
| | | | checker which | |
| | | | changes its | |
| | | | value to false | |
| | | | after each | |
| | | | specific lesson | |
| | | | in which the | |
| | | | student has | |
| | | | been absent | |
| | FK Student | String – 6 | Part of PK, | |
| | TK_Student | characters | A FK from the | |
| | | Characters | student to | |
| | | | whom the | |
| | | | attendance | |
| | | | attenuante | |

| | 1 | | 1 | |
|----------|----------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------|--|
| | | | information | |
| | | | relates is | |
| | | | provided | |
| | FK_Lesson | Numeric | Part of PK, | |
| | | | A FK from the | |
| | | | lesson to | |
| | | | which the | |
| | | | attendance | |
| | | | information of | |
| | | | students | |
| | | | relates | |
| Marks | Each grade has its own unique ke | ξλ | | |
| | markID | Numeric | PK, | |
| | | | auto | |
| | | | generated | |
| | | | starting from | |
| | | | 1 with | |
| | | | increment 1 | |
| | Score | Numeric | Evaluation | |
| | | | score. Ranges | |
| | | | from 1 to 6 | |
| | AssessmentDate | DateTime | Date of | |
| | | | assessment/e | |
| | | | ntry of the | |
| | | | grade into the | |
| | | | system. This | |
| | | | does not have | |
| | | | to coincide | |
| | | | with the time | |
| | | | and date of | |
| | | | the teacher's | |
| | | | lesson. | |
| | TypeActivity | String - 20 | Activity in | |
| | Турелентну | characters | class. Allowed | |
| | | Cital acters | values: exam, | |
| | | | test, | |
| | | | homework | |
| | FK_Teaching | Numeric | FK | |
| | FK_Teaching | Numeric | | |
| | | | Teaching in relation to | |
| | | | which the | |
| | | | | |
| | | | assessment | |
| | FIX Chindomb | Christia C | was given | |
| | FK_Student | String – 6 | FK, | |
| | | characters | Students ID | |
| Classes | Each class has its given by the in- | ut thou ropest each was all | number | |
| Classes | Each class has its own number, but they repeat each year - that's why for classes we use artificial key. | | | |
| | classID | Numeric | PK, | |
| | | | auto | |
| | | | generated | |
| <u> </u> | | | 10 | |

| Each subject has its own unique name that's why it stands for the PK | | | | | ctarting from |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------|----------------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| ClassLetter ClassLetter ClassLetter ClassLetter Character Character For each year we have 3 groups. Thats why allowed letters are: A,B,C YearSchoolStarts DateTime The year in which students of this class started school started school of this class. Type Type String – 20 characters Type of the subject. Allowed: Mathematics, Polish, English, | | | | | _ |
| ClassLetter Character Character Ror each year we have 3 groups. Thats why allowed letters are: A,B,C YearSchoolStarts DateTime The year in which students of this class started school Subjects Each subject has its own unique name that's why it stands for the PK Type Type String - 20 characters Type of the subject. Allowed: Mathematics, Polish, English Science, WOS, History, Music, Art, Religion, PE, If, German. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. Teachings The teachingID Numeric FK_Class Numeric FK_Teacher FK_Teacher FK_Teacher FK_Teacher FK_Teacher FK_Subject FK_Subject FK_Subject String - 20 characters ID number of the teacher who conducts the subject the subject Type of the subject which is conductes the subject which is conductes the subject which is conductes the subject which is conducted the subject which is | | | | | |
| We have 3 groups. Thats why allowed letters are: A,B,C | | | | | |
| PK_Class Numeric FK_Class FK_Subject | | ClassLetter | | Character | , |
| Why allowed letters are: A,B,C YearSchoolStarts DateTime The year in which students of this class started school Subjects Each subject has its own unique name that's why it stands for the PK Type String - 20 Characters Type of the subject. Allowed: Mathematics, Polish, English Science, WOS, History, Music, Art, Religion, PE, IT, German. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. TeachingID Numeric PK, auto generated starting from 1 with increment 1 FK_Class Numeric FK, auto generated starting from 1 with increment 1 FK_Teacher String - 6 FK ID number of the teacher who conducts the subject FK_Subject String - 20 FK Type of the subject which is conducted Type of the subject which Type of the subject which Type of the subject T | | | | | |
| Retters are: A,B,C A,B,C The year in which students of this class started school | | | | | • |
| YearSchoolStarts | | | | | - |
| YearSchoolStarts | | | | | |
| Subjects Each subject has its own unique name that's why it stands for the PK Type Type String – 20 characters Type of the subject. Allowed: Mathematics, Polish, English, Science, WOS, History, Music, Art, Religion, PE, IT, German. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. TeachingID Numeric PK, auto generated starting from 1 with increment 1 FK_Class Numeric FK_Teacher FK_Teacher FK_Subject FK_Subject String – 6 characters String – 6 characters FK D number of the teacher who conducts the subject FK_Subject FK_Subject String – 20 characters FK Type of the subject FK Type of the subject which is conducted Lessons | _ | | | | |
| Subjects Each subject has its own unique name that's why it stands for the PK Type String - 20 PK Type of the subject. Allowed: Mathematics, Polish, English Science, WOS, History, Music, Art, Religion, PE, IT, German. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. teachingID Numeric PK, auto generated starting from 1 with increment 1 FK_Class Numeric FK_Teacher FK_Teacher FK_Teacher String - 6 FK DD number of the teacher who conducts the subject FK_Subject FK_Subject Each scheduled lesson that was performed is called a lesson and has its own | | YearSchoolStarts | | DateTime | • |
| Each subject has its own unique name that's why it stands for the PK Type String - 20 Characters Type of the subject. Allowed: Mathematics, Polish, English, Science, WOS, History, Music, Art, Religion, PE, IT, German. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. The teaching of the subject was performed is conducted. The teaching of the subject which is conducted. | | | | | _ |
| Subjects Each subject has its own unique name that's why it stands for the PK | | | | | |
| Each subject has its own unique name that's why it stands for the PK | | | | | this class |
| Type String – 20 characters Type of the subject. Allowed: Mathematics, Polish, English, Science, WOS, History, Music, Art, Religion, PE, IT, German. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. teachingID Numeric FK_Class Numeric FK_Teacher FK_Teacher FK_Teacher String – 6 characters ID number of the teacher who conducts the subject FK_Subject FK_Subject FK_Subject String – 20 characters FK Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | | | started school |
| Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. TeachingID Numeric PK, auto generated starting from 1 with increment 1 FK_Class Numeric FK_Teacher String - 6 characters FK_Teacher FK_Teacher String - 8 FK ID number of the teacher who conducts the subject the subject FK_Subject FK_Subject String - 20 FK Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | Subjects | Each subject has its own uniq | ue name that's | why it stands fo | r the PK |
| Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. TeachingID Numeric PK, auto generated starting from 1 with increment 1 FK_Class Numeric FK_Teacher String - 6 characters ID number of the teacher who conducts the subject FK_Subject FK_Subject String - 20 characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | Туре | | String – 20 | PK |
| Allowed: Mathematics, Polish, English, Science, WOS, History, Music, Art, Religion, PE, IT, German. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. TeachingID Numeric PK, auto generated starting from 1 with increment 1 FK_Class Numeric FK_Teacher String - 6 characters ID number of the teacher who conducts the subject FK_Subject FK_Subject String - 20 characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | | characters | Type of the |
| Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. TeachingID Numeric PK, auto generated starting from 1 with increment 1 FK_Class Numeric FK_Teacher FK_Teacher FK_Teacher FK_Subject FK_Subject FK_Subject String - 6 characters ID number of the teacher who conducts the subject which is conducted Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | | | subject. |
| Polish, English, Science, WOS, History, Music, Art, Religion, PE, IT, German. Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. TeachingID Numeric FK_Class Numeric FK_Class Numeric FK_Teacher FK_Teacher FK_Teacher FK_Subject FK_Subject FK_Subject FK_Subject FK_Subject String - 20 characters Type of the subject which is conducted Lessons FK_Science, WOS, History, Music, Art, Religion, PE, IT, German. PK, auto generated String - 6 characters FK ID number of the teacher who conducts the subject Type of the subject which is conducted | | | | | Allowed: |
| Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. TeachingID TeachingID The teaching Fix and the teacher who conducts the subject which is conducted the subject which is conducted to the teacher with conducted the subject which is conducted to the teacher who conducted the subject which is cond | | | | | Mathematics, |
| Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. TeachingID Numeric PK, auto generated starting from 1 with increment 1 FK_Class Numeric FK_Teacher FK_Teacher FK_Subject FK_Subject FK_Subject String - 6 Characters ID number of the teacher who conducts the subject which is conducted subject which is conducted. | | | | | Polish, English, |
| Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. TeachingID Numeric PK, auto generated starting from 1 with increment 1 FK_Class Numeric FK_Teacher FK_Teacher String - 6 characters ID number of the teacher who conducts the subject FK_Subject FK_Subject FK_Subject String - 20 characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | | | Science, WOS, |
| Teachings The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. TeachingID Numeric PK, auto generated starting from 1 with increment 1 FK_Class Numeric FK_Teacher FK_Teacher String - 6 Characters FK ID number of the teacher who conducts the subject FK_Subject FK_Subject FK_Subject String - 20 Characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | | | History, |
| The teachings a suitable compressed Composit Key. For this reason, an artificial key is used. The teaching mentity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. The teaching mentity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. The teaching mentity contains quite a few variables therefore we are not able to find a suitable visually is used. The teaching mentity contains quite a few variables therefore we are not able to find a suitable visually is used. The teaching mentity contains quite a few variables therefore we are not able to find a suitable visually is used. The teaching mentity contains quite a few variables therefore we are not able to find a suitable visually is used. The teaching mentity contains quite a few variables therefore we are not able to find a suitable visually is used. The teaching mentity contains quite a few variables therefore we are not able to find a suitable visually is used. The teaching mentity contains quite a few variables therefore we are not able to find a suitable visually is used. The teaching mentity contains quite a few variables therefore we are not able to find a visually is used. The teaching mentity contains quite a few variables therefore we are not able to find a visually is used. The teaching mentity contains quite a few variables therefore we are not able to find a visually is used. The teaching mentity contains quite a few variables the find a visually is used. The teaching mentity contains quite a few variables the visually is used. The teaching mentity contains quite a few variables the visually is used. The teaching mentity contains quite a few variables the visually is used. The teaching mentity contains quite a few variables the visually is used. The teaching mentity contains quite a few variables the visually is used. The teaching mentity contai | | | | | Music, Art, |
| The teaching entity contains quite a few variables therefore we are not able to find a suitable compressed Composit Key. For this reason, an artificial key is used. The teaching of the teacher who conducts the subject of the subject which is conducted the subject which is conducted to find a suitable compressed Composit Key. For this reason, an artificial key is used. The teaching of the teaching of the teacher who conducts the subject which is conducted to find a suitable compressed Composit Key. For this reason, an artificial key is used. The teaching of the teaching of the subject which is conducted to find a suitable compressed Composit Key. For this reason, an artificial key is used. The teaching of the teaching of the teaching of the subject which is conducted to find a suitable compressed Composit Key. For this reason, an artificial key is used. The teaching of the teac | | | | | Religion, PE, |
| to find a suitable compressed Composit Key. For this reason, an artificial key is used. teachingID Numeric PK, auto generated starting from 1 with increment 1 FK_Class Numeric FK_Teacher FK_Teacher String - 6 characters ID number of the teacher who conducts the subject FK_Subject FK_Subject FK_Subject String - 20 characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | | | IT, German. |
| FK_Class Numeric FK_Class Numeric FK_Teacher FK_Teacher FK_Subject String - 6 Characters FK Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | Teachings | to find a suitable compressed Composit Key. For this reason, an artificial key is | | | |
| FK_Class Numeric FK_Class Numeric FK_Teacher FK_Teacher FK_Subject String - 6 Characters FK Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | | Numeric | PK. |
| generated starting from 1 with increment 1 FK_Class Numeric FK, auto generated FK_Teacher String - 6 Characters ID number of the teacher who conducts the subject FK_Subject String - 20 FK Characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | 0 | | | • |
| FK_Class Numeric FK_auto generated FK_Teacher FK_Teacher FK_Teacher FK_Subject FK_Subject FK_Subject FK_Subject FK_Subject String - 6 characters ID number of the teacher who conducts the subject FK characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | | | |
| FK_Class Numeric FK_auto generated FK_Teacher FK_Teacher FK_Teacher FK_Subject FK_S | | | | | _ |
| FK_Class Numeric FK, auto generated | | | | | |
| FK_Class FK_Teacher FK_Teacher FK_Teacher FK_Subject String - 20 Characters Type of the subject which is conducted is conducted | | | | | increment 1 |
| FK_Teacher FK_Teacher FK_Subject FK_Subject FK_Subject String - 6 characters ID number of the teacher who conducts the subject FK_Subject String - 20 FK characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | | | IIICI CITICITE I |
| Characters ID number of the teacher who conducts the subject FK_Subject String - 20 characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | FK Class | Numeric | FK, | merement 1 |
| the teacher who conducts the subject FK_Subject FK_Subject String - 20 characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | FK_Class | Numeric | _ [| • |
| FK_Subject FK_Subject String - 20 Characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | Numeric | auto generato | ed |
| FK_Subject FK_Subject String - 20 Characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | Numeric | auto generate String – 6 | ed FK |
| FK_Subject FK_Subject String - 20 characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | Numeric | auto generate String – 6 | FK ID number of |
| FK_Subject FK_Subject String - 20 characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | Numeric | auto generate String – 6 | FK ID number of the teacher |
| characters Type of the subject which is conducted Lessons Each scheduled lesson that was performed is called a lesson and has its own | | | Numeric | auto generate String – 6 | FK ID number of the teacher who conducts |
| Lessons Each scheduled lesson that was performed is called a lesson and has its own | | FK_Teacher | Numeric | auto generate String – 6 characters | FK ID number of the teacher who conducts the subject |
| Lessons Each scheduled lesson that was performed is called a lesson and has its own | | FK_Teacher | Numeric | auto generate String – 6 characters String – 20 | FK ID number of the teacher who conducts the subject FK |
| Lessons Each scheduled lesson that was performed is called a lesson and has its own | | FK_Teacher | Numeric | auto generate String – 6 characters String – 20 | FK ID number of the teacher who conducts the subject FK Type of the |
| artificial key. | | FK_Teacher | Numeric | auto generate String – 6 characters String – 20 | FK ID number of the teacher who conducts the subject FK Type of the subject which |
| | Lessons | FK_Teacher FK_Subject Each scheduled lesson that w | | String – 6 characters String – 20 characters | FK ID number of the teacher who conducts the subject FK Type of the subject which is conducted |
| lessonID Numeric PK, | Lessons | FK_Teacher FK_Subject Each scheduled lesson that w artificial key. | | String – 6 characters String – 20 characters called a lesson a | FK ID number of the teacher who conducts the subject FK Type of the subject which is conducted and has its own |

| | DateOfLesson | DateTime | auto generated starting from 1 with increment 1 |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------|------------------------------------------------------------------------------------------------------------|
| | DateOrLesson | Daterime | lesson was conducted |
| Schedule Lessons | Each scheduled lesson has its own artificial key because in one specific moment of time there are multiple different lessons scheduled. | | |
| | schLessonID | Numeric | PK, auto generated starting from 1 with increment 1 |
| | DayOfWeek | DateTime | Day of the week when the subject for particular class takes place |
| | StartTime | DateTime | Starting time of the lesson |
| | EndTime | DateTime | End of lesson time |
| | Semester | Numeric | Number of the semester in which particular classes are taught. Winter semester – 1, Summer semester - 2 |
| | Year | DateTime | Years in which the plan applies. For example. For example, the learning year "2022/2023" |
| | FK_Teaching | Numeric | FK |

Director Excel

Sheet 1 (Information about employees who work in the school, each line describes one employee, line 1 is a header row):

Column A - Employee's PESEL (numeric, 0 decimal precision),

Column B - Employee's identification number (text),

Column C – Employee's name (text),

Column D - Employee's surname (text), in case of surname change the column is updated,

Column E – Gender of employee (man, woman) (text),

Column F – Position of employee (teacher, assistant, cook, cleaner, director), in school there is only one director, each row means employment of a given person on a given position; in case of position change the date of end of work on the current position is written and there is a new line with a new position and a new date of employment; (text),

Column G – Street and house number (text), in case of change the column is updated,

Column H – City (text), in case of change the column is updated,

Column I – Postal code (text), in case of change the column is updated,

Column J – Phone number (numeric, 0 decimal precision), in case of change the column is updated,

Column K – E-mail address (text), in case of change the column is updated,

Column L – Date of employment for position (Date in format year - month - day, e.g. 2013-12-09),

Column M – Date of dismissal of current position (Date in format year - month - day, e.g. 2013-12-09), it is not set if the employee currently works on a given position.

Sheet 2 (Information about students who attend the school, each line describes one student, line 1 is a header row):

Column A – Student's PESEL (numeric, 0 decimal precision),

Column B – Student's identification number (text),

Column C - Student's name (text),

Column D – Student's surname (text), in case of surname change the column is updated,

Column E - Date of birth (Date in format year - month - day, e.g. 2013-12-09),

Column F – Place of birth (text),

Column G - Gender of student (man, woman) (text),

Column H – Street and house number (text), in case of change the column is updated,

Column I – City (text), in case of change the column is updated,

Column J – Postal code (text), in case of change the column is updated,

Column K - Place of living (countryside, city) (text), in case of change the column is updated,

Column L – Parent phone number (numeric, 0 decimal precision), in case of change the column is updated.

Column M – Parent e-mail address (text), in case of change the column is updated.

3. Scenarios of analytical problems

Why can we observe an increase / decrease in grade point average?

1. Compare the number of people (on the same level for each class) who graduated with an honours certificate in the previous year and 2 years before. (Grade point average above 4.5).

- 2. Compare the grade average for each class (on the same level) but taking into account the number of pupils in the class. Up to three years back.
- 3. At which level of learning (in which grade 4-8) children receive the highest grades? Based on previous year.
- 4. Compare the academic grade point average of students based on tutoring of teachers who work for this school less than 2 years or more (teacher who are currently employed). Based on previous year.
- 5. Whether the place of living (countryside/city) influences the students' grade point average.
- 6. Whether communication with parents gives the positive effect on the students' grade point average -> checked for the first semester of the previous academic year

What influences the high absence rate among students?

- 1. Does the number of absences affect a student's final grade point average? Based on the previous year.
- 2. Which class has the highest absence rate in the current semester?
- 3. Which subject has the highest number of absences?
- 4. During which semester (winter/summer) there were more absences (last academics year)?
- 5. Compare the number of absences among genders (boys and girls).
- 6. Compare the number of absences of children taking into account their age. For the previous year.
- 7. Does distance from school affect attendance? -> no data

4. Data needed for analytical problems

Analytical problem:

Why can we observe an increase / decrease in grade point average?

1. Compare the number of people (on the same level for each class) who graduated with an honours certificate in the previous year and 2 years before. (Grade point average above 4.5)

Number of the class (4-8) — "EduTracker", table Class, column YearSchoolStarts -> calculated based on current year

Number of people with honours certificate for previous year – count people with average from the grades from the whole year higher or equal to 4.5, "EduTracker", table Marks, column score -> sum of grades/number of grades >= 4.5

Number of people with honours certificate from 1 year earlier – similarly calculated

2. Compare the grade average for each class (on the same level) but taking into account the number of pupils in the class. Up to three years back

Class Number – "EduTracker", table Classes, column YearSchoolStarts -> calculated based on current year

ClassLetter – "EduTracker", table Classes, column ClassLetter

YearSchoolStarts - "EduTracker", table Classes, column YearSchoolStarts -> to calculate particular year and class we use year when they started school

Number of Students in class – count students in each class, "EduTracker", table Classes, column ClassID

Grade point average – mean grade from each class, "EduTracker", table Marks, column Score -> sum of all scores for each class/number of scores

3. At which level of learning (4-8) children receive the highest grades? Compare classes -> Based on previous year.

Class Number – "EduTracker", table Classes, column YearSchoolStarts -> calculated based on current year

Grade point average – mean grade from each school level (4-8), "EduTracker", table Marks, column Score -> sum of all scores for each level/number of scores

4. Compare the academic grade point average of students based on tutoring of teachers who work for this school less than 2 years or more (teacher who are currently employed). Based on previous year.

Years worked – this will be determined based on Director Excel, column M should be empty (it determines the date of dismissal), column L will help to calculate years of working for this school.

Grade point average - mean grade from each group of teachers (currently working, less or more than 2 years), "EduTracker", table Marks, column Score -> sum of all scores for each level/number of scores.

5. Whether the place of living (countryside/city) influences the students' grade point average.

StudentID – identification number of the student

Place of living – this will be determined based on Directors EXCEL, sheet 2, column K

Grade point average – average calculated from the grades from the whole year, "EduTracker", table Marks, column score -> sum of grades/number of grades

6. Whether communication with parents gives the positive effect on the students' grade point average -> checked for the first semester of the previous academic year

StudentID – identification number of the student

CommunicationConducted – no such information

Grade point average before – average calculated from the grades from each student, calculated before the date of the meeting with parents -> also no information about the date of the meeting

Grade point average after – average calculated from the grades from each student, calculated after the date of the meeting with parents -> one month after

What influences the high absence rate among students?

1. Does the number of absences affect a student's final grade point average? Based on the previous year?

StudentID - "EduTracker", table Student, column studentID

Number of absences – "EduTracker", table Attendance, column Check -> sum all attendance with "check" as False -> person was absent

Final grade point average – average calculated from the grades from the whole year, "EduTracker", table Marks, column score -> sum of grades/number of grades

2. Which class has the highest absence rate in the current semester?

Class Number – "EduTracker", table Classes, column YearSchoolStarts -> calculated based on current year

ClassLetter - "EduTracker", table Classes, column ClassLetter

Number of absences – "EduTracker", table Attendance, column Check -> sum all attendance with "check" as False -> person was absent

3. Which subject has the highest number of absences?

Subject name - "EduTracker", table Subject, column Name

Number of absences – "EduTracker", table Attendance, column Check -> sum all attendance for particular subject with "check" as False -> person was absent

4. During which semester (winter/summer) there were more absences (last academics year)?

Semester – "EduTracker", table Schedule Lessons, column Semester

Number of absences – "EduTracker", table Attendance, column Check -> sum all attendance with "check" as False -> person was absent

5. Compare the number of absences among genders (boys and girls).

Number of absences – "EduTracker", table Attendance, column Check -> sum all attendance with "check" as False -> person was absent

Gender - this will be determined based on Directors EXCEL, sheet 2, columns G

6. Compare the number of absences of children taking into account their age. For the previous year.

Age – this will be determined based on Directors EXCEL, sheet 2, columns E. We calculate age of student based on their date of birth and current date.

Number of absences – "EduTracker", table Attendance, column Check -> sum all attendance with "check" as False -> person was absent

7. Does distance from school affect attendance? -> no data

StudentID - identification number of the student

Distance from school – there's no such information available in both data sources. The proposals for acquiring such information:

- enhance Director Excel with distance to shopping malls
- distance analysis with the use of tools like google.com/maps

Number of absences – "EduTracker", table Attendance, column Check -> sum all attendance with "check" as False -> person was absent

It is not possible to build a BI system to support Director in solving the problem of communication between parents and teachers. We need to introduce additional activities to overview the effectiveness of this business process. We suggest introducing a survey system conducted among students one month after the meeting with their parents. Such questionnaire should contain as minimum the following set of questions:

- Did your parent talk to you about learning?
- Did a parent want to help you with your studies?
- Did you find it beneficial to talk to your parents? / Did it make you learn more?
- Would you like a parent to help you with your studies more often?

Survey results are manually uploaded to the survey system and entered into the excel sheet. Sample structure of the survey sheet:

- Column A studentID
- Column B Talk conducted (whether the talk was conducted -> yes/no)
- Column C Help with study (whether parents help with studying -> yes/no)
- Column D Talk influence on learning (numeric from 1 to 5, where 1 minimal influence, 5 maximal influence)
- Column E Help preferences (numeric from 1 to 5, where 1 don't want/need help, 5 want help from parents)