



# C Piscine

## Day 01

Staff 42 [pedago@42.fr](mailto:pedago@42.fr)

*Abstract: This document is the subject for Day01 of the C Piscine @ 42.*

# Contents

|             |  |           |
|-------------|--|-----------|
| <b>I</b>    | <b>Instructions</b>                      | <b>2</b>  |
| <b>II</b>   | <b>Foreword</b>                          | <b>4</b>  |
| <b>III</b>  | <b>Exercise 00 : Exam</b>                | <b>5</b>  |
| <b>IV</b>   | <b>Exercise 01 : print_groups</b>        | <b>6</b>  |
| <b>V</b>    | <b>Exercise 02 : find_sh</b>             | <b>7</b>  |
| <b>VI</b>   | <b>Exercise 03 : count_files</b>         | <b>8</b>  |
| <b>VII</b>  | <b>Exercise 04 : MAC</b>                 | <b>9</b>  |
| <b>VIII</b> | <b>Exercise 05 : Can you create it ?</b> | <b>10</b> |
| <b>IX</b>   | <b>Exercise 06 : Skip</b>                | <b>11</b> |
| <b>X</b>    | <b>Exercise 07 : r_dwssap</b>            | <b>12</b> |
| <b>XI</b>   | <b>Exercise 08 : bon</b>                 | <b>13</b> |
| <b>XII</b>  | <b>Exercise 09 : add_chelou</b>          | <b>14</b> |

# Chapter I

## Instructions

- Only this page will serve as reference: do not trust rumors.
- Watch out! This document could potentially change up to an hour before submission.
- These exercises are carefully laid out by order of difficulty - from easiest to hardest. We **will not** take into account a successfully completed harder exercise if an easier one is not perfectly functional.
- Make sure you have the appropriate permissions on your files and directories.
- You have to follow the submission procedures for every exercise.
- Your work will be checked and graded by your fellow classmates.
- On top of that, your work will be checked and graded by a program called Moulinette.
- The Moulinette is very meticulous and strict in its evaluation of your work. It is entirely automated and there is no way to negotiate with it. So if you want to avoid bad surprises, be as thorough as possible.
- Exercises in Shell must be executable with `/bin/sh`.
- You cannot leave any additional file in your directory other than those specified in the subject.
- Got a question? Ask your peer on the right. Otherwise, try your peer on the left.
- Your reference guide is called `Google / man / the Internet / ....`
- Check out the "C Piscine" part of the forum on the intranet.
- Examine the examples thoroughly. They could very well call for details that are not explicitly mentioned in the subject...

- By Odin, by Thor ! Use your brain !!!

# Chapter II

## Foreword

Here's what Wikipedia has to say about otters :

The European otter (*Lutra lutra*), also known as the Eurasian otter, Eurasian river otter, common otter and Old World otter, is a European and Asian member of the Lutrinae or otter subfamily, and is typical of freshwater otters.

The European otter is a typical species of the otter subfamily. Brown above and cream below, these long, slender creatures are well-equipped for their aquatic habits. Its bones show osteosclerosis, increasing their density to reduce buoyancy.

This otter differs from the North American river otter by its shorter neck, broader visage, the greater space between the ears and its longer tail.

However, the European otter is the only otter in its range, so it cannot be confused for any other animal. Normally, this species is 57 to 95 cm (23-37 in) long, not counting a tail of 35-45 cm (14-18 in).

The female is shorter than the male.

The otter's average body weight is 7 to 12 kg (15.4-26.4 lbs), although occasionally a large old male may reach up to 17 kg (37 lbs).

The record-sized specimen, reported by a reliable source but not verified, weighed over 24 kg (53 lbs).

The European otter is the most widely distributed otter species, its range including parts of Asia and Africa, as well as being spread across Europe. Though currently believed to be extinct in Liechtenstein, and Switzerland, they are now very common in Latvia, along the coast of Norway and across Great Britain, especially Shetland, where 12% of the UK breeding population exist. Ireland has the highest density of Eurasian otters in Europe.


In Italy, they can be found in southern parts of the peninsula.

The South Korean population is endangered.

Otters are cute.

# Chapter III


## Exercise 00 : Exam

|   |               |
|---|---------------|
|  | Exercice : 00 |
|   | Exam          |
| Remarks : n/a   |               |

- On the intranet's home page, click on the Agenda section and register for Friday's exam.
- You also have to register for the Exam00 project.
- Make sure you've registered for the exam (the event AND the project !).
- Make sure you've made sure you've registered for the exam (the event AND the project ! Yep, both !).

# Chapter IV

## Exercise 01 : print\_groups

|   |                 |
|---|-----------------|
|  | Exercise : 01   |
|   | print_groups.sh |
| Turn-in directory : <i>ex01/</i>  |                 |
| Files to turn in : <b>print_groups.sh</b>   |                 |
| Allowed functions : <b>Nothing</b>  |                 |
| Remarks : <b>n/a</b>  |                 |

- Write a command line that will display the list of groups for which the login, contained in the environment variable `FT_USER` , is a member. Separated by commas without spaces.
- Examples :

- for `FT_USER=nours`, the result is "god,root,admin,master,nours,bocal" (without quotation marks)

```
$>./print_groups.sh
god,root,admin,master,nours,bocal$>
```

- for `FT_USER=daemon`, the result is "daemon,bin" (without quotation marks)


```
$>./print_groups.sh
daemon,bin$>
```



man groups

# Chapter V

## Exercise 02 : find\_sh

|   |               |
|---|---------------|
|  | Exercise : 02 |
| find_sh.sh  |               |
| Turn-in directory : <i>ex02/</i>  |               |
| Files to turn in : <b>find_sh.sh</b>  |               |
| Allowed functions : <b>Nothing</b>  |               |
| Remarks : <b>n/a</b>  |               |


- Write a command line that searches for all file names that end with ".sh" (without quotation marks) in the current directory and all its sub-directories. It should display only the file names without the .sh.
- Example of output :

```
$>./find_sh.sh | cat -e
find_sh$
file1$
file2$
file3$
$>
```



# Chapter VI

## Exercise 03 : count\_files


|   |                |
|---|----------------|
|  | Exercice : 03  |
|   | count_files.sh |
| Turn-in directory : <i>ex03/</i>  |                |
| Files to turn in : <b>count_files.sh</b>  |                |
| Allowed functions : <b>Nothing</b>  |                |
| Remarks : <b>n/a</b>  |                |

- Write a command line that counts and displays the number of regular files and directories in the current directory and all its sub-directories. It should include ".", the starting directory.
- Example of output :

```
$>./count_files.sh | cat -e
42$
$>
```

# Chapter VII

## Exercise 04 : MAC

|   |                                    |
|---|------------------------------------|
|  | Exercice : 04                      |
|   | MAC.sh                             |
|   | Turn-in directory : <i>ex04/</i>   |
|   | Files to turn in : <b>MAC.sh</b>   |
|   | Allowed functions : <b>Nothing</b> |
|   | Remarks : n/a                      |


- Write a command line that displays your machine's MAC addresses. Each address must be followed by a line break.



`man ifconfig`

# Chapter VIII

## Exercise 05 : Can you create it ?

|   |               |
|---|---------------|
|  | Exercice : 05 |
| Can you create it ?   |               |
| Turn-in directory : <i>ex05/</i>  |               |
| Files to turn in : "\?*\$*'KwaMe'*\$?\\"  |               |
| Allowed functions : Nothing   |               |
| Remarks : n/a   |               |

- Create a file containing only "42", and NOTHING else.

- Its name will be :


```
"\?*$*'KwaMe'*$?\\"
```

- Example :

```
$>ls -lRa *waM* | cat -e
-rw---xr-- 1 75355 32015 2 Oct 2 12:21 "\?*$*'KwaMe'*$?\\"$
$>
```

# Chapter IX


## Exercise 06 : Skip

|   |               |
|---|---------------|
|  | Exercise : 06 |
| skip.sh   |               |
| Turn-in directory : <i>ex06/</i>  |               |
| Files to turn in : <b>skip.sh</b>   |               |
| Allowed functions : <b>Nothing</b>  |               |
| Remarks : <b>n/a</b>  |               |

- Write a command line that displays every other line for the command `ls -l`, starting from the first line.

# Chapter X

## Exercise 07 : r\_dwssap

|   |               |
|---|---------------|
|  | Exercice : 07 |
|   | r_dwssap.sh   |
| Turn-in directory : <i>ex07/</i>  |               |
| Files to turn in : <b>r_dwssap.sh</b>   |               |
| Allowed functions : <b>Nothing</b>  |               |
| Remarks : <b>n/a</b>  |               |

- Write a command line that displays the output of a `cat /etc/passwd` command, removing comments, every other line starting from the second line, reversing each login, sorted in reverse alphabetical order, and keeping only logins between FT\_LINE1 and FT\_LINE2 included, and they must be separated by ", " (without quotation marks), and the output must end with a ".".
- Example: Between lines 8 and 16, the result should be something like this :


```
$> ./r_dwssap.sh
sstq_, sorebrek_brk_, soibten_, sergtsop_, scodved_, rlaxcm_, rgmecived_, revreswodniw_, revressta_
.$>
```



Rigorously follow the order indicated in the instructions.

# Chapter XI

## Exercise 08 : bon

|   |               |
|---|---------------|
|  | Exercice : 08 |
| bon.sh  |               |
| Turn-in directory : <i>ex08/</i>  |               |
| Files to turn in : <b>bon.sh</b>  |               |
| Allowed functions : <b>Nothing</b>  |               |
| Remarks : n/a   |               |

- Write a command line that displays the number of users of the infrastructure whose names contain "bon" (that also includes "mr. bonheur").
- Example of output :

```
$> ./bon.sh 2> /dev/null | cat -e
4$
$>
```



LDAP is my friend :-)

## Exercise 09 : add\_chelou



- Example 1:

```
FT_NBR1='?'\"' '\
FT_NBR2=rcrdmddd
```

- o The sum is :
- ```
Salut
```

- Example 2 :

- o The sum is :  
