Event Management

Last updated by | m.calderon.santiago@accenture.com | 23 abr 2026 at 15:20 CEST

Contents

- Event Management
  - Event
    - Werfen Event
    - Consultancy Agreement
  - Event Organization
  - Attendee & Lead Capture Architecture
    - Task Participant
    - Event Attendee
    - Task Participant Management Flow
      - Flow Configuration
      - Step 1: Identification Logic (Match)
      - Step 2: Task Participant Update
      - Step 3: Event Attendee Creation
      - Architectural Considerations
  - Financials & Compliance Limits
    - Event Expenses
    - Fair Market Value: FMV
  - Multi-Tier Approval Engine & History



Event Management

This module governs the creation, approval, execution, and financial tracking of corporate and third-party events, ensuring strict compliance with internal policies (Fair Market Value, Budgets) and seamless attendee management.

Event

The central object (WESAL_obj_werfenEvent__c) handles two distinct workflows governed by Record Types: **Werfen Event** (the actual event) and **Consultancy Agreement** (the compliance/legal clearance associated with an event).

Werfen Event

Manages the logistical and commercial details of the event.

Field Label	Data Type	Logic / Functional Behavior
Name	Text	Event's Name defined by user
Sponsor	Picklist	*Werfen, 3rd Party*.
Sponsor Name	Text	Only if the Sponsor = 3rd Party
Event Type	Picklist (Dependent by Sponsor)	**If Werfen:** *Educational, Promotional, Scientific Advisory Committee (SAC), Expert Meetings, Clinical Study, Research by Werfen* **If 3rd Party:** *Educational grant, Workshops, Satellite Symposia, Congress sponsorship, Research Grant, Investigator Initiated Study (IIS), Donation.*
Modality	Picklist	Values: *In person, Virtual, Hybrid*.
Parent Event	Lookup (Event)	**Filter:** Can only look up to records with the "Werfen Event" Record Type. Used for sub-events.
Status	Picklist	*Draft, Request Submitted, Request approved, Request rejected, Organization, Reconciliation.*
Rejection Reason	Text Area	**Validation Rule:** Mandatory if Status changes to *Request rejected*.
Requestor Department	Picklist	*Medical, Marketing*.
Event Details	Text Area	Qualitative descriptions.
Comments	Text Area	Qualitative descriptions.
Service Description	Text Area	Qualitative descriptions.
Start Date	Date	Standard start date
End Date	Date	Standard end date
Location Street	Text	Standard address fields
Location City	Text	Standard address fields
Location State/Province	Text	Standard address fields
Location Postal Code	Text	Standard address fields
Location Country	Text	Standard address fields
Location Sales Organization	Picklist	Global Sales Organization Picklist
VAT	Currency(16,2)	Value-Added Tax

Field Label	Data Type	Logic / Functional Behavior
Attendees	Roll-up Summary	Counts related `Event Attendee` records.
Slots	Formula (Number)	Logic: `WESAL_fld_eventOrganization__r.WESAL_fld_limit__c - WESAL_fld_attendees__c`
Expenses	Roll-up Summary	Sums `WESAL_fld_cost__c` from related `Event Expenses` records.
Budget	Formula (Currency)	Logic: `WESAL_fld_eventOrganization__r.WESAL_fld_budget__c`
FMV	Lookup	lookup to `WESAL_obj_fmv__c` (Fair Market Value).
Approver	Lookup	lookup to `User` or 'Queue'.
Additional Approver	Lookup	lookup to `User` or 'Queue'.
Compliance Approver	Lookup	lookup to `User` or 'Queue'.
Other Approver	Lookup	lookup to `User` or 'Queue'.
External Id	Text, Unique, ExternalId	External Id

Consultancy Agreement

A compliance-focused child record required for certain event types before the parent event can proceed.

- **Key Differences in Fields:** `Event Type` is fixed to "Consultancy Agreement".
- **Relationship Logic:** Must look up to a Parent "Werfen Event". The UI should be streamlined (minimal fields) to guide users quickly through data entry.
- **Approval Gate:** Parent event processing is blocked until this child agreement is approved.

Field Label	Data Type	Logic / Functional Behavior
Event Type	Picklist	Default value: *Consultancy Agreement*
Parent Event	Master-Detail (Event)	**Filter:** Can only look up to records with the "Werfen Event" Record Type. Used for sub-events.
Status	Picklist	*Draft, Request Submitted, Request approved, Request rejected, Organization, Reconciliation.*
Rejection Reason	Text Area	**Validation Rule:** Mandatory if Status changes to *Request rejected*.
Requestor Department	Picklist	*Medical, Marketing*.
Event Details	Text Area	Qualitative descriptions.
Comments	Text Area	Qualitative descriptions.
Service Description	Text Area	Qualitative descriptions.
Start Date	Date	Standard start date
End Date	Date	Standard end date
Location Street	Text	Standard address fields
Location City	Text	Standard address fields
Location State/Province	Text	Standard address fields
Location Postal Code	Text	Standard address fields
Location Country	Text	Standard address fields
Location Sales Organization	Picklist	Global Sales Organization Picklist
VAT	Currency(16,2)	Value-Added Tax
FMV	Lookup	lookup to `WESAL_obj_fmv__c` (Fair Market Value).
Department	Picklist	*TBC values*
Approver	Lookup	lookup to `User` or 'Queue'.
Additional Approver	Lookup	lookup to `User` or 'Queue'.
Compliance Approver	Lookup	lookup to `User` or 'Queue'.
Other Approver	Lookup	lookup to `User` or 'Queue'.

Event Organization

RecordType: Event Organization `WESAL_rt_eventOrganization`

This object acts as the regional configuration table, dictating how many people can attend and the budget allocated per territory.

Field Label	Data Type	Logic / Functional Behavior
Sales Organization	Global Picklist	The region governing the rules.
Limit	Number (18, 0)	Maximum allowed attendees for this territory.
Time Slots	Number (18, 0)	Available time allocations.
Budget	Currency (16, 2)	Maximum budget allocated.
Name	Text	**Automation:** auto-populate with the `Sales Organization` label
External ID	Text (Unique)	**Automation:** auto-populate with the `Sales Organization` label to prevent duplicate configurations per region.

Attendee & Lead Capture Architecture

To cleanly manage webinar/form registrations without polluting the CRM with duplicate Leads or Contacts, the architecture uses a **Staging Table pattern** (`Task Participant`) that feeds into the final `Event Attendee` table.

Task Participant

RecordType: Participant `WESAL_rt_participant`

This object (`WESAL_obj_taskParticipant__c`) captures raw data from external forms.

Field Label	Data Type	Logic / Functional Behavior
Event	Master-Detail (Event)	The event they registered for.
Email	Email	Participant Email
Phone	Phone	Participant Phone
First Name	Text	Participant First Name
Last Name	Text	Participant Last Name
Name	Text	Autopopulate with `WESAL_fld_firstName__c + '' + WESAL_fld_lastName__c`
Contact	Lookup (Contact)	**Automation:** System searches for existing Contact matching Email, or Phone.
Lead	Lookup (Lead)	**Automation:** System searches for existing Lead matching Email, or Phone. Contact match takes priority.
External ID	Text (Unique)	**Automation:** Concatenates `Email + Phone`. Prevents double-submissions from the same user.

Event Attendee

RecordType: Attendee `WESAL_rt_attendee`

The official ledger of who is attending. *Note: A Flow will automatically generate this record when a Task Participant is created/matched.* We use the recordType "Attendee".

Field Label	Data Type	Logic / Functional Behavior
Event	Master-Detail (Event)	Event
Lead	Lookup (Lead)	**Validation Rule:** One must be filled (Contact or Lead), but *never both*.
Contact	Lookup (Contact)	**Validation Rule:** One must be filled (Contact or Lead), but *never both*.
Task Participant	Lookup (Task Participant)	When it comes from a task participant, it remains associated with the record that originated the attendee.
External ID	Text (Unique)	**Automation:** Concatenates `Contact/Lead/TaskParticipant ID + Event ID` to prevent duplicate invitations to the same person.
Status	Picklist	*Draft, Invitation Sent, Confirmed, Cancel.*
Modality	Picklist	*On-line, On-site.*
Type	Picklist	*Attendee, Speaker, Organizer.*
Name	Formula Text	Autopopulate with WESAL_fld_contact__r.Name / WESAL_fld_lead__r.Name / WESAL_fld_taskParticipant__r.Name

Task Participant Management Flow

This document outlines the architecture and logic of the Record-Triggered Flow designed to automatically process incoming event registrations (Task Participants), match them against existing database records via the `Contact Point Data` object, and generate the official `Event Attendee` records.

Flow Configuration

- **Object:** Task Participant (`WESAL_obj_taskParticipant__c`)
- **Trigger:** A record is created.
- **Optimization:** Actions and Related Records (After-Save). This is required because the flow needs the generated ID of the `Task Participant` record to link it to the newly created attendee record.

Step 1: Identification Logic (Match)

The flow executes a sequential search based on the Email and Phone number provided in the registration form to identify if the person already exists in the system.

A. Contact Point Search

- **Element:** Get Records (Search within the `Contact Point Data` object).
- **Conditions:**
  - `Contact Point` EQUALS `$Record.Email`
  - OR `Contact Point` EQUALS `$Record.Phone`
- **Result:** If a matching record is found, the system extracts and stores the associated `Contact` or `Lead` ID in a variable.

Step 2: Task Participant Update

Before proceeding to attendee creation, the flow updates the original `Task Participant` record to establish a relational link with the identified database record.

- **Action:** Assign the found `Contact` or `Lead` to the respective lookup field on the `Task Participant` record.

Step 3: Event Attendee Creation

Once the identification process is complete, the system automatically generates the official `Event Attendee` (`WESAL_obj_eventAttendee__c`) record.

Field Mapping Table:

Target Field (Event Attendee)	Source Value / Logic
Event	`$Record.Event`
Contact	`$Record.Contact`
Lead	`$Record.Lead`
Task Participant	`$Record.Id`
Status	Hardcoded: `"Draft"`
Modality	Hardcoded: `"On-line"`
Type	Hardcoded: `"Attendee"`
Name	Logic: `Contact Name` OR `Lead Name` OR `Task Participant Name`
ExternalId	Formula: `(ContactID/LeadID/TaskParticipantID) + EventID`

Architectural Considerations

- **Fault Paths (Error Handling):** If the creation of the `Event Attendee` fails (e.g., blocked by a custom validation rule or missing required data), the flow is configured with a Fault Path that sends an automated email notification to the Event Owner, prompting a manual review.
- **External ID as a Safeguard:** The unique key configured in the `ExternalId` field (`Contact/Lead/TaskParticipant + Event`) is critical for data integrity. If the flow attempts to create a duplicate attendee for the same event, Salesforce will block the DML operation. This guarantees that a single individual cannot be registered twice for the same event.

Financials & Compliance Limits

Event Expenses

RecordType: Expenses `WESAL_rt_expenses`

Tracks line-item costs to roll up to the parent event.

Field Label	Data Type	Logic / Functional Behavior
Name	Autonumber	Name
Event	Master-Detail (Event)	Event
Type	Picklist	*TBC values*
Cost	Currency (16, 2)	Cost of the type included
External Id	Text, Unique, ExternalId	External Id

Fair Market Value: FMV

The compliance matrix dictating how much can be spent on attendees based on their tier.

Field Label	Data Type	Logic / Functional Behavior
Sales Organization	Global Picklist	The region governing the rules.
Name	Text	**Automation:** auto-populate with the `Sales Org Territory` label
External ID	Text (Unique)	**Automation:** auto-populate with the `Sales Organization` label to prevent duplicate configurations per region.
Specialty	Picklist	*TBC values*
Currency	Global Picklist	The currency for the FMV
Local Currency	*TBC*	*TBC*
IQVIA Equivalent	*TBC*	*TBC*
Tier I Min	Currency (16, 2)	Min currency for Tier I
Tier I Max	Currency (16, 2)	Max currency for Tier I
Tier II Min	Currency (16, 2)	Min currency for Tier II
Tier II Max	Currency (16, 2)	Max currency for Tier II
Tier III Min	Currency (16, 2)	Min currency for Tier III
Tier III Max	Currency (16, 2)	Max currency for Tier III

Multi-Tier Approval Engine & History

- **Dynamic Approvers:** The Event object contains 4 lookup fields to Queues/Users (`Approver`, `Additional Approver`, `Compliance Approver`, `Other Approver`).
- **Approval Process Logic:** A custom Salesforce Approval Process will route through up to 4 steps. The process will dynamically skip steps if the subsequent approver lookup fields are blank, allowing flexibility across regions.
- **Audit Trail:** Field History Tracking is enabled on the `Event` object to maintain a compliance log of all status and financial changes.
- **Files:** Standard Salesforce Files related list is enabled.