

Chapter # 16

➔ SUPPORT AND MOVEMENT

1. **Cytoplasmic streaming is called:**

A) Cytosis	B) Cyclosis
C) Cyto-flow	D) Cytomycosis
E) Cycling	
2. **Protoplasm possesses special characteristics of due to change in environment.**

A) Irritability	B) Dispensability
C) Trophism	D) Extremitism
E) Irritability	
3. **The outer most layer of thin walled cells of young stem is:**

A) Endodermis	B) Cortex
C) Epidermis	D) Exodermis
E) Medulla	
4. **Uniformly thick, heavily lignified secondary walls which give strength to the plant body are all characteristics of:**

A) Parenchyma	B) Coltenchyma
C) Sclerenchma	D) Fibers
E) All are incorrect	
5. **Simple living tissue, elongated, irregularly thickened walls is:**

A) Parenchyma	B) Collenchyma
C) Sclerenchyma	D) Fibers
E) All are incorrect	
6. **Tissues, which are formed by the activity of vascular cambium and cork cambium are called.**

A) Simple tissues	B) Compound tissues
C) Primary tissues	D) Secondary tissues
E) Tertiary tissues	
7. **Elongated cells with tapered ends, tough and strong but flexible, are all characteristics of:**

A) Secondary tissues	B) Parenchyma
C) Collenchyma	D) Sciererichyma
E) Fibers	

8. The growth in the apex of young stem takes place in zigzag manner due to an alternate change in growth rate on Opposite site of the apex, this movement is called:
- A) **Nutation**
 - B) Mutation
 - C) Vibration
 - D) Nastic
 - E) Turgor
9. When movement occurs due to faster growth on the upper side of the organ is known as:
- A) Nutation
 - B) **Epinastic**
 - C) Hyponastic
 - D) Paranastic
 - E) Paratonic
10. When movement occurs due to faster growth on lower surface of the growing organ, it is known as:
- A) Nutation
 - B) Epinastic
 - C) **Hyponastic**
 - D) Paranastic
 - E) Paratonic
11. Movements which occur due to external stimuli are known as:
- A) Nutation
 - B) Nastic
 - C) Turgor
 - D) **Paratonic**
 - E) Tropic
12. Movement occurs due to change in turgidity and size of cells as a result of loss or gain of water called:
- A) Nutation
 - B) Nastic
 - C) **Turgor**
 - D) Induced
 - E) Tropic
13. Paratonic movements are also known as:
- A) Nutation
 - B) Epinastic
 - C) Paranastic
 - D) **Induced**
 - E) Tropic
14. Growth responses that result in curvatures of whole plant organs towards or away from stimuli is:
- A) Nutation
 - B) Epinastic movement
 - C) Turgic movement
 - D) Paratonicity
 - E) **Tropism**
15. Curvature movement of plant in response to touch stimulus is:
- A) Geotropism
 - B) Chemotropism
 - C) Hydrotropism
 - D) Phototropism
 - E) **Thigmotropism**

16. Movement caused due to stimuli of touch is:

- | | |
|----------------|----------------|
| A) Haptonastic | B) Hygronastic |
| C) Photonastic | D) Paranastic |
| E) Epinastic | |

17. Growth movement in plants is mainly controlled by phytohormone called:

- | | |
|------------------|---------------|
| A) Ascorbic Acid | B) Neuroxins |
| C) Auxins | D) Phyttoxins |
| E) Cyttoxins | |

18. Simplest skeleton found in soft bodies invertebrates is:

- | | |
|--------------------------|-------------------------|
| A) Exoskeleton | B) Hydrostatic skeleton |
| C) Endoskeleton | D) Axial Skeleton |
| E) Appendicular Skeleton | |

19. Hydrostatic skeleton is found in:

- | | |
|----------------|------------|
| A) Molluscs | B) Octopus |
| C) Crabs | D) Humans |
| E) Earth Worms | |

20. Molluscs have an exoskeleton made up of:

- | | |
|-----------------|-----------|
| A) Silica | B) Chitin |
| C) Cuticle | D) Lime |
| E) Liquid Jelly | |

21. The most complex types of exoskeleton is found in:

- | | |
|---------------|---------------|
| A) Molluscs | B) Mammals |
| C) Arthropods | D) Jelly Fish |
| E) Octopus | |

22. The process of shedding of exoskeleton and make up of new and Larger one is:

- | | |
|-------------|---------------|
| A) Ecdysis | B) Acanthosis |
| C) Ecthosis | D) Necrosis |
| E) Moulding | |

23. Exoskeleton is:

- | | |
|---|----------------------------|
| A) Living, Growing | B) Non-living, Growing |
| C) Living, Non-Growing | D) Non-living, Non-Growing |
| E) May be living or non-living, but not growing | |

24. Endoskeleton is composed of:

- | | |
|---------------------------|--------------------------------|
| A) Bones and Muscles | B) Blood vessels and ligaments |
| C) Cartilages and Tendons | D) Tendons and Bones |
| E) Bones and Cartilages | |

25. An adult human endoskeleton consists of bones.

- A) 98
- B) 106
- C) 159
- D) 206
- E) 265

26. Axial skeleton includes:

- A) Skull, Pelvic girdles, Bones of arms and legs
- B) Skull, Sternum, Pelvic & Pectoral girdles
- C) **Skull, Sternum, Vertebrae and ribs**
- D) Skull, Ribs, Bones of arms and legs
- E) Ribs, Sternum, Vertebrae, Pelvic Girdle

27. A human endoskeleton is about _____% of the total body weight.

- A) 5
- B) 10
- C) 12
- D) 15
- E) 18

28. Appendicular skeleton includes:

- A) **Bones of Arms and Legs, Pelvic and Pectoral Girdle**
- B) Ribs, Sternum, Vertebrae
- C) Sternum, Bones of arms and legs, Vertebrae
- D) Ribs, Vertebrae, Pelvic & Pectoral Girdle
- E) Pelvic Girdle, Ribs, Sternum, Bones of Arms and Legs

29. Spinal cord consists of _____ vertebrae.

- A) 18
- B) 22
- C) 30
- D) 33
- E) 36

30. Brain box is made up of _____ bones to protect the brain.

- A) Four
- B) Six
- C) Seven
- D) **Eight**
- E) Ten

31. Each pectoral girdle consists of:

- A) Humerus and Radius
- B) **Clavicle and Scapula**
- C) Sternum and Ribs
- D) Tibia and Ulna
- E) Sternum and Scapula

32. Each of the human fore limb (upper limb) contains _____ bones.

- A) 12
- B) 20
- C) **30**
- D) 35
- E) 38

33. Bone which forms a ball and socket joint with scapula is:

- | | |
|--------------|------------|
| A) Femur | B) Humerus |
| C) Tibia | D) Fibula |
| E) Radioulna | |

34. Number of Carpel bones in each wrist is:

- | | |
|----------|----------|
| A) Four | B) Five |
| C) Six | D) Seven |
| E) Eight | |

35. From the palm extend fingers containing 14 small bones called:

- | | |
|----------------|------------|
| A) Phalanges | B) Carpals |
| C) Metacarpals | D) Patella |
| E) Tarsals | |

36. Each pelvic girdle is formed by the fusion of 3 bones called:

- | | |
|---------------------------|---------------------------|
| A) Femur, Sternum. Fibula | B) Femur, Tibia, Fibula |
| C) Ilium, Ischium. Pubis | D) Tibia, Fibula, Patcila |
| E) Ilium, Tibia, Ischium | |

37. The longest and strongest bone in the body is:

- | | |
|------------|------------|
| A) humerus | B) Femur |
| C) Sternum | D) Scapula |
| E) Patella | |

38. Cells of the bone are called:

- | | |
|----------------|-----------------|
| A) Hepatocytes | B) Chart Cells |
| C) Osteocytes | D) Chondrocytes |
| E) Melanocytes | |

39. Cells of the cartilages are called:

- | | |
|----------------|-----------------|
| A) Hepatocytes | B) Glial cells |
| C) Osteocytes | D) Chondrocytes |
| E) Melanocytes | |

40. Joint present in elbow is:

- | | |
|--------------------|------------|
| A) Ball and socket | B) Hinge |
| C) Fixed | D) Sliding |
| E) Gliding | |

41. Ankle or wrist joint in an example of:

- | | |
|--------------------------|------------------|
| A) Ball and Socket joint | B) Hinge joint |
| C) Pivot joint | D) Sliding joint |
| E) Gliding joint | |

42. Deformity of the joint of two vertebrae particularly of the neck where the space between the two adjacent vertebrae narrow is:
- A) Rickets
 - B) Disc Slip
 - C) **Spondylosis**
 - D) Arthritis
 - E) Sciatica
43. Condition in which a joint becomes swollen, painful and immovable is:
- A) Microcephaly
 - B) Disc Slip
 - C) Spondylosis
 - D) **Arthritis**
 - E) Sciatica
44. Number of muscles present in a human body is:
- A) 200
 - B) 300
 - C) 400
 - D) **600**
 - E) 900
45. Some skeletal muscles terminate into a tough, non-elastic tissue called:
- A) Cartilages
 - B) Ligaments
 - C) **Tendons**
 - D) Blood Vessels
 - E) All are incorrect
46. human eye muscle contract in:
- A) 0.001 second
 - B) **0.01 second**
 - C) 1 second
 - D) 0.01 minute
 - E) 1 minute
47. Sudden involuntary contraction of striated muscles which is caused by low level of calcium in the blood is:
- A) **Tetany**
 - B) Fatigue
 - C) Stroke
 - D) Thrombosis
 - E) Ecdysis
48. Locomotion in Paramecium is brought about by:
- A) Pseudopodia
 - B) **Cilia**
 - C) Flagella
 - D) Rhizoid
 - E) Foot
49. Locomotion in Euglena is brought about by:
- A) Pseudopodia
 - B) **Cilia**
 - C) **Flagella**
 - D) Setae
 - E) Foot

50. Locomotion in Snail is brought about by:

- A) Cilia
- B) Flagella
- C) Foot
- D) Tube Feet
- E) Legs

51. Each myosin filament is surrounded by:

- A) 4 actin filaments
- B) 6 actin filaments
- C) 8 actin filaments
- D) 12 actin filaments
- E) 14 actin filaments

52. Bones of the skull are joined by.

- A) Fixed joints
- B) Sliding joints
- C) Pivot joints
- D) Hinge joints
- E) Partially moveable joints

For More Notes, Mcqs, Online Quizzes

ADAMJEECOACHING.BLOGSPOT.COM