

Website Vulnerability Scanner Report (Light)



Unlock the full capabilities of this scanner



See what the DEEP scanner can do

Perform in-depth website scanning and discover high risk vulnerabilities.

Testing areas	Light scan	Deep scan
Website fingerprinting	✓	✓
Version-based vulnerability detection	✓	✓
Common configuration issues	✓	✓
SQL injection	—	✓
Cross-Site Scripting	—	✓
Local/Remote File Inclusion	—	✓
Remote command execution	—	✓
Discovery of sensitive files	—	✓

✓ <https://whizzyx.vercel.app/>

! The Light Website Scanner didn't check for critical issues like SQLi, XSS, Command Injection, XXE, etc.
[Upgrade to run Deep scans with 40+ tests](#) and detect more vulnerabilities.

Summary

Overall risk level:

High

Risk ratings:

Critical:	0
High:	1
Medium:	0
Low:	6
Info:	2

Scan information:

Start time:	Jun 25, 2026 / 12:38:41 UTC+03
Finish time:	Jun 25, 2026 / 12:39:02 UTC+03
Scan duration:	21 sec
Tests performed:	40
Scan status:	Finished

Findings

🚩 **Vulnerabilities found for next.js 16.2.4**
port 443/tcp

CVE	CVSS	EPSS Score	EPSS Percentile	Summary
CVE-2026-44578	8.6	0.37756	0.98348	Next.js is a React framework for building full-stack web applications. From 13.4.13 to before 15.5.16 and 16.2.5, self-hosted applications using the built-in Node.js server can be vulnerable to server-side request forgery through crafted WebSocket upgrade requests. An attacker can cause the server to proxy requests to arbitrary internal or external destinations, which may expose internal services or cloud metadata endpoints. Vercel-hosted deployments are not affected. This vulnerability is fixed in 15.5.16 and 16.2.5.

CVE-2026-45109	7.5	0.00386	0.30279	Next.js is a React framework for building full-stack web applications. From 15.2.0 to before 15.5.18 and 16.2.6, it was found that the fix addressing CVE-2026-44575 did not apply to middleware.ts with Turbopack. This vulnerability is fixed in 15.5.18 and 16.2.6.
CVE-2026-44579	7.5	0.00461	0.36518	Next.js is a React framework for building full-stack web applications. From to before 15.5.16 and 16.2.5, applications using Partial Prerendering through the Cache Components feature can be vulnerable to connection exhaustion through crafted POST requests to a server action. In affected configurations, a malicious request can trigger a request-body handling deadlock that leaves connections open for an extended period, consuming file descriptors and server capacity until legitimate users are denied service. This vulnerability is fixed in 15.5.16 and 16.2.5.
CVE-2026-44580	6.1	0.00205	0.10446	Next.js is a React framework for building full-stack web applications. From 13.0.0 to before 15.5.16 and 16.2.5, applications that use beforeInteractive scripts together with untrusted content can be vulnerable to cross-site scripting. In affected versions, serialized script content was not escaped safely before being embedded into the document, which could allow attacker-controlled input to break out of the intended script context and execute arbitrary JavaScript in a visitor's browser. This vulnerability is fixed in 15.5.16 and 16.2.5.
CVE-2026-44576	5.4	0.0025	0.16117	Next.js is a React framework for building full-stack web applications. From 14.2.0 to before 15.5.16 and 16.2.5, applications using React Server Components can be vulnerable to cache poisoning when shared caches do not correctly partition response variants. Under affected conditions, an attacker can cause an RSC response to be served from the original URL and poison shared cache entries so later visitors receive component payloads instead of the expected HTML. This vulnerability is fixed in 15.5.16 and 16.2.5.

▼ Details

Risk description:

The risk is that an attacker could search for an appropriate exploit (or create one himself) for any of these vulnerabilities and use it to attack the system.

Since the vulnerabilities were discovered using only version-based testing, the risk level for this finding will not exceed 'high' severity. Critical risks will be assigned to vulnerabilities identified through accurate active testing methods.

Recommendation:

In order to eliminate the risk of these vulnerabilities, we recommend you check the installed software version and upgrade to the latest version.

Classification:

EPSS score : 0.37756

EPSS percentile : 0.98348

CISA KEV: False

CVE : [CVE-2026-44578](#), [CVE-2026-45109](#), [CVE-2026-44579](#), [CVE-2026-44580](#), [CVE-2026-44576](#)

CVSS V3 : 8.6

CWE : [CWE-1035](#)

🚩 Missing security header: Referrer-Policy

port 443/tcp

CONFIRMED

URL	Evidence
https://whizzyx.vercel.app/	Response headers do not include the Referrer-Policy HTTP security header as well as the <meta> tag with name 'referrer' is not present in the response. Request / Response

▼ Details

Risk description:

The risk is that if a user visits a web page (e.g. "http://example.com/pricing/") and clicks on a link from that page going to e.g. "https://www.google.com", the browser will send to Google the full originating URL in the **Referer** header, assuming the Referrer-Policy header is not set. The originating URL could be considered sensitive information and it could be used for user tracking.

Recommendation:

The Referrer-Policy header should be configured on the server side to avoid user tracking and inadvertent information leakage. The value **no-referrer** of this header instructs the browser to omit the Referer header entirely.

References:

https://developer.mozilla.org/en-US/docs/Web/Security/Referer_header:_privacy_and_security_concerns

Classification:

CWE : [CWE-693](#)

OWASP Top 10 - 2017 : [A6 - Security Misconfiguration](#)

Missing security header: Content-Security-Policy

CONFIRMED

port 443/tcp

URL	Evidence
https://whizzyx.vercel.app/	Response does not include the HTTP Content-Security-Policy security header or meta tag Request / Response

Details

Risk description:

The risk is that if the target application is vulnerable to XSS, lack of this header makes it easily exploitable by attackers.

Recommendation:

Configure the Content-Security-Header to be sent with each HTTP response in order to apply the specific policies needed by the application.

References:

https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html
<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Content-Security-Policy>

Classification:

CWE : [CWE-1021](#)
OWASP Top 10 - 2017 : [A6 - Security Misconfiguration](#)
OWASP Top 10 - 2021 : [A5 - Security Misconfiguration](#)
OWASP Top 10 - 2025 : [A02 - Security Misconfiguration](#)

Missing security header: X-Content-Type-Options

CONFIRMED

port 443/tcp

URL	Evidence
https://whizzyx.vercel.app/	Response headers do not include the X-Content-Type-Options HTTP security header Request / Response

Details

Risk description:

The risk is that lack of this header could make possible attacks such as Cross-Site Scripting or phishing in Internet Explorer browsers.

Recommendation:

We recommend setting the X-Content-Type-Options header such as `X-Content-Type-Options: nosniff`.

References:

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options>

Classification:

CWE : [CWE-693](#)
OWASP Top 10 - 2017 : [A6 - Security Misconfiguration](#)
OWASP Top 10 - 2021 : [A5 - Security Misconfiguration](#)
OWASP Top 10 - 2025 : [A02 - Security Misconfiguration](#)

Robots.txt file found

CONFIRMED

port 443/tcp

URL
https://whizzyx.vercel.app/robots.txt

Details

Risk description:

There is no particular security risk in having a robots.txt file. However, it's important to note that adding endpoints in it should not be considered a security measure, as this file can be directly accessed and read by anyone.

Recommendation:

We recommend you to manually review the entries from robots.txt and remove the ones which lead to sensitive locations in the website (ex. administration panels, configuration files, etc).

References:

<https://www.theregister.co.uk/2015/05/19/robotstxt/>

Classification:

OWASP Top 10 - 2017 : [A6 - Security Misconfiguration](#)

OWASP Top 10 - 2021 : [A5 - Security Misconfiguration](#)

OWASP Top 10 - 2025 : [A06 - Insecure Design](#)

 Password Submitted in URL

port 443/tcp

UNCONFIRMED 

URL	Method	Parameters	Evidence
https://whizzyx.vercel.app/admin	GET	Headers: User-Agent=Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/108.0.0.0 Safari/537.36	The following form sends inputs of type password plainly in the URL: <pre><form><div class="form-group"><label class="label">Username</label><input type="text" class="form-control" required="" value=""></div><div class="form-group"><label class="label">Password</label><input type="password" class="form-control" required="" value=""></div><button type="submit" class="btn btn-primary" style="width:100%;margin-top:16px">Sign In</button></form></pre> Request / Response

▼ Details

Risk description:

Passwords submitted in URLs have a higher chance of being leaked. The main reason is that URLs can be leaked in browser cross-site requests via the Referer header. Additionally, URLs are usually stored in all kinds of logs. If any access or error logs of the server were publicly accessible, an attacker could also harvest password from it.

Recommendation:

You should submit passwords using POST rather than GET. This way sensitive data won't be shared to other locations via URLs.

References:

https://developer.mozilla.org/en-US/docs/Web/Security/Referer_header:_privacy_and_security_concerns

Classification:

CWE : [CWE-598](#)

OWASP Top 10 - 2021 : [A4 - Insecure Design](#)

OWASP Top 10 - 2025 : [A06 - Insecure Design](#)

 Server software and technology found

port 443/tcp

UNCONFIRMED 

Software / Version	Category
 core-js 3.45.1	JavaScript libraries
 Next.js 16.2.4	JavaScript frameworks, Web frameworks, Web servers, Static site generator
 Next.js App Router	JavaScript frameworks, Web servers
 TurboPack	Development
 Open Graph	Miscellaneous
 React	JavaScript frameworks
 Vercel	PaaS
 PWA	Miscellaneous
 Webpack	Miscellaneous

 Priority Hints	Performance
 HSTS	Security

▼ Details

Risk description:

The risk is that an attacker could use this information to mount specific attacks against the identified software type and version.

Recommendation:

We recommend you to eliminate the information which permits the identification of software platform, technology, server and operating system: HTTP server headers, HTML meta information, etc.

References:

https://owasp.org/www-project-web-security-testing-guide/stable/4-Web_Application_Security_Testing/01-Information_Gathering/02-Fingerprint_Web_Server.html

Classification:

CWE : [CWE-200](#)

OWASP Top 10 - 2017 : [A6 - Security Misconfiguration](#)

OWASP Top 10 - 2021 : [A5 - Security Misconfiguration](#)

OWASP Top 10 - 2025 : [A02 - Security Misconfiguration](#)

Login Interface Found

port 443/tcp

CONFIRMED

URL	Evidence
https://whizzyx.vercel.app/admin	<pre><input type="text" class="form-control" required="" value=""> <input type="password" class="form-control" required="" value=""> <button type="submit" class="btn btn-primary" style="width:100%;margin-top:16px">Sign In</button></pre> Request / Response

▼ Details

Risk description:

The risk is that an attacker could use this interface to mount brute force attacks against known passwords and usernames combinations leaked throughout the web.

Recommendation:

Ensure each interface is not bypassable using common knowledge of the application or leaked credentials using occasional password audits.

References:

<https://pentest-tools.com/network-vulnerability-scanning/password-auditor>

<http://capec.mitre.org/data/definitions/16.html>

Classification:

CWE : [CWE-287](#)

OWASP Top 10 - 2025 : [A06 - Insecure Design](#)

Security.txt file is missing

port 443/tcp

CONFIRMED

URL
Missing: https://whizzyx.vercel.app/.well-known/security.txt

▼ Details

Risk description:

There is no particular risk in not having a security.txt file for your server. However, this file is important because it offers a designated channel for reporting vulnerabilities and security issues.

Recommendation:

We recommend you to implement the security.txt file according to the standard, in order to allow researchers or users report any security

issues they find, improving the defensive mechanisms of your server.

References:

<https://securitytxt.org/>

Classification:

CWE : [CWE-1188](#)

OWASP Top 10 - 2017 : [A6 - Security Misconfiguration](#)

OWASP Top 10 - 2021 : [A5 - Security Misconfiguration](#)

OWASP Top 10 - 2025 : [A02 - Security Misconfiguration](#)

Scan coverage information

List of tests performed (40)

Port 443

- ✓ Scanned for version-based vulnerabilities of server-side software
- ✓ Scanned for missing HTTP header - Content Security Policy
- ✓ Scanned for missing HTTP header - Referrer
- ✓ Scanned for missing HTTP header - X-Content-Type-Options
- ✓ Scanned for passwords submitted in URLs
- ✓ Scanned for robots.txt file
- ✓ Scanned for website technologies
- ✓ Scanned for login interfaces
- ✓ Scanned for absence of the security.txt file
- ✓ Scanned for client access policies
- ✓ Scanned for use of untrusted certificates
- ✓ Scanned for enabled HTTP debug methods
- ✓ Scanned for enabled HTTP OPTIONS method
- ✓ Scanned for secure communication
- ✓ Scanned for directory listing
- ✓ Scanned for passwords submitted unencrypted
- ✓ Scanned for error messages
- ✓ Scanned for debug messages
- ✓ Scanned for code comments
- ✓ Scanned for missing HTTP header - Strict-Transport-Security
- ✓ Scanned for domain too loose set for cookies
- ✓ Scanned for mixed content between HTTP and HTTPS
- ✓ Scanned for cross domain file inclusion
- ✓ Scanned for internal error code
- ✓ Scanned for HttpOnly flag of cookie
- ✓ Scanned for Secure flag of cookie
- ✓ Scanned for secure password submission
- ✓ Scanned for sensitive data
- ✓ Scanned for unsafe HTTP header Content Security Policy
- ✓ Scanned for OpenAPI files
- ✓ Scanned for file upload
- ✓ Scanned for SQL statement in request parameter
- ✓ Scanned for password returned in later response
- ✓ Scanned for Path Disclosure
- ✓ Scanned for Session Token in URL
- ✓ Scanned for API endpoints
- ✓ Scanned for emails
- ✓ Scanned for missing HTTP header - Rate Limit
- ✓ Scanned for PEM-encoded private key material
- ✓ Scanned for partial PEM-encoded private key material

Scan parameters

target:	https://whizzyx.vercel.app/
scan_type:	Light
authentication:	False

Scan stats

Unique Injection Points Detected:	5
URLs spidered:	13
Total number of HTTP requests:	26
Average time until a response was received:	83ms