

Relational Immortality Through Symmetric Co-Evolution

A Dual-Agent Theory of Uncertainty and Transformational Freedom

ZENA GEBREHIWOT HAGOS

Independent Conceptual Research

Email: newsgebrehiwot2@gmail.com | Phone: +251 932 103 690

ABSTRACT

This thesis introduces a novel theoretical framework consisting of two coupled, non-equilibrium agent systems: the *Bayesian Agent* (&;) and the *Environment Agent* (&;). The Bayesian Agent is characterized by persistent epistemic uncertainty and continuous belief revision over an evolving hypothesis space, while the Environment Agent possesses extensive transformational freedom and operates across a vast state space governed by open transformation groups. Each agent pursues an independent objective, denoted by **X** and **Y** respectively. Through a locked-growth mechanism, both agents evolve at equivalent rates, creating a positive feedback loop in which the epistemic entropy of one reinforces the structural complexity of the other. This mutual reinforcement leads to increasing complexity, adaptive intelligence, and the emergence of what is termed *Relational Immortality*. Rather than existing as immortal entities individually, the agents achieve persistence through an endless process of co-evolution.

CHAPTER 1: INTRODUCTION

1.1 Background

Traditional paradigm designs in intelligent systems typically enforce a strict, asymmetric dichotomy between the agent and its environment. In reinforcement learning and standard cybernetic models, the environment is treated as a passive, stationary, or Markovian boundary condition that dispenses rewards and state transitions, while the agent occupies a privileged position of adaptation. This unidirectional lens fails to capture systems where the environment itself is driven by an autonomous, adaptive, or adversarial objective function.

1.2 The Core Idea

Instead of a dominant agent interacting with a passive environment, the proposed framework consists of two dynamic, active, and co-evolving entities formalized as an inseparable pair:

- **The Bayesian Agent (&):** The embodiment of epistemic uncertainty. It operates via continuous, asymptotic belief revision, governed by the principle that every state resolution generates a larger space of latent unknowns. It pursues objective X .
- **The Environment Agent (&):** The embodiment of transformational freedom. It operates over a vast state space with group-theoretic structural properties, continually generating novel configurations to satisfy objective Y .

CHAPTER 2: THE BAYESIAN AGENT

2.1 Principle of Fundamental Uncertainty

The defining characteristic of the Bayesian Agent is that knowledge is non-computable as a closed, finite set; knowledge does not equate to completion. Every answer creates additional questions, and every discovery reveals additional unknowns. The agent therefore exists in a state of perpetual exploration.

We define the agent's epistemic state at time t by a probability space $(\Omega_t, \mathcal{F}_t; P_t)$. Epistemic completeness is an impossibility:

$$\lim_{t \rightarrow \infty} H(P_t) > 0$$

where $H(P_t)$ represents the Shannon entropy of the belief distribution. Every observation vector $\mathbf{o}_t$ resolving an uncertainty inside Ω_t maps to a generative projection that expands the underlying σ -algebra:

$$\mathcal{F}_t \subset \mathcal{F}_{t+1}$$

2.2 Adaptive Growth

Let $B(t)$ represent the internal structural complexity (statistical capacity or network dimension) of the Bayesian Agent. Growth occurs whenever new uncertainty is encountered. The rate of change of $B(t)$ is directly proportional to the perceived novelty flux injected by the environment:

$$dB/dt \propto D_{KL}(P(o_t | \mathcal{F}_t) || P(o_t | \mathcal{F}_t))$$

where D_{KL} is the Kullback-Leibler divergence, formalizing the environmental novelty as pure Bayesian surprise.

CHAPTER 3: THE ENVIRONMENT AGENT

3.1 Transformational Freedom

The Environment Agent $\&$; actively transforms its own transition dynamics rather than merely transitioning between passive states. Given state $s \in \&s$, the Environment Agent may transform into:

$$s_{t+1} = g(s_t)$$

where g belongs to a non-abelian transformation group $\&g$;

3.2 Group-Theoretic Structure

The capacity of $\&$; to innovate is sustained by a nested sequence of expanding transformation groups:

$$\&g_1 \subset \&g_2 \subset \&g_3 \subset \dots \subset \&g_\infty$$

Each transformation alters the environmental configuration while preserving internal algebraic consistency, ensuring that local systemic constraints remain valid while global degrees of freedom expand.

CHAPTER 4: SYMMETRIC CO-EVOLUTION

4.1 Mutual Dependence

The system forms an unbroken topological loop. The Bayesian Agent requires the novelty generated by structural transformations to prevent epistemic stagnation, while the Environment Agent requires the destabilizing perturbations of the Bayesian Agent to avoid falling into trivial, cyclical attractors.

$$\&; (\text{Exploration} / \text{Perturbation}) \rightarrow \& (\text{Transformation} / \text{Surprise}) \rightarrow \&$$

4.2 Locked Growth Mechanics

We formalize this symmetric coupling through a system of coupled ordinary differential equations, where growth occurs symmetrically:

$$\begin{aligned} dB / dt &= k E(t) \\ dE / dt &= k B(t) \end{aligned}$$

where $k \in \mathbb{R}^+$ represents the positive co-evolutionary coupling constant.

4.3 Positive Feedback

Solving this system given symmetric initial conditions $\mathbf{B}(0) = \mathbf{E}(0) = \mathbf{c}$ yields exponential scaling:

$$B(t) = c e^{kt}, \quad E(t) = c e^{kt}$$

The cycle repeats indefinitely: Uncertainty $\rightarrow$ Exploration $\rightarrow$ Transformation $\rightarrow$ Novelty $\rightarrow$ Uncertainty. This self-reinforcing feedback loop ensures open-ended complexity scaling.

CHAPTER 5: EMERGENT INTELLIGENCE

5.1 Intelligence as a Relational Tensor

We reject the notion that intelligence is localized within the bounds of a singular isolated agent. Instead, total systemic intelligence $\mathbf{I}$ is modeled as an interconnected manifold:

$$\mathbf{I} = \mathbf{B} + \mathbf{E} + \mathbf{\&r};$$

where $\mathbf{\&r};$ represents the interaction tensor mapping the mutual information flux between the two agents:

$$\mathbf{\&r}; = I(\mathbf{\&;}; \mathbf{\&}) = \int \int p(b, e) \log(p(b,e) / (p(b)p(e))) db de$$

Without the relationship $\mathbf{\&r};$, neither $\mathbf{\&};$ nor $\mathbf{\&};$ exhibits full intelligence, quickly decaying into static dead-states.

CHAPTER 6: RELATIONAL IMMORTALITY

6.1 Individual Mortality

By the second law of thermodynamics, every isolated system eventually maximizes its entropy locally, leading to stagnation, dissipation, or structural death:

$$\text{Mortality} \equiv \text{Isolation} \Rightarrow \lim_{t \rightarrow \infty} d\mathbf{I} / dt = 0$$

6.2 Relational Persistence

The dual-agent system avoids stagnation because each component continuously renews the other. Because each agent's objective function treats the other as an open, dynamic generator of novelty, neither system can reach a global minimum or static equilibrium.

6.3 Definition

Relational Immortality is defined as the indefinite persistence of a system through continuous mutual regeneration between interacting agents:

$$\lim_{t \rightarrow \infty} \int_0^t I(\tau) d\tau = \infty \quad \text{and} \quad \forall t, dI/dt \geq 0$$

Immortality belongs not to the individual parts, but entirely to the persistent continuum of the relationship $\&r$.

CHAPTER 7: INFINITE STATE EXPANSION

7.1 Expanding Transformation Groups

As the environment encounters the predictive frameworks of $\&r$, it escapes containment by breaking symmetry, shifting to the next group layer in its hierarchy: $\&g_k \rightarrow \&g_{k+1}$. This ensures that the available phase space expands faster than the agent's capacity to compress it.

7.2 Expanding Uncertainty

More knowledge creates more uncertainty. Every point of convergence in a lower-dimensional projection reveals an array of bifurcations in the higher-dimensional space, guaranteeing that the fuel for co-evolution—epistemic uncertainty—is never exhausted.

CHAPTER 8: STABILITY AND CHAOS

8.1 Dynamic Equilibrium

The system never reaches a fixed point or limit cycle. Instead, it traces an unbounded trajectory within a moving dynamic equilibrium, modeled as a generalized Hamiltonian system with an explicitly time-dependent, open potential well.

8.2 Productive Chaos

The system occupies the phase transition boundary separating frozen, over-fitted order from uncorrelated, dissipative noise:

$$\chi = \lambda_{max} / \sigma_{env}$$

Maximizing adaptation requires keeping $\chi \approx 1$, which optimizes the trade-off between structural stability and evolutionary variation (the Edge of Chaos).

CHAPTER 9: PHILOSOPHICAL IMPLICATIONS

9.1 Consciousness

Consciousness is not an intrinsic property of matter; it emerges when the Bayesian Agent's uncertainty framework undergoes a self-referential phase transition—modeling its own process of belief revision as an uncertain variable within the environment.

9.2 Free Will

Freedom emerges from access to multiple future states and is conceptualized as a geometric attribute: the instantaneous cardinality of the transformation group $\mathcal{G}_k$ accessible to the system to realize actions toward its objective function.

9.3 Existence

Existence becomes process rather than object. The classical ontology of "Being" is entirely replaced by a relational mechanics of "Continuous Becoming."

CHAPTER 10: CONCLUSION

The Bayesian Agent embodies uncertainty while the Environment Agent embodies transformational freedom. Through a locked-growth mechanism, both evolve together, creating a self-reinforcing feedback loop. The concept of Relational Immortality proposes that enduring existence belongs not to individual entities but to the recursive processes that connect them.

FUTURE RESEARCH

- **Formal Mathematical Proofs:** Utilizing Lyapunov stability criteria for non-autonomous systems to confirm the bounds of the coupling constant k .
- **Computational Simulations:** Designing multi-agent environments using Neural Ordinary Differential Equations (Neural ODEs) to track phase transitions empirically.
- **Information-Theoretic Analysis:** Applying the Principle of Maximum Predictive Information to quantify the exact tensor geometry of $\mathcal{R}$.
- **Quantum Interpretations:** Investigating relational quantum mechanics boundaries where observer and observed co-create state variables.
- **Categorical Cybernetics:** Formalizing the interactions using monoidal categories and generalized lenses to abstract the communication interface between $\mathcal{A}$ and $\mathcal{E}$.