

■■■ GOVSHIELD SECURE SYSTEM OVERVIEW

Welcome to the GovShield Secure System Infrastructure Overview documentation. This manual covers all core hosting platforms, site structures, and physical server locations. GovShield is designed to provide fully isolated, air-gapped computing environments for sensitive municipal operations.

Our hardware nodes are divided across multiple facilities, with the primary operations hosted in the central civic data center. Standard physical access is restricted to credentialed IT personnel.

FACILITY LOCATIONS:

- Facility Alpha: Main administration servers and public portal routing node.
- Facility Beta: Cryptographic core storage and biometric gate controls.
- Central Civic Facility: Server Room A and secure operations command room.

■ FACILITY BETA: OPERATING PARAMETERS [L2 SECURITY CLEARANCE]

WARNING: The contents of this page are classified at Level 2 (Top Secret). Unauthorised extraction or viewing is strictly prohibited and subject to immediate administrative action.

ENVIRONMENTAL CONTROLS:

To ensure maximum hardware lifespan and prevent thermal throttling of the cryptographic processing units, the temperature inside Facility Beta's main Server Room A must be maintained at exactly 19.5 degrees Celsius at all times. Any variance exceeding 1.5 degrees will trigger an automated climate warning to security teams.

CRYPTOGRAPHIC ROTATIONS:

Core symmetric system keys (AES-GCM-256) are stored in hardware security modules (HSMs). These cryptographic keys must be manually rotated every 90 days. The manual rotation sequence requires two authorised L2 officers inputting their physical keycards simultaneously at the primary control desk.

■ EMERGENCY BIOMETRIC GATE OVERRIDES [L2 SECURITY CLEARANCE]

This page contains emergency procedures regarding biological boundary gates and security lockdowns. Only security officers of Level 2 clearance are authorized to execute manual overrides on the perimeter gates.

BIOMETRIC OVERRIDE PROTOCOL:

In the event of a network outage or system lockup, the biometric gates at Facility Beta can be bypassed. To perform a manual override, insert the physical override key into the base of gate terminal B-1. Then, enter the master keycode sequence: '7-3-9-2-Star-Hash-9' on the physical keypad. This will release the electromagnetic lock and keep the gate open for exactly 45 seconds before re-engaging.