



12V POE




USB INPUT

BATTERY
Connector



PCIE_Power



| | | | |
|--|--------------------------------|---|--------|
| Confidential and Proprietary | | AsiaTelco Technologies | |
| This Design Drawing is Sole Property of AsiaTelco Technologies. Un-Authorized USE, COPY and DISTRIBUTION is PROHIBITED ! | | Floor 3, #289-8 BiSheng Road Zhangjiang Hi-Tech Park Pudong, Shanghai P.R.China, 201203 | |
| Under Non Disclosure Agreement | | Do Not Copy | |
| Title : AIR-DB100 | | Power | |
| Size A3 | Document Number 724-0181-001-1 | Modified by: Huaqiang | Rev P1 |
| Date: Tuesday, August 09, 2016 | Sheet 1 | of 3 | |

[illegible]

The diagrams show the following connections:

- J204:** Power (1) to RXD (2), TXD (3) to TX1, GND (4) to GND.
- J206:** Power (1) to RXD (2), TXD (3) to TX2, GND (4) to GND.
- J207:** Power (1) to RXD (2), TXD (3) to TX2, GND (4) to GND.
- J208:** Power (1) to RXD (2), TXD (3) to TX2, GND (4) to GND.

[illegible][illegible]

From
Atair
LED
control

LED_PW

PCIE3V3

J999

Q201 DTC114VE

10K 47K

Abair_GPIO0

R225 1K

D206

Q202 DTC114VE

10K 47K

Abair_GPIO1

R229 1K

D207

Q203 DTC114VE

10K 47K

Abair_GPIO3

R231 1K

D208

Q204 DTC114VE

10K 47K



Abair_GPIO4

R236 1K

D210

GND

D1-->D2 :更换为300W



LTE MII转RJ45

