Make Your Enemy Your Friend: Improving Image Rotation Angle Estimation with Harmonics: supplementary material

K. Yu, M. D. M. Hosseini, A. Peng, H. Zeng, and M. Goljan

Due to the page limitation of the letter, we provide more detailed results of the proposed method in this supplementary file.

1) Fig. 1, 2, and 3 provide more detailed results corresponding to the paper's figures 5, 6, and 7.

2) Fig. 4 illustrates the impact of the only hyper-parameter N_{har} of the proposed method. The rotated images are interpolated with the *nearest* kernel. N_{har} varies from 1 to 5. We also show the result of [1] in Fig. 4(a) for comparison. The proposed method performs steadily when $N_{har} \geq 2$. Hence, we adopt $N_{har} = 2$ in the paper for simplicity.

[1] C. Chen, J. Ni and Z. Shen, "Effective estimation of image rotation angle using spectral method," IEEE Signal Processing Letters, 21(7): 890–894, 2014.

Fig. 1. Average estimation accuracy (%) over 500 uncompressed rotated images for different interpolation kernels. (a) Nearest, (b) Bilinear, (c) Bicubic. Fig. 1 (a), (b) and (c) share a legend for better visualization.


Fig. 2. Average estimation accuracy (%) over 500 JPEG compressed (QF=95) rotated images for different interpolation kernels. (a) Nearest, (b) Bilinear, (c) Bicubic.

Fig. 3. Average estimation accuracy (%) over 500 images undergone scaling-then-rotation for different interpolation kernels. (a) Nearest, (b) Bilinear, (c) Bicubic.


Fig. 4. The impact of N_{har} of the proposed method. The rotated images are interpolated with the nearest kernel. (a) the estimation accuracy as a function of θ, (b) the overall average estimation accuracy.