

Mobile-First Design — Research Notes

Source: Interaction Design Foundation (ixdf.org) — Mobile First topic, Mobile UX Design topic, and supporting articles by Luke Wroblewski's framework, Frank Spillers, Mads Soegaard, and IxDF course material. **Purpose:** Foundation knowledge for designing the **PrintVana / PrintEve NFC Digital Business Card** experience (mobile + web, using the PrintEve Design System). **Date:** 7 July 2026

1. What is Mobile-First Design?

Mobile-first design is an approach that **embraces the constraints of smaller screens** and focuses on what is **indispensable** for users.

*You start the design process by designing for the **smallest device first**, then **progressively enhance** the design for larger layouts (mobile → tablet → desktop).*

The concept was proposed in **2009 by Luke Wroblewski** (author of *Mobile First*, later Product Director at Google). His argument: starting design from the desktop version is a *backward* way of thinking. Designing mobile-first **forces focus** and **enables innovation**.

Wroblewski's 3 reasons to go mobile-first (updated by IxDF)

1. **Mobile has exploded** — smartphones are ubiquitous; mobile devices generate **over 62% of all web traffic worldwide** (Statista). Since 2014, mobile users are the online majority.
 2. **Mobile forces you to focus** — people use phones on the move, in short sharp bursts. There is no room for extraneous features. You must decide what really matters.
 3. **Mobile offers new capabilities** — GPS, camera, accelerometer, touch, gestures, AR, biometrics, **NFC**. Mobile-first lets you leverage these instead of replicating a desktop experience on a small screen.
-

2. Progressive Enhancement vs. Graceful Degradation

Mobile-first is built on **progressive enhancement**:

Concept	Direction	Focus
Progressive enhancement	Start small/basic → add layers up	Content availability for everyone first; users with better browsers/faster internet get an enhanced version
Graceful degradation	Start rich/desktop → strip down	Designs for the most capable browsers first, then patches for weaker ones

Progressive enhancement is **preferred for modern web design** because content is guaranteed to reach every user, regardless of device or connection.

Rule: content loads before anything else. Images get alt-text (also boosts SEO).

3. Core Principles of the Mobile-First Approach (IxDF)

1. **Keep it simple** — treat white space as a design element. Clean, clutter-free layout. Navigation contains only essential items (human working memory holds **5–9 items**).
 2. **Visual hierarchy** — mobile-first is content-first. Prioritize information using headings, paragraphs, captions and text styles so users instantly see what matters most.
 3. **Optimize for scanning, not reading** — users scan in known patterns (left→right, top→bottom). Put the most critical info **above the fold**; paragraphs max 2–3 sentences.
 4. **No hover effects** — hover is impossible on touch. Use tap/slide/gesture events users already know ("think app").
 5. **Leave complex graphs/large imagery for desktop** — optimize images so nothing gets awkwardly cropped on mobile.
 6. **Fat-finger-friendly targets** — tap targets **no smaller than 30 px** (IxDF minimum); **Apple recommends ≥ 44 px**; physical size ≥ 7–10 mm. Big targets = better accessibility too.
 7. **Consider the context of use** — users are distracted, moving, one-handed, in bad light, on weak connections.
 8. **Information architecture is critical** — it weeds out unnecessary detail. Use a content inventory to decide what earns a place on the screen.
-

4. Three Prioritization Approaches: Mobile-First, Task-First, Content-First

IxDF (Frank Spillers) frames three complementary approaches:

Mobile-First

Design for small screens first, then scale up. Prioritize under the constraints of **movement, time, and attention**.

Task-First

Design the **core value proposition** first. Focus on the user's primary task and make its completion effortless.

- Classic example: **Shazam** — one big animated button, "Tap to Shazam". The main task is obvious in one second.
- Ask: "**What is our Shazam button?**" (For an NFC card: **Save Contact.**)

Content-First

Start with what the user **wants/needs/desires**, design content around it, add interface later. Three stages:

1. **Copy** — clear, concise text; define typography, sizes, heading structure (H1→H5; critical for screen-reader accessibility).
2. **UI elements** — buttons, icons, graphics that support the content.
3. **Interaction elements** — animations/transitions last.

Takeaway: the best mobile experiences combine all three: mobile constraints + one primary task + content before chrome.

5. Mobile UX Design — Practical Guidelines (IxDF)

The 3 (+2) mobile mindsets (Josh Clark, *Tapworthy*)

Mindset	User situation	Design response
"I'm microtasking"	Short, frenzied bursts (buy a ticket)	Make frequent tasks maximally efficient
"I'm local"	What's around me?	Use location/sensors (with permission)
"I'm bored"	Killing time	Offer browsable, entertaining content
Extended engagement (new)	Long scroll/swipe sessions	Streaming, feeds
Interrupted attention (new)	Notifications pull users back	Respect focus; match notification urgency to real urgency (Microsoft "Respecting Focus")

5.1 Minimize content

- Page load < **3 seconds**.
- Reduce cognitive load; simple, straightforward UI.
- **94% of mobile users hold the phone in portrait** — every pixel of *width* is precious.

- Small, few images. Clear visual hierarchy. Color + contrast for visibility.
- Text **≥ 11 pt.**
- Compress info into icons where appropriate; frame content with whitespace.
- **Card-style design patterns** show actionable content easily.
- Consider task-oriented design.

5.2 Simplify navigation

- Self-evident navigation; progressive disclosure.
- Buttons/tabs **min 30×30 px / 7–10 mm.**
- Full-screen menus with **minimum menu levels**; clear labels.
- Most-used items at top — but consider **thumb reach**.
- **One primary action per screen.**
- Don't mix navigation patterns. Show link states clearly.
- Hamburger menus: make them visually distinct; a labeled "Menu" word with a border converted better than a bare icon (James Foster study). Use ARIA attributes.
- Offer footer links + "back to top" to reduce scroll fatigue (also helps screen readers).

5.3 Restrict user inputs

- Design for **maximum effect from minimum interaction**.
- Pre-fill or minimize form fields (ask for more later, e.g., on desktop).
- Alternative input mechanisms (voice, camera).
- Allow permanent sign-in (phones are biometrically locked anyway).
- Minimal, **one-directional scrolling** only.
- Retain data if the connection fails.
- Obvious search affordance (magnifying glass).
- **Skeleton screens** to show background work is happening.

5.4 Ensure continuity & consistency

- Let users continue where they left off across mobile ↔ desktop.
- Keep content consistent between versions; don't erode trust with unexplained differences.
- Maintain brand look & feel across every version.
- Use recognizable UI design patterns.

5.5 Unstable connections (very relevant for India / on-the-go use)

- Retain data across connection breaks.
- Minimize page weight for rapid loading.
- Kill ad networks/pop-ups on mobile — they devour bandwidth.

- Few, small, compressed images.

6. Responsive vs. Adaptive vs. Standalone Mobile Design

(Mads Soegaard, IxDF)

Approach	How it works	Pros	Cons
Responsive (Ethan Marcotte)	One fluid design; elements reflow to fit browser width via media queries	Uniform & seamless UX; SEO-friendly (one URL); easier/cheaper; template ecosystem	Less control per screen size; elements shift; heavier mobile downloads
Adaptive (Aaron Gustafson, 2011)	Multiple fixed layouts ; the server/site picks the best for the detected screen (commonly 320/480/760/960/1200/1600 px)	Tailor-made UX per device; often 2–3× faster than responsive; ads/content optimized per device	Much more work; "middle" devices (tablets) can fall through cracks; SEO risk with multiple versions
Standalone m.site	Separate mobile-only website (m. prefix)	(Historic) dedicated mobile tuning	Double maintenance; fallen out of favor; effectively dead

Recommendation for our project: Responsive, built mobile-first — single URL (good SEO for the subdomain), one codebase, and the card page is simple enough that responsive reflow loses nothing. This is also the modern default.

7. Content Strategy & UX Writing for Mobile

- **"Content is King"** (Bill Gates, 1996) still holds: *"Users visit your website for its content. Everything else is just the backdrop."* — Jakob Nielsen.
- Users choose **quality content over visual appeal** every time.
- UX writing = plain language + **action-oriented grammar** that guides users to act ("Save contact", "Order prints").
- Content ideas must come from **user research** — mental models, how they decide, what info they need.
- **Use real text, never lorem ipsum** — real content proves the layout actually fits, and makes localization accurate.
- **Pseudo-localization**: preview designs in longer languages (German, Hindi, Gujarati...) early; translated strings expand and break layouts (Netflix logs a defect per language when this is skipped).
- Decide **early** which words/phrases/blocks get visual prominence.
- Keep copy short, verb-oriented, simple — small screens + short attention spans.

8. Smartphones vs. Tablets

- Smartphones: highly mobile, distracted use, small screens, multi-tasking bursts, personal/emotional device, uncontrolled lighting.
 - Tablets: more fixed locations, longer relaxed sessions, often shared devices, more room for media and "free browsing".
 - Both need **fat-finger-friendly ≥ 44 px targets**.
 - Don't let "mobile first" become "tablet never" — check the mid-size breakpoint.
 - **Hand-off principle**: users move phone → tablet → desktop; keep task continuity pleasant.
-

9. Design-Process Checklist (Mobile-First)

1. **Content inventory** — list every piece of information the screen could show.
2. **Prioritize ruthlessly** — what is indispensable? (working memory: 5–9 items)
3. **Define the one primary task per screen** (our "Shazam button").
4. **Write real copy first** (content-first stages: copy → UI → interaction).
5. **Design the 320–390 px layout first**, portrait orientation.
6. **Touch targets ≥ 44 px**, spacing for thumbs, primary actions in thumb zone.
7. **No hover-dependent interactions**; use familiar gestures.
8. **Performance budget**: load < 3 s on 4G; compress images; skeleton screens.
9. **Progressively enhance** for tablet/desktop — add, never subtract, as space grows.
10. **Accessibility**: heading structure, alt text, contrast, ARIA on menus.
11. **Test on real devices** in real contexts (sunlight, one hand, weak network).

Common mobile-first mistakes to avoid

- Designing desktop first and "shrinking" it down.
 - Hiding essential content behind menus to fake simplicity.
 - Hover interactions, tiny targets, multi-directional scrolling.
 - Placeholder text that hides layout problems.
 - Ignoring slow/broken connections.
 - Mixing navigation patterns between screens.
-

10. Applying This to the PrintVana / PrintEve NFC Card

The NFC card's landing experience is a **pure mobile-first case**: ~100% of first views happen on a phone (it opens *from a physical tap*), often outdoors, one-handed, on mobile data, with a stranger waiting. This maps directly:

IxDF principle	NFC card application
One primary action per screen	" Save Contact " is our Shazam button — biggest, first, in thumb zone
Above the fold	Photo, name, title, company — instantly visible, zero scroll needed to identify the person
5–9 items max	Limit profile links (phone, email, WhatsApp, website, 2–3 socials)
< 3 s load, weak connections	Static, tiny page; compressed avatar; no heavy scripts; works on 4G at an expo hall
Portrait, one-directional scroll	Single column, vertical scroll only
≥ 44 px touch targets	Every link is a full-width card-style row
Card-style patterns	Perfect fit for contact rows and action chips
Restrict inputs	The "share your details back" (lead capture) form: 2–3 pre-filled fields max
Content-first, real copy	Design with real names/titles (long Indian names, long company names) — pseudo-localize for Hindi/Gujarati
Progressive enhancement	Base page = plain HTML contact info (works everywhere); enhancements = vCard download, wallet pass, animations
Continuity	Same profile URL works on desktop (responsive), where the owner <i>edits</i> the card
Brand consistency	PrintEve Design System tokens across the card page, editor app, and marketplace

Two distinct experiences to design:

1. **Receiver view** (the tapped page) — microtasking mindset, 10-second session, one job: *save the contact / reach the person*.
2. **Owner view** (card editor/dashboard) — extended engagement, richer forms, still mobile-first but can lean on progressive disclosure; desktop gets an enhanced editing layout.

Sources (IxDF)

1. *What is Mobile First?* — interaction-design.org/literature/topics/mobile-first
2. *What is Mobile User Experience (UX) Design?* — interaction-design.org/literature/topics/mobile-ux-design

3. Frank Spillers, *What Comes First in Mobile Design: Tasks, Content, or Mobile Optimization?*
4. Mads Soegaard, *Adaptive vs. Responsive Design*
5. *How to Craft Effective Mobile Experiences: The Role of Content Strategy and UX Writing*
6. *How to Optimize Your Designs for Smartphones vs Tablets*
7. Luke Wroblewski, *Mobile First* (2009) — referenced throughout IxDF material