■ Q (https://profile.intra.42.fr/searches)

dkrecisz

(https://profile.intra.42.fr)

Remember that the quality of the defenses, hence the quality of the of the school on the labor market depends on you. The remote defences during the Covid crisis allows more flexibility so you can progress into your curriculum, but also brings more risks of cheat, injustice, laziness, that will harm everyone's skills development. We do count on your maturity and wisdom during these remote defenses for the benefits of the entire community.

# SCALE FOR PROJECT CPP MODULE 04 (/PROJECTS/CPP-MODULE-04)

You should evaluate 1 student in this team



Git repository

git@vogsphere-v2.codam



# **Introduction**

- Only grade the work that is in the student or group's GiT repository.
- Double-check that the GiT repository belongs to the student or the group. Ensure that the work is for the relevant project and also check that "git clone" is used in an empty folder.
- Check carefully that no malicious aliases were used to fool you and make you evaluate something other than the content of the official repository.
- To avoid any surprises, carefully check that both the evaluating and the evaluated students have reviewed the possible scripts used to facilitate the grading.
- If the evaluating student has not completed that particular project yet, it is mandatory for this student to read the entire subject prior to starting the defence.
- Use the flags available on this scale to signal an empty repository, non-functioning program, a norm error, cheating etc. In these cases, the grading is over and the final grade is 0 (or -42 in case of cheating). However, with the exception of cheating, you are

encouraged to continue to discuss your work (even if you have not finished it) in order to identify any issues that may have caused this failure and avoid repeating the same mistake in the future.

- Remember that for the duration of the defence, no segfault, no other unexpected, premature, uncontrolled or unexpected termination of the program, else the final grade is 0. Use the appropriate flag.

You should never have to edit any file except the configuration file if it exists. If you want to edit a file, take the time to explicit the reasons with the evaluated student and make sure both of you are okay with this.

- You must also verify the absence of memory leaks. Any memory allocated on the heap must be properly freed before the end of execution.

You are allowed to use any of the different tools available on the computer, such as leaks, valgrind, or e\_fence. In case of memory leaks, tick the appropriate flag.

# **Disclaimer**

Please respect the following rules:

- Remain polite, courteous, respectful and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the person (or the group) evaluated the eventual dysfunctions of the work. Take the time to discuss and debate the problems you have identified.
- You must consider that there might be some difference in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade him/her as honestly as possible. The pedagogy is valid only and only if peer-evaluation is conducted seriously.

# **Guidelines**

You must compile with clang++, with -Wall -Wextra -Werror
As a reminder, this project is in C++98 and C++20 members functions or containers are NOT expected.

Any of these means you must not grade the exercise in question:

- A function is implemented in a header (except in a template)
- A Makefile compiles without flags and/or with something other than clang++

Any of these means that you must flag the project as Forbidden Function:

- Use of a "C" function (\*alloc, \*printf, free)
- Use of a function not allowed in the subject
- Use of "using namespace" or "friend"
- Use of an external library, or C++20 features

# **Attachments**

subject.pdf (https://cdn.intra.42.fr/pdf/pdf/10413/en.subject.pdf)

## ex00

As usual, there has to be a main function that contains enough tests to prove the program works as required. If there isn't, do not grade this exercise. If any non-interface class is not in Coplien's form, do not grade this exercise.

#### Thorough testing

There are tests in the main with derived classes other than Peon, and everything works well with them.

✓ Yes

 $\times$ No

#### I want sheeps!

The Victim can getPolymorphed() const, with the correct output. The Sorcerer can polymorph(Victim const &) const.

✓ Yes

 $\times$ No

#### **Destructor chaining**

The destructors in Victim and derived are virtual.

✓ Yes

 $\times$ No

#### Easy subclass

There is a Peon class that inherits publicly from Victim. It has the correct outputs.

✓ Yes

imesNo

#### **Victim**

There is a Victim class. It has a name. The required outputs on construction and destruction are present.

The required overload of operator << to ostream is present and works correctly

✓ Yes

 $\times$ No

#### Sorcerer

There is a Sorcerer class. It has a name and a title. It has a constructor with name and title.

It cannot be instanciated without parameters.

That means either the default constructor must be private, or it must be declared but non-implemented, to comply with Coplien's form.

The required outputs on construction and destruction are present.

The required overload of operator << to ostream is present and works correctly.

✓ Yes

 $\times_{\mathsf{No}}$ 

## ex01

As usual, there has to be a main function that contains enough tests to prove the program works as required. If there isn't, do not grade this exercise. If any non-interface class is not in Coplien's form, do not grade this exercise.

#### **Concrete enemies**

There are concrete SuperMutant and RadScorpion enemies (That inherit from Enemy, obviously)

They have the required attributes.

The SuperMutant

has the required overload of takeDamage() and it works as required.

✓ Yes

 $\times$ No

#### Character

There is a Character class. It has the attributes required by the subject: name, AP, pointer to AWeapon.

It has the required AP behavior: 40 on start, it looses X AP on attack depending on the weapon, and recovers 10 AP with recoverAP up to a maximum of 40. attack(...) fails if there aren't enough AP.

✓ Yes

 $\times$ No

## **Concrete weapons**

There are concrete PlasmaRifle and PowerFirst weapons. (So, they inherit from AWeapon)
They have the attributes and attack() outputs specified

by the subject.

✓ Yes

 $\times$ No

## **Utility and output**

The equip() and attack() functions work as required. The << overload works as required.

✓ Yes

 $\times$ No

## **Destructor chaining 2**

The destructors in AWeapon and its derived classes are virtual.

✓ Yes

 $\times$ No

## Thorough testing

There are tests in the main with more derived weapons and more derived enemies. "

✓ Yes

 $\times$ No

## **Destructor chaining AGAIN**

The destructors in Enemy and its derived classes are virtual.

✓ Yes

 $\times$ No

#### **Enemy**

There is an Enemy class. It has the attributes required by the subject: type, number of HP

Its member functions are implemented coherently.

It has the required check in takeDamage to prevent going under 0 HP.

✓ Yes

 $\times$ No

## Weapon

There is an AWeapon class. It is abstract (attack() must be a pure virtual function).

It has the attributes required by the subject : name,

damage, AP cost.

Its member functions are implemented coherently

✓ Yes

 $\times$ No

## ex02

As usual, there has to be a main function that contains enough tests to prove the program works as required. If there isn't, do not grade this exercise. If any non-interface class is not in Coplien's form, do not grade this exercise.

#### **Interfaces**

The ISquad and ISpaceMarine interfaces are present and are exactly like the ones in the subject.



 $\times$ No

## Concrete squad

The Squad class is present and inherits from ISquad Its member functions work as required.

Its destructor destroys the contained units.



 $\times$ No

#### **Concrete units**

The TacticalMarine and AssaultTerminator classes are present and inherit from ISpaceMarine.

Their member functions work as required.



 $\times$ No

## **Assignment and copy**

The copy and assignation behaviours of the Squad are as the subject required. That means deep copy, and upon assignation, exiting units must be destroyed before they are replaced.



 $\times$ No

# ex03

As usual, there has to be a main function that contains enough tests to prove the program works as required. If there isn't, do not grade this exercise. If any non-interface class is not in Coplien's form, do not grade this exercise.

#### **Interfaces**

The ICharacter and IMateriaSource interfaces are present and are exactly like in the subject.

✓ Yes	×No
Source	
The MateriaSource class is present and implements IMateriaSource. The member functions work as intended.	
✓ Yes	×No
Concrete materia	
There are concrete Ice and Cure classes that inherit from AMateria Their clone() method is correctly implemented. Their outputs are correct.	
	imesNo
Character	
The Character class is present and implements ICharacter. It has an inventory of 4 materias.  The member functions are implemented as the subject requires.	
✓ Yes	imesNo
Materia base	
There is an AMateria class. It has a type. It's abstract (clone is pure). The XP system is implemented as the subject requires.	
✓ Yes	×No
Assignation and copy	
The copy and assignation of a Character are implemented as required (= deep copy, very much like the previous exercise).	
✓ Yes	imesNo

# ex04

As usual, there has to be a main function that contains enough tests to prove the program works as required. If there isn't, do not grade this exercise. If any non-interface class is not in Coplien's form, do not grade this exercise.

## **Basics**

		Intra Projects CPP M	Iodule 04 Edit				
	MiningLaser interfaces ngLasers are implemen	•					
Asierolus unu minin	igtasers are implemen	iea.					
	✓ Yes		×	No			
DD's patcher!							
there should be a be and the mine() meth which would dispat asteroid (subtype p Basically the double Now the clever bit: uses typeid, dynam select the output, M	eMined(StripMiner *) nod should call beMine ch the call to a method olymorphism) and the e-dispatcher design po if the student tries to po ic_cast, the names of t	vorks as required. In theory and a beMined(DeepCore of passing "this" as paramed that depends on the type type of the laser (adhoc postern, just a bit dumber. ass off a technique that the lasers/asteroids, etc. to DJECT AS CHEAT and leave ubject.	eMiner*), eter, of the olymorphism).				
			×No				
Ratings							
Don't forget to chec	k the flag correspondi	ng to the defense					
	<b>✓</b> Ok		★ Outstandir	nding project			
Empty work	● No author file	nvalid compilation	<b>∄</b> Norme	<b>₽</b> Cheat	T Crash		
	<b>▲</b> Leaks		<b>⊘</b> Forbidden function				
Conclusi Leave a comment o							
		Finish evaluation					

General term of use of the site (https://signin.intra.42.fr/legal/terms/6)

Privacy policy (https://signin.intra.42.fr/legal/terms/5)

Legal notices (https://signin.intra.42.fr/legal/terms/3)

Declaration on the use of cookies (https://signin.intra.42.fr/legal/terms/2)

Terms of use for video surveillance (https://signin.intra.42.fr/legal/terms/1)