

PRODUCT REQUIREMENTS DOCUMENT (PRD)

Invoice Shipping Generator

Commercial Invoice & Shipping Documents

Version: 1.1 — MVP

Status: Product Planning

Platform: Web Application

Deployment: Cloudflare Pages Free

Repository: GitHub

Database: Supabase PostgreSQL

Authentication: Supabase Auth

Frontend: HTML + CSS + Vanilla JavaScript

1. PRODUCT VISION

Invoice Shipping Generator adalah aplikasi SaaS berbasis web untuk membuat Commercial Invoice dan Packing List untuk kebutuhan pengiriman barang, terutama export dan import.

Aplikasi dirancang dengan prinsip:

Simple when you want it simple. Powerful when you need it.

User tidak dipaksa mengisi semua informasi yang tersedia.

User dapat membuat:

- Dokumen sederhana
- Dokumen lengkap
- Customs information
- Custom information sesuai kebutuhan
- PDF siap download

Arsitektur aplikasi sejak awal dibuat **modular**, sehingga fitur tambahan dapat dijual atau diaktifkan per user tanpa harus mengubah sistem authentication utama.

2. CORE MVP

Fitur utama MVP:

1. Login
2. Developer-controlled account
3. Account Active / Locked
4. Feature-based access control
5. Export / Import
6. Commercial Invoice
7. Packing List
8. Simple Template
9. Complete Template
10. Automatic document number
11. Manual document number
12. Product management
13. Customer management
14. Supplier management
15. Invoice history
16. Packing List history
17. PDF preview
18. PDF generation
19. PDF download
20. Suggested Customs Fields
21. Custom Fields
22. Temporary attachment
23. RLS security

3. FUTURE SELLING FEATURES

Aplikasi dirancang agar dapat berkembang menjadi platform shipping/trade tools.

Planned features:

Document Features

- Commercial Invoice
- Packing List
- Purchase Order
- Proforma Invoice
- Quotation
- Certificate of Origin

Calculation / Research Tools

- Shipping Rate Checker
- Duty & Tax Calculator
- Landed Cost Calculator

Future

- Carrier integrations
 - Customs data integrations
 - Accounting integrations
 - ERP integrations
 - AI-assisted documentation
-

4. TARGET USERS

Primary

- Exporter
- Importer
- Trading Company
- Freight Forwarder
- Logistics Company
- SME
- International seller

Secondary

- Export/import staff
 - Sales staff
 - Warehouse staff
 - Shipping administration
-

5. TECHNOLOGY

Frontend

HTML5

CSS3

Vanilla JavaScript

React tidak diperlukan pada MVP.

Hosting

Cloudflare Pages Free.

Repository

GitHub.

Database

Supabase PostgreSQL.

Authentication

Supabase Auth.

MVP menggunakan:

- Email
- Password

Public registration tidak digunakan.

6. AUTHENTICATION MODEL

User tidak melakukan public sign-up.

Account dibuat / dikelola oleh Developer.

Flow:

``text id="6u2k8p" LOGIN ↓ Supabase Auth ↓ Authentication Success ↓ Check Account Status ↓ Check Feature Access ↓ Dashboard

Jika account locked:

``text id="8x1p5q"

Access Denied
Your account has been locked by the administrator.

7. USER ROLES

Developer

Developer memiliki kontrol penuh terhadap:

- User
- Account status
- Feature access
- Application configuration

Customer

Customer dapat menggunakan fitur yang telah diaktifkan untuk account-nya.

Customer tidak dapat:

- Mengubah role
- Mengaktifkan feature sendiri
- Membuka account yang dikunci
- Mengakses data user lain

8. ACCOUNT STATUS

Account memiliki status:

```text id="1s8d7p" ACTIVE LOCKED

### ACTIVE

User dapat login dan menggunakan feature yang diizinkan.

### LOCKED

User tidak dapat menggunakan aplikasi.

Account lock dikontrol Developer.

---

## # 9. MODULAR FEATURE ACCESS

Account status dan feature access adalah dua sistem berbeda.

Contoh:

```
```text id="6x5t2z"
```

Account

ACTIVE

Feature:

Commercial Invoice	ON
--------------------	----

Packing List	ON
--------------	----

Purchase Order	OFF
----------------	-----

Shipping Rate	OFF
---------------	-----

Duty & Tax	OFF
------------	-----

User dapat aktif tetapi hanya memiliki akses ke feature tertentu.

10. FEATURE SYSTEM

Database menggunakan sistem feature modular.

Tabel utama:

```
```text id="2j8k5m" features user_features
```

Tidak menggunakan banyak kolom seperti:

```
```text id="7a2f6c"
```

invoice_enabled

po_enabled

shipping_enabled

tax_enabled

karena pendekatan tersebut sulit dikembangkan.

11. FEATURES TABLE

Struktur:

```
```text id="p4y8x1" id feature_key feature_name description active created_at
```

Contoh:

```
```text id="k5w3s8"
invoice
packing_list
purchase_order
shipping_rate
duty_tax
proforma_invoice
quotation
certificate_of_origin
landed_cost
```

12. USER FEATURES TABLE

Struktur:

```
```text id="m8z2v7" id user_id feature_id enabled created_at updated_at
```

Contoh:

```
```text id="3q6h1k"
User A
invoice           true
packing_list      true
purchase_order    false
shipping_rate     false
duty_tax          false
```

13. DEVELOPER FEATURE CONTROL

Developer Dashboard menyediakan:

```text id="n3k7w2" USER: PT ABC

ACCOUNT ● Active

FEATURE ACCESS

Commercial Invoice ● ON Packing List ● ON Purchase Order ○ OFF Shipping Rate ○ OFF Duty & Tax ○  
OFF

[ Save Changes ]

Feature yang belum aktif dapat ditampilkan sebagai locked.

---

# 14. FEATURE STATES

UI mengenal tiga kondisi:

### Enabled

```text id="4j9w2e"

● Available

Disabled / Locked

```text id="6f3m8a" 🔒 Upgrade to Unlock

### Coming Soon

```text id="2d7v1k"

🚧 Coming Soon

15. FUTURE PLAN SYSTEM

MVP tidak memerlukan payment/subscription.

Namun database dipersiapkan untuk:

```text id="1h5n8z" plans plan\_features



Contoh future plan:

### Free

```text id="f2j8n6"

Commercial Invoice ✓

Packing List ✓

Purchase Order ×

Shipping Rate ×

Duty & Tax ×

Business

```text id="q7m3x9" Commercial Invoice ✓ Packing List ✓ Purchase Order ✓ Shipping Rate ✓ Duty & Tax ×

### Pro

```text id="z8k4p2"

Commercial Invoice ✓

Packing List ✓

Purchase Order ✓

Shipping Rate ✓

Duty & Tax ✓

Payment system dibuat pada fase berikutnya.

16. FEATURE OVERRIDE

Developer dapat memberikan akses khusus.

Contoh:

```text id="v5q8n1" User: PT ABC

Plan: Free

Special Access: Purchase Order = ON

Kegunaan:

- Trial

- Beta tester
- Demo
- Complimentary access
- Customer khusus
- Promotion
- Reseller

---

## # 17. CUSTOMER DASHBOARD

Menu:

```text id="g3x8v2"

Dashboard

DOCUMENTS

Commercial Invoice

Packing List

Purchase Order 

TOOLS

Shipping Rate 

Duty & Tax 

MASTER DATA

Products

Customers

Suppliers

SETTINGS

Company

Account

Locked features tetap terlihat sebagai preview kemampuan aplikasi.

18. NEW COMMERCIAL INVOICE

Flow:

```text id="w7k3q1" + New Invoice

User memilih:

```
```text id="e5v8m2"
```

Shipment Type

- EXPORT
- IMPORT

Template

- SIMPLE
- COMPLETE

Invoice Number

- AUTOMATIC
- MANUAL

19. EXPORT / IMPORT

Field:

```
```text id="p4x9k7" shipment_type
```

Values:

```
```text id="u8m3c5"
```

export
import

20. SIMPLE TEMPLATE

Tujuan:

Membuat invoice dengan input minimum.

Shipper

- Company Name
- Address
- Country

Receiver

- Company Name
- Address
- Country

Shipment

- Shipment Type
- Invoice Number
- Invoice Date
- Weight
- Dimensions
- Package
- Value
- Currency

Items

- Description
- Quantity
- Unit
- Unit Price
- Amount

Semua field bersifat optional.

21. COMPLETE TEMPLATE

Complete Template menyediakan:

Company

- Company Name
- PIC
- Email
- Phone
- Address
- City
- Country
- Postal Code
- Tax ID
- Registration Number

Invoice

- Invoice Number
- Invoice Date
- PO Number
- Reference Number
- Payment Terms
- Incoterms
- Currency

Shipment

- Mode of Transport
- Port of Loading
- Port of Discharge
- Final Destination
- Country of Origin
- Country of Destination
- AWB
- B/L
- Container Number
- Vessel / Flight
- Shipment Date

Product

- Product
- SKU
- Description
- HS Code
- Country of Origin
- Quantity
- Unit
- Unit Price
- Amount
- Net Weight
- Gross Weight

22. NO FORCED DATA

Semua field pada Simple maupun Complete:

OPTIONAL

Termasuk:

- Company Name
- PIC
- Email
- Phone
- Address
- Tax ID
- PO
- AWB
- B/L
- Container
- HS Code
- Country of Origin
- Customs Information

User tetap dapat membuat dokumen meskipun sebagian besar field kosong.

23. SOFT VALIDATION

Sistem menggunakan warning daripada blocking error.

Contoh:

```text id="k9f3x2" ⚠ Some recommended information is missing.

You can still generate this document.

Button:

```
```text id="m7x4p8"  
[ Review ]  
[ Generate PDF Anyway ]
```

24. EMPTY FIELD RULE

Field kosong tidak ditampilkan pada PDF jika tidak diperlukan.

Contoh:

Jika email kosong, PDF tidak menampilkan:

```text id="a2k8m5" Email:

Field tersebut cukup dihilangkan.

---

# 25. INVOICE NUMBER

Automatic:

```text id="r7v3n9"  
INV-{YEAR}-{SEQUENCE}

Contoh:

```text id="p2x5k8" INV-2026-00001 INV-2026-00002

Manual:

```text id="c8m4z1"  
SIH-EXP-2026-001

Duplicate number harus ditolak.

26. PACKING LIST NUMBER

Automatic:

```text id="q4n7v2" PL-{YEAR}-{SEQUENCE}

Manual juga tersedia.

Duplicate harus ditolak.

---

# 27. PRODUCT MANAGEMENT

Field:

```text id="x9m2c6"

SKU
Product Name
Description
HS Code
Country of Origin
Unit
Default Price
Default Weight
Active

Product dapat digunakan kembali dalam invoice dan packing list.

28. CUSTOMER MANAGEMENT

Field:

```text id="z5k8q3" Company Name PIC Email Phone Address City State Postal Code Country Tax ID

```

29. SUPPLIER MANAGEMENT

Struktur serupa dengan Customer.

30. COMMERCIAL INVOICE STRUCTURE

```text id="n6p3x8"  
Header  
Shipper  
Receiver  
Shipment Information  
Items  
Subtotal  
Charges  
Grand Total  
Customs Information  
Notes
```


31. ITEM CALCULATION

Formula:

```
```text id="u4m8y2" Amount = Quantity × Unit Price
```

```
Jika data tidak lengkap, sistem tidak boleh crash.
```

```

```

```
32. TOTAL CALCULATION
```

```
```text id="v7x2k9"
```

```
Subtotal
```

```
Freight
```

```
Insurance
```

```
Other Charges
```

```
Discount
```

```
Grand Total
```

Formula:

```
```text id="m3q8p1" Grand Total = Subtotal + Freight + Insurance + Other Charges - Discount
```

```

```

```
33. CUSTOMS ADDITIONAL INFORMATION
```

```
User dapat menambahkan informasi customs secara fleksibel.
```

```
Sistem menyediakan:
```

```
> **Suggested Customs Fields**
```

```
Suggested fields berfungsi sebagai panduan dan tidak dianggap sebagai
persyaratan customs universal.
```

```

```

```
34. SUGGESTED CUSTOMS FIELDS
```

```
Shipment
```

```
- Country of Origin
```

- Country of Destination
- Port of Loading
- Port of Discharge
- Final Destination
- Mode of Transport

#### ### Product

- HTS Code
- HS Code
- Product Description
- Material
- Brand
- Model Number
- Part Number
- Manufacturer
- Country of Origin
- Intended Use
- Product Condition

#### ### Customs / Declaration

- Purpose
- Customs Value
- Declared Value
- FDA Registration
- License Number
- Certificate Number

#### ### Handling

- Special Instruction
- Package Type
- Handling Instruction
- Storage Condition

#### ### Other

- Reference Number
- Additional Information
- Other

---

#### # 35. CUSTOM FIELD

User dapat membuat Object sendiri.

Contoh:

```
```text id="w2k7p9"
```

Object:

Import Permit Number

Answer:

IP-2026-12345

36. CUSTOM FIELD TYPES

```text id="c5n8x2" Text Long Text Number Date Dropdown Yes / No File Multiple File

---

### # 37. CUSTOM FIELD SCOPE

Custom field dapat diterapkan pada:

```
```text id="h3m9q7"
```

Invoice

Shipment

Product

Package

38. CUSTOM FIELD PDF CONTROL

Setiap field memiliki:

```text id="k8v2p5" Display on PDF ☐ YES ☐ NO

Field kosong tidak ditampilkan.

---

### # 39. TEMPORARY ATTACHMENTS

Attachment dapat digunakan untuk:

- Product Photo

- Certificate
- License
- Supporting Document
- Other

Supported image formats:

```
```text id="x7m4n2"
PNG
JPG
JPEG
WebP
```

40. ATTACHMENT STORAGE POLICY

MVP **tidak** menggunakan Supabase Storage untuk shipment attachments.

File:

```
```text id="q3v8k5" User selects file ↓ Browser memory ↓ Preview ↓ Generate PDF ↓ Download ↓ Memory
cleared
```

Tidak ada permanent file storage.

Konsekuensi:

> Attachment lama tidak tersedia ketika invoice dibuka kembali.

Permanent storage dapat menjadi fitur premium di masa depan.

---

# 41. PACKING LIST

Packing List dapat dibuat:

```
```text id="z8m4p1"
From Scratch
```

atau:

```
```text id="x5k9q2" From Commercial Invoice
```

Jika dari Invoice:

```
```text id="f7v3n8"
```

Invoice

↓

Create Packing List

↓

Import Item Data

↓

Add Package Data

↓

Generate PDF

42. SIMPLE PACKING LIST

Field:

- Packing List Number
- Date
- Shipper
- Receiver
- Package
- Description
- Quantity
- Unit
- Weight
- Dimensions
- CBM

43. COMPLETE PACKING LIST

Field:

- Packing List Number
- Date
- Shipper
- Receiver
- Package Number
- SKU
- Description
- HS Code

- Quantity
- Unit
- Net Weight
- Gross Weight
- Length
- Width
- Height
- CBM
- Country of Origin
- Marks & Numbers
- Package Type

44. CBM

Untuk centimeter:

```
```text id="j6q2v8" CBM = Length × Width × Height / 1,000,000
```

---

# 45. DOCUMENT PREVIEW

Sebelum generate:

```
```text id="m8x3p5"
[ Preview Document ]
```

Preview harus mendekati hasil PDF.

46. PDF GENERATION

Flow:

```
```text id="v2n7k4" Form ↓ Soft Validation ↓ Preview ↓ Generate PDF ↓ Download
```

PDF tidak disimpan permanen pada MVP.

---

# 47. DOCUMENT HISTORY

User dapat melihat:

```
```text id="q8m5x2"
Invoices
Packing Lists
```

Actions:

```
```text id="n4v7p9" View Edit Duplicate Generate PDF Delete
```

---

#### # 48. DUPLICATE DOCUMENT

Duplicate menghasilkan dokumen baru.

Data dapat di-copy dari dokumen lama tetapi:

- ID baru
- Document number baru
- Timestamp baru

---

#### # 49. DATABASE

Core tables:

```
```text id="y7p3m8"
profiles
features
user_features
companies
customers
suppliers
products
invoices
invoice_items
packing_lists
packing_list_items
custom_fields
custom_field_values
```

Future:

```text id="f4n8q2" plans plan\_features subscriptions payments

```

50. PROFILES

```text id="k2x7m4"  
id  
email  
full_name  
role  
status  
created_at  
updated_at
```

Role:

```text id="p8v3n5" developer customer

```
Status:

```text id="z4m7q1"  
active  
locked
```

51. COMPANIES

```text id="x8n2p5" id user\_id company\_name pic email phone address city country postal\_code tax\_id  
registration\_number created\_at updated\_at

```

52. PRODUCTS

```text id="m5q8v3"  
id  
user_id  
sku  
name  
description  
hs_code
```



```
country_of_origin
unit
default_price
default_weight
active
created_at
updated_at
```

53. INVOICES

```
```text id="p7x4n9" id user_id shipment_type invoice_number invoice_number_mode invoice_date
customer_id currency payment_terms incoterms po_number reference_number port_of_loading
port_of_discharge final_destination country_of_origin country_of_destination awb_number bl_number
container_number vessel_flight shipment_date subtotal freight insurance other_charges discount
grand_total template_type status created_at updated_at
```

```

54. INVOICE ITEMS

```text id="v3m8q2"
id
invoice_id
product_id
description
sku
hs_code
country_of_origin
quantity
unit
unit_price
amount
net_weight
gross_weight
created_at
```

55. PACKING LISTS

```
```text id="n9x5p4" id user_id invoice_id packing_list_number packing_list_number_mode packing_list_date
template_type status created_at updated_at
```

---

#### # 56. PACKING LIST ITEMS

```
```text id="q6m2v8"
id
packing_list_id
invoice_item_id
package_number
description
quantity
unit
net_weight
gross_weight
length
width
height
cbm
package_type
marks_numbers
created_at
```

57. CUSTOM FIELDS

```
```text id="x4p8n3" id user_id field_name field_type scope options required display_on_pdf created_at
updated_at
```

Values:

```
```text id="m7q2v5"
id
field_id
invoice_id
product_id
packing_list_id
value
created_at
updated_at
```

58. RLS

Supabase Row Level Security wajib digunakan.

Customer hanya dapat:

```
```text id="p3n8x6" SELECT own data INSERT own data UPDATE own data DELETE own data
```

User A tidak dapat membaca:

```
```text id="v5m2q9"
User B invoices
User B customers
User B products
User B packing lists
```

Developer memiliki access sesuai role.

59. SECURITY

Tidak boleh menaruh:

- Supabase service role key
- Secret key
- Developer credentials

di frontend.

Frontend menggunakan public client configuration dengan RLS sebagai security boundary.

Feature lock tidak boleh hanya berupa:

```
```text id="n7x4m2" Hide button with JavaScript
```

Authorization harus tetap diterapkan pada database/API layer.

---

# 60. FREE-TIER STRATEGY

MVP menggunakan:

```
```text id="q8p3v6"
GitHub Free
Cloudflare Pages Free
Supabase Free
```

Tidak menggunakan:

```
```text id="m5n7x2" Firebase Cloudflare D1 VPS Paid PDF API Paid storage
```

```
PDF dibuat client-side.

Attachment tidak disimpan permanen.

61. FUTURE MONETIZATION

Feature dapat menjadi produk tambahan.

Contoh:

```text id="v4q8m2"
CORE
Commercial Invoice
Packing List
```

Additional:

```
```text id="n6x3p7" Purchase Order Shipping Rate Duty & Tax Proforma Invoice Quotation
```

```
Premium:

```text id="m8v2q5"
Saved Attachments
Advanced Templates
Team Members
Cloud Document Storage
API Access
```

62. PURCHASE ORDER

Future feature.

Flow:

```text id="x5p9n3" Supplier ↓ Products ↓ Quantity ↓ Price ↓ Terms ↓ Purchase Order ↓ PDF

Feature access:

```
```text id="q7m4v8"
purchase_order
```

63. SHIPPING RATE CHECKER

Future feature.

User memasukkan:

```text id="n3x8p5" Origin Destination Weight Dimensions Package Shipping Mode

Sistem kemudian dapat mengintegrasikan shipping/carrier rate provider.

Feature access:

```
```text id="v6m2q9"
shipping_rate
```

API provider dan pricing model ditentukan pada fase pengembangan fitur.

64. DUTY & TAX CALCULATOR

Future feature.

Input dapat meliputi:

```text id="p8x3m7" Country HS Code Product Value Shipping Cost Insurance Currency

Output:

```
```text id="q4n9v2"
Estimated Duty
Estimated Tax
Estimated Total Import Cost
```

Hasil harus diberi disclaimer bahwa estimasi bukan keputusan resmi customs.

Feature access:

```
```text id="m5p8x3" duty_tax
```

---

## # 65. FUTURE DOCUMENTS

Feature architecture harus memungkinkan penambahan:

```
```text id="x7q2n5"
Proforma Invoice
Quotation
Certificate of Origin
Delivery Note
Purchase Order
Commercial Contract
```

tanpa mengubah authentication system.

66. USER EXPERIENCE

User baru:

```
```text id="n8v3p5" Login ↓ Dashboard ↓ New Invoice ↓ Export / Import ↓ Simple ↓ Input basic
information ↓ Generate PDF
```

Advanced user:

```
```text id="q5m7x2"
Login
↓
```

Complete Template
↓
Customs Fields
↓
Additional Information
↓
Preview
↓
PDF

67. DEVELOPMENT PHASE

PHASE 1 — FOUNDATION

- GitHub repository
 - Cloudflare Pages
 - Supabase project
 - Database schema
 - RLS
 - Basic frontend structure
-

PHASE 2 — AUTH & ACCESS

- Supabase Auth
 - Login
 - Logout
 - Session
 - Developer role
 - Customer role
 - Active / Locked
 - Features
 - User feature access
-

PHASE 3 — MASTER DATA

- Company
 - Customers
 - Suppliers
 - Products
-

PHASE 4 — COMMERCIAL INVOICE

- Export / Import
 - Simple / Complete
 - Automatic number
 - Manual number
 - Items
 - Calculation
 - Save
 - Edit
 - History
-

PHASE 5 — PDF

- Preview
 - PDF generation
 - PDF download
 - Templates
-

PHASE 6 — PACKING LIST

- Simple
 - Complete
 - Automatic / Manual number
 - Generate from Invoice
 - PDF
-

PHASE 7 — CUSTOMS

- Suggested Customs Fields
 - Custom Fields
 - File attachment
 - Temporary browser storage
 - PDF integration
-

PHASE 8 — FUTURE MONETIZATION

- Plans
- Feature packages
- Subscription
- Payment

- Usage limits
 - Premium features
-

68. MVP SUCCESS CRITERIA

MVP dianggap berhasil jika:

1. Developer dapat membuat account.
 2. Developer dapat lock/unlock account.
 3. Developer dapat mengaktifkan/menonaktifkan feature.
 4. Customer dapat login.
 5. Locked customer tidak dapat menggunakan aplikasi.
 6. Customer hanya dapat mengakses feature yang diaktifkan.
 7. Customer dapat membuat company.
 8. Customer dapat membuat customer.
 9. Customer dapat membuat supplier.
 10. Customer dapat membuat product.
 11. Customer dapat memilih Export / Import.
 12. Customer dapat memilih Simple / Complete.
 13. Customer dapat memilih Automatic / Manual Number.
 14. Commercial Invoice dapat dibuat.
 15. Commercial Invoice dapat disimpan.
 16. Commercial Invoice dapat diedit.
 17. Commercial Invoice dapat diduplicate.
 18. Invoice total dapat dihitung.
 19. Packing List dapat dibuat.
 20. Packing List dapat dibuat dari Invoice.
 21. PDF dapat dipreview.
 22. PDF dapat digenerate.
 23. PDF dapat didownload.
 24. Suggested Customs Fields tersedia.
 25. Custom Fields tersedia.
 26. Attachment dapat digunakan sementara.
 27. Attachment tidak disimpan permanen.
 28. Data user terisolasi menggunakan RLS.
 29. Aplikasi berjalan pada Cloudflare Pages.
 30. Database berjalan pada Supabase Free.
 31. Tidak membutuhkan Firebase.
 32. Tidak membutuhkan D1.
 33. Tidak membutuhkan React.
 34. Arsitektur siap menerima fitur premium di masa depan.
-

69. PRODUCT PHILOSOPHY

Invoice Shipping Generator harus mengikuti prinsip:

No unnecessary complexity.

User tidak boleh dipaksa memahami semua istilah customs untuk membuat dokumen sederhana.

Dan:

No unnecessary restrictions.


User berpengalaman tetap dapat memasukkan informasi khusus melalui Suggested Customs Fields dan Custom Fields.

Dan:

Modular from day one.

Feature baru dapat ditambahkan dan dijual tanpa membongkar sistem authentication dan database utama.

70. FINAL ARCHITECTURE



```
---

# 71. CORE STRATEGY

MVP harus tetap kecil:
```

```
```text id="w8m3q5"
AUTH
+
INVOICE
+
PACKING LIST
+
PDF
```

Tetapi database dan access-control harus disiapkan untuk:

```
text id="x2p7n9"
PO
+
SHIPPING RATE
+
DUTY & TAX
+
PROFORMA
+
QUOTATION
+
OTHER PREMIUM FEATURES
```

Dengan demikian **fitur belum dibuat ≠ struktur belum disiapkan**.

Fitur dapat ditambahkan kemudian tanpa harus melakukan redesign besar terhadap account system.

---

## 72. PRODUCT TAGLINE

### Primary

Create Shipping Documents, Simply.

### Alternative

Commercial Invoice & Shipping Documents Made Simple.

### Positioning

One simple tool for your shipping documentation.