PRAKTIKUM BASIS DATA

MODUL 2

02 DDL DML

Oleh:

Steven Taufik Fajar 103122400068

PROGRAM STUDI S1 REKAYASA PERANGKAT LUNAK

DIREKTORAT KAMPUS PURWOKERTO

UNIVERSITAS TELKOM

2026

JURNAL

1. **Soal 1**

   Jawaban:

   TABEL Film

   SQL> CREATE TABLE Film (
   2 id_film VARCHAR2(20) PRIMARY KEY,
   3 judul VARCHAR2(150),
   4 sinopsis CLOB,
   5 tahun NUMBER(4),
   6 durasi NUMBER(3)
   7);

```
SQL> CREATE TABLE Film (
  2  id_film VARCHAR2(20) PRIMARY KEY,
  3  judul VARCHAR2(150),
  4  sinopsis CLOB,
  5  tahun NUMBER(4),
  6  durasi NUMBER(3)
  7  );
CREATE TABLE Film (
             *
ERROR at line 1:
ORA-00955: name is already used by an existing object


SQL> desc Film;
 Name                                      Null?    Type
 ----------------------------------------- -------- ----------------------------
 ID_FILM                                   NOT NULL VARCHAR2(20)
 JUDUL                                              VARCHAR2(150)
 SINOPSIS                                           CLOB
 TAHUN                                              NUMBER(4)
 DURASI                                             NUMBER(3)
```

   TABLE Theater

   SQL> CREATE TABLE Theater (
   2 id_theater VARCHAR2(20) PRIMARY KEY,
   3 harga NUMBER(12, 2),
   4 kapasitas NUMBER(4),
   5 kelas VARCHAR2(50)
   6);

```
SQL> CREATE TABLE Theater (
  2  id_theater VARCHAR2(20) PRIMARY KEY,
  3  harga NUMBER(12, 2),
  4  kapasitas NUMBER(4),
  5  kelas VARCHAR2(50)
  6  );
CREATE TABLE Theater (
             *
ERROR at line 1:
ORA-00955: name is already used by an existing object


SQL> desc Theater;
 Name                                      Null?    Type
 ----------------------------------------- -------- ----------------------------
 ID_THEATER                                NOT NULL VARCHAR2(20)
 HARGA                                              NUMBER(12,2)
 KAPASITAS                                          NUMBER(4)
 KELAS                                              VARCHAR2(50)
```

TABLE Member

SQL> CREATE TABLE Member (

2 id_member VARCHAR2(20) PRIMARY KEY,

3 nama VARCHAR2(100),

4 no_hp VARCHAR2(20),

5 tgl_lahir DATE,

6 email VARCHAR2(100)

7);

```
SQL> CREATE TABLE Member (
  2  id_member VARCHAR2(20) PRIMARY KEY,
  3  nama VARCHAR2(100),
  4  no_hp VARCHAR2(20),
  5  tgl_lahir DATE,
  6  email VARCHAR2(100)
  7  );
CREATE TABLE Member (
             *
ERROR at line 1:
ORA-00955: name is already used by an existing object


SQL> desc Member;
 Name                                      Null?    Type
 ----------------------------------------- -------- ----------------------------
 ID_MEMBER                                 NOT NULL VARCHAR2(20)
 NAMA                                               VARCHAR2(100)
 NO_HP                                              VARCHAR2(20)
 TGL_LAHIR                                          DATE
 EMAIL                                              VARCHAR2(100)
```

TABLE Inventaris

SQL> CREATE TABLE Inventaris (

2 id_inventaris VARCHAR2(20) PRIMARY KEY,

3 id_theater VARCHAR2(20),

4 nomor_kursi VARCHAR2(10),

5 CONSTRAINT fk_inv_theater FOREIGN KEY (id_theater) REFERENCES

Theater(id_theater)

6);

```
SQL> CREATE TABLE Inventaris (
  2  id_inventaris VARCHAR2(20) PRIMARY KEY,
  3  id_theater VARCHAR2(20),
  4  nomor_kursi VARCHAR2(10),
  5  CONSTRAINT fk_inv_theater FOREIGN KEY (id_theater) REFERENCES Theater(id_theater)
  6  );
CREATE TABLE Inventaris (
            *
ERROR at line 1:
ORA-00955: name is already used by an existing object


SQL> desc Inventaris;
 Name                                      Null?    Type
 ----------------------------------------- -------- ----------------------------
 ID_INVENTARIS                             NOT NULL VARCHAR2(20)
 ID_THEATER                                         VARCHAR2(20)
 NOMOR_KURSI                                        VARCHAR2(10)
```

TABLE Jadwal

SQL> CREATE TABLE Jadwal (

2 id_jadwal VARCHAR2(20) PRIMARY KEY,

3 id_film VARCHAR2(20),

4 id_theater VARCHAR2(20),

5 periode_start TIMESTAMP,

6 periode_end TIMESTAMP,

7 CONSTRAINT fk_jadwal_film FOREIGN KEY (id_film) REFERENCES Film(id_film),

8 CONSTRAINT fk_jadwal_theater FOREIGN KEY (id_theater) REFERENCES Theater(id_theater)

9);

```
SQL> CREATE TABLE Jadwal (
  2  id_jadwal VARCHAR2(20) PRIMARY KEY,
  3  id_film VARCHAR2(20),
  4  id_theater VARCHAR2(20),
  5  periode_start TIMESTAMP,
  6  periode_end TIMESTAMP,
  7  CONSTRAINT fk_jadwal_film FOREIGN KEY (id_film) REFERENCES Film(id_film),
  8  CONSTRAINT fk_jadwal_theater FOREIGN KEY (id_theater) REFERENCES Theater(id_theater)
  9  );
CREATE TABLE Jadwal (
            *
ERROR at line 1:
ORA-00955: name is already used by an existing object


SQL> desc Jadwal;
 Name                                      Null?    Type
 ----------------------------------------- -------- ----------------------------
 ID_JADWAL                                 NOT NULL VARCHAR2(20)
 ID_FILM                                            VARCHAR2(20)
 ID_THEATER                                         VARCHAR2(20)
 PERIODE_START                                      TIMESTAMP(6)
 PERIODE_END                                        TIMESTAMP(6)
```

TABLE Transaksi

SQL> CREATE TABLE Transaksi (

2 kode_pemesanan VARCHAR2(50) PRIMARY KEY,

3 id_jadwal VARCHAR2(20),

4 id_member VARCHAR2(20),

5 status VARCHAR2(20),

6 tanggal TIMESTAMP,

7 total_harga NUMBER(12, 2),

8 CONSTRAINT fk_trx_jadwal FOREIGN KEY (id_jadwal) REFERENCES Jadwal(id_jadwal),

9 CONSTRAINT fk_trx_member FOREIGN KEY (id_member) REFERENCES Member(id_member)

10);

```
SQL> CREATE TABLE Transaksi (
  2  kode_pemesanan VARCHAR2(50) PRIMARY KEY,
  3  id_jadwal VARCHAR2(20),
  4  id_member VARCHAR2(20),
  5  status VARCHAR2(20),
  6  tanggal TIMESTAMP,
  7  total_harga NUMBER(12, 2),
  8  CONSTRAINT fk_trx_jadwal FOREIGN KEY (id_jadwal) REFERENCES Jadwal(id_jadwal),
  9  CONSTRAINT fk_trx_member FOREIGN KEY (id_member) REFERENCES Member(id_member)
 10  );
CREATE TABLE Transaksi (
             *
ERROR at line 1:
ORA-00955: name is already used by an existing object


SQL> desc Transaksi;
 Name                                      Null?    Type
 ----------------------------------------- -------- ----------------------------
 KODE_PEMESANAN                            NOT NULL VARCHAR2(50)
 ID_JADWAL                                          VARCHAR2(20)
 ID_MEMBER                                          VARCHAR2(20)
 STATUS                                             VARCHAR2(20)
 TANGGAL                                            TIMESTAMP(6)
 TOTAL_HARGA                                        NUMBER(12,2)
```

2. **SOAL 2**

Jawaban :

Memasukan Data ke Tabel Film

```
SQL> INSERT INTO Film VALUES ('F001', 'Fight Club', 'kisah penjual sabun', 1999, 180);

1 row created.

SQL> INSERT INTO Film VALUES ('F002', 'Interstellar', 'Astronot masuk ke black hole', 2014, 169);

1 row created.

SQL> SELECT * FORM Film;
SELECT * FORM Film
         *
ERROR at line 1:
ORA-00923: FROM keyword not found where expected


SQL> SELECT * FROM Film;

ID_FILM
--------------------
JUDUL
--------------------------------------------------------------------------------
SINOPSIS
--------------------------------------------------------------------------------
     TAHUN     DURASI
---------- ----------
F001
Fight Club
kisah penjual sabun
      1999        180


ID_FILM
--------------------
JUDUL
--------------------------------------------------------------------------------
SINOPSIS
--------------------------------------------------------------------------------
     TAHUN     DURASI
---------- ----------
F002
Interstellar
Astronot masuk ke black hole
      2014        169
```

Memasukan Data ke Tabel Theater

```
SQL> INSERT INTO Theater VALUES ('T001', 50000, 100, 'Reguler');

1 row created.

SQL> INSERT INTO Theater VALUES ('T002', 100000, 50, 'Premiere');

1 row created.

SQL> SELECT * FORM Theater;
SELECT * FORM Theater
         *
ERROR at line 1:
ORA-00923: FROM keyword not found where expected


SQL> SELECT * FROM Theater;

ID_THEATER               HARGA  KAPASITAS
-------------------- ---------- ----------
KELAS
--------------------------------------------------
T001                      50000        100
Reguler

T002                     100000         50
Premiere


SQL>
```

Memasukan Data ke Tabel Member

```
SQL> INSERT INTO Member VALUES ('M001', 'Mas Amba', '08123456789', TO_DATE('1995-05-15', 'YYYY-MM-DD')
, 'ambaganteng@email.com');

1 row created.

SQL> INSERT INTO Member VALUES ('M002', 'Siti Stabilizer', '08987654321', TO_DATE('1998-10-20', 'YYYY-
MM-DD'), 'siticantik@email.com');

1 row created.

SQL> SELECT * FROM Member;

ID_MEMBER
--------------------
NAMA
--------------------------------------------------------------------------------
NO_HP                TGL_LAHIR
-------------------- ---------
EMAIL
--------------------------------------------------------------------------------
M001
Mas Amba
08123456789          15-MAY-95
ambaganteng@email.com


ID_MEMBER
--------------------
NAMA
--------------------------------------------------------------------------------
NO_HP                TGL_LAHIR
-------------------- ---------
EMAIL
--------------------------------------------------------------------------------
M002
Siti Stabilizer
08987654321          20-OCT-98
siticantik@email.com
```

Memasukan Data ke Tabel Inventaris

```
SQL> INSERT INTO Inventaris VALUES ('INV001', 'T001', 'A1');

1 row created.

SQL> INSERT INTO Inventaris VALUES ('INV002', 'T001', 'A2');

1 row created.

SQL> INSERT INTO Inventaris VALUES ('INV003', 'T002', 'VIP-1');

1 row created.

SQL> SELECT * FROM inventaris;

ID_INVENTARIS        ID_THEATER           NOMOR_KURS
-------------------- -------------------- ----------
INV001               T001                 A1
INV002               T001                 A2
INV003               T002                 VIP-1

SQL> |
```

Memasukan Data ke Tabel Jadwal

```
SQL> INSERT INTO Jadwal VALUES ('J001', 'F001', 'T001', TO_TIMESTAMP('2024-03-15 13:00:00', 'YYYY-MM-D
D HH24:MI:SS'), TO_TIMESTAMP('2024-03-15 16:00:00', 'YYYY-MM-DD HH24:MI:SS'));

1 row created.

SQL> INSERT INTO Jadwal VALUES ('J002', 'F002', 'T002', TO_TIMESTAMP('2024-03-15 19:00:00', 'YYYY-MM-D
D HH24:MI:SS'), TO_TIMESTAMP('2024-03-15 22:00:00', 'YYYY-MM-DD HH24:MI:SS'));

1 row created.

SQL> SELECT * FROM Jadwal;

ID_JADWAL            ID_FILM              ID_THEATER
-------------------- -------------------- --------------------
PERIODE_START
---------------------------------------------------------------------------
PERIODE_END
---------------------------------------------------------------------------
J001                 F001                 T001
15-MAR-24 01.00.00.000000 PM
15-MAR-24 04.00.00.000000 PM

J002                 F002                 T002
15-MAR-24 07.00.00.000000 PM
15-MAR-24 10.00.00.000000 PM

ID_JADWAL            ID_FILM              ID_THEATER
-------------------- -------------------- --------------------
PERIODE_START
---------------------------------------------------------------------------
PERIODE_END
---------------------------------------------------------------------------
```

Memasukan Data ke Tabel Transaksi

```
SQL> INSERT INTO Transaksi VALUES ('TRX-001', 'J001', 'M001', 'LUNAS', TO_TIMESTAMP('2024-03-14 10:30:
00', 'YYYY-MM-DD HH24:MI:SS'), 50000);

1 row created.

SQL> INTO Transaksi VALUES ('TRX-002', 'J002', 'M002', 'PENDING', TO_TIMESTAMP('2024-03-14 11:00:00',
'YYYY-MM-DD HH24:MI:SS'), 100000);
SP2-0734: unknown command beginning "INTO Trans..." - rest of line ignored.
SQL> INSERT INTO Transaksi VALUES ('TRX-002', 'J002', 'M002', 'PENDING', TO_TIMESTAMP('2024-03-14 11:0
0:00', 'YYYY-MM-DD HH24:MI:SS'), 100000);

1 row created.

SQL> SELECT * FROM Transaksi;

KODE_PEMESANAN                                     ID_JADWAL
-------------------------------------------------- --------------------
ID_MEMBER            STATUS
-------------------- --------------------
TANGGAL
---------------------------------------------------------------------------
TOTAL_HARGA
-----------
TRX-001                                            J001
M001                 LUNAS
14-MAR-24 10.30.00.000000 AM
      50000


KODE_PEMESANAN                                     ID_JADWAL
-------------------------------------------------- --------------------
ID_MEMBER            STATUS
-------------------- --------------------
TANGGAL
---------------------------------------------------------------------------
TOTAL_HARGA
-----------
TRX-002                                            J002
M002                 PENDING
14-MAR-24 11.00.00.000000 AM
     100000
```

3. Soal 3

Jawaban :

SQL> UPDATE Theater SET harga = 120000 WHERE id_theater = 'T002';

```
SQL> UPDATE Theater SET harga = 120000 WHERE id_theater = 'T002';

1 row updated.

SQL> SELECT * FROM Theater;

ID_THEATER                HARGA  KAPASITAS
-------------------- ---------- ----------
KELAS
--------------------------------------------------
T001                       50000        100
Reguler

T002                      120000         50
Premiere


SQL> |
```

UPDATE Member SET no_hp = '086969696969' WHERE id_member = 'M001';

```
SQL> UPDATE Member SET no_hp = '086969696969' WHERE id_member = 'M001';

1 row updated.

SQL> SELECT * FROM Member;

ID_MEMBER
--------------------
NAMA
--------------------------------------------------------------------------------
NO_HP                TGL_LAHIR
-------------------- ---------
EMAIL
--------------------------------------------------------------------------------
M001
Mas Amba
086969696969         15-MAY-95
ambaganteng@email.com


ID_MEMBER
--------------------
NAMA
--------------------------------------------------------------------------------
NO_HP                TGL_LAHIR
-------------------- ---------
EMAIL
--------------------------------------------------------------------------------
M002
Siti Stabilizer
08987654321          20-OCT-98
siticantik@email.com
```

SQL> UPDATE Transaksi SET status = 'LUNAS' WHERE kode_pemesanan = 'TRX-002';

```
SQL> UPDATE Transaksi SET status = 'LUNAS' WHERE kode_pemesanan = 'TRX-002';

1 row updated.

SQL> SELECT * FROM Transaksi;

KODE_PEMESANAN                                     ID_JADWAL
-------------------------------------------------- --------------------
ID_MEMBER            STATUS
-------------------- --------------------
TANGGAL
---------------------------------------------------------------------------
TOTAL_HARGA
-----------
TRX-001                                            J001
M001                 LUNAS
14-MAR-24 10.30.00.000000 AM
      50000


KODE_PEMESANAN                                     ID_JADWAL
-------------------------------------------------- --------------------
ID_MEMBER            STATUS
-------------------- --------------------
TANGGAL
---------------------------------------------------------------------------
TOTAL_HARGA
-----------
TRX-002                                            J002
M002                 LUNAS
14-MAR-24 11.00.00.000000 AM
     100000
```

SQL> UPDATE Film SET durasi = 170 WHERE id_film = 'F002';

```
SQL> UPDATE Film SET durasi = 170 WHERE id_film = 'F002';

1 row updated.

SQL> SELECT * FROM Film;

ID_FILM
--------------------
JUDUL
--------------------------------------------------------------------------------
SINOPSIS
--------------------------------------------------------------------------------
     TAHUN     DURASI
---------- ----------
F001
Fight Club
kisah penjual sabun
      1999        180


ID_FILM
--------------------
JUDUL
--------------------------------------------------------------------------------
SINOPSIS
--------------------------------------------------------------------------------
     TAHUN     DURASI
---------- ----------
F002
Interstellar
Astronot masuk ke black hole
      2014        170


SQL> |
```

SQL> UPDATE Theater SET kelas = 'Standar' WHERE id_theater = 'T001';

```
SQL> UPDATE Theater SET kelas = 'Standar' WHERE id_theater = 'T001';

1 row updated.

SQL> SELECT * FROM Theater;

ID_THEATER                HARGA  KAPASITAS
-------------------- ---------- ----------
KELAS
--------------------------------------------------
T001                      50000        100
Standar

T002                     120000         50
Premiere
```

4. Soal 4

Jawaban :

DELETE FROM Transaksi WHERE kode_pemesanan = 'TRX-002';

```
SQL> DELETE FROM Transaksi WHERE kode_pemesanan = 'TRX-002';

1 row deleted.

SQL> SELECT * FROM Transaksi;

KODE_PEMESANAN                                          ID_JADWAL
------------------------------------------------------- --------------------
ID_MEMBER            STATUS
-------------------- --------------------
TANGGAL
---------------------------------------------------------------------------
TOTAL_HARGA
-----------
TRX-001                                                 J001
M001                 LUNAS
14-MAR-24 10.30.00.000000 AM
      50000
```

DELETE FROM Inventaris WHERE id_inventaris = 'INV002';

```
SQL> DELETE FROM Inventaris WHERE id_inventaris = 'INV002';

1 row deleted.

SQL> SELECT * FROM Inventaris;

ID_INVENTARIS        ID_THEATER           NOMOR_KURS
-------------------- -------------------- ----------
INV001               T001                 A1
INV003               T002                 VIP-1
```