Nama : Andyan Yogawardhana

NIM : 21/482180/PA/21030

Kelas : KOMB1

Tugas 3 –Tree dan Binary Search Tree

```
1  public class Main {
2      public static void main(String[] args) {
3          int[] data = {56 ,23, 21, 15, 9, 87, 45, 77, 59, 90, 83,
   75, 20, 5, 92, 98, 100};
4
5          // Mengimplementasikan binary search tree
6          Tree BST = new Tree();
7
8          for(int i = 0; i < data.length; i++) {
9              Node node = new Node(data[i]);
10             BST.addNode(node);
11         }
12
13         System.out.println("\n- - - - - - - - - - Tree and
   Binary Search Tree - - - - - - - - - -");
14
15         // Menampilkan hasil kunjungan berdasarkan 3 cara
16         BST.printInOrder();
17         BST.printPreOrder();
18         BST.printPostOrder();
19
20         // Menghitung jumlah nilai seluruh elemen
21         BST.printSum();
22
23         // Menentukan tinggi binary search tree
24         BST.printTreeHeight();
25
26         // Menampilkan node berdasarkan level kedalaman
27         BST.printLevelOrder();
28
29         // Menampilkan nilai sibling node
30         BST.printSibling(5);
31         BST.printSibling(20);
32         BST.printSibling(98);
33         BST.printSibling(77);
34         BST.printSibling(56);
35         BST.printSibling(6);
36
```

```java
        System.out.println("\n- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -\n");
    }
}

class Node {
    private int data;
    private Node left, right;

    public Node(int data) {     // Node constructor
        this.data = data;
    }

    public int getData() {      // Mengambil value node
        return this.data;
    }

    public Node getLeft() {     // Mengambil left child node
        return this.left;
    }

    public Node getRight() {        // Mengambil right child node
        return this.right;
    }

    public void setLeft(Node node) {    // Mengubah node left child node
        this.left = node;
    }

    public void setRight(Node node) {   // Mengubah node right child node
        this.right = node;
    }
}

class Tree {
    private Node root, parent;
    private int height, sum = 0;

    public Node getRoot() {     // Mengambil value node root
        return this.root;
    }

    public boolean isEmpty() {      // Cek eksistensi tree
        return root == null;
    }
```

```
81
82      public void addNode(Node node) {     // Menambahkan node ke
    tree
83          if(isEmpty()) {
84              root = node;
85          }
86          else {
87              addNodeFunction(node, root);     // Memanggil fungsi
    lanjutan untuk menambahkan node
88          }
89      }
90
91      public void addNodeFunction(Node node, Node parent)
    {       // Menambahkan node
92          if(parent.getData() > node.getData()) {
93              if(parent.getLeft() == null) {
94                  parent.setLeft(node);
95              }
96              else {
97                  addNodeFunction(node, parent.getLeft());
98              }
99          }
100             else {
101                 if(parent.getRight() == null) {
102                     parent.setRight(node);
103                 }
104                 else {
105                     addNodeFunction(node, parent.getRight());
106                 }
107             }
108         }
109
110         public void inOrderFunction(Node node) {        //
    Menampilkan data secara inorder
111             if(node != null) {
112                 inOrderFunction(node.getLeft());
113                 System.out.print(node.getData() + " ");
114                 inOrderFunction(node.getRight());
115             }
116         }
117
118         public void printInOrder() {        // Fungsi utama
    untuk menampilkan data secara inorder
119             System.out.print("\nIn Order\t: ");
120             this.inOrderFunction(this.getRoot());
121         }
122
```

```
123         public void preOrderFunction(Node node) {       // Menampilkan data secara preorder
124             if(node != null) {
125                 System.out.print(node.getData() + " ");
126                 preOrderFunction(node.getLeft());
127                 preOrderFunction(node.getRight());
128             }
129         }
130 
131         public void printPreOrder() {        // Fungsi utama untuk menampilkan data secara preorder
132             System.out.print("\nPre Order\t: ");
133             this.preOrderFunction(this.getRoot());
134         }
135 
136 
137         public void postOrderFunction(Node node) {      // Menampilkan data secara postorder
138             if(node != null) {
139                 postOrderFunction(node.getLeft());
140                 postOrderFunction(node.getRight());
141                 System.out.print(node.getData() + " ");
142             }
143         }
144 
145         public void printPostOrder() {        // Fungsi utama untuk menampilkan data secara postorder
146             System.out.print("\nPost Order\t: ");
147             this.postOrderFunction(this.getRoot());
148         }
149 
150         public void sumNodeData(Node node) {        // Menambahkan seluruh value node di tree
151             if(node != null) {
152                 sumNodeData(node.getLeft());
153                 sum += node.getData();
154                 sumNodeData(node.getRight());
155             }
156         }
157 
158         public void printSum() {        // Fungsi utama untuk menjumlahkan semua value node pada tree
159             sumNodeData(root);
160             System.out.println("\n\nData Sum\t: " + sum + "\n");
161             sum = 0;
162         }
163 
```

```
164         public void printTreeHeight() {         // Fungsi
   utama untuk menghitung tinggi tree
165             height = treeHeightFunction(root);
166             System.out.println("Tree Height\t: " + (height -
   1) + "\n");
167         }
168 
169         public int treeHeightFunction(Node node) {         //
   Menghitung tinggi tree
170             if(node == null) {
171                 return 0;
172             }
173             else {
174                 if(treeHeightFunction(node.getLeft()) >
   treeHeightFunction(node.getRight())) {
175                     return(1 +
   treeHeightFunction(node.getLeft()));
176                 }
177                 else {
178                     return(1 +
   treeHeightFunction(node.getRight()));
179                 }
180             }
181         }
182 
183         public void printLevelOrder() {         // Fungsi
   utama untuk menampilkan data tiap level pada tree
184             System.out.println("Tree Level Order");
185             for(int i = 1; i <= height; i++) {
186                 System.out.print("Level " + i + " : ");
187                 levelOrderFunction(root, i);
188                 System.out.println();
189             }
190             System.out.println();
191         }
192 
193         public void levelOrderFunction(Node node, int level)
   {      // Mencari dan menampilkan data tiap level pada tree
194             if(node != null) {
195                 if(level == 1){
196                     System.out.print(node.getData() + " ");
197                 }
198                 else if(level > 1) {
199                     levelOrderFunction(node.getLeft(), level -
   1);
200                     levelOrderFunction(node.getRight(), level
   - 1);
201                 }
```

```
202             }
203 
204         }
205 
206         public void printSibling(int data) {            // Mencari sibling dari sebuah node dalam tree
207             boolean isExist = searchNode(root, data);
208             if(isExist) {
209                 System.out.print("Node with data (" + data + ") found with");
210                 findParent(root, data);
211                 if(parent != null) {
212                     // System.out.print(" with parent (" + parent.getData() + ")");
213                     if(parent.getLeft() != null && parent.getLeft().getData() == data) {
214                         if(parent.getRight() != null) {
215                             System.out.println(" with their sibling (" + parent.getRight().getData() + ")");
216                         }
217                         else {
218                             System.out.println(" with no sibling");
219                         }
220                     }
221                     else if(parent.getRight() != null && parent.getRight().getData() == data) {
222                         if(parent.getLeft() != null) {
223                             System.out.println(" with their sibling (" + parent.getLeft().getData() + ")");
224                         }
225                         else {
226                             System.out.println(" with no sibling");
227                         }
228                     }
229                 } else {
230                     System.out.println(" no parent (root node)");
231                 }
232             }
233             else {
234                 System.out.println("Node with data (" + data + ") not found");
235             }
236         }
237 
```

```
238         public boolean searchNode(Node node, int data)
   {        // Cek eksistensi node
239             while(node != null) {
240                 if(node.getData() == data) {
241                     return true;
242                 }
243                 else {
244                     if(node.getData() > data) {
245                         return searchNode(node.getLeft(),
   data);
246                     }
247                     else {
248                         return searchNode(node.getRight(),
   data);
249                     }
250                 }
251             }
252             return false;
253         }
254
255         public Node findParent(Node node, int data) {       //
   Mencari parent dari sebuah node dalam tree
256             if(node == root) {
257                 parent = null;
258             }
259             while(node != null) {
260                 if((node.getLeft() != null &&
   node.getLeft().getData() == data) || (node.getRight() != null &&
   node.getRight().getData() == data)) {
261                     parent = node;
262                 }
263
264                 if(node.getData() > data) {
265                     return findParent(node.getLeft(), data);
266                 }
267                 else {
268                     return findParent(node.getRight(), data);
269                 }
270             }
271             return parent;
272         }
273     }
```

```
- - - - - - - - - - Tree and Binary Search Tree - - - - - - - - - -

In Order         : 5 9 15 20 21 23 45 56 59 75 77 83 87 90 92 98 100
Pre Order        : 56 23 21 15 9 5 20 45 87 77 59 75 83 90 92 98 100
Post Order       : 5 9 20 15 21 45 23 75 59 83 77 100 98 92 90 87 56

Data Sum         : 955

Tree Height      : 5

Tree Level Order
Level 1 : 56
Level 2 : 23 87
Level 3 : 21 45 77 90
Level 4 : 15 59 83 92
Level 5 : 9 20 75 98
Level 6 : 5 100

Node with data (5) found with with no sibling
Node with data (20) found with with their sibling (9)
Node with data (98) found with with no sibling
Node with data (77) found with with their sibling (90)
Node with data (56) found with no parent (root node)
Node with data (6) not found

- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
```