EchoGuard

Hear the voice.
Uncover the risk.

Voice authenticity. Text warning signs.
Community-reported activity.



A convincing voice is only part of the story.

Scams combine believable identities, emotional pressure and risky requests.

01

BORROWED TRUST

“It’s me. I need your help.”

A familiar voice can make a new request feel credible.

02

PRESSURE TO ACT

“Pay today or lose the offer.”

Urgency can crowd out independent verification.

03

A HARMFUL DEMAND

“Share your OTP.”

The request can be dangerous even when the voice is natural.

Authenticity and scam risk need separate checks.

One workspace. Three independent signals.


01 **VOICE**
Is the recording synthetic?

02 **TEXT**
What makes the request risky?

03 **COMMUNITY**
Has similar activity been reported?

No combined scam score.

Each result keeps its own meaning.



Explain the warning. Show the evidence.


EXAMPLE MESSAGE

“Pay ₹999 today to secure your internship or your offer will expire.”

Likely a scam

Upfront payment + urgency + offer-expiry pressure

“Never pay upfront internship fees”
is protective advice, not the same demand.



Question the signal. Don’t accuse the speaker.

A dedicated DetectifAI adapter keeps provider credentials on the server.

UPLOAD

Authorized WAV, MP3 or M4A

→

ANALYZE

Official DetectifAI endpoint

→

INTERPRET

Preserve the provider’s verdict

POSSIBLE PROVIDER OUTCOMES

REAL

No strong synthetic indication

FAKE

Synthetic indications found

NOT SURE

Inconclusive — keep uncertainty

Official schema verified • Real account detection test still requires credentials.

Shared experiences. Carefully presented.

Search real submissions, contribute an experience, or flag a misleading result.

SEARCH Normalize the number with its country code.

REPORT Select a category. Keep descriptions private.

REVIEW Flag a result for operator review.

WHAT SEARCH SHOWS

01 Total report submissions

02 Categories and counts


03 Most recent report date

Unverified reports are not proof of wrongdoing.

POSTGRESQL PERSISTENCE TESTED

Duplicates controlled • Submission limits • No identity lookup

Simple architecture. Honest failure states.



76 automated tests passed

VERIFIED

Browser + accessibility checks

Real PostgreSQL integration

NEXT TO ENABLE

Live provider credentials

Hosted database setup

EchoGuard

Hear the voice.
Uncover the risk.

PAUSE

Resist the urgency.

EXAMINE

Read the evidence.

VERIFY

Use an independent channel.

Next: configure live services, verify real requests, and pilot responsibly.