
FFT of Residuals FFT of Residuals **Entries** 120 60000 Mean 1.582e+06 9.523e+05 Std Dev 50000 40000 30000 20000 10000 0, 1500 2000 3000 500 1000 2500 Frequency (Hz)


windowDat



FFT of Residuals FFT of Residuals **Entries** Mean 1.493e+06 9.661e+05 Std Dev CBO

Frequency (Hz)

windowDat ×10³ windowDat Entries 120 56.88 Mean Std Dev 5.093 1800 1600 1400 1200



FFT of Residuals FFT of Residuals **Entries** 120 Mean 1.426e+06 Std Dev 9.99e+05 25000 CBO 20000 15000 10000 5000

1500

2000

2500


1000

3000


Frequency (Hz)


0

windowDat ×10³ windowDat Entries 120 74.64 Mean 1400 Std Dev 5.079 1200 1000 800




FFT of Residuals FFT of Residuals Power (arb. units) **Entries** Mean 1.575e+06 1.041e+06 Std Dev CBO Frequency (Hz)







windowDat ×10³ windowDat **Entries** 110.2 Mean Std Dev 5.129


FFT of Residuals FFT of Residuals Power (arb. units) 18000 **Entries** 140 Mean 1.631e+06 1.051e+06 Std Dev 16000 14000 12000 10000 8000





windowDat $\times 10^3$ windowDat Entries 129.5 Mean Std Dev 6.052













windowDat



FFT of Residuals



windowDat

