

FFT of Residuals FFT of Residuals Power (arb. units) **Entries** 2.126e+06 Mean Std Dev 6.266e+05 Frequency (Hz)




FFT of Residuals FFT of Residuals 12000 **Entries** 30 Mean 2.177e+06 6.815e+05 Std Dev 10000 8000 6000 4000 2000 0, 3000 500 1000 1500 2000 2500 Frequency (Hz)

windowDat




FFT of Residuals FFT of Residuals **Entries** Mean 1.955e+06 7.715e+05 Std Dev Frequency (Hz)


windowDat



FFT of Residuals 24000 F



windowDat



FFT of Residuals Power (arb. units) **Entries** Mean 1.65e+06 8.564e+05 Std Dev Frequency (Hz)

windowDat ×10³ windowDat Entries Mean 57.07 Std Dev 1.828


FFT of Residuals FFT of Residuals **Entries** 1.419e+06 Mean Std Dev 9.512e+05 Frequency (Hz)

windowDat ×10³ windowDat Entries 63.72 Mean 2.099 Std Dev


FFT of Residuals 18000F Power (arb. units) **Entries** 60 1.659e+06 Mean 16000 Std Dev 9.656e+05 CBO 14000 12000 10000 8000 6000 4000 2000 500 1000 1500 2000 2500 3000 Frequency (Hz)

windowDat ×10³ windowDat Entries 73.65 Mean Std Dev 2.625

FFT of Residuals FFT of Residuals **Entries** Mean 1.567e+06 1.034e+06 Std Dev Frequency (Hz)




FFT of Residuals **Entries** Mean 1.501e+06 9.645e+05 Std Dev Frequency (Hz)



FFT of Residuals FFT of Residuals **Entries** Mean 1.661e+06 1.009e+06 Std Dev Frequency (Hz)

windowDat <u>×10³</u> Entries Mean Std Dev 700 600



FFT of Residuals **Entries** 1.46e+06 Mean 9.833e+05 Std Dev

Frequency (Hz)

windowDat ×10³ windowDat **Entries** 126.1 Mean Std Dev 5.55

FFT of Residuals FFT of Residuals **Entries** Mean 1.601e+06 1.003e+06 Std Dev

Frequency (Hz)

windowDat windowDat Entries 151.3 Mean Std Dev 8.557

