**PETWELL**

Pet Health Passport & Appointment Management System

# Contents

**1 Documentation sources** **3**

Header metadata . . . . . 3

Supported markdown . . . . . 3

Constraints worth knowing . . . . . 4

# 1 Documentation sources

The PDFs in `docs/` are generated from the markdown in this folder. Edit the markdown, never the PDF.

```
python3 docs/src/build_pdf.py           # build every source
python3 docs/src/build_pdf.py API       # build one, matched on filename
```

Requires `reportlab` (`pip install reportlab`) and the DejaVu fonts, which are present on most Linux distributions at `/usr/share/fonts/truetype/dejavu`. On macOS, install them with `brew install --cask font-dejavu` or edit the `DEJAVU` path in `build_pdf.py`.

| Source | Output |
|---|---|
| `PetWell_API_Documentation.md` | `../PetWell_API_Documentation.pdf` |
| `PetWell_Frontend_Addendum.md` | `../PetWell_Frontend_Addendum.pdf` |
| `PetWell_QA_TH.md` | `../PetWell_QA_TH.pdf` (Thai) |

`PetWell_Frontend_Documentation.pdf` (Revision 1) has no source here — it predates this setup and was produced with WeasyPrint. The addendum covers what changed after it, rather than replacing it.

## Header metadata

Each source starts with these lines:

| Key | Meaning |
|---|---|
| `%TITLE` | Cover title |
| `%SUBTITLE` | Cover subtitle |
| `%TAGLINE` | One-paragraph description on the cover |
| `%BADGES` | Stack line on the cover |
| `%FOOTER` | Running footer text |
| `%EDITION` | Edition/date line at the foot of the cover |
| `%CHAPTERBREAKS` | `off` to flow chapters continuously; defaults to a page per chapter |
| `%FONT` | `thai` to set the body face to Sarabun; defaults to `latin` (DejaVu) |

## Supported markdown

| Syntax | Renders as |
|---|---|
| `# Heading` | Numbered chapter (`Appendix …` keeps its own label) |
| `##` / `###` | Section and sub-section |
| blank-line separated text | Paragraph |

| Syntax | Renders as |
|---|---|
| `- item` | Bullet |
| `` ` code and **bold**` `` | Inline mono and bold |
| ` ` fenced block | Boxed code listing |
| `> Title` then `> body` | Accented callout box |
| `` `\ `` | a \ |
| `%PAGEBREAK` | Explicit page break |

Anything else — images, nested lists, blockquotes without a bold first line, HTML — is not handled. Keep to the subset above.

The table renderer widens `Path`/`Endpoint` columns and sets them in mono, so API reference tables lay out without hyphenating mid-path.

## Constraints worth knowing

- **Thai needs `%FONT thai`.** DejaVu has no Thai glyphs — Thai text renders as blank boxes with no error at all. Sources with Thai prose must declare `%FONT thai`, which switches the body face to Sarabun (Thai + Latin + punctuation). Install it with:

```
  npm i @expo-google-fonts/sarabun
  cp node_modules/@expo-google-fonts/sarabun/400Regular/Sarabun_400Regular.ttf /tmp/fonts/S
arabun-Regular.ttf
  cp node_modules/@expo-google-fonts/sarabun/700Bold/Sarabun_700Bold.ttf     /tmp/fonts/Sar
abun-Bold.ttf
```

Or point `THAI` in `build_pdf.py` at any Thai TTF you already have.

- **Code blocks stay English even in Thai documents.** Monospace is always DejaVu Sans Mono, which has no Thai glyphs. A Thai comment inside a code listing would silently vanish into boxes.
- **Verify Thai output.** Rendering succeeds even when every glyph is missing, so check rather than assume:

```
  pdftotext out.pdf - | python3 -c "import sys,re; print(len(set(re.findall(r'[□-□]', sys.s
tdin.read()))), 'Thai chars')"
```

- **The table of contents needs two passes.** `build_pdf.py` calls `multiBuild`, which resolves the real page numbers. Don't switch it to `build`.
- **Verify counts against source.** When the endpoint total changes, check it rather than editing the number by hand:

```
  grep -rhoE "@(Get|Post|Patch|Delete)\(" backend/src --include=*.controller.ts | wc -l
```