


Github URL Github URL for Vercel Vercel URL

W12-P1: Refine code of /demo/shop_xx/node

=>




ce97f6f zero2005x

Wed Dec 3 19:03:27 2025 +0800

W12-P1: Refine code of /demo/shop_xx/node

W12-P2: Deploy code to Vercel

=> npm run build



```
dev > w12_next_fullstack_14 > client_14 > package.json > {} dependencies


1 {
2   "name": "1141_2n_next_liangtinglin_14",
3   "version": "0.1.0",
4   "private": true,
5   "scripts": {
6     "dev": "next dev",
7     "build": "next build",
8     "start": "next start"
9   },
10  "dependencies": {
11    "next": "16.0.3",
12    "@supabase/supabase-js": "^2.80.0",
13    "@tailwindcss/vite": "^4.1.14",
14    "dom": "^0.0.3",
  }
}
```

```
liangtinglin@liangtinglin MINGW64 ~/Documents/淡江課程/Web程式設計/1141-2N-DEMO-LIANGTINGLIN-14/dev/w12_next_fullstack_14/cli
ent_14 (main)
$ npm run build

o /
o /_not-found
o /demo/shop_14/node
f /demo/shop_14/node/[category]
o /demo/shop_14/supa_14
o /exams/midterm
o /exams/midterm/hats_14
o /exams/midterm/jackets_14
o /exams/midterm/mens_14
o /exams/midterm/p1_14
o /exams/midterm/p2_14
o /exams/midterm/sneakers_14
o /exams/midterm/womens_14

o (Static) prerendered as static content
```

=> npm start



```
dev > w12_next_fullstack_14 > client_14 > package.json > {} dependencies

1 {
2   "name": "1141_2n_next_liangtinglin_14",
3   "version": "0.1.0",
4   "private": true,
5   "scripts": {
6     "dev": "next dev",
7     "build": "next build",
8     "start": "next start"
9   },
10  "dependencies": {
11    "next": "16.0.3",
12    "@supabase/supabase-js": "^2.80.0",
13    "@tailwindcss/vite": "^4.1.14",
14    "dom": "^0.0.3",
  }
}
```


```
liangtinglin@liangtinglin MINGW64 ~/Documents/淡江課程/Web程式設計/1141-2N-DEMO-LIANGTINGLIN-14/dev/w12_next_fullstack_14/cli
ent_14 (main)
$ npm run dev

> 1141_2n_next_liangtinglin_14@0.1.0 dev
> next dev --webpack


  ▲ Next.js 16.0.3 (webpack)
  - Local:    http://localhost:3000
  - Network:  http://169.254.123.12:3000

  ✓ Starting...
  [baseline-browser-mapping] The data in this module is over two months old. To ensure accurate Baseline data, please update:
  `npm i baseline-browser-mapping@latest -D`
  ✓ Ready in 2.1s
```

=> Vercel, add environment variables



=> Vercel homepage success




HomePage_14

liangtinglin, 913410014


=> Github repo and Vercel URL

Gitbub Next URL Vercel Next URL



=> Share to teacher and TA

htchung@gms.tku.edu.tw sian-0018



W12-P3: Implenment /demo/shop2_xx/supabase to fetch products from Supabase

=> use SQL to get category2_xx data

Supabase SQL Editor interface showing a query executed on the 'Shop 14 Product Catalog' database. The query is:

```
1 select * from category2_14;
```

The results table shows 5 rows:

cid	cname
1	hats
2	jackets
3	sneakers
4	womens
5	mens

5 rows (Limited to only 100 rows)

=> use SQL to get shop2_xx data

Supabase SQL Editor interface showing a query executed on the 'Product Catalog with Seeded Categories and Items' database. The query is:

```
1 select * from shop2_14;
```

The results table shows 35 rows:

pid	pname	price	img_url	cat_id
30	Camo Vest	325.00	/images/midterm/mens/camo-vest.png	5
31	Floral Shirt	20.00	/images/midterm/mens/floral-shirt.png	5
32	Long Sleeve	25.00	/images/midterm/mens/long-sleeve.png	5
33	Pink Shirt	25.00	/images/midterm/mens/pink-shirt.png	5
34	Polka Dot Shirt	25.00	/images/midterm/mens/polka-dot-shirt.png	5
35	Roll Up Jean Shirt	40.00	/images/midterm/mens/roll-up-jean-shirt.png	5

35 rows (Limited to only 100 rows)

=> set foreign key

The screenshot shows the Supabase Table Editor interface. On the left, the 'Table Editor' panel displays the 'shop2_14' table with columns: pid (int4), pname (varchar), and cat_id (int4). The table contains 14 rows of data. On the right, the 'Add foreign key relationship to shop2_14' dialog is open. It shows a selection of 'category2_14' as the referenced table. The 'cat_id' column in 'shop2_14' is being linked to the 'cid' column in 'category2_14'. The dialog also shows options for the action if the referenced row is updated (set to 'Cascade') and if the referenced row is removed (set to 'Set NULL').


=> set RLS policies for public access for all CRUD

The screenshot shows the 'Create a new Row Level Security policy' dialog in Supabase. The 'Policy Name' is 'public access for all CRUD operat'. The 'Table on clause' is 'public.shop2_14'. The 'Policy Behavior' is set to 'Permissive'. The 'Policy Command' is set to 'ALL'. The 'Target Roles' are set to 'Defaults to all (public) roles if none selected'. The SQL command is shown in a text area:


```
1 create policy "public access for all CRUD operations"
2 on "public"."shop2_14"
3 as PERMISSIVE
4 for ALL
5 to public
6 using (
7 true
8 );
```

On the right, there are templates for creating RLS policies, such as 'Enable read access for all users', 'Enable insert for authenticated users only', 'Enable delete for users based on user_id', and 'Enable insert for users based on user_id'.

=> Chrome -- local



=> Chrome -- Vercel



W12-logs:

Authentication | Supabase

Manage access

1141-2n-next-lliangtinglin

midterm p2_14

midterm p2_14

Commits · zero2005x

github.com/zero2005x/1141-2N-DEMO-LIANGTINGLIN-14/commits/main/

zero2005x / 1141-2N-DEMO-LIANGTINGLIN-14

Type to search

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Commits

main

All usersAll time

Commits on Dec 3, 2025

W12-P3: Implement /demo/shop2_xx/supabase to fetch products from Supabase

zero2005x committed now2aa05dd<>

W12-P2: Deploy code to Vercel

zero2005x committed 26 minutes ago9fd93cb<>

W12-P1: Refine code of /demo/shop_xx/node

zero2005x committed 2 hours agoce97f6f<>

Commits on Nov 26, 2025

W11-P2:W11-P2: Implement /demo/shop_xx/node and /demo/shop/node/:category in client

zero2005x committed last week7d9828c<>

W11-P1: Implement route /api/shop_14/:category in server

zero2005x committed last week6801adf<>

Commits on Nov 19, 2025

W10-P3: upload to vercel

zero2005x committed 2 weeks ago2ca375f<>