

TEST COMPLETION REPORT · MOBILE REGRESSION · ANDROID

Concert Technologies Field Technicians Android App — Test Completion Report

INTERNAL

● NO UNEXPECTED FAILURES

Nothing failed that is not already a known defect: the 7 red tests are the regression checks of 7 filed defects and stay red until they are fixed; 3 red tests show app behaviour the owner triaged and decided not to file (BUG-NOTE-001, BUG-NOTE-002, BUG-PHR-001); 1 test could not run (Blocked), each with its reason below — Blocked is never counted as passed.

Checklist now (this run): 482 green · 12 red, each held by a known defect · 3 blocked · 0 red and unexplained.

RUN FINISHED	OPERATING SYSTEM	DEVICE	APP BUILD
2026-10-02 19:55 UTC · 2 h 47 min	Android 16 · API 36	Pixel 7 — emulator	Concert Technologies — [DEV] CT Mobile · 1.1.1 (178) · debug build
APP TYPE	APP SOURCE	HARNESS CODE	TESTS RUN
Flutter	development @ 85a84f3 (2026-08-26) — same code as the iOS build	9101eb7	149 · 10 red · 1 blocked · 0 unexpected

REPORT GENERATED
2026-10-05 12:36 UTC

Document. Version of 2026-10-02 (the run this report describes) · Source: [automatic/mobile/reports/android/internal/index.html](#) · Online: <https://claude.ai/artifacts/Vh4DJSdzZmaGH7fwRMUbd> · PDF: [ConcertTechnologies_FieldTechnicians_Android_TestCompletionReport_INTERNAL_2026-10-02.pdf](#) · Confidential, TRIARE internal.

Summary

The QA checklist for the mobile app holds **645** checks across 12 modules. **497** of them (77%) are automated and ran on Pixel 7 — emulator, Android 16 · API 36. In this run **482** passed; **12** are held red by 7 open defects and 3 known issues the owner decided not to file, each with a test that fails until the defect is fixed; **3** could not run for a stated reason. Nothing failed unexpectedly. The other **148** checks are not automated, each for a written reason (below).

645

checks in the QA
checklist

497

automated · 77%

482

passed in this run

12

held red by 10 known
defects

3


blocked – could not
run




■ passed ■ held red by a known defect ■ blocked – could not run ■ not automated (reason written)

What the tests saw


One screen per module, saved by a passing test at a checkpoint. Tap a screen to enlarge it;
each module page has every screen next to the check it belongs to.




01 · Splash – splash-
slow-network




02 · Authentication –
login-filled








03 · Order list – link-
expired-signed-out



04 · Order details –
not-at-the-job-site



05 · Check in out –
mock-location-
refused




06 · Order progress — in-progress-top

07 · Submit deliverables — submit-dialog


08 · Survey — short-filled

09 · Photo report — photo-report-empty

10 · Notes — notes-empty



11 · Notifications — notifications-empty



12 · Profile — profile-first-open

By module

MODULE	CHECKS	AUTOMATED	PASSED	HELD RED	BLOCKED	NOT AUTOMATED	COVERAGE
01 · Splash	15	10	8	2	0	5	
02 · Authentication	126	86	83	3	0	40	
03 · Order list	70	59	55	4	0	11	
04 · Order details	89	55	55	0	0	34	
05 · Check in out	41	25	25	0	0	16	
06 · Order progress	42	31	29	0	2	11	
07 · Submit deliverables	33	32	31	0	1	1	
08 · Survey	57	51	51	0	0	6	
09 · Photo report	54	40	39	1	0	14	
10 · Notes	52	46	44	2	0	6	
11 · Notifications	31	28	28	0	0	3	
12 · Profile	35	34	34	0	0	1	

What needs a decision

- The priority of 7 open defects is QA's proposal — the owner / PM decide: [BUG-SPL-001](#), [BUG-SPL-002](#), [BUG-AUTH-001](#), [BUG-AUTH-002](#), [BUG-AUTH-003](#), [BUG-ORDL-001](#), [BUG-ORDL-003](#)

Open defects · 8

7 of them hold checklist checks red through their regression tests; a defect with no such test is listed with a dash (its report says why).

S3 minor: 6 · **S4** cosmetic: 2. Every defect is filed locally, in the repository; no tracker is configured.

DEFECT	MODULE	WHAT IS WRONG	SEVERITY	PRIORITY	CHECKS HELD RED
BUG-AUTH-003	02 · Authentication	After a connection error on the code screen, Verify does nothing until a digit is changed	S3 minor	P2 proposed	AUTH-099, AUTH-100
BUG-SPL-001	01 · Splash	A deleted account stays signed in: the app keeps opening the Jobs list and the profile after a cold start	S3 minor	P2 proposed	SPL-009
BUG-AUTH-001	02 · Authentication	Login with an unregistered phone number shows a generic error instead of "not registered"	S3 minor	P3 proposed	AUTH-122
BUG-ORDL-001	03 · Order list	The weekly calendar keeps showing "No jobs" for jobs the refreshed Jobs list already shows	S3 minor	P3 proposed	ORDL-070
BUG-ORDL-003	03 · Order list	"Updated" stays on a job after its details were opened, until the calendar is refreshed	S3 minor	P3 proposed	ORDL-022, ORDL-056
BUG-ORDL-002	03 · Order list	The Jobs list is ordered by when a job was created, not by its scheduled date	S3 minor	P4	ORDL-069

DEFECT	MODULE	WHAT IS WRONG	SEVERITY	PRIORITY	CHECKS HELD RED
BUG-SPL-002	01 · Splash	Android: the system Back on the splash screen leaves the app	S4 cosmetic	P3 proposed	SPL-007
BUG-AUTH-002	02 · Authentication	Registration caps first and last name at 50 characters while the SRS allows 100	S4 cosmetic	P4 proposed	– (no test holds a check red)

Each defect has a report with steps, the expected and actual result, screenshots and its regression test, under [qa/mobile/<module>/bugs/](#).

Known, not filed · 3

The owner triaged these as the app's behaviour and decided not to file them. Their tests stay red and are counted as held red by a known defect, not as unexpected failures; the reports stay in the repository as drafts.

DRAFT	MODULE	WHAT IS WRONG	CHECKS HELD RED
BUG-PHR-001	09 · Photo report	A photo deleted from the Photo report stays on the job on the server	PHR-050
BUG-NOTE-001	10 · Notes	Editing or deleting a note never reaches the server; each new note replaces the job's notes there	NOTE-047
BUG-NOTE-002	10 · Notes	A note created and then edited offline is not synced when the connection returns; it waits for the submission	NOTE-045

Could not run · 3 checks

1 test stopped before its check could decide anything. Blocked is not a pass: the check stays owed and runs again in the next round – or on the Android stage, where the reason says so.

TEST	WHAT IT DOES	CHECKS	WHY
TC-DLV-004	The app's reaction to a successful submission: 'Deliverables sent to review successfully', 'Successful', then Check out, locked at once	DLV-020, ORDP-026, ORDP-027	DEV answers POST /job/{id}/submit with 500 although the submission is recorded (COPS; owner, Q-DLV-5, 2026-09-26) – the app shows 'Server error. Try again later.', so its reaction to a successful submission cannot be observed

Why 148 checks are not automated

Every one of them has a reason in its module's automation plan, test cases or an owner decision; `qa/mobile/android/not-automated.md` collects them and the page sorts them into the kinds below. The full list, check by check, is in the technical detail.

REASON	WHAT IT MEANS	CHECKS
Deferred – can be automated later	Right as worded and automatable; left out of the first pass by scope (Auth was a narrow pilot)	36
Kept manual by the owner	The owner ruled these stay manual checks; most were run by hand on iOS, a real device or production (the reason says which)	32
A person's check	A judgement no assertion can make, or something the accessibility tree does not show: design, motion, an icon, a 0.3-second banner	24
The app works differently – accepted	The checklist describes a control or a flow the app does not have; the owner accepted the app's behaviour	15
Beyond the emulator / simulator or outside the app	Needs what the test device does not give (a real camera, a failed location fix – the emulator's GPS feed always answers) or the system's own screens (share sheet, other apps)	15
Failures a test cannot cause	A save, upload or navigation failure needs the app's storage or network broken mid-action	10
Not observable from the app on DEV	The outcome happens where neither the app nor the DEV API shows it: e-mail to a facilitator, a server schedule, a hard-coded DEV code	9
Requirement unclear or a placeholder	The item names no checkable outcome ("if allowed by business logic")	3
Load on DEV excluded	Load and performance are not run against the shared DEV server (decision 2026-09-23)	2
Covered by another check	Proved by a neighbouring check	1
Skipped by the owner on Android	The owner ruled the check out on Android; it is automated on iOS	1

Stability and run history


The last two full runs did not give the same verdicts for every test – see the table.

RUN	FINISHED (UTC)	HARNESS	TIME	TESTS	PASSED	RED	UNEXPECTED	BLOCKED
2026-10-02-final-u2	2026-10-02 17:07	9101eb7	2 h 45 min	149	138	10	0	
2026-10-02-final-u1	2026-10-02 14:20	9101eb7	2 h 40 min	149	137	10	0	

Full-app runs only. **Red** counts every failed test; **Unexpected** is the part no filed defect names as its regression check. u1–u3 ran the same harness code, 9101eb7: u2 and u3 identical per test; u1 differs only in TC-SPL-006 (Blocked – the ~1 s splash was missed). Earlier attempts stopped on environment faults (a System UI hang, the Mac's time zone flip), fixed in the harness before u1.

Delivery pace

The first module's tests landed in git on 23 September 2026, 16:12, the last on 1 October 2026, 16:59 (UTC+03:00) – 21 modules and 883 automated checks in about 188 hours of calendar time. Each step on the line is one commit that first added a module's test file; its height is the checks that module automates today. These are commit times, not hours of effort: the repository was set up on 22 September, and the harness, the checklist import and the recon on the simulator came first; each module's review and fixes continued after it landed.



1. 02 · Authentication +86 · 23 Sep 16:12

2. 03 · Order list + 01 · Splash +69 · 24 Sep 10:26

3. 04 · Order details +55 · 24 Sep 13:32

4. 05 · Check in out +25 · 24 Sep 14:50

5. 06 · Order progress +31 · 24 Sep 15:31

6. 08 · Survey +51 · 24 Sep 17:23

7. 09 · Photo report +40 · 25 Sep 09:18
8. 10 · Notes +46 · 25 Sep 21:09

9. 07 · Submit deliverables +32 · 26 Sep 15:05

10. 11 · Notifications +28 · 27 Sep 11:42

11. 12 · Profile +34 · 27 Sep 12:19

12. 03 · Order list + 07 · Submit deliverables +91 · 1 Oct 16:49

13. 02 · Authentication + 10 · Notes + 11 · Notifications + 09 · Photo report + 12 · Profile + 01 · Splash + 08 ·

Technical detail

How a verdict is decided

- **Passed** only when an assertion with a named oracle decided it: the checklist or the SRS, the app's accessibility tree, the pixels of a screenshot (a colour, the theme's brightness) or the DEV API's copy of what the app saved.
- **Held red**: a filed defect's regression test asserts the correct behaviour and fails until the fix; its report names the test. A fix turns it green by itself.
- **Blocked** (1 in this run) — a precondition the simulator or DEV cannot give — is never green and never silent; each says why.
- No retries. One Appium session per run. Every test was proven red once by breaking its own expectation (`--prove-red`) before it was trusted.

Where to look

- Every check, its test and the screens it saw: open a module in the table under Summary; each defect's report opens from Open defects.
- Every step of every test: the Tests list at the bottom of a module page, or Allure — `allure open automation/mobile/reports/android/allure-report` .
- Traceability of record: `qa/mobile/android/final-traceability.md` and `qa/mobile/<module>/android/<module>-traceability.md` .
- Why a check is not automated: `qa/mobile/android/not-automated.md` ; owner rulings: `docs/notes/decisions.md` .
- This page: `automation/tools/mobile_summary.py` .

Scope of this run

- Device: Pixel_7_API_36 · Android 16.
- App: Concert Technologies — [DEV] CT Mobile 1.1.1 (178), built from development @ 85a84f3 (2026-08-26) — same code as the iOS build.
- Driver: Appium with UiAutomator2 — the Flutter app is read through the Android accessibility tree; one test at a time, one Appium session per module, the app relaunched or reset by each test's preconditions.
- Tools: Appium 3.4.2 · UiAutomator2 7.5.2 (installed on the QA machine when this report was built).
- DEV only; production is never tested. The API is used to create test data, clean up and check what the app stored — API tests are out of scope.
- Test data is created, marked (QA-AUTO-...) and deleted by the tests; a throwaway technician is registered and removed; the main test account's name and theme are put back.

How it is built

- Checklist → automation plan → the owner's answers to D / Q questions → recon on the emulator → structured test cases → screen maps (the only place a locator lives) → page objects → pytest tests tagged with checklist ids → generated traceability.
- Each module went through a test review (`/bmad-testarch-test-review`) before it was called done.
- Evidence: named screenshots at checkpoints, a screenshot on failure, a screen video of failed and end-to-end tests.
- This is the shared copy: the test account's email, phone and name are hidden in the text and pixelated on the screens; API response bodies, page sources and screen videos are left out (they stay in Allure on the QA machine).

Every check that is not automated, and why · 148

► 01 · Splash · 5

► 02 · Authentication · 40

► 03 · Order list · 11

► 04 · Order details · 34

► 05 · Check in out · 16

► 06 · Order progress · 11

► 07 · Submit deliverables · 1

► 08 · Survey · 6

► 09 · Photo report · 14

► 10 · Notes · 6

► 11 · Notifications · 3

► 12 · Profile · 1

Generated by `automation/tools/mobile_summary.py` from the repository, 2026-10-05 12:36 UTC. Every number above is read from the Allure results of the run, the checklists, the bug reports, `qa/mobile/android/not-automated.md` and git.