BRAND STANDARD · IDENTITY, TYPE, COLOR, USAGE



IRONTRELLIS

AGENTS CHANGE. THE STRUCTURE HOLDS.

Authority, duties and succession for AI agents.

Document	BRAND-001 — IronTrellis brand standard
Revision	0.1 · 23 SEP 2026
Status	Working standard — applies to every IronTrellis artifact
Owner	RAmEx Labs
Replaces	The Continuity name and its visual assets

§ 01 · ESSENCE

WHAT THE NAME HOLDS

THE NAME

IronTrellis is one word. **Iron** is the durable record that every decision is checked against. **Trellis** is the structure agents grow along: roles, grants and duties that stay in place while the agents on them change. At its center sits the **Core**, the duty that survives every hand-over.

THE PROMISE

AGENTS CHANGE. THE STRUCTURE HOLDS.

Primary tagline. Descriptor line: *Authority, duties and succession for AI agents.*

VOICE

Plain. Precise. Calm under pressure. Say what it does, then what it does not do. Put limits next to the claims they qualify. Prefer evidence to adjectives. The metaphor stays in the brand; the product speaks in plain words: `grant`, `revoke`, `hand over`, `survives`.

BOILERPLATE


SHORT · 21 WORDS · BIOS, LISTINGS, SLIDE FOOTERS

IronTrellis keeps a checkable record of who may act for whom, and which duties survive when an AI agent is replaced.

LONG · 58 WORDS · READMES, PRESS, DIRECTORIES

IronTrellis is open-source software that keeps a checkable, append-only record of authority for AI agents. It records grants, revocations and duties; answers whether an action is allowed, denied or cannot be decided, and why; and shows which duties survive when an agent is replaced. It works alongside policy engines such as Cedar and OpenFGA rather than replacing them.

ANATOMY OF THE MARK



A trellis panel in iron: a chamfered frame, four bars woven over and under one another, and a Forge-orange core. The geometry is fixed (§ 03). It is not a shield, an X or a hashtag, and is never drawn as one.

PERSONALITY

STEADY
Holds its shape while everything around it changes.

EXACT
Says precisely what is established, and what is not.

ACCOUNTABLE
Every decision carries its evidence.


UNDERSTATED
No hype, no fear-selling, no mascots.

VOICE IN PRACTICE


MOMENT	WRITE THIS	NOT THIS
A refusal	✓ “DENY: bea’s grant to collect evidence ended at 14:02 UTC, when bea was replaced.”	✗ “Access denied.” “Oops! Something went wrong.”
A limit	✓ “IronTrellis decides and explains. Your gateway or runtime enforces the decision.”	✗ “Bulletproof protection for your agents.”
A hand-over	✓ “alex now owes review:42. The duty survived the hand-over from bea.”	✗ “Seamless, magical agent continuity!”

§ 02 · LOGO SYSTEM


ONE MARK, SIX FORMS



PRIMARY LOCKUP · IRONTRELLIS-LOCKUP-HORIZONTAL.SVG



PRIMARY LOCKUP, REVERSED · …-HORIZONTAL-REVERSED.SVG



STACKED LOCKUP WITH TAGLINE · …-STACKED-TAGLINE.SVG



STACKED LOCKUP, REVERSED · …-STACKED-REVERSED.SVG



WORDMARK · IRONTRELLIS-WORDMARK.SVG



MARK · …-MARK.SVG



BADGE · …-BADGE.SVG




MICRO MARK · ≤ 24 PX

Use the primary lockup wherever it fits. Use the stacked lockup for square formats and title slides, the wordmark where the mark already appears nearby, the badge for avatars and app icons on light or neutral grounds, and the micro mark only at 24 px or smaller. On dark grounds use the reversed files; the badge’s iron plate is not designed to sit on Iron. One-color files for single-ink work are shown in § 04.

§ 03 · CONSTRUCTION

BUILT ON A GRID



100-UNIT GRID · LATTICE AT 45° · WEAVE ALTERNATES OVER / UNDER

Never redraw, trace or re-space the mark. Use the supplied SVG files: exact outlines that need no fonts. Every other size scales from these numbers.

STACKED LOCKUP



SPECIFICATION · 100-UNIT GRID

Frame thickness	t	9
Corner chamfer	c	12
Bar width	w	11
Bar offset from center	d	19
Weave gap	g	2.6
Core, tip to tip	X	30.8
Plate chamfer		16
Mark inside the badge		74%

LOCKUP CONSTRUCTION



Mark height H = 1.65 × cap height. Gap = 0.42 H. The wordmark's caps sit on the mark's center line. Barlow Condensed Bold, tracking +80 (0.08 em), drawn as outlines. In the stacked lockup H = 2.9 × cap height, with the same 0.42 H gap and a shared vertical axis.

CLEAR SPACE



Keep at least **X** clear on every side, where X is the width of the Core (≈ 0.31 H). Text, edges and other logos stay outside that zone.


COLOR BY PART

PART	ON LIGHT GROUNDS	ON DARK GROUNDS
Frame and lattice	Iron #15181C	Alloy #C9CFD5
Core	Forge #E8692A	Forge #E8692A
IRON in the wordmark	Iron #15181C	Plate #F3F2EE
TRELLIS in the wordmark	Steel #5C6773	Pewter #9AA4AE

§ 04 · USAGE

RIGHT FILE, RIGHT GROUND

BACKGROUNDS



On photographs or busy imagery, set the logo on a solid Iron or Plate panel with full clear space. Avoid Forge grounds, where the Core disappears; if one cannot be avoided (stickers, merchandise), use one-color black. One-color files are for single-ink work only: engraving, embroidery, stamps and one-color print.

MINIMUM SIZES


FORM	SCREEN MINIMUM	PRINT MINIMUM
Primary lockup	120 px wide	30 mm wide
Stacked lockup	80 px wide	20 mm wide
Wordmark	80 px wide	20 mm wide
Mark / badge	32 px	8 mm
Micro mark	16–24 px	not for print

SMALL SIZES



The woven mark holds down to 32 px. At 24 px and below, switch to the micro mark: the plate and the Core only.

MISUSE



§ 05 · COLOR

IRON, STEEL AND ONE SIGNAL

IRON

#15181C
RGB 21 24 28
CMYK 25 14 0 89
Primary dark. Text on light, dark surfaces, the mark on light.

GUNMETAL

#2A3038
RGB 42 48 56
CMYK 25 14 0 78
Secondary dark surfaces, panels, code blocks on dark.

STEEL

#5C6773
RGB 92 103 115
CMYK 20 10 0 55
“TRELLIS” on light, secondary text on light (AA).

PEWTER

#9AA4AE
RGB 154 164 174
CMYK 11 6 0 32
“TRELLIS” on dark, secondary text on dark (AA).

ALLOY

#C9CFD5
RGB 201 207 213
CMYK 6 3 0 16
The mark on dark, rules and borders on light.

PLATE

#F3F2EE
RGB 243 242 238
CMYK 0 0 2 5
Primary light background (warm paper).

FORGE

#E8692A
RGB 232 105 42
CMYK 0 55 82 9
Signature accent: the Core, one rule, one highlight. Never text on light grounds.

EMBER

#B24C14
RGB 178 76 20
CMYK 0 57 89 30
Orange for text and links on light backgrounds (AA).

PROPORTION




PLATE 60% · IRON 25% · STEEL + ALLOY 11% · FORGE ≤ 4%

Forge is a signal, not a paint: the Core, one rule, one highlight per view. It fails contrast as text on light grounds, so orange text on light is always Ember.

CONTRAST (WCAG 2)

Aa	Iron on Plate	15.90 : 1	AA · any text
Aa	Steel on Plate	5.15 : 1	AA · any text
Aa	Ember on Plate	4.76 : 1	AA · any text
Aa	Forge on Plate	2.89 : 1	Decoration only, never text
Aa	Forge on Iron	5.50 : 1	AA · any text
Aa	Pewter on Iron	7.03 : 1	AA · any text
Aa	Alloy on Iron	11.34 : 1	AA · any text
Aa	Plate on Gunmetal	11.88 : 1	AA · any text

PRODUCT STATES

STATE	MEANING	ON LIGHT	ON DARK
ALLOW	Permission established	#1E6E43	#45B57A
DENY	Refused by current rules	#B12F29	#F0675D
INDETERMINATE	Cannot decide from the evidence	#8A6207	#D9A21B
OPEN	A duty still owed	#2A62A0	#6FA6DE

State colors belong to the product (CLI, UI, docs) and never appear in the logo. Each light value meets AA as text on Plate and each dark value on Iron. Always pair the color with the state word; never rely on color alone.

Tokens for code: `kit/tokens/irontrellis.css` and `irontrellis.tokens.json`. CMYK values are straight conversions for reference; proof against your printer’s profile.

§ 06 · TYPOGRAPHY

THREE VOICES, ONE SYSTEM

DISPLAY · BARLOW CONDENSED

IRONTRELLIS

CHAIN OF AUTHORITY

Aa Bb Cc 0123456789

Wordmark, headlines, titles and labels on graphics. Uppercase, 600–700, tracking +40 to +100. Never paragraphs.

TEXT · IBM PLEX SANS

The duty survives.

When an agent is replaced, its unfinished duties pass to the successor. Its powers do not follow unless someone grants them again. *Every decision carries its evidence.*

Body copy, docs and interfaces. 400 for text, 500–600 for emphasis. 16 px / 1.5 on screen; 9.5–11 pt in print.

CODE & CONTROL · IBM PLEX MONO

```
◆ irontrellis 0.1.0
$ irontrellis survives agent:bea
  OPEN   review:42 → alex
  DENY   bea · collect
```

DOC BRAND-001 // REV 0.1

Code, CLI output, identifiers, data, lockup taglines and the control banner. Labels uppercase, +120.

TYPE SCALE (SCREEN)

ROLE	FACE	SIZE / LINE	CASE · TRACKING
Display	Barlow Condensed 700	48 / 52 px	Upper · +60
Heading 1	Barlow Condensed 700	32 / 36 px	Upper · +50
Heading 2	Barlow Condensed 600	22 / 26 px	Upper · +60
Body	IBM Plex Sans 400	16 / 24 px	Sentence
Small	IBM Plex Sans 400	13 / 20 px	Sentence
Label	IBM Plex Mono 500	11 / 16 px	Upper · +120
Code	IBM Plex Mono 400	14 / 22 px	As written

FONT TOKENS (CSS)

```css
:root {
  --irontrellis-font-display: "Barlow Condensed", "Arial Narrow", sans-serif;
  --irontrellis-font-text: "IBM Plex Sans", system-ui, sans-serif;
  --irontrellis-font-mono: "IBM Plex Mono", ui-monospace, Menlo, monospace;
}
```

LICENSING AND SOURCES

All three families are free under the SIL Open Font License 1.1 and may ship with the software. The kit includes desktop TTF and web WOFF2 files with their licenses.

WHERE THE FONTS CANNOT BE USED

In slides and office files that cannot embed fonts: Arial Narrow Bold for display, Arial for text, Consolas or Menlo for code. No other substitutes.

TYPOGRAPHIC DETAILS

Dates	September 23, 2026 · 23 SEP 2026 (control) · 2026-09-23 (data)
Times	24-hour with zone: 14:02 UTC · ISO 8601 in data
Numbers	Tabular figures in tables · 12,480 · 30 mm
Punctuation	Curly quotes “ ” and ’ · en dash for ranges: 16–24 px
Symbols	→ hand-overs and flows · × dimensions · ≤ ≥ limits
Identifiers	Plex Mono, exactly as written: agent:bea, review:42
Core glyph	◆ only as the product marker in banners and terminals

§ 07 · NAMING, TAGLINE & MARKS

SAY IT THE SAME WAY EVERYWHERE

NAME — WRITE

✔ **IronTrellis**	Running text, titles, speech
✔ **IRONTRELLIS**	Wordmark and control banners only
✔ **irontrellis**	Code, packages, commands, URLs, repositories

NAME — NEVER

✘ **Iron Trellis**	Never two words
✘ **Irontrellis · IRONtrellis**	Never altered casing
✘ **Trellis**	Never shortened; the root is crowded
✘ **IT · I.T. · ITR**	Never abbreviated, even in IDs

TAGLINE

AGENTS CHANGE.
THE STRUCTURE HOLDS.

Sentence case in running text; uppercase Plex Mono in lockups and headers. Never reword, shorten or translate it without approval.

DESCRIPTOR

Authority, duties and succession for AI agents.

Use it under the name where readers need to know what IronTrellis is: cards, listings, title slides.

TRANSITION

While the old name is still in circulation, write “IronTrellis (formerly Continuity)” on first mention, then IronTrellis alone.

TRADEMARK NOTATION

Use **IronTrellis™** on the first prominent mention in marketing while the name is unregistered; ® only after registration. Never in code, CLI output or running documentation.

> The name has been checked for availability on npm, PyPI and common domains, but not against trademark registers. Clear it with counsel before public launch. This page is not legal advice.

PRODUCT FAMILY

IronTrellis plus a plain noun: no sub-brands, second marks or coined names. Identifiers are lowercase and hyphenated, in the RAmEx Labs npm scope.

COMPONENT	SAY	IDENTIFIERS	REPLACES
Core library	IronTrellis	npm **@ramex-labs/irontrellis** · PyPI **irontrellis**	@ramex-labs/continuity
Evidence MCP server	IronTrellis Evidence MCP server	npm **@ramex-labs/irontrellis-mcp** · registry **io.github.zerohourzulu/irontrellis-evidence**	@ramex-labs/continuity-mcp · …/continuity-evidence
MCP gateway	IronTrellis MCP Gateway	npm **@ramex-labs/irontrellis-mcp-gateway**	@ramex-labs/continuity-mcp-gateway
Commands	the irontrellis command	**irontrellis** · **irontrellis-mcp** · **irontrellis-mcp-gateway** · **irontrellis-evidence**	continuity · continuity-mcp · continuity-mcp-gateway · continuity-evidence
Conformance suite	IronTrellis conformance vectors	**conformance/** in the repository	Continuity conformance vectors
Repository	IronTrellis	**github.com/zerohourzulu/irontrellis** (proposed)	github.com/zerohourzulu/continuity

§ 08 · APPLICATIONS

IN THE WILD

README HEADER · 1280 × 320




SOCIAL PREVIEW CARD · 1280 × 640



FILES: KIT/SOCIAL/IRONTRELLIS-SOCIAL-CARD.PNG · IRONTRELLIS-README-BANNER.PNG

DIAGRAMS



Chamfered nodes with 1.5 px Iron outlines and Plex Mono labels; 1.5 px Steel edges. Highlight one path per diagram in Forge. State colors only on state words.


COMMAND LINE

TERMINAL

```
◆ irontrellis 0.1.0 — agents change. the structure holds.
$ irontrellis survives agent:bea
  OPEN          review:42 → assigned to alex
  DENY          bea · collect-evidence (replaced)
  ALLOW         alex · read incident:42
  INDETERMINATE alex · export report (no rule)
```

The Core glyph ◆ (U+25C6) in Forge marks the product name in terminal headers. State words are always spelled out; color only reinforces them. ANSI-256 fallback: Forge 208, Allow 35, Deny 203, Indeterminate 178, Open 74.

ICONS & FAVICON



DOCUMENT HEADER

◆ IRONTRELLIS // HANDOFF NOTES REV 0.1 // 23 SEP 2026

The control banner opens every IronTrellis document: product, document title, revision and date, in uppercase Plex Mono on Iron. It is a style device, not a security classification; never add real classification markings.