

OS / Platform Notes

▼

Get ZeroTier

Linux

▼

Linux FAQ & Troubleshooting

Snap Package

Docker

Layer 2 Bridge

Amazon VPC Gateway

NAT

6PLANE with Docker

code-server + ZeroTier

cloud-init

Route between ZeroTier and
your local network

macOS

➤



>

[Guides](#)

>

[Networking](#)

>

NAT

NAT

How to characterize NAT

When debugging it is often nice to be able to gather information about NAT type and behavior. ZeroTier does not use STUN (for various reasons), but many STUN implementations contain some helpful code for doing this. It's helpful to use an external utility since it's "out of band" and therefore independent of ZeroTier.

```
sudo apt-get install stun
sudo stun stun.callwithus.com 0
```

This will perform the basic NAT characterization test from the STUN RFC. The STUN server can be any public STUN server.

It will generate output like:

```
STUN client version 0.96
running test number 0
Primary: Independent Mapping, Port Dependent Filter, preserves ports, no IP
Return value is 0x000017
```

Tags: [tutorial](#) [troubleshooting](#)

How to characterize NAT

Product

- Download 
- ZeroTier Central 
- Pricing
- Security

Documentation

- Getting Started
- This is ZeroTier
- Guides
- FAQ

Community & Support

- Discussion Forum 
- GitHub 
- Contact Support 

Company

- About 
- Blog 
- Careers 
- Privacy Policy 