



Home & Office

Networking

Enterprise

Developer Tools

Central API

Service API

Docker

code-server + ZeroTier

Terraform

ZeroTier API Tokens

Sockets

Web Hooks

OS / Platform Notes

oting

Glossary

Home > Guides > Developer Tools > ZeroTier API Tokens


ZeroTier API Tokens

Using ZeroTier API Tokens

Access to the ZeroTier APIs requires an authentication token. This guide describes the methods and tools needed to create and manage these tokens.

ZeroTier Central Token

To use the Central API, you need a token associated with your account. To create one, log into [my.zerotier.com](#) and create a named token in the **Account** tab. Pick a memorable name that shows the intended use of the token: for example, "Terraform automation token" or "internal dev key".



Each token you create is associated with your user account, so it will allow the same level of access to manage and query networks that you have when working in the Central UI.



CAUTION

The token is displayed only once at the time you create it, so you should save it somewhere safe before clicking 'Done'.

ZeroTierOne Service Token

The local service API token is store in the `authtoken.secret` file in the ZeroTier service state directory. You'll need it to make API calls to the local service.



NOTE

ZeroTier generates the token at random the first time it starts. If you delete the file and restart the ZeroTierOne service a new token will be created, and the existing token will no longer be usable to access the API.

You can store the current auth token value in an environment variable for use in scripting and local development using the following terminal commands:

Linux

macOS

Windows

```
TOKEN=$(sudo cat /var/lib/zerotier-one/authtoken.secret)
```

Tags:

development

api

central

service

Product

Download

ZeroTier Central

Pricing

Security

Documentation

Getting Started

This is ZeroTier

Guides

FAQ

Community & Support

Discussion Forum

GitHub

Contact Support

Company

About

Blog

Careers

Privacy Policy