

```
#cloud-config

hostname: "devbox"
users:
  - name: wrankles

shell: /bin/bash

disable_root: 1
ssh_pwauth: 0
packages:
  - htop
  - tcpdump

runcmd:
  - apt-get update
  #- mkdir -p /var/lib/zerotier-one
  #- echo "1234567890:0:..." > /var/lib/zerotier-one/identity.secret
  #- echo "1234567890:0:..." > /var/lib/zerotier-one/identity.public
  - curl -s https://install.zerotier.com | bash
  - zerotier-cli join cfb8bf9836c2fc3a
  - systemctl restart ssh
```

Pre-populate ZeroTier identities (optional)

Uncomment the `runcmd` lines starting with `mkdir` and `echo` if you want to write known ZeroTier identities to disk before startup. This is useful if you've already authorized or scripted around a specific node ID and want it to start up the same each time.

⚠ CAUTION

If you place your ZeroTier node's secret key in your cloud init file it is possible for someone to impersonate your node if they get ahold of this cloud-init file.

Password-less SSH (optional)

It's usually recommended that you disable the `root` account and disable password-based ssh authentication and rely solely on key-based authentication. [Digital Ocean has some really great documentation on the subject.](#)

To make getting into your cloud instance as easy as possible you can add entries to `authorized_keys`:

```
ssh-authorized-keys:
  - ssh-rsa AAAAB38fwI3756q2381f75dh6awd476r3bg78f56ghfaa7fdh63qf5dq378f5...
```

To make getting into other instances *from this instance* easier, you can add a pre-generated private key to `ssh_keys`:

```
ssh_deletekeys: false
ssh_keys:
  ed25519_private: |
    -----BEGIN OPENSSH PRIVATE KEY-----
    $HYBES$Y$GW$Gfs9g8ES$Y$GW$Gfs9g867ZDI1NTE5AAAAIHQbjzWgsN0t/8gH+QI/lf
    fs9g867q34tqGT$HYBES$mZ+AW40ZPnTPI89ZPmVMLuayrD2cE86Z/il8b+867q34t
    fs9g867q34ZDI1NTE5AAAAIHQbjzWgsN0t/8gH+QI/Eob6BES$Y$HYBES$Y$GW$Gf
    fs9g867q34tqGT$HYBES$YZDI1NTE5AAAAIHQbjzWgsN0t/8gH+QI/Eob6Z/8ZXbHH
    fs9g867mZ+AW40ZPnTPI89ZPmVMLuayrD2cE86Z/il8b+gw3s9g867q4g
    -----END OPENSSH PRIVATE KEY-----

  ed25519_public: ssh-ed25519 AAAAB3NzaC1yc2EAAAABIwAAAQEAKl0UpqxiX1nKhXpl...
```

[Read more about SSH keys here](#)

Tags: [tutorial](#) [developer](#)