

# Shaikh Samiol Islam (MBSTU), IARCO-2025 - SSI Fahim.pdf

*by* Sanaul Haque

---

**Submission date:** 13-Oct-2025 11:40PM (UTC+0700)

**Submission ID:** 2779974734

**File name:** Shaikh\_Samiol\_Islam\_MBSTU\_IARCO-2025\_-\_SSI\_Fahim.pdf (278.24K)

**Word count:** 1484

**Character count:** 8534

**Research Proposal**  
on  
**Textile Trash to Cancer Treatment:  
Upcycling Polyester Fabric Waste into  
Nitrogen-Doped Carbon Quantum Dots for  
Tumor-Targeting and Cancer Therapy**

**Scholar Name**

Shaikh Samiol Islam

**Scholar's Affiliation**

Textile Engineering

Mawlana Bhashani Science and Technology University

Bangladesh

**Category:** Senior (3<sup>rd</sup> year)

**Date of submission**

30/09/2025

Contact: [ssifahim200@gmail.com](mailto:ssifahim200@gmail.com)

### **Introduction:**

In the past few decades' textile production and the export of textile goods has been a major economic driving force for Bangladesh. In recent years Bangladesh has emerged as one of the biggest exporters of textile products. Due to the vast production of various textile products in Bangladesh, the use of these textile products has significantly increased [1]. This leads to tremendous environmental concerns because most of the textile waste end up in landfills, water sources increasing microplastics and causing imbalance in ecology [2]. Among the various raw materials used in textile production 'Polyester fiber' is one of the widely used synthetic fibers. This non-renewable, thermoplastic polymer chemically known as Polyethylene terephthalate (PET) is synthesized through a condensation reaction between terephthalic acid (TPA) and ethylene glycol (EG), both of which are derived petroleum feedstock. The traditional or widely used methods for tackling this waste is to reintegrate the waste textile in the clothing lifecycle by mechanical, chemical or other means. This includes mechanically shred or chemically treat them to produce yarn or fiber, which will be again spun or weave or knitted into textile products [3]. These processes are scalable and useful but the product made from virgin raw material will always have a preference over recycled good among consumers. This experiment explores a complete innovative and nontraditional way of upcycling this PET waste into functional nanomaterials for their potential use in tumor targeting and cancer treatment.

### **Literature Review:**

Recent studies found the effective use of modified Carbon Quantum Dots in tumor targeting and cancer treatment. N-CQDs (Nitrogen doped Carbon Quantum Dots) functionalized with molecules like folic acid that bind specifically to receptors overexpressed on cancer cell membranes. When these ligands are attached, the CQDs can actively recognize and bind tumor cells through receptor. N-CQDs can also act as therapeutic agents. When exposed to specific light like NIR (near-infrared), they can generate reactive oxygen species (ROS), such as singlet oxygen. These ROS damage cancer cell components, leading to apoptosis or necrosis [4].

The polyester fiber or PET serves an excellent precursor for QCDs. There have been few studies converting PET into QCDs, doping with various substances but explicitly utilizing polyester-based waste textile materials as PET source and specific doping and surface functionalization for tumor targeting and cancer treatment hasn't been experimented yet. This experiment utilizes the PET in polyester fabric to produce biomedical grade Nitrogen-Doped, surface passivated Carbon Quantum Dots designed for Tumor-Targeted Imaging and Cancer Therapy. This experiment will combine all the suitable studies and experiments into one ultimate pipeline for effective production of the nanomaterial. The process involves pretreatment, synthesis of CQDs [5], doping of Nitrogen [6], surface passivation with PEGylation (mPEG-NH<sub>2</sub>) [7] and folic acid [8], purification and QC [9] and In vitro biological assays and PDT testing.

### **Research Principle:**

Polyester fabric waste → **N-doped CQDs** → Tumor-targeted cancer imaging/therapy.

### **Project Pipeline:**

Feedstock → Synthesis → Doping/Passivation → Purification/Characterization → Biological testing

### **Research Questions:**

1. Can polyester fabric waste be efficiently converted into high-quality N-CQDs which will be suitable for biomedical applications?
2. How do doping and passivation strategies improve the optical and biocompatibility properties of N-CQDs for tumor imaging?
3. Can functionalized N-CQDs selectively target cancer cells and serve as dual-purpose agents for both imaging and therapy?

### **Proposed Pipeline's Methodology:**

1. **Feedstock and pretreatment:** Strategic collection, washing of the polyester fabric will be done followed by mechanical shredding to produce pieces of 1-2 mm size. Then microwave will be applied assisted with glycosis to convert the long polymeric chain of PET to PET oligomers of lower DP (Degree of Polymerization).
2. **Synthesis of Carbon Quantum Dots:** Mixing the prepared PET oligomers with water or solvothermal solvent and add nitrogen precursor for N-doping (Nitrogen-doping). Then have to transfer the mixture to a Teflon lined autoclave and heat under hydrothermal conditions. Optimizing the temperature or time for maximize output of red or NIR (Near Infrared) emission and quantum yield.
3. **Doping of Nitrogen:** Adding Nitrogen precursor like urea or ethylenediamine during synthesis will introduces Nitrogen in the CQD (N-Doping) N-doping is known to shift emission and increase PDT activity.
4. **Surface passivation:** Surface passivation will be performed by PEGylation (mPEG-NH<sub>2</sub>) to improve colloidal stability and circulation time, followed by covalent conjugation of a targeting ligand (e.g., folic acid) via standard carbodiimide chemistry (EDC/NHS) to enable receptor-mediated tumor targeting.
5. **Purification and basic QC:** Products will be purified by sequential centrifugation and dialysis (or ultrafiltration) to remove small molecular impurities. Purity and batch reproducibility will be monitored by UV–Vis/PL and elemental analysis per standard CQD purification workflows.
6. **In vitro biological assays and PDT testing:** Biological evaluation will include
  - cytotoxicity assays (MTT/AlamarBlue) on cancer and normal cell lines,
  - receptor-mediated uptake and imaging using confocal microscopy
  - photodynamic efficacy via ROS assays: intracellular ROS will be detected using DCFH-DA and extracellular singlet-oxygen production with Singlet Oxygen Sensor Green (SOSG), following prior CQD-PDT studies [4], [10], [11].

**Expected Outcome:**

- This experiment provides an innovative and sustainable approach for upcycling discarded polyester fabrics into highly functional nanomaterial rather than traditional methods of reintegrating the polyester into lower grade textile or appliances.
- Production of biocompatible, NIR-emitting Nitrogen doped Carbon Quantum Dots for tumor imaging.
- Proof-of-concept demonstration of dual-use theragnostic nanomaterials.

**Potential limitation:**

Differentiating the fabric in terms of composition and quality might reduce the reproducibility due to the batch-to-batch variability of textile waste feedstock. Scaling of the process can be challenging for biomedical-grade CQD production.

**Project Timeline:**

- Months 1–2: Fabric collection, pretreatment, and synthesis trials.
- Months 3–4: Doping optimization, surface passivation, and characterization.
- Months 5–6: In vitro cancer imaging and therapy assays.
- Month 7: Data analysis and proposal for journal submission.

**Conclusion:**

The growing production of textile goods in Bangladesh also increases the production of polyester, hence accelerating environmental wastage. This process not only reuses the nondegradable PET but also produces highly effective nanomaterials for advance biomedical application.

**References:**

- [1] M. A. Hamid, S. T. Ahmed, M. Parvez, and S. Patwary, “Scope and challenges of Polyester Staple Fiber (PSF) Production in Bangladesh,” *J. Knowl. Learn. Sci. Technol.* ISSN 2959-6386 Online, vol. 2, no. 3, pp. 106–119, Dec. 2023, doi: 10.60087/jklst.vol2.n3.p119.
- [2] A. Šaravanja, T. Pušić, and T. Dekanić, “Microplastics in Wastewater by Washing Polyester Fabrics,” *Materials*, vol. 15, no. 7, p. 2683, Jan. 2022, doi: 10.3390/ma15072683.
- [3] F. Mohtaram and P. Fojan, “From Waste to Value: Advances in Recycling Textile-Based PET Fabrics,” *Textiles*, vol. 5, no. 3, p. 24, Sept. 2025, doi: 10.3390/textiles5030024.
- [4] L. Sun *et al.*, “Carbon dots as a novel photosensitizer for photodynamic therapy of cancer and bacterial infectious diseases: recent advances,” *J. Nanobiotechnology*, vol. 22, p. 210, Apr. 2024, doi: 10.1186/s12951-024-02479-4.
- [5] Y. Wu, G. Ma, A. Zhang, W. Gu, J. Wei, and R. Wang, “Preparation of Carbon Dots with Ultrahigh Fluorescence Quantum Yield Based on PET Waste,” *ACS Omega*, vol. 7, Oct. 2022, doi: 10.1021/acsomega.2c05324.
- [6] O. K. Koç, A. Üzer, and R. Apak, “High Quantum Yield Nitrogen-Doped Carbon Quantum Dot-Based Fluorescent Probes for Selective Sensing of 2,4,6-Trinitrotoluene,” *ACS Appl. Nano Mater.*, vol. 5, no. 4, pp. 5868–5881, Apr. 2022, doi: 10.1021/acsnam.2c00717.
- [7] S. Ruan *et al.*, “PEGylated Fluorescent Carbon Nanoparticles for Noninvasive Heart Imaging,” *Bioconjug. Chem.*, vol. 25, no. 6, pp. 1061–1068, June 2014, doi: 10.1021/bc5001627.
- [8] N. Amraee, A. Majd, M. Bikhof Torbati, and M. Shaabanzadeh, *Folic Acid-decorated and PEGylated Graphene Quantum Dots as efficient Tamoxifen delivery system against breast cancer cells: in vitro studies*. 2023. doi: 10.21203/rs.3.rs-2507864/v1.
- [9] Z. Huang and L. Ren, “Large Scale Synthesis of Carbon Dots and Their Applications: A Review,” *Molecules*, vol. 30, no. 4, p. 774, Feb. 2025, doi: 10.3390/molecules30040774.
- [10] J. Chen *et al.*, “Graphene quantum dots in photodynamic therapy,” *Nanoscale Adv.*, vol. 2, no. 10, pp. 4961–4967, doi: 10.1039/d0na00631a.
- [11] B. Geng *et al.*, “Near-infrared phosphorescent carbon dots for sonodynamic precision tumor therapy,” *Nat. Commun.*, vol. 13, no. 1, p. 5735, Sept. 2022, doi: 10.1038/s41467-022-33474-8.



PRIMARY SOURCES

- 1 Mohammad Suhaan Dar, Pitcheri Rosaiah, Jarsangi Bhagyalakshmi, Satyaprakash Ahirwar et al. "Graphene quantum dots as nanotherapeutic agents for triple-negative breast cancer: Insights from 3D tumor models", Coordination Chemistry Reviews, 2025

Publication

2% 
- 2 Deboral Panneerselvam, Anuradha Murugesan, Sajeetha Kumari Raveendran, Janardanan Subramonia Kumar, P. Venkataraman. "Examining the hidden dangers: Understanding how microplastics affect pregnancy", European Journal of Obstetrics & Gynecology and Reproductive Biology, 2025

Publication

2% 
- 3 Bach Pham, Dong Duong Tran, Thi Phuong Anh Nguyen, Quang Khanh Nguyen et al. "Selective detection of streptomycin using a molecularly imprinted fluorescence sensor based on mangosteen peel-derived nitrogen-doped carbon quantum dots", Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, 2025

Publication

2% 
- 4 [www.mdpi.com](http://www.mdpi.com)

Internet Source

1% 

5	ejournal.undip.ac.id Internet Source	1 %
6	Maryam Eftekharifar, Reza Heidari, Neda Mohaghegh, Alireza Hassani Najafabadi, Hossein Heidari. "Advances in photoactivated carbon-based nanostructured materials for targeted cancer therapy", Advanced Drug Delivery Reviews, 2025 Publication	1 %
7	webthesis.biblio.polito.it Internet Source	1 %
8	Kevin Brian, Mahmoud Elbeh, Mohammed Abdelhameed, Batoul Khlaifat et al. "Single step, one-pot, catalyst-free upcycling of polyethylene terephthalate into biphasic carbon dots and high-purity terephthalic acid", Green Chemistry, 2025 Publication	1 %
9	www.fossflakes.com Internet Source	1 %
10	Xiaojie Sun, Shiqing Luo, Lifang Zhang, Yanming Miao, Guiqin Yan. "Photoresponsive oxidase-like phosphorescent carbon dots in colorimetric Hg <sup>2+</sup> detection", Arabian Journal of Chemistry, 2023 Publication	1 %
11	iosrjournals.org Internet Source	1 %
12	Aakriti Prakash, Sujit Yadav, Preeti S. Saxena, Anchal Srivastava. "Development of folate-conjugated polypyrrole nanoparticles incorporated with nitrogen-doped carbon	1 %

quantum dots for targeted bioimaging and  
photothermal therapy", Talanta, 2024

Publication

- 
- 13 mdpi-res.com 1 %  
Internet Source
- 14 Ashitha Kishore, Shiamala L, Jaffar Ali B.M. <1 %  
"Harnessing sunlight for biomass  
deconstruction and solar biofuel production",  
Journal of Environmental Chemical  
Engineering, 2025  
Publication
- 15 Namdev Dhas, Monarch Pastagia, Akanksha  
Sharma, Alisha Khera et al. "Organic quantum  
dots: An ultrasmall nanoplatform for cancer  
theranostics", Journal of Controlled Release,  
2022  
Publication
- 16 Shujuan Zhuo, Mingwang Shao, Shuit-Tong  
Lee. "Upconversion and Downconversion  
Fluorescent Graphene Quantum Dots:  
Ultrasonic Preparation and Photocatalysis",  
ACS Nano, 2012  
Publication
- 17 link.springer.com <1 %  
Internet Source
- 

Exclude quotes On  
Exclude bibliography Off

Exclude matches Off