

iarco - Shivy Boy.pdf

by Mr Adnan

Submission date: 14-Oct-2025 01:48PM (UTC+0300)

Submission ID: 2780774641

File name: iarco_-_Shivy_Boy.pdf (164.51K)

Word count: 650

Character count: 3864

Graviton Theory: A Quantum Interpretation of Gravity Beyond Classical Frameworks

DOI: <https://doi.org/10.5281/zenodo.16886275>

Full Legal Name: Shivansh Dixit

Institution: Indian School Al Ghubra

Class/Grade: 10 (Junior Category)

Country: Oman

Email: shivyboy79@gmail.com

Submission Date: 30 September 2025

Abstract

We present a concise research proposal that frames gravity as a quantum-field interaction mediated by spin-2 massless quanta (gravitons). Rather than treating General Relativity (GR) as fundamental, we explore whether classical curvature can emerge from quantum fluctuations of the graviton field. The central research question is: *Can gravity be consistently reformulated as a quantum field interaction mediated by gravitons, such that classical curvature arises as an emergent effect of underlying quantum fluctuations?* This proposal introduces a minimal mathematical framework, situates it within existing literature, and highlights directions for testing.

1 Introduction

Gravity remains the only fundamental interaction without a confirmed quantum description. GR describes it geometrically [1], but quantum field theory (QFT) quantizes all other forces. A graviton-based framework could unify these pictures.

2 Existing Literature

Fierz and Pauli first developed the relativistic spin-2 framework [2]. Weinberg showed consistency of photons and gravitons in perturbation theory [3]. DeWitt developed canonical quantum gravity [4]. Rovelli's loop quantum gravity offers an alternate approach [5]. The author's prior Theory of Everything draft [6] introduces entropy-based graviton emergence.

3 Research Question

Primary Question: *Can gravity be consistently reformulated as a quantum field interaction mediated by gravitons, such that classical curvature arises as an emergent effect of underlying quantum fluctuations?*

4 Methodology

We consider linearized perturbations of the metric $g_{\mu\nu} = \eta_{\mu\nu} + h_{\mu\nu}$, promote $h_{\mu\nu}$ to an operator field, and derive curvature from graviton statistics. The Fierz–Pauli Lagrangian governs spin-2 dynamics, coupled to matter by $T_{\mu\nu}$.

4.1 Extended TOE Formulation: Entropic Quantum Gravity

We propose gravity emerges from subquantum entropy dynamics [6]:

$$\hat{S}_D = -k_B \sum p_i \log p_i, \quad p_i = |\psi_i|^2, \quad (1)$$

with curvature linked to entropy gradients,

$$R(x) \sim \nabla^2 S_D(x). \quad (2)$$

This yields Einstein-like field equations and predicts mass emergence from localized “subquantum knots.”

5 Why This Research Is Important

- **Foundations:** Unifies GR and QFT, the biggest gap in physics.
- **Observations:** ⁸ Time dilation, gravitational lensing, black holes, and gravitational waves.
- **Practical:** GPS and communication rely on relativistic corrections.
- **Dimensionality:** Higher-dimensional effects project into observable spacetime.

6 Proposed Tests and Future Work

1. Detect graviton coherence via extreme gravitational lensing.
2. Non-perturbative lattice-like simulations of spin-2 fields.
3. Search for entanglement-induced corrections in near-horizon physics.

7 Conclusion

This graviton-centered framework positions curvature as an emergent quantum effect. Further development with entropy-based TOE mathematics could yield a consistent, testable quantum gravity.

Acknowledgment

The author acknowledges mentors and peers for discussions. All work is original; AI tools were used only for editing.

⁴ References

- [1] A. Einstein, “Die Feldgleichungen der Gravitation,” *Sitzungsberichte der Preussischen Akademie der Wissenschaften zu Berlin*, 1915. [Online]. Available: <https://doi.org/10.1002/andp.19163540702>
- [2] M. Fierz and W. Pauli, “On relativistic wave equations for particles of arbitrary spin in an electromagnetic field,” *Proc. Royal Society A*, vol. 173, pp. 211–232, 1939. [Online]. Available: <https://doi.org/10.1098/rspa.1939.0140>
- [3] S. Weinberg, “Photons and gravitons in perturbation theory: Derivation of Maxwell’s and Einstein’s equations,” *Physical Review*, vol. 138, no. 4B, pp. B988–B1002, 1965. [Online]. Available: <https://doi.org/10.1103/PhysRev.138.B988>
- [4] B. S. DeWitt, “Quantum theory of gravity. I. The canonical theory,” *Physical Review*, vol. 160, no. 5, pp. 1113–1148, 1967. [Online]. Available: <https://doi.org/10.1103/PhysRev.160.1113>
- [5] C. Rovelli, *Quantum Gravity*. Cambridge University Press, 2004. [Online]. Available: <https://doi.org/10.1017/CBO9780511755804>
- [6] S. Dixit, “shivansh’s theory of everything,” 2025. [Online]. Available: <https://doi.org/10.5281/zenodo.16886275>



PRIMARY SOURCES

1	assets-eu.researchsquare.com Internet Source	3%
2	export.arxiv.org Internet Source	3%
3	Submitted to Cardiff University Student Paper	2%
4	Maxime J. Jacquet. "Chapter 1 Introduction", Springer Science and Business Media LLC, 2018 Publication	2%
5	Submitted to Middle East Technical University Student Paper	2%
6	www.diva-portal.org Internet Source	2%
7	arxiv.org Internet Source	1%
8	www.coursehero.com Internet Source	1%

Exclude quotes On
Exclude bibliography Off

Exclude matches Off