Sanaul Haque

Wai_Thel_Waddy_Proposal

Assignment 108

Document Details

Submission ID
trn:oid:::3117:637074612

Submission Date
Oct 10, 2026, 11:27 PM GMT+6

Download Date
Oct 10, 2026, 11:29 PM GMT+6

File Name
Wai_Thel_Waddy_Proposal.pdf

File Size
216.1 KB

6 Pages

1,600 Words

9,810 Characters

20% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Match Groups

- **17** Not Cited or Quoted 15%
  Matches with neither in-text citation nor quotation marks
- **1** Missing Quotations 1%
  Matches that are still very similar to source material
- **3** Missing Citation 5%
  Matches that have quotation marks, but no in-text citation
- **0** Cited and Quoted 0%
  Matches with in-text citation present, but no quotation marks

Top Sources

16% Internet sources
13% Publications
14% Submitted works (Student Papers)

Match Groups

- **17** Not Cited or Quoted 15%
  Matches with neither in-text citation nor quotation marks
- **1** Missing Quotations 1%
  Matches that are still very similar to source material
- **3** Missing Citation 5%
  Matches that have quotation marks, but no in-text citation
- **0** Cited and Quoted 0%
  Matches with in-text citation present, but no quotation marks

Top Sources

16% Internet sources
13% Publications
14% Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	Internet	
www.citethisforme.com		2%
2	Publication	
Rainer Johannes Klement. "Cancer as a global health crisis with deep evolutionar...		2%
3	Publication	
Laurence Calzone, Vincent Noël, Emmanuel Barillot, Guido Kroemer, Gautier Stoll...		2%
4	Internet	
www.hindawi.com		2%
5	Publication	
Nicole Cianci, Giulia Cianci, James E East. "Colorectal cancer: prevention and early...		1%
6	Publication	
Michael R. Waters, Matthew Inkman, Kay Jayachandran, Roman M. Kowalchuk et ...		1%
7	Internet	
www.mdpi.com		1%
8	Internet	
ijsrcseit.com		1%
9	Internet	
www.frontiersin.org		1%
10	Internet	
eprints.gla.ac.uk		1%

11 Internet

www.termedia.pl <1%

12 Publication

Junxiu Liu, Lingxi Ma, Qiang Fu, Yuling Luo, Sheng Qin, Xue Ouyang. "A Minimal D... <1%

13 Internet

revistasojs.utn.edu.ec <1%

14 Internet

arxiv.org <1%

15 Student papers

UC, Irvine on 2012-01-14 <1%

16 Publication

Aydın Bölük, Mervenur Yavuz, Turan Demircan. "Axolotl: A Resourceful Vertebrat... <1%

17 Publication

Sheikh Saba Naz, Josep Sabate Ortega. "The Role of Next-Generation Probiotics in... <1%

IARCO RESEARCH PROPOSAL

Full Legal Name: Wai Thel Waddy

Institution: IIP International School

Category: Junior

Class/Grade/Year: Year 10

Country: Myanmar

Date of Submission: 20 September 2026

Registered Email Address: waithelwaddy@gmail.com

Research Topic: The usage of synthetic DNA-based biocomputational models to analyze the progression of carcinogenesis in adenoma tumors and identify prospective targets for tumor reversion.

Cancer is a leading cause of death [5] and holds responsibility for nearly *1 in 6 deaths annually* [6] all around the globe. Everyday, determined researchers aim to solve the devasting puzzle of cancer and attempt to develop many newfound and creative methods to persevere through it. Within the area of methods, the reversion of tumors is a specific and less investigated area [3][12][13] of expertise. This unique approach to pathological progressions may provide a wider perspective on oncology.

Title: The usage of synthetic DNA-based biocomputational models to analyze the progression of carcinogenesis in adenoma tumors and identify prospective targets for tumor reversion.

Research Questions

This study aims to identify and analyze oncological processes related to adenoma carcinogenesis by utilizing biocomputational models and DNA sequences [1][4][7][8] in adenomas to enhance current tumor reversion methods [13]. It will also develop solutions or answers to the following.

1. To what extent can synthetic adenoma tumor DNA in biocomputational models support identifying prospective targets to further contribute to current tumor reversion methods in the field of oncology?
2. How effective is the usage of adenoma tumors in developing the framework for enhancing tumor reversion methods compared to other polyps?
3. How consistent are adenoma tumors during carcinogenesis? Are they:
    i. Randomized
    ii. In fixed or recognizable patterns
4. What effect do certain stages of adenoma progression have on the succession rate of complete tumor reversion?
5. Is artificial sequencing reliable? Consider
    i. Sequence Accuracy
    ii. Relevance to Biological methods

Literature review: In recent years, in vitro biocomputational models have become obliging tools in resolving and investigating complex biological processes whilst contributing knowledge to the medicinal world. Computer models can stimulate organic cellular reactions and natural processes, which help research associates to examine tumor behavior and procedures related to cancer progression [1][7][8]. Artificial DNA sequences are programmed into algorithms [4] to mimic the pathological behavior of tumors in the body which assist oncologists to study pathogenesis in a controlled environment [1][8]. Studies may continue to provide valuable

insights into carcinogenesis and the progression of tumors as well as allowing researchers to explore deeper into the realm of tumor reversion. Consequently, investigating the idea underlying tumor reversion [3] may grant us valuable framework relevant to enhancing current methods. [3][12][13]

Among the many intriguing varieties of tumors, Adenomas have sparked a significant area of interest due to their potential to undergo transformations correlated with tumor development and progression. Adenomas are tumors that develop from glandular epithelial tissue and are categorized in the benign (noncancerous) division [2] and possess the capability to perform carcinogenesis more frequently compared to other known types of tumors. The process of adenoma carcinogenesis is comprehensively depicted by the sequential accumulation of genetic, epigenetic, and chromosomal alterations over important signaling pathways which include Wnt/β-catenin, MAPK, TGF-β, and PI3K/AKT [7], [8], 9]. By integrating these sequences into machines, we can understand the complexity of these processes furthermore without little to no concern about ethical issues due to it being in a controlled environment.

From the previously stated information, we can digest that analyzing Adenoma progression is ultimately a fitting choice for prospective targets to improve in the field. [7][8][9]

The Research Gap: In the past, previous research done on tumor progression or reversion largely focused on genetic and epigenetic changes and specified on developed malignant tumors by examining their features and investigating methods of reversion only after malignancy of the tumor had been established [3][9][12][13]. In contrast, there has been less emphasis on understanding the molecular cellular processes that cause transition from a precancerous state towards malignancy. By analyzing these processes whilst they happen, it may be possible to identify prospective points of intervention before tumor progression becomes successful. Identifying these targets could contribute to a deeper level of understanding carcinogenesis and provide a foundation for enhancing the current ideas of whether progression could be interrupted or even potentially reverted at *earlier stages.*

Proposed Methodology: This study will use a mixed method and computational approach by inducing both quantitative and qualitative research analysis to investigate potential targets for tumor reversion. Rather than physically working with adenoma tumor cells, synthetic DNA will be sequenced into computational models in which python will be the primary coding language, they will be designed to act as different genetic alterations in adenomas related to the development of adenomas.

The Design

Synthetic models of different stages of adenoma progression will be programmed using DNA sequences in biocomputational models. The stages include…

Control – regular base sequence not including alterations.

Early adenoma stage – The initial set of alterations in the base sequences.

Progressing/Middle stage – stage of accumulation of additional alterations.

Advanced stage – A more stimulated stage containing more progression related alterations.

Quantitative Analysis

Quantitative data will be collected from computer simulations results. [8] Data may include…

Frequency of mutations: the ratio of given alterations available in each simulated stage.

Accuracy of Sequences: the degree of similarity between computationally generated sequences and reference sequences progressions.

Reproducibility: if repeated simulations using the same conditions make consistent results.

Qualitative Analysis

A Qualitative approach will be used to keep record of the biological significance of computational models. Observed results may be compared to findings in [9][10], as well as research concerning tumor reversion and changes in tumor states [3][12][13].

This may involve…

Particular Molecular change during simulations.

Specific stages demonstrate changes in predicting tumor behavior.

Reversing alterations show similarity to the control variable.

Consistency of models.

Limitations: The limitations may vary starting from prolonged periods of incubation time and the high expenses of research costs which follow through.

1. Cancer is a complex biological process that involves countless molecular and cellular processes. A computer model cannot accurately reproduce scenarios identical to one of a tumor cell. Instead, it remains inherently dependent on the biological assumptions programmed into it [1][7][8].

2. Computer based sequences may not be completely accurate due to the complexity of naturally occurring tumor genomes. [4],

3. This study will only investigate a few genetic alterations. Previous research indicates that colorectal carcinogenesis involves multiple molecular pathways and accumulated alterations [9], [10].

Conclusion: The purpose of this proposal is to develop and verify a comprehensive biocomputing approach based on synthetic DNA sequencing that will help decipher the regulation mechanisms of the adenoma to cancer transformation process and measure the effect of certain adenoma stages on the success rate of full recovery of the tumor through reversion [1][2][8][10][12]. Through successful integration of synthetic genomics with systemic biological approaches, the research will define effective windows for therapeutic interventions and molecular targets in oncology. [2][5][8][9][12].

References

[1] M. Clarke and R. Fish " cancer models: Successes and challenges " Nature Reviews Cancer, vol 20 2020. [Online]. Available: https://pubmed.ncbi.nlm.nih.gov/32341552/ [Accessed 18.9.2026]

[2] National Cancer Institute, "Adenoma," NCI Dictionary of Cancer Terms. [Online]. Available: https://www.cancer.gov/publications/dictionaries/cancer-terms/def/adenoma [Accessed 17.9.2026]

[3] D.. K.-h. Cho. "Critical. Reversion of tumorigenesis" Experimental and Molecular medicine, vol. 55 2023. [Online] Available: https://pmc.ncbi.nlm.nih.gov/articles/PMC10167317/ [Accessed 18.9.2026]

[4] F. E. Dewey et al. "DNA sequencing: applications of new DNA sequencing technologies" Circulation. 2012 [Online]. Available: https://pmc.ncbi.nlm.nih.gov/articles/PMC3364518/ [Accessed 19.9.2026]

[5] World Health Organization, "Cancer," World Health Organization 2026 [Online] Available: https://www.who.int/news-room/fact-sheets/detail/cancer [Accessed 18.9.2026]

[6] WebMD, Kendall K. Morgan "How many people die of cancer a year?" May 7, 2026 [Online] Available: https://www.webmd.com/cancer/how-many-cancer-deaths-per-year [Accessed 19.9.2026]

[7] C. Regondi, M. Fratelli, G. Damia, F. Guffanti, M. Ganzinelli, M. Matteucci and M. Masseroli " modeling of gene expression regulation " BMC Bioinformatics, vol. 22, Art. No. 571 2021 [Online] Available: https://link.springer.com/article/10.1186/s12859-021-04481-1 [Accessed 19.9.2026.]

[8] H. Park and S. Miyano " tactics for precision cancer network biology " International Journal of Molecular Sciences vol. 23 No. 22 2022[Online] Available: https://www.mdpi.com/1422-0067/23/22/14398 [Accessed 19.9.2026]

[9] Fred T. Bosman, Pu Yan "Molecular Pathology of cancer" Polish Journal of Pathology vol. 65 No. 4 2014 [Online] Available: https://www.polishjournalofpathology.com/Molecular-pathology-of-colorectal-cancer,219447,0,2.html [Accessed 19.9.2026]

[10] C. Satorres, M. García-Campos and M. Bustamante-Balén " features of the serrated pathway to colorectal cancer: Current knowledge and future directions " Gut and Liver 2021. [Online]. Available: https://doi.org/10.5009/gnl19402 [Accessed: 19.9.2026]

[11] E. Tsirvouli, V. Touré, B. Niederdorfer, M. Vázquez, Å. Flobak and M. Kuiper "A middle-out modeling strategy to extend a colon cancer model improves drug synergy predictions in epithelial-derived cancer cell lines " Frontiers in Molecular Biosciences vol. 7 Art. No. 502573 2020. [Online]. Available: https://doi.org/10.3389/fmolb.2020.502573 [Accessed: 19.9.2026]

[12] N. Saad et al. "Cancer reversion, with extracts is mediated by cell cycle arrest and induction of tumour dormancy " Oncotarget, vol. 9 No. 22 Pp. 16008–16027, 2018. [Online]. Available: https://doi.org/10.18632/oncotarget.24664 [Accessed: 19.9.26]

[13] Tripathi, A. Kashyap, G. Tripathi, J. Yadav, R. Bibban, N. Aggarwal, K. Thakur, A. Chhokar, M. Jadli A. K. Sah, Y. Verma H. Zayed, A. Husain, A. C. Bharti and M. K. Kashyap "Tumor reversion: A dream or a reality " Biomarker Research vol. 9 No. 1 Art. No. 31 2021. [Online]. Available: https://doi.org/10.1186/s40364-021-00280-1 [Accessed: 19.9.26]