

## UVOT:



Telescope aperture: 30cm

FoV: 17 by 17 arcmin

Plate scale: 1 arcsec/pixel for lenticular filters

Wavelength: 1600-8000Å


Colors: figure below



**Table 1.** Summary of the observing log


	Start Time	End Time	$r_h$ (AU)	$\Delta$ (AU)	$dr_h$ (km/s)	S-T-O (°)	UVW1 $T_{exp}$ (s)	V $T_{exp}$ (s)
<b>Sep 27 UT</b>	2019-09-27T03:06:26.000	2019-09-27T14:38:55.000	2.56	-23.54	3.1	17.31	8204.59 (8204.59)	3099.12 (2712.24)
<b>Nov 01 UT</b>	2019-11-01T14:07:07.000	2019-11-02T01:37:46.000	2.17	-14.43	2.42	24.24	7203.27 (5486.77)	3097.79 (1935.43)
<b>Dec 01 UT</b>	2019-12-01T03:17:14.000	2019-12-01T21:16:55.000	2.01	-3.0	2.04	28.12	8147.0 (5071.03)	3091.99 (385.74)

**C<sub>2</sub> X <- carbon-chain depleted**



UVW1: 2600Å, FWHM=693Å

V: 5468Å, FWHM=769Å



Fluorescence radiation: OH + solar UV photon → OH\* → OH + **UV photon**

**H<sub>2</sub>O <- OH <- UVW1(total) - UVW1(solar reflection)**


**[Scaled by V(total)]**



**Table 1.** Summary of the observing log

	Start Time	End Time	$r_h$ (AU)	$\Delta$ (AU)	$dr_h$ (km/s)	S-T-O ( $^\circ$ )	UVW1 $T_{\text{exp}}$ (s)	V $T_{\text{exp}}$ (s)
<b>Sep 27 UT</b>	2019-09-27T03:06:26.000	2019-09-27T14:38:55.000	2.56	-23.54	3.1	17.31	8204.59 (8204.59)	3099.12 (2712.24)
<b>Nov 01 UT</b>	2019-11-01T14:07:07.000	2019-11-02T01:37:46.000	2.17	-14.43	2.42	24.24	7203.27 (5486.77)	3097.79 (1935.43)
<b>Dec 01 UT</b>	2019-12-01T03:17:14.000	2019-12-01T21:16:55.000	2.01	-3.0	2.04	28.12	8147.0 (5071.03)	3091.99 (385.74)

- Carried out every observation by **multiple exposures** to remove smearing
- **Discarded** exposures heavily contaminated by background stars
- Aligned and **co-added** the left exposures to increase SNR



$\alpha$  is the ratio of continuum count rates as measured with the two filter  
 ( $\alpha=0.093$  for un-reddened solar spectrum,  $\alpha$  for other reddening can also be calculated)

$$C_{OH} = C_{UVW1} - \alpha \cdot C_V$$

② aperture photometry

① subtract V from UVW1 image



③  $Flux_{OH} = \beta \cdot C_{OH}$

$\beta$  can be estimated by a model of OH spectrum

④ g-factor ↓

Nmol within the aperture




⑤ got Nmol for a series of annuli within the aperture (80 000km)

column density profile



⑥ adjust reddening ( $\alpha$ ) to fit vectorial model

water production rate



Midtime	$\Delta T_{\text{peri}}$ (days)	$r\text{FoV}$ (arcsec/km)	Filter	$C_{\text{filter}}$ (cts s <sup>-1</sup> )	$m_{\text{filter}}$ (mag)	$\text{Flux}_{\text{filter}}$ (erg s <sup>-1</sup> cm <sup>-2</sup> )	$C_{\text{OH}}$ (cts s <sup>-1</sup> )	reddening (%)
2019-09-27T08:52:40.500	-72.2	36/8.1E+04	V	1.5±0.4	17.4±0.3	(3.7±1.0)E-13	0.0±0.1	0
			UVW1	0.14±0.07	19.7±0.6	(1.4±0.4)E-12		
2019-11-01T19:52:26.500	-36.7	46/8.1E+04	V	7.4±0.6	15.7±0.1	(1.8±0.2)E-12	0.4±0.1	7
			UVW1	1.0±0.1	17.5±0.1	(5.4±0.5)E-12		
2019-12-01T12:17:04.500	-7.0	54/8.0E+04	V	5.1±1.1	16.1±0.2	(1.2±0.3)E-12	1.4±0.1	18
			UVW1	1.7±0.1	16.9±0.1	(2.7±0.6)E-12		

g-factor (erg s <sup>-1</sup> mol <sup>-1</sup> )	$N_{\text{mol}}$ (mol)	$Q_{\text{H}_2\text{O}}$ (mol s <sup>-1</sup> )	active area (km <sup>2</sup> )	active radius (km)	$Af\rho$ (m)	phase corr (0 deg)	$A(0)f\rho$ (m)
3.7E-16	(0.2±7.5)E+30	(0.1±2.5)E+26	0.0±0.4	0.03±0.55	0.46±0.04	0.55	0.84±0.06
5.5E-16	(1.5±0.5)E+31	(4.6±1.5)E+26	0.5±0.2	0.20±0.03	0.49±0.02	0.46	1.05±0.05
5.5E-16	(3.8±0.3)E+31	(1.1±0.1)E+27	1.1±0.1	0.30±0.01	0.41±0.03	0.43	0.95±0.07

