

TAHSEEEL NO INVOICE Credit card API

1. CREATE ORDER:

API POST URL:

<https://devorder.tahseeel.com/cc/api/?p=order>

Parameters:

<u>Param</u>	<u>Details</u>
uid *	UserID of Merchant. Will be supplied by Tahseeel.
pwd *	Password of Merchant. Will be supplied by Tahseeel.
secret *	Secret Key of Merchant. Will be supplied by Tahseeel.
order_no *	Order Number of your e-commerce portal.
order_amt *	Order Amount in KWD upto 3 decimals.
delivery_charges *	Delivery Charges. Amount in KWD upto 3 decimals.
total_items *	Integer Value of Total Number of items in cart.
cust_name *	Name of the Customer.
cust_email	Email ID of the customer. Email/Mobile, anyone is required.
phone_code	Country Code of Phone number. Supply this with Mobile Number.
cust_mobile	Mobile Number of the customer. Email/Mobile, anyone is required.
callback_url *	Callback URL to which Tahseeel should redirect after the payment.
cc_allowed *	Credit card should be allowed for this payment? 0 for NO, 1 for YES.
remarks:	Any remarks you want to add to this particular payment.

*** REQUIRED**

Responses:

JSON Response	Details
<code>{"error":true,"msg":" lease select an appropriate API function name. Or con act administrator for latest API documentation."}</code>	ERROR. Specify p=order.
<code>{"error":true,"msg":" lease submit appropriate data."}</code>	ERROR. Specify POST data.
<code>{"error":true,"msg":" lease provide API's Username (uid) to access API."}</code>	ERROR. Specify uid param.
<code>{"error":true,"msg":" lease provide API's Password (pwd) to access API."}</code>	ERROR. Specify pwd param.
<code>{"error":true,"msg":" lease provide API's Secret Key (secret) to access AP ."} </code>	ERROR. Specify secret param.
<code>{"error":true,"msg":" PI access is not allowed. Please contact the administr tor."}</code>	ERROR. Contact admin. Your API is not enabled yet.
<code>{"error":true,"msg":" o such API credentials found."}</code>	ERROR. Please check with admin for API credentials.
<code>{"error":true,"msg":" lease provide 'order_no'."}</code>	ERROR. Specify order_no param
<code>{"error":true,"msg":" lease provide 'cust_name'."}</code>	ERROR. Specify cust_name param
<code>{"error":true,"msg":" lease provide 'order_amt'."}</code>	ERROR. Specify order_amt param
<code>{"error":true,"msg":" lease provide 'delivery_charges'."}</code>	ERROR. Specify delivery_charges param
<code>{"error":true,"msg":" lease provide 'total_items'."}</code>	ERROR. Specify total_items param
<code>{"error":true,"msg":" lease provide 'cust_email' or 'cust_mobile'."}</code>	ERROR. Specify cust_email/cust_mobile param
<code>{"error":true,"msg":" lease provide 'callback_url'."}</code>	ERROR. Specify callback_url param
<code>{"error":true,"msg":" lease provide 'cc_allowed'."}</code>	ERROR. Specify cc_allowed param
<code>{"error":true,"msg":"error: <DATABASE_ERROR>" }</code>	ERROR. Some database issue. Report to TAHSEEEL admin.
<code>{"error":false,"msg":" Order saved successfully.", "link" "<TAHSEEEL_ORDER_PAYMENT_LINK>"}</code>	SUCCESS. Redirect user to the LINK returned in this response.

API Example:

POST:

https://devorder.tahseeel.com/cc/api/?p=order&uid=USERNAME&pwd=PASSWORD&secret=SECRET&cust_name=John&cust_email=johndoe@gmail.com&order_amt=100&delivery_charges=10&order_no=abcd1234&total_items=3&callback_url=google.com&cc_allowed=1

RESPONSE:

```
{
  "error": false,
  "msg": "Order saved successfully.",
  "link": "http://devorder.tahseeel.com/tc/?hash=5ee1dbecb07a1&id=1475"
}
```

Redirect User to this URL and their user can make the payment using Credit card.
TAHSEEEL will redirect user to your site with all response parameters of payment, it FAILED or was SUCCESSFUL.

CALL BACK RESPONSE:

If the payment done, user will be redirected to:

https://www.google.com/?cancelled=0&hash=5ee1ddd48ba68&order_id=1477&tx_date=11-June-2020%2010:32:01&tx_amt=110&Result=CAPTURED&PaymentID=100202016369628090&PostDate=0611&TranID=202016369621795&Auth=B13249&Ref=016320000231&tx_id=5883&tx_mode=C&tx_status=

<u>PARAM</u>	<u>DETAILS</u>
cancelled	0 for proceed with payment.
hash	Unique hash id for the invoice.
inv_id	Invoice id for merchant and customer to be shown in the lounge.
tx_date	Transaction Date by the customer.
tx_amt	Transaction Amount.
tx_id	Transaction ID on TAHSEEEL server.
tx_mode	Credit card
tx_status	Approved, FAILED, REDIRECTED, EXPIRED, UNPAID.
result	Result from Credit card transaction.
PaymentID	PaymentID from Credit card transaction.
PostDate	PostDate from Credit card transaction.
TranID	Transaction ID from Credit card transaction.
Auth	Auth Code from Credit card transaction.
Ref	RefNo from Credit card transaction.

2. GET ORDER INFO:

API POST URL:

https://devorder.tahseeel.com/api/?p=order_info

Parameters:

<u>Param</u>	<u>Details</u>
uid *	UserID of Merchant. Will be supplied by Tahseeel.
pwd *	Password of Merchant. Will be supplied by Tahseeel.
secret *	Secret Key of Merchant. Will be supplied by Tahseeel.
id *	inv_id received in above URL.
hash *	hash received in above URL.

*** REQUIRED**

Responses:

<u>JSON Response</u>	<u>Details</u>
<code>{"error":true,"msg":" lease select an appropriate API function name. Or con act administrator for latest API documentation."}</code>	ERROR. Specify p=order_info.
<code>{"error":true,"msg":" lease submit appropriate data."}</code>	ERROR. Specify POST data.
<code>{"error":true,"msg":" lease provide API's Username (uid) to access API."}</code>	ERROR. Specify uid param.
<code>{"error":true,"msg":" lease provide API's Password (pwd) to access API."}</code>	ERROR. Specify pwd param.
<code>{"error":true,"msg":" lease provide API's Secret Key (secret) to access AP ."} </code>	ERROR. Specify secret param.
<code>{"error":true,"msg":" PI access is not allowed. Please contact the administr tor."}</code>	ERROR. Contact admin. Your API is not enabledyet.
<code>{"error":true,"msg":" o such API credentials found."}</code>	ERROR. Please check with admin for API credentials.
<code>{"error":true,"msg":" lease provide 'id'."}</code>	ERROR. Specifyid param
<code>{"error":true,"msg":" lease provide 'hash'."}</code>	ERROR. Specify hash param
For success see RESPO SE in axample below.	SUCCESS. See response in below example.

API Example:

POST:

http://devorder.tahseeel.com/api/?p=order_info&uid=USERNAME&pwd=PASSWORD&secret=SECRETKEY&id=11&hash=592081b9e1150

RESPONSE:

```
{
  "created_dt": "Sat, 20 May-2017 10:49:45", // When this order was created
  "order_no": "abcd1234" // What was the order number
  "inv_id": "11", // What was the invoice ID
  "hash": "592081b9e1150", // The invoice hash
  "cust_name": "John", // Customer Name
  "cust_email": "johndoe@gmail.com", // Customer Email
  "cust_mobile": "", // Customer Email
  "order_amt": "200.0000", // Order Amount
  "delivery_charges": "1.0000", // Delivery Charges
  "total_items": "3", // Total Items
  "remarks": "", // Remarks
  "callback_url": "google.com", // CALLBACK URL
  "invoice_type": "Order PI", // Invoice Type Static. OrderAPI
  "status": "Unpaid (1)", // Status and No.of views in brackets
  "TxInfo": // If TX is attempted, detailed info
  [
    "tx_id" => "12", // TAHSEEEL TX ID
    "amt" => "1 0.350", // Amount
    "type" => "NET", // Credit card
    "PaymentID" => "212321312312", // PaymentID from Credit card
    "Result" => "CAPTURED", // CAPTURED or NOT CAPTURED from Credit card
    "PostDate" > "2005", // PostDate from Credit card
    "TranID" => "2333", // TranID from Credit card
    "Auth" => "234", // Auth Code from Credit card
    "Ref" => "3 4244324", // Ref No from Credit card
    "TrackID" => "23324", // TrackID from Credit card
    "UDF1" => "", // UDF1 from Credit card
    "UDF2" => "", // UDF2 from Credit card
    "UDF3" => "", // UDF3 from Credit card
    "UDF4" => "", // UDF4 from Credit card
    "UDF5" => "", // UDF5 from Credit card

    "tx_status" => "SUCCESS", // Initiated, Redirected, Error, SUCCESS FAILED
    "tx_dt" => "Sat, 20-May-2017 10:49:45", // Transaction Time
  ]
}
```