APPENDICES AND SOURCES · 2026 version

Keep learning, checking and practising

Appendix A · Put the learning into practice

Appendix B · Learn signs by the decision they require

Appendix C · A practical Swedish–English glossary

Appendix D · Personal practice record

Sources and references

Sign groups RB01–RB24

Sign code and family lookup

This material is a learning aid to help you understand Swedish driving theory. It is not an official source and cannot replace official information from Trafikverket and Transportstyrelsen. Always consult their current guidance and the applicable rules.

Put the learning into practice

These are original study checklists. Use the cited lessons for the detailed rules and limitations; a tick does not certify a vehicle or driver as safe.

Before a journey

Establish that the driver is legally permitted and actually fit to drive. Resolve uncertainty about fatigue, medication or conditions before leaving. See M01-L01/L02.

Check the route, weather, traffic, realistic timing, stopping opportunities and a fallback option. Include the return journey. See M01-L04 and M07-L04.

Check the vehicle, usable visibility, required lighting and controls. Confirm protection for each passenger. See M02.

Establish load and trailer limits, coupling and securing if relevant. Verify the vehicle's recorded status and obligations. See M08.

Prepare navigation and passenger help before moving. Keep attention available for traffic. See M07-L03.

While approaching a new situation

1. **Observe:** What can I see, what is hidden and who might enter?

2. **Identify the duty:** Which rule, sign, marking, signal or authorised instruction applies?

3. **Preserve space:** Can I stop or alter the plan without forcing another person to avoid me?

4. **Communicate:** Will others understand my intended movement?

5. **Recheck:** Is the information still true as I begin and complete the action?

This is an original learning routine based on the observation, risk and cooperation aims of the category B syllabus. It is not an official test sequence.

Before leaving a parked vehicle

Check that stopping and parking are permitted at that location, time and for that vehicle. Meet fee, duration and permit conditions. Secure against rolling and unauthorised use. Check for people before opening doors and provide a safe place for passengers to leave. See M05-L03/L04 and the Traffic Regulation, chapter 3 §§47–55.

Learn signs by the decision they require

Use the official Transportstyrelsen catalogue alongside this illustrated reference. Study the exact sign, panel and context—not only a simplified shape mnemonic.

Road-sign illustrations: Transportstyrelsen. Source links and verification dates are recorded in the official references.

Swedish names are official. English names and explanations are editorial translations. Examples are independent, not verified sign assemblies.

For each item, explain the action in your own words, identify one plausible misunderstanding and practise it in a changed situation. The sign descriptions and their legal meanings are in the Road Signs Regulation. A printed still image alone cannot demonstrate flashing, changing, audible or hand-movement signals; learn the sequence as well as the appearance.

Study the decision

Study group	What to practise	Related lessons
Warning signs (A)	Identify the hazard and choose an earlier observation or speed response.	M03-L01, M06-L01, M07
Priority signs (B)	State whether to stop or yield and identify the conflicting traffic.	M04-L01/L03/L04
Prohibitions (C)	Determine the restricted action, vehicle, weight, dimension or speed and its extent.	M03-L01, M05-L03, M08
Mandatory and instruction signs (D/E)	Choose the required path or recognise a road/area regime and its end.	M03, M05-L02, M06-L03
Directions, including walking/cycling directions (F)	Identify the destination and mode, choose a lane early and avoid a late turn.	M03-L03
Public facilities, services and tourism (G/H/I)	Locate a destination while still checking access rules.	M03-L03

Study the decision

Study group	What to practise	Related lessons
Information and symbols (J/S)	Read the actual message and the road-user or facility symbol.	M03-L02/L03
Supplementary panels (T)	Combine the main sign with time, distance, length, direction or vehicle qualifications.	M03-L02, M05-L03
Markings (M)	Distinguish lane boundaries, warnings, crossing locations and stopping/parking instructions.	M03-L02, M04, M05-L03
Signals (SIG)	Identify which traffic is controlled and what the current indication requires.	M03-L02, M04-L03
Police and guard instructions (P/V)	Recognise an authorised direction and respond to it.	M03-L02, M06-L04
Other devices and railway signals (X/Y)	Read changed road alignment, closures and railway warnings.	M06-L04

Find a sign group

RB01 · Warning families and narrow roads

RB02 · Yield, stop and priority roads

RB03 · Traffic-light indications

RB04 · Lane control

RB05 · Lines and manoeuvres

RB06 · Panel interpretation

RB07 · Directions and advance choices

RB08 · Directions for other road users

RB09 · Facilities, services and tourism

RB10 · Information and detours

RB11 · Speed and road regimes

RB12 · Access and required path

Find a sign group

RB13 · Crossings and vulnerable users

RB14 · Roundabouts and merging

RB15 · Street-purpose boundaries

RB16 · Stopping and parking

RB17 · Country-road hazards and passing

RB18 · Motorway and expressway

RB19 · Rail crossings

RB20 · Roadworks and authorised instructions

RB21 · Winter and surface hazards

RB22 · Vehicle and route limits

RB23 · Environmental zones and charging

RB24 · Breakdown, tunnel and collision

RB01

Warning families and narrow roads

Narrow-road worked example, children warning and the distinction between warning and priority.

Related lessons: M03-L01

A5 · Road narrows

Varning för avsmalnande väg

Expect less road width ahead. The warning does not by itself decide priority over oncoming traffic. The road narrows on both sides.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-avsmalnande-vag/

A15 · Children ahead

Varning för barn

Children often cross or remain near this stretch. The sign supplies a warning, not a numerical speed limit. Two children inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-barn/

Continue the reference

B6 · Give way to oncoming traffic

Väjningsplikt mot mötande trafik

Yield to oncoming vehicles at the restricted section. Upward red arrow beside a downward black arrow.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vajningspliktsmarken/vajningsplikt-mot-motande-trafik/



B7 · Oncoming traffic must give way

Mötande trafik har väjningsplikt

Oncoming vehicles have the yielding duty. Do not force passage when it would be unsafe. Upward white arrow beside a downward red arrow on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vajningspliktsmarken/motande-trafik-har-vajningsplikt/

Continue the reference

A5-2 · Road narrows

Varning för avsmalnande väg A5-2

Expect less road width ahead. The warning does not by itself decide priority over oncoming traffic. The road narrows from the right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-avsmalnande-vag/varning-for-avsmalnande-vag-a-5-2/

A5-3 · Road narrows

Varning för avsmalnande väg A5-3

Expect less road width ahead. The warning does not by itself decide priority over oncoming traffic. The road narrows from the left.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-avsmalnande-vag/varning-for-avsmalnande-vag-a-5-3/

RB02

Yield, stop and priority roads

Stop location, ordinary junctions and priority instructions.

Related lessons: M03-L01, M04-L01

B1 · Give way

Väjningsplikt

Yield to vehicles on the crossing road or route. With a distance or stop-ahead panel, this can instead be advance information. Inverted triangular give-way sign.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vajningspliktsmarken/vajningsplikt/

B2 · Stop

Stopplikt

Make a complete stop before entering the crossing road, route or track area. Use the stop line; without one, apply the prescribed stopping position. Red octagon bearing STOP.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vajningspliktsmarken/stopplikt/

Continue the reference



B4 · Priority road

Huvudled

A priority road begins or continues. Still check the actual junction, controls and other road users. Yellow diamond inside a white border.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vajningspliktsmarken/huvudled/



B5 · End of priority road

Huvudled upphör

The priority-road designation ends. Assess the rules at the next junction afresh. Priority-road diamond crossed by a black diagonal band.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vajningspliktsmarken/huvudled-upphor/

Continue the reference

A28 · Junction with right-hand priority

Varning för vägkorsning

The junction ahead is governed by the right-hand priority rule. Do not assume the broader road has priority. Black cross inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-vagkorsning/

A29 · Junction with yielding side roads

Varning för vägkorsning där trafikanter på anslutande väg har väjningsplikt eller stopplikt

Traffic joining from the connecting roads must yield or stop. Match the diagram to the actual junction; it does not remove your duty of care. Thick straight road with a thin road joining from each side at right angles.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-vagkorsning-dar-trafikanter-pa-anslutande-vag-har-vajningsplikt-eller-stopplikt/

T13 · All approaches give way

Flervägsväjning

Drivers on every approach to the junction have a yielding duty. Text Flervägsväjning on yellow.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/flervagsvajning/

Continue the reference

T14 · All approaches stop

Flervägsstopp

Drivers on every approach to the junction have a stopping duty. Text Flervägsstopp on red.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/flervagsstopp/

T15 · Priority-road layout at the junction

Vägars fortsättning i korsning

Traffic on the thin-line roads yields to traffic on the thick-line road. Follow the actual road layout shown. Thick road connects the top and right edges; thin branches extend down and left.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/vagars-fortsattning-i-korsning/

M13 · Stop line

Stopplinje

This identifies where to stop when a sign or signal requires it. The line alone does not create a universal stop duty. Wide transverse white stop line.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/stopplinje/

Continue the reference

M14 · Give-way line

Väjningslinje

This identifies the line drivers should not pass while yielding. Row of white give-way triangles.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/vajningslinje/

M18 · Give way or stop ahead marking

Förberedande upplysning om väjningsplikt eller stopplikt

Prepare for a yielding or stopping duty further ahead in your direction. White inverted triangle painted on the road.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/forberedande-upplysning-om-vajningsplikt-eller-stopplikt/

M32 · Stop marking

Stopp

Provides information about a duty to stop. The marking is used with B2 to reinforce the stop instruction; fulfil the stop duty at the prescribed stopping position. The question artwork says STOPP. Read it with B2 and the stop line rather than treating the word as a separate new stopping rule.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/stopp/

Continue the reference

A29-10 · Junction with yielding side roads

Varning för vägkorsning där trafikanter på anslutande väg har väjningsplikt eller stopplikt

Traffic joining from the connecting roads must yield or stop. Match the diagram to the actual junction; it does not remove your duty of care. Thick vertical road with a thin perpendicular branch to the left.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-vagkorsning-dar-trafikanter-pa-anslutande-vag-har-vajningsplikt-eller-stopplikt/a29-10/

A29-13 · Junction with yielding side roads

Varning för vägkorsning där trafikanter på anslutande väg har väjningsplikt eller stopplikt

Traffic joining from the connecting roads must yield or stop. Match the diagram to the actual junction; it does not remove your duty of care. Thick vertical road with a thin perpendicular branch to the right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-vagkorsning-dar-trafikanter-pa-anslutande-vag-har-vajningsplikt-eller-stopplikt/a29-13/

Continue the reference

T15-2 · Priority-road layout at the junction

Vägars fortsättning i korsning

Traffic on the thin-line roads yields to traffic on the thick-line road. Follow the actual road layout shown. Thick road connects the top and left edges; thin branches extend down and right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/vagars-fortsattning-i-korsning/vagars-fortsattning-i-korsning5/

RB03

Traffic-light indications

Red, red/amber, green, amber and flashing amber; distinguish pedestrian and public-transport controls.

Related lessons: M03-L02, M04-L03



SIG1 · Red vehicle signal

Röd

Stop before the stop line or, if none, before the signal. An outline arrow limits the indication to the direction shown. Red left arrow, red full lamp and red bicycle signal examples.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/rod/



SIG2 · Red and amber vehicle signal

Röd + gul

Green is about to follow, but the stop instruction still applies. Do not start merely because amber has appeared. Red and amber illuminated together in arrow, full-lamp and bicycle examples.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/rod--gul/

Continue the reference



SIG3 · Green vehicle signal

Grön

You may proceed subject to the remaining traffic duties. A green arrow applies to its direction, including when another signal indication appears simultaneously. Green arrow, green full lamp and green bicycle signal examples.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/gron/



SIG4 · Amber vehicle signal

Gul

Stop, unless the change from green occurs when stopping would be dangerous because you are already too close. An outline arrow limits the indication to its direction. Amber arrow, amber full lamp and amber bicycle signal examples.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/gul/

SIG5 · Flashing amber vehicle signal

Blinkande gul

Proceed with particular caution and apply the other instructions and traffic rules. Flashing is not demonstrated by the still image. Amber flashing lamp represented by a still drawing.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/blinkande-gul/

Continue the reference



SIG6 · Red pedestrian signal with slow audible pulses

Röd akustisk signal med långsam pulsfrekvens

Do not begin crossing. If already crossing when it changes to red, continue to the other side or stop on a refuge where one exists. Red standing pedestrian; audible pulses are not reproduced.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/rod-akustisk-signal-med-langsam-pulsfrekvens/



SIG7 · Green pedestrian signal with fast audible pulses

Grön akustisk signal med snabb pulsfrekvens

Pedestrians may begin crossing. The still image does not reproduce the audible pulse pattern. Green walking pedestrian; audible pulses are not reproduced.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/gron-akustisk-signal-med-snabb-pulsfrekvens/

Continue the reference

SIG8 · Public-transport signal — S

S

Stop before the line or, without one, before the signal. This is a signal for the traffic it controls, not a general car signal. White S in the upper lamp of a public-transport signal.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/s/

SIG9 · Public-transport signal — S and horizontal bar

S+vågrätt streck

A proceed indication is about to follow, but the stop instruction remains in force. White S and horizontal bar lit together.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/svagratt-streck/

Continue the reference

SIG10 · Public-transport signal — vertical bar or arrow

Lodrätt streck eller pil

The controlled vehicle or tram may proceed. An arrow applies to its indicated direction. White vertical bar in the lower signal lamp.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/lodratt-streck-eller-pil/

SIG11 · Public-transport signal — horizontal bar

Vågrätt streck

Stop unless the change from the vertical indication occurs so late that stopping would be dangerous. This is not the proceed indication. White horizontal bar in the middle signal lamp.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/vagratt-streck/

RB04

Lane control

Closed lane, change direction and open lane.

Related lessons: M03-L02

SIG12 · Lane-control red cross

Rött kryss

The lane and, where applicable, its adjacent shoulder must not be used for traffic. Red cross on black.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/rott-kryss/

SIG13 · Lane-control amber arrow

Gul pil eller pilar

Change lane in an indicated direction, making the manoeuvre safely. Amber arrows point diagonally down to both sides in one example and down-right in another.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/gul-pil-eller-pilar/

Continue the reference

SIG14 · Lane-control green arrow

Grön pil

The lane may be used. Other traffic restrictions and safety duties still apply. Green arrow points down.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/trafiksignaler/gron-pil/

RB05

Lines and manoeuvres

Read boundaries, combinations, reserved lanes and arrows; connect to lane-change and overtaking lessons.

Related lessons: M03-L02, M04-L02, M06-L02

M1 · Centre or lane line

Mittlinje eller körfältslinje

A broken line separates opposing directions or adjacent lanes, depending on its position. It does not guarantee that crossing or overtaking is safe. Two examples of a broken white line on a dark road background.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/mittlinje-eller-korfaltslinje/

M2 · Edge line

Kantlinje

This broken line marks the outside edge of the carriageway. Short broken white edge line.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/kantlinje/

M3 · Warning line

Varningslinje

Crossing this line is unsuitable because of the traffic conditions. It may also warn of a continuous line ahead. Long white strokes with short gaps.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/varningslinje/

Continue the reference

M4 · Guidance line

Ledlinje

Follow the appropriate guidance through a complex junction or another place where the route needs clarification. Short white guidance dashes.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/ledlinje/

M5 · Cycle-lane boundary

Cykelfältslinje

This marks the boundary between a cycle lane and another lane. Closely spaced white cycle-lane boundary strokes.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/cykelfaltslinje/

M6 · Public-transport lane boundary

Linje för fordon i linjetrafik med flera

This marks a lane for scheduled public transport and other permitted users. Check who may use it before entering. Wide broken white lane boundary.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/linje-for-fordon-i-linjetrafik-med-flera/

Continue the reference

M7 · Reversible-lane boundary

Reversibelt körfält

The lane can carry traffic in different directions at different times. Its current control determines whether you may use it. Paired broken white lane boundaries.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/reversibelt-korfalt/

M8 · Continuous line

Heldragen linje

Crossing restrictions apply according to the type of continuous line and the traffic rules. Do not invent an exception merely because the road appears clear. Single and double continuous white lines.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/heldragen-linje/

M9 · Hatched area

Spärrområde

Vehicles must not normally enter the marked area. Only the specified traffic-rule exceptions can justify crossing it. White hatched area on a dark road background.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/sparromrade/

Continue the reference

M10 · Broken line beside a continuous line

Mittlinje eller körfältslinje och heldragen linje

The continuous line governs a driver on its side of the marking. Do not treat the broken line on the other side as permission to change lanes. Broken white line beside a continuous line.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/mittlinje-eller-korfaltslinje-och-heldragen-linje/

M11 · Warning line beside a continuous line

Varningslinje och heldragen linje

The continuous-line side restricts lane changes; the warning-line side indicates that crossing is unsuitable. Warning line beside a continuous line.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/varningslinje-och-heldragen-linje/

M12 · Centre line beside a warning line

Mittlinje och varningslinje

A driver on the warning-line side should recognise that crossing is unsuitable because of the conditions. Broken centre line beside a warning line.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/mittlinje-och-varningslinje/

Continue the reference



M19 · Lane arrows

Körfältspilar

Choose the appropriate lane for the next junction. Where a continuous line bounds the lane, follow its arrow directions, subject to the specified reserved-lane exception. Examples of straight, branching and turning lane arrows.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/korfaltspilar/

M20 · Change-lane arrow

Körfältsbyte

A lane change is needed promptly. Check that the manoeuvre can be made safely. White change-lane arrow bending sideways.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/korfaltsbyte/

M17 · Speed obstacle

Farthinder

The marking indicates a speed obstacle such as a hump, depression or similar feature. Observe the road surface and adjust speed before reaching it. The patterned marking identifies the obstacle; the meaning is not limited to a raised speed bump.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/farthinder/

Continue the reference

M28 · Bus lane marking

Buss

Indicates that the lane is intended for scheduled-service vehicles and others. Read the applicable lane signs and qualifications to identify which traffic may use it. BUSS is the exact question artwork. Do not infer an unconditional bus-only rule from this word alone.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/buss/

M34 · Information marking

Information

Provides information, warning or guidance of importance to the road user. Read the actual message and respond to the situation it describes. The question example says SKOLA. School information is one example; other messages may be used.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/information/



M19a · Roundabout lane arrow

Körfältspil för cirkulationsplatser

On the approach to a roundabout, this marking helps you choose a suitable lane for the next junction and your onward route. Its layout is adapted to the location. Lane arrow with a roundabout diagram and several onward directions.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/korfaltspilar/korfaltspil-for-cirkulationsplatser/

Continue the reference



M20a · Continuous centre line or divider ahead

Förberedande upplysning om heldragen mittlinje med mera

Between opposing traffic lanes, this marking warns of a continuous centre line or physical separation ahead. It accompanies a centre line or warning line. Diagonal return arrow marking an approaching continuous centre line or physical separation.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/korfaltsbyte/forberedande-upplysning-om-heldragen-mittlinje-m.m/

Related entries

M17a · Bicycle box

M29 · Maximum-speed marking

M30 · Route-number marking

M31 · Standing place for a stated purpose

M32 · Stop marking

RB06

Panel interpretation

Distance versus length, time, extent, direction and vehicle qualification.

Related lessons: M03-L02

In this group

T1 · T2 · T3 · T6 · T8

T11 · T12 · T22 · S3 · S4

S8 · S5 · S6 · S7 · S11

T11-2 · T8-3 · T8-4 · T8-8

Use the links to compare each example with its explanation. Read the main sign and any qualifications together.

Continue the reference



T1 · Length of affected road section

Vägsträckas längd

The panel identifies the beginning and end of the affected section. Distinguish this from a distance to a single feature.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/vagstrackas-langd/

Continue the reference



T2 · Distance to the signed feature

Avstånd

This states how far ahead the main sign's subject lies, rather than the length of the affected section.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/avstand/

T3 · Distance to a stop requirement

Avstånd till stopplikt

Used below B1, this provides advance notice of a stop requirement at the indicated distance. It is not an instruction to stop at this advance sign. STOPP 200 m: a stop requirement 200 metres ahead.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/avstand-till-stopplikt/

Continue the reference



T6 · Time qualification

Tidsangivelse

Unbracketed black/white times apply on weekdays other than the day before a Sunday or public holiday; brackets mean those preceding days; red means Sundays and public holidays. A named day governs regardless of its category. A period crossing midnight continues into the next day.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/tidsangivelse/

Continue the reference



T8 · Vehicle or road-user qualification

Symboltavla

The sign above applies only to the vehicle or road-user group shown on the panel. Read time qualifications as part of the same instruction.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/symboltavla/

T11 · Extent of the instruction

Utsträckning

Two-ended arrows indicate both sides of the sign; a downward arrow marks the end; a left or right arrow indicates that direction. Read the exact form and context. Black arrows point left and right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/utstrackning/

Continue the reference



T12 · Direction to the signed feature

Riktning

Follow the indicated direction to the feature identified by the main sign. A right-turn arrow on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.
https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/t12-riktning/



T22 · Additional written instruction

Text

Read the text as a qualification of the sign above; it supplies information not expressed by the other panels.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.
https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/text/

Continue the reference



S3 · Passenger car symbol

Personbil

This symbol identifies passenger cars in the surrounding sign or panel.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/symboler/personbil/



S4 · Passenger car with centre-axle trailer symbol

Personbil med tillkopplad släpkärra

This identifies a passenger car towing a släpkärra. Do not use it as a universal illustration of every trailer classification.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/symboler/personbil-med-tillkopplad-slapkarra/

Continue the reference



S8 · Bicycle and class II moped symbol

Cykel och moped klass II

This symbol identifies bicycles and class II mopeds, not class I mopeds.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/symboler/cykel-och-moped-klass-ii/

Continue the reference



S5 · Bus symbol

Buss

Identifies a bus in the context of the sign or panel that contains the symbol. Read the complete sign to determine the information or qualification it provides. The bus silhouette is a symbol, not a standalone bus-lane or access instruction.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/symboler/buss/

Continue the reference



S6 · Tractor and class II motorised-equipment symbol

Traktor och motorredskap klass II

Identifies tractors and class II motorised equipment in the context of the containing sign or panel. Read that complete sign for the applicable information or qualification. The tractor silhouette is not itself the prohibition indicated by C8.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/symboler/traktor-och-motorredskap-klass-ii/

Continue the reference



S7 · Motorcycle and class I moped symbol

Motorcykel

Identifies two-wheeled motorcycles without sidecars and two-wheeled class I mopeds without sidecars. Read the containing sign or panel to determine its actual instruction or qualification. The motorcycle silhouette includes the stated class I mopeds; the symbol does not itself prohibit either class.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/symboler/motorcykel/

Continue the reference



S11 · Mobility-disability symbol

Rörelsehindrade

Identifies people with mobility disabilities in the context of the containing sign or panel. Read the complete sign and its conditions, including any applicable parking qualification. The wheelchair symbol does not by itself state a complete parking permission or entitlement.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/symboler/rorelsehindrade/



T11-2 · Extent of the instruction

Utsträckning

Two-ended arrows indicate both sides of the sign; a downward arrow marks the end; a left or right arrow indicates that direction. Read the exact form and context. Black arrow points down, marking the end of the instruction.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/utstrackning/utstrackning9/

Continue the reference

T8-3 · Vehicle or road-user qualification

Symboltavla

The sign above applies only to the vehicle or road-user group shown on the panel. Read time qualifications as part of the same instruction. Passenger car.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/symboltavla/symboltavla9/



T8-4 · Vehicle or road-user qualification

Symboltavla

The sign above applies only to the vehicle or road-user group shown on the panel. Read time qualifications as part of the same instruction. Passenger car with centre-axle trailer.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/symboltavla/symboltavla8/



T8-8 · Vehicle or road-user qualification

Symboltavla

The sign above applies only to the vehicle or road-user group shown on the panel. Read time qualifications as part of the same instruction. Bicycle and class II moped.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/symboltavla/symboltavla4/

Related entries

S13 · Passenger-ferry symbol

Continue the reference

T23 · Tunnel-category panel

T25 · Open 24 hours a day

RB07

Directions and advance choices

Advance route choice, destination, lane and route-number recognition; avoid late exit decisions.

Related lessons: M03-L03, M03-R, M06-L03

F1-1 · Advance direction diagram

Orienteringstavla

Use this advance junction or roundabout diagram to plan your route before the decision point. Advance diagram: route 50 towards Falun ahead; Lindesberg to the right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/orienteringstavla2/

F1-2 · Advance direction diagram — alternative

Orienteringstavla

This is an alternative advance-direction layout. Read the destinations and the junction diagram before choosing your route. Roundabout advance diagram: Örebro ahead, Kumla left and Katrineholm right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/orienteringstavla2/orienteringstavla2/

Continue the reference

F2 · Alternative route at a prohibited turn

Orienteringstavla vid förbjuden sväng i korsning

A turn ahead is prohibited. The diagram indicates another direction you can take. Route 50 towards Falun ahead; prohibited left turn towards Boda, with a loop to the right as the alternative route.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/orienteringstavla-vid-forbjuden-svang-i-korsning/



F3 · Advance destination table

Tabellorienteringstavla

Read the listed directions and approach distance before the junction or roundabout. Destination table: route 80 ahead; route 272 towards Bollnäs left; Forsbacka right; junction 500 m ahead.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/tabellorienteringstavla/

Continue the reference

F4 · Advance exit information

Avfartsorienteringstavla

An exit is ahead at the indicated distance. Prepare the appropriate lane safely. Advance exit towards Ornäs, 500 m ahead, while route 50 continues ahead.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/avfartsorienteringstavla/

F5 · Direction sign

Vägvisare

The sign points to a destination at a junction. Any stated distance is in whole kilometres. Right-pointing sign to Nyköping, 23 km.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/vagvisare/



F6 · Destination table

Tabellvägvisare

This lists directions near a junction or roundabout, including at an exit from a roundabout. Destination table: Gävle via route 80 ahead, Bollnäs via route 272 left, Forsbacka right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/tabellvagvisare/

Continue the reference

F7 · Exit direction sign

Avfartsvisare

The exit begins at this sign. Do not make a late unsafe lane change to reach it. Exit sign pointing towards Mora via route 70 and towards Enköping.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/avfartsvisare/

F8 · Overhead lane destinations

Körfältsvägvisare

Use the lane or lanes beneath the relevant destination. Read any distance given for an upcoming exit. Overhead destinations: Boda on the left panel; Falun via route 50 on the right panel.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/korfaltsvagvisare/

F9 · Grouped destinations

Samlingsmärke för vägvisning

The destinations inside the bracket share the route shown below its point. Pajala and Övertorneå grouped above the shared route via Kiruna.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/samlingsmarke-for-vagvisning/

Continue the reference

F10 · Place name

Platsmärke

This identifies a place for orientation. It is not by itself a speed-limit sign. Place name Nyköping.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/platsmarke/

F11 · Road name

Vägnamn

This identifies the name of a road or route. Road name Hemvägen.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/vagnamn/

F13 · Distance board

Avståndstavla

Distances to the listed destinations are shown in whole kilometres. Distances: Stockholm 105 km; Södertälje 71 km.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/avstandstavla/

Continue the reference

F14 · Road number

Vägnummer

This identifies a numbered route. A dashed border means the road leads towards the numbered route rather than necessarily being that route itself. E4 route shield with solid border.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/vagnummer/



F21 · Lane choices before a junction

Körfältsindelning före korsning

Choose a suitable lane for the direction you intend to take at the junction. Lane diagram before a junction, including left, ahead and right movements.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/korfaltsindelning-fore-korsning/

F27 · Interchange number

Trafikplatsnummer

This identifies the interchange number and may include an exit designation. Interchange number 75.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/trafikplatsnummer/

Continue the reference

F12 · Watercourse

Vattendrag

Identifies a watercourse by its name. Use it to recognise the location rather than as an instruction about access or priority. The question example names DALÄLVEN; the name varies with the watercourse.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/vattendrag/

F22 · Country border

Riksmärke

Indicates the border with Sweden or another EU country. Recognise the country named on the sign; it does not itself state a stop duty or customs procedure. The question variant says SVERIGE. The official FINLAND variant identifies another EU-country border.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/riksmarke/

Continue the reference

F28 · Parking garage

Parkeringshus

Directs you to a parking garage. Its name may be included, and nearby information may state whether spaces are available or the garage is full. Check the parking conditions on arrival. The roof above P distinguishes a garage from a general parking destination.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/parkeringshus/

F29 · Park and ride

Infartsparkering

Identifies parking connected to public transport. The accompanying symbol shows which type of transport is available; the parking place name may also be included. The question variant uses P+T. Official alternatives depict a bus or train. It does not promise free parking or a free onward journey.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/infartsparkering/

Continue the reference



F30 · Local loop

Lokal slinga

Indicates a ring road or a comparable local loop. A designation may be added; use it to follow the indicated route. The loop symbol is route guidance, not a roundabout priority instruction.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/lokal-slinga/

F31 · Suitable route or bypass for a road-user class

Lämplig väg eller förbifart för visst fordonsslag eller trafikantgrupp

Indicates a suitable route or bypass for the vehicle class or road-user group shown by the symbol. Identify that class before using the route information. The question variant shows a lorry. Other official variants depict other classes and directions; this guidance does not itself prohibit all other traffic.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/lamplig-vag-eller-forbifart-for-visst-fordonsslag-eller-trafikantgrupp/

Continue the reference

M30 · Route-number marking

Vägnummer

Provides information about the road number. Use it to recognise the route rather than interpreting the number as a speed limit. The question example says E4. Compare M29 for maximum-speed information.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/vagnummer/

F14-2 · Road number

Vägnummer

This identifies a numbered route. A dashed border means the road leads towards the numbered route rather than necessarily being that route itself. E4 route shield with dashed border, indicating a route towards E4.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/vagnummer/omledning/

F14-3 · Road number

Vägnummer

This identifies a numbered route. A dashed border means the road leads towards the numbered route rather than necessarily being that route itself. Route 58 shield with solid border.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/vagnummer/vagnummer/

Continue the reference

F14-4 · Road number

Vägnummer

This identifies a numbered route. A dashed border means the road leads towards the numbered route rather than necessarily being that route itself. Route 58 shield with dashed border, indicating a route towards route 58.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/vagnummer/vagnummer2/

F8-2 · Overhead lane destinations

Körfältsvägvisare

Use the lane or lanes beneath the relevant destination. Read any distance given for an upcoming exit. Overhead lane information for Stockholm and Enköping via E18, with an exit in 500 m.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/korfaltsvagvisare/korfaltsvagvisare/

RB08

Directions for other road users

Distinguish walking/cycling directions from car routes.

Related lessons: M03-L03

F34 · Walking or cycling direction sign

Vägvisare

Read the road-user symbol and destination. A route for walking or cycling is not automatically a car route. Bicycle direction to Centrum, pointing right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-gang-och-cykeltrafik/vagvisare/



F35 · Walking or cycling destination table

Tabellvägvisare

Directions and kilometre distances are given for the indicated road-user group. Bicycle destinations: Kumla 5 km ahead; Haga 0.2 km left.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-gang-och-cykeltrafik/tabellvagvisare/

Continue the reference

F36 · Place name on a walking or cycling route

Platsmärke

This identifies a place for orientation along the route. Place name Lundby on a walking/cycling route sign.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-gang-och-cykeltrafik/platsmarke/

F37 · Walking or cycling distance board

Avståndstavla

Read the distances in kilometres together with the road-user symbol. Bicycle destination Centrum, 3 km.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-gang-och-cykeltrafik/avstandstavla/



F38 · Cycle route

Cykelled

This identifies a specially designated cycle route; the colour scheme can vary. Bicycle pictogram identifying a cycle route.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-gang-och-cykeltrafik/cykelled/

Continue the reference



S10 · Pedestrian symbol

Gående

This identifies pedestrians as the group covered by the surrounding instruction.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/symboler/gaende/

Related entries

S8 · Bicycle and class II moped symbol

RB09

Facilities, services and tourism

Represent G/H/I families, fuel worked example, journey breaks and emergency facilities.

Related lessons: M03-L03, M09-L01, M10-L01

G2 · Emergency telephone

Hjälptelefon

This identifies a telephone for obtaining help. Telephone receiver above SOS.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-allmanna-inrattningar-med-mera/hjalptelefon/

G4 · Hospital with an emergency department

Akutsjukhus

This points to a hospital with an emergency department, not simply any medical facility. Red cross on white within a blue sign.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-allmanna-inrattningar-med-mera/akutsjukhus/

Continue the reference

G6 · Railway station

Järnvägsstation

This identifies a railway station as a destination. Train in front of a station clock.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-allmanna-inrattningar-med-mera/jarnvagsstation/

G7 · Bus station

Busstation

This identifies a bus station serving as a connection point for several routes. Bus at a station.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-allmanna-inrattningar-med-mera/busstation/

Continue the reference

G8 · Airport

Flygplats

This identifies an airport with scheduled services. Aircraft silhouette points left.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-allmanna-inrattningar-med-mera/flygplats/

G9 · Fire extinguisher

Brandsläckare

This identifies the location of a fire extinguisher. Red fire extinguisher.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-allmanna-inrattningar-med-mera/brandslackare/

Continue the reference



G11 · Ferry

Färja

This identifies a ferry terminal or indicates that the destination is reached by ferry. Ferry silhouette.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-allmanna-inrattningar-med-mera/farja/

H1 · Information point

Informationsplats

Information is available at the indicated place. Nearby text may identify the type of information. Lower-case information letter i.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/informationsplats/

Continue the reference

H2 · Vehicle repair workshop

Fordonsverkstad

This identifies a vehicle repair facility. Workshop tool symbol.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/fordonsverkstad/

H3 · Fuel

Drivmedel

This identifies a fuel facility. It does not cancel access restrictions on the approach road. Fuel pump.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/drivmedel/

Continue the reference

H7 · Hotel

Hotell

This identifies hotel accommodation. Bed symbol.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/hotell/

H13 · Rest area

Rastplats

This identifies a rest area with a toilet accessible to people with mobility impairments. Picnic table and tree.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/rastplats/

Continue the reference

H14 · Toilet

Toalett

This identifies a toilet accessible to people with mobility impairments. Toilet building with a heart on the door.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/toalett/



H27 · Vehicle charging station

Laddstation

This identifies a facility for externally charging an electrically powered vehicle. Car connected to a charging unit.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/laddstation/

Continue the reference



I1 · Tourist route

Turistväg

The road or route has tourist interest. Ordinary traffic restrictions still apply. White flower on brown.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-turistiskt-intressanta-mal-med-mera/turistvag/

I2 · Tourist area

Turistområde

The symbol reflects the theme of the tourist area. Glassworks-themed tourist-area sign, Glasriket.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-turistiskt-intressanta-mal-med-mera/turistomrade/

Continue the reference

I3 · Landmark

Landmärke

The silhouette identifies a landmark of tourist interest visible from the road. Landmark silhouette and the name Heliga Birgitta.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-turistiskt-intressanta-mal-med-mera/landmarke/

I4 · World Heritage site

Världsarv

This identifies a site designated as World Heritage by UNESCO. World Heritage emblem on brown.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-turistiskt-intressanta-mal-med-mera/varldsarv/

Continue the reference



G1 · Postal service point

Post

Identifies a postal agent providing letter and parcel handling and stamp sales. Use it to locate the service while still checking local access and parking conditions. The postal-horn symbol identifies postal services, not a traffic priority.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-allmanna-inrattningar-med-mera/post/

G3 · Radio station for traffic information

Radiostation för vägtrafikinformation

Identifies a radio station with regular recurring road-traffic information broadcasts intended to cover a wider area. Read the station or frequency shown. Radio FM4 and 98.7 in this illustration are example station details; this is not an instruction to operate a radio while driving.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-allmanna-inrattningar-med-mera/radiostation-for-vagtrafikinformation/

G5 · Industrial area

Industriområde

Identifies an area for industrial or similar activities. Use it as destination information and continue to follow the local traffic instructions. The factory symbol does not itself impose a vehicle restriction.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-allmanna-inrattningar-med-mera/industriomrade/

Continue the reference

G10 · Commercial area

Handelsområde

Identifies an area for trade or shopping. Use the symbol to locate the destination; check entry and parking rules separately. The shopping-trolley symbol identifies a commercial area rather than a single named shop.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-allmanna-inrattningar-med-mera/handelsomrade/

G12 · Passenger ferry

Personfärja

Identifies a passenger-ferry landing or a destination reachable only by a ferry intended for passenger transport. Check the actual service and boarding conditions. The passenger-ferry symbol does not promise that the ferry carries your car.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-allmanna-inrattningar-med-mera/personfarja/

Continue the reference

H4 · Gas for vehicle propulsion

Gas för fordonsdrift

Identifies a facility supplying vehicle gas. The abbreviation states the gas type; CNG means compressed natural gas. Check the fuel type required by your vehicle. The question illustration says CNG. Official LPG, LNG and H_2 variants identify other gas types; do not treat them as interchangeable fuels.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/gas-for-fordonsdrift/

H5 · Light refreshments

Servering

Identifies a facility serving drinks and simple meals. Use it as service information rather than assuming a full restaurant menu. The cup symbol distinguishes light refreshments from restaurant sign H6.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/servering/

H6 · Restaurant

Restaurang

Identifies a restaurant. Check the actual service and opening information at the facility. The crossed cutlery distinguishes H6 from H5 light refreshments; the symbol does not promise round-the-clock opening.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/restaurang/

Continue the reference

H8 · Hostel

Vandrarhem

Identifies a hostel. Check the actual accommodation and availability before relying on a stay. The hostel symbol is accommodation information, not a hotel booking or availability guarantee.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/vandrarhem/

H9 · Holiday village

Stugby

Identifies an establishment with a larger number of cottages. Use it to recognise a cottage village. The multiple-cottage illustration distinguishes H9 from H10, which concerns a small number of cottages.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/stugby/

H10 · Cottage accommodation

Stuga

Identifies an establishment with a small number of cottages. Check its actual accommodation arrangements and availability. The single-cottage illustration contrasts with the larger cottage village indicated by H9.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/stuga/

Continue the reference

H11 · Camp site

Campingplats

Identifies a facility providing pitches for both tents and vehicles with living accommodation. Check the site conditions and availability. The tent symbol does not mean tents only. Compare H12 for living-accommodation vehicles only and H28 for motor homes only.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/campingplats/

H12 · Caravan site

Husvagnsplats

Identifies a facility providing pitches only for vehicles with living accommodation. It does not indicate tent pitches. The caravan illustration represents that accommodation category; compare H11 and the narrower motor-home facility H28.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/husvagnsplats/

H15 · Bathing place

Badplats

Identifies a bathing beach or another bathing facility. Use it to locate the facility and check the conditions there. The swimmer symbol does not itself guarantee safe water or supervised bathing.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/badplats/

Continue the reference

H16 · Recreational area

Friluftsområde

Identifies an outdoor recreational area. Use the symbol to locate the area and read local access information. The recreation symbol does not itself permit driving on paths or camping in the area.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/friluftsomrade/

H17 · Hiking trail

Vandringsled

Identifies a hiking trail. Follow the information for the trail and check its actual route and conditions. The walkers symbol identifies a trail, not a mandatory pedestrian-path instruction.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/vandringsled/

H18 · Chair lift

Stollift

Identifies a lift facility with chairs or similar seating. Use it as facility information. The seated passenger distinguishes a chair lift from ski tow H19.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/stollift/

Continue the reference

H19 · Ski tow

Släplift

Identifies a lift facility where skiers are pulled along. Use it as facility information. The standing skier being towed distinguishes H19 from seated chair lift H18.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/slaplift/

H20 · Golf course

Golfbana

Identifies a golf course. Use it to locate the facility; admission and access conditions are separate. The golfer symbol identifies the service destination and imposes no traffic duty by itself.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/golfbana/

H21 · Fishing licences for sale

Försäljningsställe för fiskekort

Identifies a place selling fishing permits. Check the permit needed for the actual fishing location. The fish symbol indicates permit sales; it is not itself permission to fish or a fish-shop sign.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/forsaljningsstalle-for-fiskekort/

Continue the reference



H22 · Sight of national interest

Sevärdhet

Identifies a sight of national interest. Information next to the sign states the nature of the sight. The symbol identifies a sight of national interest; it does not itself establish a legal heritage designation.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/sevardhet/



H23 · Advance information about nearby services

Förberedande upplysning om vägnära service

Gives advance information about roadside service facilities, sometimes with their names. The stated distance is to the relevant exit or junction; fuel, restaurant and hotel symbols may include company names or emblems. The question example says 1 km. Read the individual service symbols rather than assuming every advertised service is immediately beside the sign.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/forberedande-upplysning-om-vagnara-service/

Continue the reference

H24 · Bed and breakfast

Rum och frukost

Identifies an establishment providing overnight rooms and breakfast. Check its actual accommodation arrangements. B&B with the bed illustration identifies this service, not guaranteed room availability.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/rum-och-frukost/

H25 · Farm shop

Gårdsbutik

Identifies an establishment selling locally made or locally grown products. Use it to locate a farm shop rather than a general shopping area. The question artwork says Gårdsbutik. It identifies a farm shop for local products rather than a general shop.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/gardsbutik/

H26 · Handicrafts

Hantverk

Identifies an establishment making and selling handicraft products. Use it to locate that activity. The craftsperson illustration concerns production and sales, not a general industrial-area sign.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/hantverk/

Continue the reference

H28 · Site only for motor homes

Anläggning som enbart tillhandahåller platser för bilar med bostadsutrymme

Identifies a facility providing pitches only for cars with living accommodation, such as motor homes. Do not assume that tents or towed caravans are included. Compare H11 for tents and living-accommodation vehicles, and H12 for living-accommodation vehicles only.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-upplysning-om-serviceanlaggningar-med-mera/anlaggning-tillhandahaller-plats-for-bil-med-bostadsutrymme/



S13 · Passenger-ferry symbol

Personfärja

Identifies a passenger-ferry landing or a destination reachable only by a ferry intended for passenger transport. Read it with the containing sign and check the actual service. The passengers-on-a-ferry illustration is not a promise that a car may board. Compare G12 for the passenger-ferry facility sign.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/symboler/personfarja/

Continue the reference

T25 · Open 24 hours a day

Öppet dygnet runt

Indicates that a refreshments facility or restaurant is open round the clock. The panel is used below H5 or H6 and qualifies that facility information. The clock says 24 tim. This does not indicate a parking-duration limit or round-the-clock opening of every nearby business.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/oppet-dygnet-runt/

RB10

Information and detours

Read changed routes, closed lanes and temporary information.

Related lessons: M03-L03, M06-L04, M08-L04

J2 · Traffic information

Upplysningsmärke

Read the actual message: it supplies important information for safety or passage that is not given another way. Message: Vägsaltning upphör — road salting ends.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/upplysningsmarken/upplysningsmarke/

F15 · Permanent diversion route

Omledning

This marks a permanent alternative route for the numbered road. Distinguish it from temporary orange diversion guidance. Permanent alternative route for road 58.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/omledning/

Continue the reference

F23 · Advance temporary diversion

Orienteringstavla för omledningsväg

The ordinary road is temporarily closed. The diagram shows the diversion route. Orange diagram routes traffic around a closed part of the road.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/orienteringstavla-for-omledningsvag/



F24 · Temporary diversion direction

Färdriktning vid omledning

Follow the indicated direction for the temporary diversion. Orange diversion arrow points right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/fardriktning-vid-omledning/

F25 · Lane temporarily ends

Körfält upphör

A lane is temporarily closed and another lane in your direction is available. Prepare to move safely as indicated. One of two lanes closes; move into the other lane in the same direction.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/korfalt-upphor/

Continue the reference



F26 · Lane temporarily closed

Körfält avstängt

A lane is temporarily closed with no other lane available in that travel direction. Read and follow the temporary routing rather than assuming an ordinary merge. An upward arrow meets a black closure block; a separate downward arrow marks opposing traffic.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/korfalt-avstangt/

J3 · Dangerous overhead electrical line

Livsfarlig ledning

Warns of an electrical line over the road or route that may present danger. Check the actual line and clearance conditions rather than treating the message as ordinary route guidance. The question artwork says Livsfarlig ledning with a lightning symbol. The official narrower format has the same warning; this sign does not state a numerical safe clearance.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/upplysningsmarken/livsfarlig-ledning/

RB11

Speed and road regimes

Distinguish maximum speed from recommendations and built-up-area boundaries.

Related lessons: M03-L01, M03-L04

C31 · Maximum speed

Hastighetsbegränsning

Do not exceed the displayed speed in km/h. A junction alone does not necessarily end the limit, and conditions may require a lower speed. Red-bordered yellow circle displaying 30: maximum 30 km/h.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/hastighetsbegransning/

C32 · End of temporary speed limit

Tillfällig hastighetsbegränsning upphör

The temporary signed speed limit ends. Establish the speed limit that now applies rather than assuming there is none. 30 crossed by diagonal black lines: temporary 30 km/h limit ends.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/tillfallig-hastighetsbegransning-upphor/

Continue the reference

E5 · Built-up area

Tättbebyggt område

A built-up area begins. Establish the applicable speed limit and other rules; a separate sign may prescribe a different limit. Black settlement skyline on white.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/tattbebyggt-omrade/



E6 · End of built-up area

Tättbebyggt område upphör

The built-up area ends. Check the rules and signed limits for the road ahead. Settlement skyline crossed by a red diagonal.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/tattbebyggt-omrade-upphor/

E11 · Recommended lower speed

Rekommenderad lägre hastighet

The sign recommends a lower speed because of the road's conditions or measures. Distinguish it from a C31 legal maximum. Blue sign reading max 30 km/tim: recommended 30 km/h.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/rekommenderad-lagre-hastighet/

Continue the reference

E12 · End of recommended lower speed

Rekommenderad lägre hastighet upphör

The signed recommendation ends. Continue to choose a speed suited to conditions and legal limits. Blue max 30 km/tim sign crossed by a red diagonal.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/rekommenderad-lagre-hastighet-upphor/

E13 · Recommended maximum speed

Rekommenderad högsta hastighet

This variable sign recommends a temporary lower maximum because of current conditions. The recommendation is below the legal maximum. White 50 on a dark variable-sign background: recommended maximum 50 km/h.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/rekommenderad-hogsta-hastighet/

E14 · End of recommended maximum speed

Rekommenderad högsta hastighet upphör

The temporary speed recommendation ends. White diagonal lines on a dark background.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/rekommenderad-hogsta-hastighet-upphor/

Continue the reference

E24 · Automatic traffic surveillance

Automatisk trafikövervakning

Automatic camera or equivalent monitoring may take place here to enforce traffic rules, taxation or charges; personal data may be recorded under the applicable rules. If it concerns a longer road section, T1 states its length and the sign is repeated at suitable intervals. The camera illustration is broader than speed-camera enforcement alone.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/automatisk-trafikovervakning/

M29 · Maximum-speed marking

Hastighet

Provides information about the highest permitted speed. Read the number shown and continue to adapt speed to the actual conditions. The question example shows 30. Compare route-number marking M30; a marked maximum is not a recommended minimum.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/hastighet/

Continue the reference

C31-11 · Maximum speed

Hastighetsbegränsning

Do not exceed the displayed speed in km/h. A junction alone does not necessarily end the limit, and conditions may require a lower speed. Red-bordered yellow circle displaying 110: maximum 110 km/h.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/hastighetsbegransning/hastighetsbegransning-11/

C31-12 · Maximum speed

Hastighetsbegränsning

Do not exceed the displayed speed in km/h. A junction alone does not necessarily end the limit, and conditions may require a lower speed. Red-bordered yellow circle displaying 120: maximum 120 km/h.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/hastighetsbegransning/hastighetsbegransning-12/

Continue the reference

C31-4 · Maximum speed

Hastighetsbegränsning

Do not exceed the displayed speed in km/h. A junction alone does not necessarily end the limit, and conditions may require a lower speed. Red-bordered yellow circle displaying 40: maximum 40 km/h.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/hastighetsbegransning/hastighetsbegransning-4/

C31-5 · Maximum speed

Hastighetsbegränsning

Do not exceed the displayed speed in km/h. A junction alone does not necessarily end the limit, and conditions may require a lower speed. Red-bordered yellow circle displaying 50: maximum 50 km/h.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/hastighetsbegransning/hastighetsbegransning-5/

Continue the reference

C31-7 · Maximum speed

Hastighetsbegränsning

Do not exceed the displayed speed in km/h. A junction alone does not necessarily end the limit, and conditions may require a lower speed. Red-bordered yellow circle displaying 70: maximum 70 km/h.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/hastighetsbegransning/hastighetsbegransning-7/

C31-8 · Maximum speed

Hastighetsbegränsning

Do not exceed the displayed speed in km/h. A junction alone does not necessarily end the limit, and conditions may require a lower speed. Red-bordered yellow circle displaying 80: maximum 80 km/h.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/hastighetsbegransning/hastighetsbegransning-8/

Related entries

M30 · Route-number marking

RB12

Access and required path

Represent prohibitory/mandatory families, access, turn restrictions, one-way roads and paths.

Related lessons: M03-L01, M04-L02, M05-L02

C1 · No entry

Förbud mot infart med fordon

Vehicles must not enter from this direction. Do not confuse this with a prohibition applying in both directions. Red circle with a horizontal yellow bar.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-infart-med-fordon/

C2 · No vehicles

Förbud mot trafik med fordon

Vehicle traffic is prohibited. Read any applicable supplementary qualifications. Yellow circle with a red border.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-fordon/

Continue the reference

C3 · No motor vehicles except class II mopeds

Förbud mot trafik med annat motordrivet fordon än moped klass II

Motor vehicles are prohibited, with class II mopeds excluded unless a panel also prohibits them. Car and motorcycle crossed by a red diagonal.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-annat-motordrivet-fordon-an-moped-klass-ii/

C6 · Restriction on motor vehicles towing trailers

Förbud mot trafik med motordrivet fordon med tillkopplad släpvagn

The basic prohibition excludes semi-trailers and centre-axle trailers (släpkärror). A panel may extend it to those types or specify a trailer-weight threshold. Trailer crossed by a red diagonal.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-motordrivet-fordon-med-tillkopplad-slapvagn/

Continue the reference

C25 · Prohibited turn

Förbud mot sväng i korsning

The depicted turn is prohibited at the relevant junction. A length panel can extend the restriction across several junctions. Left-turn arrow crossed out.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-svang-i-korsning/

C26 · No U-turn

Förbud mot U-sväng

A U-turn is prohibited at the relevant junction or location. Read any panel extending the restriction. U-turn arrow crossed out.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-u-svang/

D1 · Mandatory direction

Påbjuden körriktning

Travel only in a direction shown by the arrow or arrows. Arrow points left.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjuden-korriktning/

Continue the reference

D2 · Pass on the indicated side

Påbjuden körbana

Pass the sign on the side shown; two arrows allow either indicated side. Arrow points down and right: pass to the right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjuden-korbana/

D4 · Cycle path

Påbjuden cykelbana

This is a designated cycle path. A supplementary panel states if class II mopeds are excluded. White bicycle on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjuden-cykelbana/

D5 · Pedestrian path

Påbjuden gångbana

This path is intended only for pedestrians. White adult and child on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjuden-gangbana/

Continue the reference

D6 · Shared pedestrian and cycle path

Påbjuden gång- och cykelbana

Pedestrians and cyclists share the path. Read any panel excluding class II mopeds. Pedestrian and bicycle symbols share a blue circle without a dividing line.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjuden-gang--och-cykelbana/

D7 · Separated pedestrian and cycle paths

Påbjudna gång- och cykelbanor

The symbol positions identify each group's side. The paths are separated by a marking, strip or similar division. Pedestrians on the left and bicycles on the right, separated by a vertical line.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjudna-gang--och-cykelbanor/

Continue the reference

D10 · Lane or carriageway for scheduled public transport and other permitted users

Påbjudet körfält eller körbana för fordon i linjetrafik med flera

Do not assume an ordinary car may enter. Certain other users are permitted by the traffic rules, and panels can specify additional permissions or restrictions. Bus symbol on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjudet-korfalt-eller-korbana-for-fordon-i-linjetrafik-mfl/

D11 · End of designated path or lane

Slut på påbjuden bana, körfält, väg eller led

The designation shown by the crossed symbol ends. The symbol must match the preceding path or lane designation. Bus-lane symbol crossed by a red diagonal.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/slut-pa-pabjuden-bana-korfalt-vag-eller-led/

E16 · One-way traffic

Enkelriktad trafik

Vehicle traffic travels only in the arrow's direction on this road. One-way arrow points right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/enkelriktad-trafik/

Continue the reference



E17 · No through road

Återvändsväg

The road does not provide through passage. A bicycle symbol can indicate through access for bicycles and class II mopeds. A T-shaped road ends at a red block.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/atervandsvag/

C4 · No motor vehicles with more than two wheels

Förbud mot trafik med motordrivet fordon med fler än två hjul

Traffic with motor-driven vehicles having more than two wheels is prohibited. Check whether your vehicle falls within that class before entering. The car symbol does not limit the prohibition to passenger cars. Compare C5 for motorcycles and class I mopeds.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-motordrivet-fordon-med-fler-an-tva-hjul/

Continue the reference

C5 · No motorcycles or class I mopeds

Förbud mot trafik med motorcykel och moped klass I

Motorcycles and class I mopeds are prohibited. Do not treat this as the same prohibition as C4, which concerns motor-driven vehicles with more than two wheels. Class II mopeds have separate signs, including C11.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-motorcykel-och-moped-klass-i/

C8 · No tractors or class II motorised equipment

Förbud mot trafik med traktor och motorredskap klass II

Traffic with tractors and class II motorised equipment is prohibited. If the prohibition also covers tractor b or class I motorised equipment, a supplementary panel states this. Read the panel as well as the tractor symbol.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-traktor-och-motorredskap-klass-ii/

C10 · No bicycles or class II mopeds

Förbud mot trafik med cykel och moped klass II

Bicycles and class II mopeds are prohibited. If the prohibition also covers class I mopeds, a supplementary panel states this. Compare C11, which concerns class II mopeds without prohibiting bicycles through that sign alone.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-cykel-och-moped-klass-ii/

Continue the reference

C11 · No class II mopeds

Förbud mot trafik med moped klass II

Class II mopeds are prohibited. If the prohibition also covers class I mopeds, a supplementary panel states this. Compare C10, whose bicycle symbol covers bicycles and class II mopeds.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-moped-klass-ii/

C12 · No vehicles drawn by draught animals

Förbud mot trafik med fordon förspänt med dragdjur

Traffic with vehicles drawn by draught animals is prohibited. The restriction concerns animal-drawn vehicles rather than riding on an animal. The horse-and-cart illustration is an example of the class. Compare C14 for riding.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-fordon-forspant-med-dragdjur/

C13 · No off-road motor vehicles or off-road trailers

Förbud mot trafik med terrängmotorfordon och terrängsläp

Off-road motor vehicles and off-road trailers are prohibited. If off-road wagons are exempt from the prohibition, this is stated on a supplementary panel. Read the vehicle class and any panel; the snowmobile picture is not the whole scope.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-terrangmotorfordon-och-terrangslap/

Continue the reference

C14 · No riding

Förbud mot ridning

Riding is prohibited. If leading a riding animal is also prohibited, a supplementary panel states this. Compare C12 for vehicles drawn by draught animals; leading an animal is not automatically covered by C14 alone.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-ridning/

C15 · No pedestrians

Förbud mot gångtrafik

Pedestrian traffic is prohibited. Choose a permitted route for walking rather than entering the restricted section. The walking-person symbol identifies pedestrian access, not a general prohibition on all traffic.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-gangtrafik/

C34 · Stop for the stated purpose

Stopp för angivet ändamål

Stop for the reason written below the horizontal bar. When the sign is placed before a traffic signal, a vehicle passing that signal must stop at red, at the stop line or, if there is none, at the sign. This exact illustration says STOPP SIGNAL. Other official examples say FÄRJA, KONTROLL or VAKT; read the actual stated purpose.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/stopp-for-angivet-andamal/

Continue the reference

D8 · Compulsory riding path

Påbjuden ridväg

This is a designated riding path. Walking is also permitted; do not interpret the rider symbol as excluding pedestrians. Compare prohibitory C14, whose red-ringed symbol prohibits riding.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjuden-ridvag/

D9 · Compulsory off-road vehicle route

Påbjuden led för terrängmotorfordon och terrängsläp

This is a designated route for off-road motor vehicles and off-road trailers. Walking is also permitted. The blue snowmobile symbol is a route instruction; red-ringed C13 prohibits the relevant traffic.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjuden-led-for-terrangmotorfordon-och-terrangslap/

C25-2 · Prohibited turn

Förbud mot sväng i korsning

The depicted turn is prohibited at the relevant junction. A length panel can extend the restriction across several junctions. Right-turn arrow crossed out.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-svang-i-korsning/forbud-mot-svang-i-korsning-2/

Continue the reference

D1-2 · Mandatory direction

Påbjuden körriktning

Travel only in a direction shown by the arrow or arrows. Arrow points right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjuden-korriktning/pabjuden-korbana/

D1-3 · Mandatory direction

Påbjuden körriktning

Travel only in a direction shown by the arrow or arrows. Arrow points straight ahead.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjuden-korriktning/pabjuden-korriktning/

D1-6 · Mandatory direction

Påbjuden körriktning

Travel only in a direction shown by the arrow or arrows. Arrows permit straight ahead or left.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjuden-korriktning/pabjuden-korriktning3/

Continue the reference

D1-7 · Mandatory direction

Påbjuden körriktning

Travel only in a direction shown by the arrow or arrows. Arrows permit straight ahead or right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjuden-korriktning/pabjuden-korriktning4/

D1-8 · Mandatory direction

Påbjuden körriktning

Travel only in a direction shown by the arrow or arrows. Arrows permit left or right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjuden-korriktning/pabjuden-korriktning5/

D7-2 · Separated pedestrian and cycle paths

Påbjudna gång- och cykelbanor

The symbol positions identify each group's side. The paths are separated by a marking, strip or similar division. Bicycles on the left and pedestrians on the right, separated by a vertical line.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjudna-gang--och-cykelbanor/pabjudna-gang--och-cykelbanor/

Continue the reference

E16-2 · One-way traffic

Enkelriktad trafik

Vehicle traffic travels only in the arrow's direction on this road. One-way arrow points straight ahead.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/enkelriktad-trafik/enkelriktad-trafik/



E17-4 · No through road

Återvändsväg

The road does not provide through passage. A bicycle symbol can indicate through access for bicycles and class II mopeds. A bicycle symbol beyond the red block identifies through access for bicycles and class II mopeds.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/atervandsvag/atervandsvag-e17-4/

RB13

Crossings and vulnerable users

Pedestrian crossing versus cycle passage/crossing; awareness of vulnerable road users.

Related lessons: M04-L03, M05-L01

A13 · Pedestrian crossing ahead

Varning för övergångsställe

Prepare to encounter a pedestrian crossing. Identify the crossing itself and the controls that apply there. Pedestrian on crossing stripes inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-overgangsstalle/

A14 · Pedestrians ahead

Varning för gående

People often cross, walk on or remain near this stretch of road. Allow for someone entering your path. Adult and child inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-gaende/

Continue the reference

A16 · Cyclists and moped riders ahead

Varning för cyklande och mopedförare

Cyclists or moped riders often cross or enter the road here. Cyclist inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-cyklande-och-mopedforare/

A18 · Horse riders ahead

Varning för ridande

Riders often cross or use this stretch of road. Prepare for an unhurried, spacious encounter. Horse and rider inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-ridande/

Continue the reference

B3 · Pedestrian crossing

Övergångsställe

This identifies a pedestrian crossing. At an uncontrolled crossing, drivers yield to people who have entered or are about to enter. Pedestrian on crossing stripes within a white triangle on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vajningspliktsmarken/overgangsstalle/

B8 · Cycle crossing

Cykelöverfart

This identifies a cycle crossing. Drivers yield to cyclists and class II moped riders on or about to enter it; riders must also consider approaching vehicles. Cyclist above a crossing in a blue square.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vajningspliktsmarken/cykeloverfart/

M15 · Pedestrian crossing marking

Övergångsställe

This marks the pedestrian crossing associated with B3. Identify whether it is signal-controlled before applying the crossing duties. Parallel white crossing stripes.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/overgangsstalle/

Continue the reference

M16 · Cycle passage or cycle crossing marking

Cykelpassage eller cykelöverfart

The blocks alone do not identify a cycle crossing. A cycle crossing also has B8 and the give-way marking M14; assess the controls and your movement. Two parallel rows of white blocks marking the sides of a cycle passage or crossing.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/cykelpassage-eller-cykeloverfart/

M25 · Pedestrian or cycle direction arrow

Gång- och cykelpil

This shows a suitable route for pedestrians, cyclists or class II moped riders, according to context. White arrow points right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/gang--och-cykelpil/

M26 · Cycle route marking

Cykel

This identifies a path or suitable route for bicycles and class II mopeds. White bicycle road marking.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/cykel/

Continue the reference

M27 · Pedestrian route marking

Gående

This identifies a path or suitable route for pedestrians. White adult and child road marking.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/gaende/



T9 · People with impaired vision

Nedsatt syn

People with impaired vision commonly use the area. Give them time and space without assuming they have seen you. Five black dots arranged horizontally on yellow.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/nedsatt-syn/

T10 · People with impaired hearing

Nedsatt hörsel

People with impaired hearing commonly use the area. Do not assume a horn will be heard. Three black dots inside a black circle on yellow.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/nedsatt-horsel/

Continue the reference

A17 · Skiers

Varning för skidåkare

Skiers often cross or remain on the road here. Watch both sides and adjust speed so that you can respond to a skier entering your path. The skier symbol identifies this hazard; it does not designate a ski facility.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-skidakare/



M17a · Bicycle box

Cykelbox

Indicates a suitable position for cyclists and class II moped riders. The marking may be adapted to the conditions at the site. The question illustration shows a cycle symbol and an advanced marked area. It does not by itself grant priority over conflicting traffic.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/cykelbox/

B3-2 · Pedestrian crossing

Övergångsställe

This identifies a pedestrian crossing. At an uncontrolled crossing, drivers yield to people who have entered or are about to enter. Mirrored pedestrian on crossing stripes within a white triangle on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vajningspliktsmarken/overgangsstalle/overgangsstalle/

RB14

Roundabouts and merging

Roundabout entry/exit, mutual merging and motorway joining.

Related lessons: M04-L02, M04-L04, M06-L03

A30 · Roundabout ahead

Varning för cirkulationsplats

Prepare for a roundabout and identify the entry instructions before reaching it. Circulating arrows inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-cirkulationsplats/

D3 · Roundabout

Cirkulationsplats

Follow the roundabout circulation. Identify the yielding instruction at the entry separately. Three white arrows circulate anticlockwise on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/cirkulationsplats/

Continue the reference



E15 · Merge

Sammanvävning

Two lanes or carriageways join. Drivers must adapt with mutual consideration; this is not an instruction to force a gap. Two paths combine into one upward arrow.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/sammanvavning/



F16 · Additional lane

Ökning av antal körfält

The number of lanes increases. Read the diagram for direction and any physical separation. An additional lane opens on the left.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/okning-av-antal-korfalt/

Continue the reference



F17 · Lane reduction

Minskning av antal körfält

The number of lanes decreases. Use the diagram to plan a safe change early. The left-hand lane merges into the remaining forward lane.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/minskning-av-antal-korfalt/



F18 · Lane directions along a road

Körfältsindelning på sträcka

The arrows show the travel direction in each lane; any separation shown is part of the layout. One opposing lane on the left and two forward lanes on the right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/korfaltsindelning-pa-stracka/

Continue the reference



F19 · Joining road with acceleration lane

Väganslutning med accelerationsfält

The diagram shows a joining road with an acceleration lane. It does not give a joining driver an unconditional right to enter. A road joins from the right through an acceleration lane alongside one forward lane.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/vaganslutning-med-accelerationsfalt/



F20 · Joining road with its own lane

Väganslutning med separat körfält

The joining road continues in a separate lane. Read the actual lane layout and markings. A joining road becomes a separate forward lane beside two existing lanes.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/vaganslutning-med-separat-korfalt/

Continue the reference



F18-2 · Lane directions along a road

Körfältsindelning på sträcka

The arrows show the travel direction in each lane; any separation shown is part of the layout. One opposing lane and one forward lane with a divider between them.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/korfaltsindelning-pa-stracka/korfaltsindelning-pa-stracka5/

RB15

Street-purpose boundaries

Pedestrian street, walking-speed area and cycle street including their ends.

Related lessons: M05-L02

E7 · Pedestrian street

Gågata

Special pedestrian-street rules apply, including walking pace and yielding to pedestrians. Motor access is restricted to the permitted purposes; it is not a general shortcut. Adult and child within a blue rectangular sign.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/gagata/

E8 · End of pedestrian street

Gågata upphör

The pedestrian street ends. Reassess the rules before entering another road. Pedestrian-street symbol crossed by a red diagonal.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/gagata-upphor/

Continue the reference

E9 · Walking-speed area

Gångfartsområde

Drive at walking pace and yield to pedestrians. Parking is generally prohibited except where a lawful signed arrangement provides otherwise. Street scene with pedestrians, a car, houses and a playing child.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/gangfartsomrade/

E10 · End of walking-speed area

Gångfartsområde upphör

The walking-speed area ends. Leaving it does not give you priority over the road you enter. Walking-speed street scene crossed by a red diagonal.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/gangfartsomrade-upphor/

Continue the reference

E33 · Cycle street

Cykelgata

The maximum is 30 km/h and motor vehicles must adapt to bicycle traffic. Apply the cycle-street entry, exit and parking rules too. Bicycle with a smaller car above it on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/cykelgata/

E34 · End of cycle street

Cykelgata upphör

The cycle street ends. Apply the yielding rule when leaving it for another road. Cycle-street bicycle and car crossed by a red diagonal.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/cykelgata-upphor/

RB16

Stopping and parking

Parking worked example, stop-versus-park restrictions, bus stop and marked space.

Related lessons: M05-L01, M05-L03, M05-L04

C35 · No parking

Förbud mot att parkera fordon

Parking is prohibited on the signed side for the applicable extent. This does not make stopping lawful where another rule prohibits it. Single red diagonal across a blue circle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-att-parkera-fordon/

C36 · No parking on odd-numbered dates

Förbud mot att parkera fordon på dag med udda datum

The parking prohibition applies on dates with an odd number. Read the time and extent qualifications as well. Single upright stroke on the no-parking symbol: odd-numbered dates.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-att-parkera-fordon-pa-dag-med-udda-datum/

Continue the reference

C37 · No parking on even-numbered dates

Förbud mot att parkera fordon på dag med jämnt datum

The parking prohibition applies on dates with an even number. Read the time and extent qualifications as well. Two upright strokes on the no-parking symbol: even-numbered dates.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-att-parkera-fordon-pa-dag-med-jamnt-datum/

C38 · Date-dependent parking prohibition

Datumparkering

On even dates, do not park on the side with even address numbers; on odd dates, do not park on the odd-numbered side. Check any time conditions. Odd/even-date symbols divided by a red diagonal.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/datumparkering/

C39 · No stopping or parking

Förbud mot att stanna och parkera fordon

Both stopping and parking are prohibited for the indicated extent. Waiting with the engine running is not a general exemption. Red cross on a blue circle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-att-stanna-och-parkera-fordon/

Continue the reference

C40 · Place reserved for a stated purpose

Ändamålsplats

Read the stated purpose. A loading place concerns loading or unloading heavy or bulky goods, not unrestricted waiting. Lastplats: loading place.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/andamalsplats/



C41 · End of reserved-purpose place

Slut på ändamålsplats

The place reserved for the stated purpose ends. Loading-place symbol crossed by black lines.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/slut-pa-andamalsplats/

Continue the reference

C42 · Turning area

Vändplats

This space is intended for turning and parking is prohibited. If a no-stopping symbol is inserted, stopping is prohibited too. Vändplats with a no-parking symbol.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/vandplats/



C43 · End of turning area

Slut på vändplats

The signed turning area ends. Turning-area sign with a no-parking symbol, crossed out.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/slut-pa-vandplats/

C45 · Combined stopping or parking restriction

Särskilda bestämmelser för stannande och parkering

Read the inserted prohibition and its times together with the sign above. This panel can qualify or vary that sign; artwork variants are not interchangeable. No parking, 8–18.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/sarskilda-bestammelser-for-stannande-och-parkering/

Continue the reference

E19 · Parking

Parkering

Parking is permitted subject to the sign's extent, panels and other applicable restrictions. The sign does not automatically cancel general stopping and parking prohibitions. White P on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/parkering/

E20 · Zone begins

Områdesmärke

The inserted restrictions or permissions apply throughout the signed area. Locally signed exceptions do not automatically end the wider zone rule. Zone board displaying no parking.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/omradesmarke/

Continue the reference

E21 · Zone ends

Slut på område

The zone restriction or permission shown by the matching E20 sign ends. Zone board crossed by black diagonal lines, ending no parking.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/slut-pa-omrade2/



E22 · Bus stop

Busshållplats

This identifies a stop for scheduled services and school transport. Keep the stopping area available and watch for passengers. White bus on a blue rectangular sign.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/busshallplats/

E30 · Parking with stated conditions

Särskilda bestämmelser för parkering

Read the parking permission, duration and times together with the sign above. The conditions may vary the main restriction. Parking permitted for 30 minutes during 8–18.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/sarskilda-bestammelser-for-parkering/

Continue the reference

T7 · Accessible-parking permit holders

Rörelsehindrade

Below E19, the parking instruction applies to users entitled to park with the specified accessible-parking permit. Read any time limits too. White wheelchair symbol on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/rorelsehindrade/

T16 · Parking fee

Avgift

Pay according to the stated tariff and follow the other conditions at the payment facility. Read any time qualification. Text Avgift: fee.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/avgift/

T17 · Parking disc required

Parkeringsskiva

Indicate the start of parking with a parking disc or equivalent. Read the applicable time and duration conditions. Parking-disc symbol with 2 tim and 8–17.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/parkeringsskiva/

Continue the reference

T18 · Maximum parking duration

Tillåten tid för parkering

This gives the longest permitted parking time. Any time panel determines when the qualification applies. 2 tim: maximum two hours.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/tillaten-tid-for-parkering/

T19 · Resident-permit conditions

Boende

Residents with the required permit may park under the stated special conditions. Residence alone is not enough. Text Boende: resident conditions.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/boende/

T20 · Free parking ticket required

Parkeringsbiljett

Parking is free, but a parking ticket must be used. Do not interpret the ticket symbol as a fee requirement. Text P-biljett: parking ticket.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/parkeringsbiljett/

Continue the reference

T21 · How to position the vehicle

Uppställning av fordon

Park in the arrangement shown by the panel, as adapted to the parking place. Vehicles positioned perpendicular to the panel's lower edge.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/uppstallning-av-fordon/

M21 · No stopping or parking edge marking

Förbud mot att stanna och parkera

The continuous yellow edge marking indicates a stopping and parking prohibition. Continuous yellow line at the road edge.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/forbud-mot-att-stanna-och-parkera/

M22 · No parking edge marking

Förbud mot att parkera

The broken yellow edge marking indicates a parking prohibition; it can also show the extent of a bus stop. Broken yellow line at the road edge.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/forbud-mot-att-parkera/

Continue the reference

M23 · Reinforcement of a stopping or parking restriction

Förbud mot att stanna och parkera eller att parkera

This yellow marking reinforces the applicable M21 or M22 restriction. Identify which prohibition applies. Yellow zigzag marking reinforcing a stopping or parking restriction.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/forbud-mot-att-stanna-och-parkera-eller-att-parkera/

M24 · Parking-space boundary

Uppställningsplats

This marks the limits of a space for a vehicle; the boundary may be broken rather than continuous. White outline of a parking space.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/uppstallningsplats/

M33 · Accessible parking marking

Rörelsehindrad

This marks a space reserved for people with mobility impairments. Check the applicable permit conditions. Wheelchair symbol painted on the road.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/rorelsehindrad/

Continue the reference

E23 · Taxi standing-place boundary

Taxi

This sign marks the far end, in the direction of travel, of a special standing place for vehicles used in taxi traffic. Read it as a boundary of that place rather than a general taxi-service destination. The blue TAXI panel identifies the designated standing-place instruction.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/taxi2/

M31 · Standing place for a stated purpose

Ändamålsplats

Provides information about a standing place intended for a particular purpose. The wording is adapted to that purpose; read the actual text and the applicable signs. The question example says LASTPLATS, indicating a loading place. It is one purpose example, not the definition of every M31 marking.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/vagmarkeringar/andamalsplats/



T21-2 · How to position the vehicle

Uppställning av fordon

Park in the arrangement shown by the panel, as adapted to the parking place. Vehicles positioned parallel to the panel's lower edge.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/uppstallning-av-fordon/uppstallning-av-fordon2/

Continue the reference



T21-3 · How to position the vehicle

Uppställning av fordon

Park in the arrangement shown by the panel, as adapted to the parking place. Vehicles positioned diagonally, sloping down to the right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/uppstallning-av-fordon/uppstallning-av-fordon/



T21-4 · How to position the vehicle

Uppställning av fordon

Park in the arrangement shown by the panel, as adapted to the parking place. Vehicles positioned diagonally, sloping down to the left.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/uppstallning-av-fordon/uppstallning-av-fordon4/

RB17

Country-road hazards and passing

Bends, gradients, surfaces, wildlife, wind, queues and safe passing.

Related lessons: M06-L01, M06-L02, M07-L01, M07-L03

A1 · Dangerous bend

Varning för farlig kurva

A hazardous bend lies ahead. The symbol shows its direction; adjust speed before entering it. Left bend.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-farlig-kurva/

A2 · Series of dangerous bends

Varning för flera farliga kurvor

Several hazardous bends lie ahead. The symbol identifies the direction of the first bend. Series of bends, first to the left.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-flera-farliga-kurvor/

Continue the reference

A3 · Steep descent

Varning för nedförslutning

Prepare for a steep downhill section. The number is the gradient in percent, not a speed limit. A descending slope labelled 10 percent.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-nedforslutning/

A4 · Steep ascent

Varning för stigning

Prepare for a steep uphill section. Read the percentage as a gradient. An ascending slope labelled 10 percent.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-stigning/

Continue the reference

A8 · Uneven road

Varning för ojämn väg

Expect surface irregularities or damage that call for a lower speed. Uneven surface inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-ojamn-vag/

A9 · Speed-control hump or dip

Varning för farthinder

A deliberately raised or lowered part of the road is ahead. The graphic distinguishes the form. Raised hump.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-farthinder/

Continue the reference

A19 · Animals ahead

Varning för djur

There is a particular risk of animals on or near the road. Read the animal symbol as part of the warning. Moose silhouette.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-djur/

A24 · Crosswinds

Varning för sidvind

Strong crosswinds commonly occur on this stretch. The symbol is adapted to local conditions. Windsock extends towards the left.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-sidvind/

Continue the reference

A25 · Two-way traffic ahead

Varning för mötande trafik

A one-way carriageway changes to a carriageway carrying traffic in both directions. Opposing vertical arrows inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-motande-trafik/

A27 · Weak or high road edge

Varning för svag vägkant eller hög körbanekant

The edge may be weak or raised relative to the adjacent surface. Keep an appropriate margin. Car at a crumbling road edge inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-svag-vagkant-eller-hog-korbanekant/

Continue the reference

A31 · Slow vehicles ahead

Varning för långsamtgående fordon

Slow-moving vehicles often cross or enter the road here. Tractor with trailer inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-langsamtgaende-fordon/

A34 · Queues ahead

Varning för kö

A queue may form on this stretch. Look far enough ahead to respond to slowing or stationary traffic. Queue of cars inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-ko/

Continue the reference

C19 · Minimum following distance

Minsta avstånd

Keep at least the displayed distance from a motor vehicle ahead travelling in the same direction. 50 metres between two vehicle symbols.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/minsta-avstand/

C27 · No overtaking

Förbud mot omkörning

Do not overtake motor vehicles other than two-wheeled mopeds and motorcycles without sidecars. Other overtaking safety rules still apply; the sign restriction continues to C28. Red and black cars side by side.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-omkorning/

C28 · End of overtaking prohibition

Slut på förbud mot omkörning

The prohibition introduced by C27 ends. General overtaking restrictions still apply. Overtaking symbol crossed by diagonal black lines.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/slut-pa-forbud-mot-omkorning/

Continue the reference

E18 · Passing place

Mötesplats

This identifies a place for vehicles to pass each other on a narrow road. White M on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/motesplats/

A6 · Opening bridge

Varning för bro

An opening bridge lies ahead. Look for signals, barriers or a bridge opening and be ready to stop before the crossing. The raised bridge span is the hazard; this is not a quayside warning.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-bro/

A7 · Quayside or road ending at water

Varning för kaj

The road ends at water, such as a quay or bank. Reduce speed early and check the road edge and any barrier before approaching it. The car approaching the water distinguishes this from an opening bridge.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-kaj/

Continue the reference

A12 · Falling rocks

Varning för stenras

Falling rocks may occur, and rocks from a fall may lie on the road. Look for debris and leave enough space to respond. This illustration shows rocks falling from the right. The official mirrored variant reflects conditions at the site.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-stenras/

A23 · Low-flying aircraft

Varning för lågt flygande flygplan

Warning of low-flying aircraft. Keep attention on the road and be prepared for an aircraft nearby. The question illustration points left; the official opposite-facing aircraft has the same warning meaning.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-lagt-flygande-flygplan/

A32 · Vehicles drawn by draught animals

Varning för fordon med förspänt dragdjur

Vehicles drawn by draught animals often cross or remain on this road section. Look ahead for slow-moving animal-drawn traffic and allow space. The illustration shows a horse and cart. Official variants show other animal-drawn vehicles; the meaning is not limited to horses.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-fordon-med-forspant-dragdjur/

Continue the reference

C29 · No overtaking with a heavy lorry

Förbud mot omkörning med tung lastbil

A heavy lorry must not overtake other motor-driven vehicles except two-wheeled mopeds and two-wheeled motorcycles without sidecars. The prohibition applies along the road until C30 ends it. The heavy-lorry-and-car illustration restricts the overtaking driver; it does not ban heavy-lorry access.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-omkorning-med-tung-lastbil/

C30 · End of heavy-lorry overtaking prohibition

Slut på förbud mot omkörning med tung lastbil

The heavy-lorry overtaking prohibition indicated by C29 ends here. Continue to apply the ordinary overtaking rules and check that any manoeuvre is safe and permitted. The crossed-out lorry-and-car symbol ends that particular restriction; it is not an instruction to overtake.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/slut-pa-forbud-mot-omkorning-med-tung-lastbil/

Continue the reference

A1-2 · Dangerous bend

Varning för farlig kurva

A hazardous bend lies ahead. The symbol shows its direction; adjust speed before entering it. Right bend.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-farlig-kurva/varning-for-farlig-kurva/

A19-2 · Animals ahead

Varning för djur

There is a particular risk of animals on or near the road. Read the animal symbol as part of the warning. Deer silhouette.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-djur/varning-for-djur/

Continue the reference

A19-3 · Animals ahead

Varning för djur

There is a particular risk of animals on or near the road. Read the animal symbol as part of the warning. Cattle silhouette.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-djur/varning-for-djur2/

A19-4 · Animals ahead

Varning för djur

There is a particular risk of animals on or near the road. Read the animal symbol as part of the warning. Horse silhouette.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-djur/varning-for-djur3/

Continue the reference

A19-5 · Animals ahead

Varning för djur

There is a particular risk of animals on or near the road. Read the animal symbol as part of the warning. Reindeer silhouette.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-djur/varning-for-djur4/

A19-6 · Animals ahead

Varning för djur

There is a particular risk of animals on or near the road. Read the animal symbol as part of the warning. Sheep silhouette.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-djur/varning-for-djur5/

Continue the reference

A19-7 · Animals ahead

Varning för djur

There is a particular risk of animals on or near the road. Read the animal symbol as part of the warning. Wild boar silhouette.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-djur/varning-for-djur6/

A2-2 · Series of dangerous bends

Varning för flera farliga kurvor

Several hazardous bends lie ahead. The symbol identifies the direction of the first bend. Series of bends, first to the right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-flera-farliga-kurvor/varning-for-flera-farliga-kurvor/

Continue the reference

A24-2 · Crosswinds

Varning för sidvind

Strong crosswinds commonly occur on this stretch. The symbol is adapted to local conditions. Windsock extends towards the right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-sidvind/varning-for-sidvind/

A9-2 · Speed-control hump or dip

Varning för farthinder

A deliberately raised or lowered part of the road is ahead. The graphic distinguishes the form. Dip.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-farthinder/varning-for-farthinder/

RB18

Motorway and expressway

Recognise eligible road regimes, their ends and exit markers.

Related lessons: M06-L03

E1 · Motorway

Motorväg

Motorway rules begin here, unless the sign is advance information with a distance panel. White motorway symbol on green.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/motorvag/

E2 · End of motorway

Motorväg upphör

The motorway ends here or at the distance indicated. Read the regime that follows. Motorway symbol crossed by a red diagonal.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/motorvag-upphor/

Continue the reference

E3 · Expressway (motortrafikled)

Motortrafikled

Expressway rules apply. The sign may also appear as advance information with a distance panel. White car viewed from the front on green.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/motortrafikled/

E4 · End of expressway

Motortrafikled upphör

The expressway ends here or at the indicated distance. Expressway car symbol crossed by a red diagonal.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/motortrafikled-upphor/

Continue the reference

X4 · Exit separation marker

Avfartsskärm

This marks the split between the main carriageway and an exit with a deceleration lane. White upward chevrons on blue identify an exit separation.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/andra-anordningar-for-anvisningar-for-trafiken/avfartsskarm/

RB19

Rail crossings

Warning sequence, barriers, track crossing and locating crossing identification safely.

Related lessons: M06-L04

A35 · Rail crossing with barriers

Varning för järnvägskorsning med bommar

A railway or tramway crossing fitted with barriers lies ahead. Follow its signals and barrier indications. Barrier pictogram inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-jarnvagskorsning-med-bommar/

A36 · Rail crossing without barriers

Varning för järnvägskorsning utan bommar

Prepare for a railway crossing without barriers. The lack of barriers does not mean a train cannot approach. Locomotive inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-jarnvagskorsning-utan-bommar/

Continue the reference

A37 · Tram crossing without barriers

Varning för korsning med spårväg utan bommar

A tramway crossing without barriers lies ahead. Tram inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-korsning-med-sparvag-utan-bommar/

A38 · Rail-crossing countdown

Avstånd till plankorsning

The three markers divide the approach into thirds. They do not represent a universal fixed distance in metres. Three red diagonal bars on a yellow board.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/avstand-till-plankorsning/

Continue the reference



A39 · Railway crossbuck

Kryssmärke

The crossing is immediately ahead. The crossbuck arrangement distinguishes one track from multiple tracks. A single horizontal crossbuck, for one track.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/kryssmarke/

Y1 · Flashing red rail-crossing signal

Rött blinkande ljus

Stop before the stop line or, without one, before the signal. The red lamps flash alternately; the illustration is a still representation. Two red signal lamps and a lower lamp within a downward-pointing signal backing; red flashing is represented by a still drawing.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/sakerhetsanordningar-i-korsningar-med-jarnvag-eller-sparvag/rott-blinkande-ljus/

Y2 · Rail-crossing audible warning

Ljudsignal

Do not enter the crossing while the audible warning is sounding. This graphic is only a sound icon, not a recording or a flashing-light instruction. Grey speaker icon with sound waves; no audio is supplied.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/sakerhetsanordningar-i-korsningar-med-jarnvag-eller-sparvag/ljudsignal/

Continue the reference



Y3 · Rail-crossing barrier

Bom

Do not enter while a barrier is lowering, lowered or rising. A raised barrier alone does not establish that crossing is safe. Red-and-yellow crossing barrier with a red lamp.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/sakerhetsanordningar-i-korsningar-med-jarnvag-eller-sparvag/bom/

Y4 · Rail-crossing visibility marker

Plankorsningsskärm

This helps you identify a railway or tramway crossing. It is not itself a signal that permits entry. Blue board with white crossing shapes arranged vertically.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/sakerhetsanordningar-i-korsningar-med-jarnvag-eller-sparvag/plankorsningsskarm/

A38-2 · Rail-crossing countdown

Avstånd till plankorsning

The three markers divide the approach into thirds. They do not represent a universal fixed distance in metres. Two red diagonal bars on a yellow board.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/avstand-till-plankorsning/avstand-till-plankorsning/

Continue the reference



A38-3 · Rail-crossing countdown

Avstånd till plankorsning

The three markers divide the approach into thirds. They do not represent a universal fixed distance in metres. One red diagonal bar on a yellow board.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/avstand-till-plankorsning/avstand-till-plankorsning2/



A39-3 · Railway crossbuck

Kryssmärke

The crossing is immediately ahead. The crossbuck arrangement distinguishes one track from multiple tracks. An additional lower crossbuck element indicates multiple tracks.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/kryssmarke/kryssmarke2/

RB20

Roadworks and authorised instructions

Changed path, closures, workers and priority of authorised directions; reference coverage for P/V families.

Related lessons: M03-L02, M06-L04

A20 · Roadworks

Varning för vägarbete

Work is taking place along the road. Expect the usable route and traffic arrangements to change. Worker digging inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-vagarbete/

A21 · End of roadworks section

Slut på sträcka med vägarbete

The section marked by the roadworks warning ends here. Continue to follow any remaining restrictions. Roadworker pictogram crossed by a black diagonal band.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/slut-pa-stracka-med-vagarbete/

Continue the reference

A22 · Traffic signals ahead

Varning för flerfärgssignal

Prepare for a three-aspect traffic signal ahead; the warning itself is not a signal to proceed. Red, yellow and green lamps inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-flerfargssignal/

A40 · Other danger

Varning för annan fara

A hazard not covered by another warning sign is ahead. Read the supplementary description of the danger. Exclamation mark inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-annan-fara/

Continue the reference



P1 · Police stop instruction — front and rear

Stopp

Traffic approaching the officer from the front or rear must stop; traffic approaching from the sides may proceed. The officer's continuing orientation matters even after the arm movement. Officer faces the viewer with one arm extended sideways.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-polisman-med-flera/stopp/

P2 · Police stop instruction — palm facing you

Stopp

Stop if the officer's palm faces you. A stop paddle may be used instead. Officer raises a palm towards approaching traffic.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-polisman-med-flera/stopp1/

Continue the reference



P3 · Police stop instruction — light facing you

Stopp

Stop if the officer's lamp faces you. This instruction is used in darkness or reduced visibility. Officer holds a red light towards approaching traffic.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-polisman-med-flera/stopp2/



P4 · Police instruction to proceed

Kör fram

Traffic in the indicated direction may proceed. The officer gives a waving movement in that direction; the still image does not show the whole movement. Officer gestures sideways; motion arrows depict the wave to proceed.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-polisman-med-flera/kor-fram/

Continue the reference



P5 · Police instruction to slow down

Minska hastigheten

The road user facing the officer must reduce speed. A lamp or reflector may reinforce the instruction in poor visibility. Officer extends an arm with motion arrows depicting an up-and-down slowing gesture.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-polisman-med-flera/minska-hastigheten/

P6 · Police inspection point

Kontroll

Enter the inspection site as directed. If vehicle symbols are displayed, the instruction applies to those vehicle groups. Kontroll, goods-vehicle symbol and arrow pointing up-right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-polisman-med-flera/kontroll/

P7 · Police inspection ahead

Förberedande upplysning om kontroll

This gives advance information about a police inspection point. Kontroll, goods-vehicle symbol, 1000 m and an arrow bending left.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-polisman-med-flera/forberedande-upplysning-om-kontroll/

Continue the reference

P8 · Slow down behind the police vehicle

Minska hastigheten

Traffic behind the police vehicle must reduce speed in response to this instruction. Police vehicle with an arm extended and motion arrows signalling slowing to following traffic.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-polisman-med-flera/minska-hastigheten1/



P9 · Slow down when approaching the police vehicle

Minska hastigheten

Traffic meeting the police vehicle must reduce speed in response to this instruction. Police vehicle with a waving arm signalling slowing to oncoming traffic.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-polisman-med-flera/minska-hastigheten2/

Continue the reference



P10 · Follow and stop behind the police vehicle

Följ efter och stanna bakom polisfordonet när detta stannar

The vehicle behind must follow the police vehicle and stop when it stops. Police vehicle with officer's paddle signalling a following vehicle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-polisman-med-flera/folj-efter-och-stanna-bakom-polisfordonet-nar-detta-stannar/

P11 · Pull over and stop ahead of the police vehicle

Kör in till vägkanten och stanna framför polisfordonet

The driver in front of the police vehicle must pull to the road edge and stop. Alternating blue and red lights convey this instruction. Police vehicle with red and blue lights; alternation is represented by a still drawing.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-polisman-med-flera/kor-in-till-vagkanten-och-stanna-framfor-polisfordonet/

Continue the reference



V1 · Traffic guard — stop

Stopp

Stop if the guard faces you. A red lamp is used in darkness; an authorised stop sign marked Vakt may also be used. Guard faces approaching traffic and holds a red flag sideways.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-vakt/stopp/

V2 · Traffic guard — proceed

Kör fram

Proceed in the direction indicated by the guard's waving movement. A still image does not show the full gesture. Guard gestures to traffic; the complete movement is not reproduced in this still.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-vakt/kor-fram/

V3 · Traffic guard identifier

Kännetecken

The guard identifier must be worn on the front and back. It identifies the role rather than giving a separate movement instruction. Garment identification panel bearing VAKT.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tecken-av-vakt/kannetecken/

Continue the reference

X1 · Sharp-change direction marker

Markeringspil

Turn sharply in the direction of the yellow arrow or arrows. Temporary use, including roadworks, has a red background. Yellow chevron points left on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/andra-anordningar-for-anvisningar-for-trafiken/markeringspil/

X2 · Obstruction board

Markeringsskärm för hinder

An obstruction restricts the road, which may be partly or fully closed. Temporary boards have a red background. Horizontal board divided into alternating blue and yellow vertical blocks.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/andra-anordningar-for-anvisningar-for-trafiken/markeringsskarm-for-hinder/

X3 · Side-obstruction marker

Markeringsskärm för sidohinder, farthinder med mera

Pass on the side towards which the yellow diagonal stripes slope down. A temporary horizontal-striped version permits passage on either side. Diagonal yellow bands slope down towards the left on blue.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/andra-anordningar-for-anvisningar-for-trafiken/markeringsskarm-for-sidohinder-farthinder-mm/

Continue the reference



X5 · Illuminated pass-side arrow

Gul ljuspil eller ljuspilar

Pass on a side indicated by the yellow illuminated arrow or arrows. The arrows may flash. Two illuminated yellow arrows point down to opposite sides.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/andra-anordningar-for-anvisningar-for-trafiken/gul-ljuspil-eller-ljuspilar/

X6 · Temporary obstruction warning device

Särskild varningsanordning

A temporary obstruction restricts passage. Read the text identifying its cause. Temporary warning device reads Olycka: accident.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/andra-anordningar-for-anvisningar-for-trafiken/sarskild-varningsanordning/

X7 · Road barrier

Vägbom

The barrier indicates that the road is wholly or partly closed to traffic. Red-and-yellow road barrier.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/andra-anordningar-for-anvisningar-for-trafiken/vagbom/

Continue the reference



X8 · Temporary cancellation of direction information

Tillfällig stängning

The crossed-out destination instruction is temporarily not valid. Read the replacement route guidance. Red cross over temporarily cancelled destination information.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/andra-anordningar-for-anvisningar-for-trafiken/x8/

X9 · Roundabout centre marker

Cirkulationstrafik

This identifies the centre around which vehicles circulate in the roundabout. A horizontal blue board bears successive white arrows pointing right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/andra-anordningar-for-anvisningar-for-trafiken/cirkulationstrafik/



X10 · Signpost visibility marker

Stolpmarkeringsanordning

This makes the supporting sign or traffic device easier to see. It is not a separate destination or priority instruction. Blue and white bands around a signpost.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/andra-anordningar-for-anvisningar-for-trafiken/stolpmarkeringsanordning/

Continue the reference

X3-2 · Side-obstruction marker

Markeringsskärm för sidohinder, farthinder

Pass on the side towards which the yellow diagonal stripes slope down. A temporary horizontal-striped version permits passage on either side. Two red boards have yellow diagonal bands sloping down towards opposite outer sides.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/andra-anordningar-for-anvisningar-for-trafiken/markeringsskarm-for-sidohinder-farthinder-mm/markeringsskarm-for-sidohinder-farthinder/

X3-3 · Side-obstruction marker

Markeringsskärm för sidohinder, farthinder

Pass on the side towards which the yellow diagonal stripes slope down. A temporary horizontal-striped version permits passage on either side. Horizontal red and yellow bands; passage may be on either side.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/andra-anordningar-for-anvisningar-for-trafiken/markeringsskarm-for-sidohinder-farthinder-mm/markeringsskarm-for-sidohinder-farthinder2/

RB21

Winter and surface hazards

Slippery road, loose material and local studded-tyre restriction.

Related lessons: M07-L01, M07-L02

A10 · Slippery road

Varning för slirig väg

The road may be slippery. Do not assume that the warning refers only to snow or ice. Skidding car inside a red-bordered yellow triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-sliri g-vag/

A11 · Loose chippings

Varning för stenskott

There is a risk of stones being thrown up. This warning is not normally used where that risk is routine, such as a gravel road. Car wheel throws stones inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-ste nskott/

Continue the reference

C44 · No studded-tyre motor vehicles except class II mopeds

Förbud mot trafik med annat motordrivet fordon med dubbdäck än moped klass II

The prohibition concerns motor vehicles with studded tyres. Class II mopeds are included only if a supplementary panel says so. Studded tyre crossed by a red diagonal.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-annat-motordrivet-fordon-med-dubbdack-an-moped-klass-ii/

A33 · Off-road scooter traffic

Varning för terrängskotertrafik

Off-road scooters often cross or enter the road here. Watch the roadside and prepare for a vehicle entering your path. The snowmobile illustration identifies off-road scooter traffic, not ordinary road mopeds.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-terrangskotertrafik/

RB22

Vehicle and route limits

Distinguish vehicle/load dimensions, gross weight, axle restrictions and vehicle categories.

Related lessons: M08-L02, M08-L03

C16 · Maximum vehicle width

Begränsad fordonsbredd

Vehicles wider than the displayed limit may not pass. Assess the actual width, including the load. Width 2.2 metres.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/begransad-fordonsbredd/

C17 · Maximum vehicle height

Begränsad fordonshöjd

Vehicles higher than the displayed limit may not pass. The sign is used for restricted clearance below 4.5 metres. Height 3.5 metres.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/begransad-fordonshojd/

Continue the reference

C18 · Maximum vehicle or combination length

Begränsad fordonslängd

Do not pass with a vehicle or combination longer than the displayed limit. Length 20 metres, with a vehicle-and-trailer pictogram.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/begransad-fordonslangd/

C20 · Maximum gross weight of a vehicle

Begränsad bruttovikt på fordon

The displayed value limits the vehicle's actual gross weight, not its registered maximum weight. 12 tonnes.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/begransad-bruttovikt-pa-fordon/

Continue the reference

C21 · Maximum gross weight of a vehicle or combination

Begränsad bruttovikt på fordon och fordonståg

The displayed value limits the actual gross weight of the vehicle or combination. 30 tonnes with a vehicle-and-trailer pictogram.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/begransad-bruttovikt-pa-fordon-och-fordonstag/

C22 · Road bearing-capacity class

Bärighetsklass

The displayed class identifies the road's bearing-capacity regime. Check the applicable axle and weight limits for your vehicle. BK3, the displayed bearing-capacity class.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/barighetsklass/

Continue the reference

C23 · Maximum axle load

Begränsat axeltryck

Do not exceed the displayed load on an axle. 6 tonnes on an axle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/begransat-axeltryck/

C24 · Maximum bogie load

Begränsat boggitryck

The displayed limit applies to the bogie load, not the weight of the whole vehicle. 10 tonnes on a bogie.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/begransat-boggitryck/

Continue the reference

C46 · Maximum triple-axle load

Begränsat trippelaxeltryck

Do not exceed the displayed load on the triple-axle group. 20 tonnes on a triple-axle group.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/begransat-trippelaxeltryck/

T4 · Available width

Fri bredd

Read the stated clear width together with the main sign. It is not permission to exceed a separate vehicle-width limit. Available width 3.5 metres.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/fri-bredd/

T5 · Maximum authorised weight threshold

Totalvikt

The main sign applies to vehicles whose registered maximum authorised weight (totalvikt) exceeds this value. Do not confuse it with actual gross weight. Maximum authorised weight threshold 3.5 tonnes.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/totalvikt/

Continue the reference



S1 · Heavy goods vehicle symbol

Tung lastbil

This symbol identifies heavy goods vehicles when used in a sign or panel. Its surrounding instruction supplies the restriction or permission.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/symboler/tung-lastbil/



S2 · Heavy goods vehicle with trailer symbol

Tung lastbil med tillkopplad släpvagn

This symbol identifies a heavy goods vehicle with an attached trailer. Read it together with the main instruction.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/symboler/tung-lastbil-med-tillkopplad-slapvagn/

Continue the reference



S9 · Centre-axle trailer symbol

Släpkärra

This symbol identifies a släpkärra. Read its role from the surrounding sign or panel.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/symboler/slapkarra/

Continue the reference



S12 · Class II passenger car symbol

Personbil klass II

This identifies a personbil klass II, the Swedish vehicle class used for motorhomes. It does not mean every vehicle used for camping.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/symboler/personbil-klass-ii/

C7 · No heavy lorries

Förbud mot trafik med tung lastbil

Traffic with heavy lorries is prohibited. Identify the vehicle class rather than assuming that every vehicle carrying goods is a heavy lorry. This restricts access; C29 instead restricts overtaking by a heavy lorry.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-tung-lastbil/

Continue the reference

C9 · No vehicles carrying specified dangerous goods

Förbud mot trafik med fordon lastat med farligt gods

Vehicles carrying loads subject to the orange-plate marking requirement for dangerous-goods transport are prohibited. The sign does not mean that every vehicle carrying any potentially hazardous item is forbidden. With panel T23 it indicates the tunnel category. Compare mandatory D12 and recommended-route F32.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-fordon-lastat-med-farligt-gods/

C33 · Stop at customs

Stopp vid tull

Stop at the customs point. Read the customs wording beneath the horizontal bar to identify the reason for stopping. The question artwork says TULL/TOLD. Official TULL/TOLL, TULL/TULLI and TULL/ZOLL variants use other customs-language combinations.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/stopp-vid-tull/

Continue the reference



D12 · Required direction for specified dangerous-goods vehicles

Påbjuden körriktning för fordon lastat med farligt gods

Vehicles carrying loads subject to the dangerous-goods orange-plate marking requirement must follow the indicated direction. If a letter is shown, the instruction applies only to vehicles barred from a tunnel of that category. The question variant shows a left arrow with no letter. The official B-letter/right-arrow variant has the stated tunnel-category qualification.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/pabudsmarken/pabjuden-korriktning-for-fordon-lastat-med-farligt-gods/



F31a · Route for long vehicle combinations

Färdväg för långa fordonståg

Indicates a route for long vehicle combinations under the applicable traffic-regulation provisions. Check the route and the requirements for the actual combination. The question artwork shows a long combination and 34.5 m. The sign is route information, not a general permission for every vehicle combination.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/fardvag-for-langa-fordonstag/

Continue the reference



F32 · Recommended dangerous-goods route

Farligt gods

Indicates a recommended route for vehicles carrying loads subject to the dangerous-goods orange-plate marking requirement. Distinguish a recommendation from a mandatory direction or prohibition. Compare mandatory D12 and prohibitory C9. The orange dangerous-goods symbol identifies this route information.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/farligt-gods/

T23 · Tunnel-category panel

Tunnelkategori

Used below C9 for vehicles carrying the specified dangerous-goods loads. The letter B, C, D or E states the tunnel category. Times may be given according to the provisions for T6. The question panel shows B. Read the category with C9; do not interpret the letter as a road number or as a standalone prohibition on all vehicles.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/tunnelkategori/

Continue the reference

C22-2 · Road bearing-capacity class

Bärighetsklass

The displayed class identifies the road's bearing-capacity regime. Check the applicable axle and weight limits for your vehicle. BK2, the displayed bearing-capacity class.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/barighetsklass/barighetsklass-2/

RB23

Environmental zones and charging

Identify environmental-zone boundaries and charging-place information.

Related lessons: M09-L04

E31 · Environmental zone

Miljözon

The indicated environmental-zone rules apply. Check the zone class and whether your actual vehicle qualifies; the illustration does not establish a city's current boundary. Miljözon, class 1.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/miljozon/



E32 · End of environmental zone

Slut på miljözon

The environmental zone ends. Class 1 environmental-zone sign crossed by diagonal lines.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/slut-pa-miljozon/

Continue the reference



T24 · Parking for externally chargeable vehicles

Laddplats

Below E19, only vehicles capable of external electric charging may park. The symbol alone does not say that charging must be in progress; check all posted conditions. Plug-in vehicle symbol.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/laddplats/

E25 · Road charge or tax

Betalväg

A fee or special tax must be paid when travelling on a particular road or within a particular area. Check the applicable charging conditions for the route. The payment illustration announces charging; it does not by itself specify the amount or payment method.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/betalvag/

E31-2 · Environmental zone

Miljözon

The indicated environmental-zone rules apply. Check the zone class and whether your actual vehicle qualifies; the illustration does not establish a city's current boundary. Miljözon, class 2.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/miljozon/miljozon-e31-2/

Continue the reference

E31-3 · Environmental zone

Miljözon

The indicated environmental-zone rules apply. Check the zone class and whether your actual vehicle qualifies; the illustration does not establish a city's current boundary. Miljözon, class 3.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/miljozon/miljozon-e31-3/

E31-4 · Environmental zone

Miljözon

The indicated environmental-zone rules apply. Check the zone class and whether your actual vehicle qualifies; the illustration does not establish a city's current boundary. Miljözon, classes 1 and 2.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/miljozon/miljozon-e31-4/

Continue the reference



E32-2 · End of environmental zone

Slut på miljözon

The environmental zone ends. Class 2 environmental-zone sign crossed by diagonal lines.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/slut-pa-miljozon/slut-pa-miljozon-e32-2/



E32-3 · End of environmental zone

Slut på miljözon

The environmental zone ends. Class 3 environmental-zone sign crossed by diagonal lines.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/slut-pa-miljozon/slut-pa-miljozon-e32-3/

Continue the reference

E32-4 · End of environmental zone

Slut på miljözon

The environmental zone ends. Classes 1 and 2 environmental-zone sign crossed by diagonal lines.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/slut-pa-miljozon/slut-pa-miljozon/

Related entries

H27 · Vehicle charging station

RB24

Breakdown, tunnel and collision

Tunnel, emergency bay, emergency exit/direction, assistance and incident warning.

Related lessons: M10-L01, M10-L02

A26 · Tunnel ahead

Varning för tunnel

Prepare for a tunnel. Read any further tunnel information and traffic instructions. Tunnel entrance inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-tunnel/

A41 · Accident ahead

Varning för olycka

Prepare for an accident-related hazard and respond to the traffic conditions and further instructions. Overturned car inside a warning triangle.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/varningsmarken/varning-for-olycka/

Continue the reference

E26 · Tunnel

Tunnel

This identifies a tunnel and states its length; repeated signs may state the remaining length. Tunnel symbol with length 2.0 km.

Transcriptstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/tunnel/

E27 · Emergency stopping bay

Nöduppställningsplats

This bay is intended for breakdowns or similar incidents, not routine parking. Additional symbols may identify emergency equipment. Roadside bay diagram with SOS.

Transcriptstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/noduppstallningsplats/

Continue the reference

E28 · Emergency exit

Nödutgång

This is an emergency exit for people on foot. Emergency-exit figure faces right.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/nodutgang/



E29 · Emergency escape route

Utrymningsväg

Follow the indicated direction and distance to an emergency exit or equivalent route for people on foot. Left arrow, running figure and 100 m.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/utrymningsvag/

F33 · Numbered rescue location

Räddningsplats

Identifies a rescue location at roadworks or a similar site. The number identifies the particular rescue location. The question example is R1. This is not a general hospital, first-aid facility or emergency-parking sign.

Transportstyrelsen · official description

Caption checked 2026-10-13 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/lokaliseringsmarken-for-vagvisning/raddningsplats/

Continue the reference

E28-2 · Emergency exit

Nödutgång

This is an emergency exit for people on foot. Emergency-exit figure faces left.

Transportstyrelsen · official description

Caption checked 2026-10-02 · English wording is editorial.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/anvisningsmarken/nodutgang/nodutgang-e28-2/

Related entries

G2 · Emergency telephone

G9 · Fire extinguisher

T23 · Tunnel-category panel

Find a code or family

A

A1 · A1-2 · A10 · A11 · A13 · A14 · A15 · A16

A18 · A19 · A19-2 · A19-3 · A19-4 · A19-5 · A19-6 · A19-7

A2 · A2-2 · A20 · A21 · A22 · A24 · A24-2 · A25

A26 · A27 · A28 · A29 · A29-10 · A29-13 · A3 · A30

A31 · A34 · A35 · A36 · A37 · A38 · A38-2 · A38-3

A39 · A39-3 · A4 · A40 · A41 · A5 · A5-2 · A5-3

A8 · A9 · A9-2 · A6 · A7 · A12 · A17 · A23

A32 · A33

B

B1 · B2 · B3 · B3-2 · B4 · B5 · B6 · B7

B8

C

C1 · C16 · C17 · C18 · C19 · C2 · C20 · C21

C22 · C22-2 · C23 · C24 · C25 · C25-2 · C26 · C27

C28 · C3 · C31 · C31-11 · C31-12 · C31-4 · C31-5 · C31-7

C31-8 · C32 · C35 · C36 · C37 · C38 · C39 · C40

C41 · C42 · C43 · C44 · C45 · C46 · C6 · C4

C5 · C7 · C8 · C9 · C10 · C11 · C12 · C13

C14 · C15 · C29 · C30 · C33 · C34

Continue the reference

D

D1 · D1-2 · D1-3 · D1-6 · D1-7 · D1-8 · D10 · D11

D2 · D3 · D4 · D5 · D6 · D7 · D7-2 · D8

D9 · D12

E

E1 · E10 · E11 · E12 · E13 · E14 · E15 · E16

E16-2 · E17 · E17-4 · E18 · E19 · E2 · E20 · E21

E22 · E26 · E27 · E28 · E28-2 · E29 · E3 · E30

E31 · E31-2 · E31-3 · E31-4 · E32 · E32-2 · E32-3 · E32-4

E33 · E34 · E4 · E5 · E6 · E7 · E8 · E9

E23 · E24 · E25

F

F1-1 · F1-2 · F10 · F11 · F13 · F14 · F14-2 · F14-3

F14-4 · F15 · F16 · F17 · F18 · F18-2 · F19 · F2

F20 · F21 · F23 · F24 · F25 · F26 · F27 · F3

F34 · F35 · F36 · F37 · F38 · F4 · F5 · F6

F7 · F8 · F8-2 · F9 · F12 · F22 · F28 · F29

F30 · F31 · F31a · F32 · F33

G

G11 · G2 · G4 · G6 · G7 · G8 · G9 · G1

Continue the reference

G3 · G5 · G10 · G12

H

H1 · H13 · H14 · H2 · H27 · H3 · H7 · H4

H5 · H6 · H8 · H9 · H10 · H11 · H12 · H15

H16 · H17 · H18 · H19 · H20 · H21 · H22 · H23

H24 · H25 · H26 · H28

I

I1 · I2 · I3 · I4

J

J2 · J3

M

M1 · M10 · M11 · M12 · M13 · M14 · M15 · M16

M18 · M19 · M19a · M2 · M20 · M20a · M21 · M22

M23 · M24 · M25 · M26 · M27 · M3 · M33 · M4

M5 · M6 · M7 · M8 · M9 · M17 · M17a · M28

M29 · M30 · M31 · M32 · M34

P

P1 · P10 · P11 · P2 · P3 · P4 · P5 · P6

P7 · P8 · P9

Continue the reference

S

S1 · S10 · S12 · S2 · S3 · S4 · S8 · S9

S5 · S6 · S7 · S11 · S13

SIG

SIG1 · SIG10 · SIG11 · SIG12 · SIG13 · SIG14 · SIG2 · SIG3

SIG4 · SIG5 · SIG6 · SIG7 · SIG8 · SIG9

T

T1 · T10 · T11 · T11-2 · T12 · T13 · T14 · T15

T15-2 · T16 · T17 · T18 · T19 · T2 · T20 · T21

T21-2 · T21-3 · T21-4 · T22 · T24 · T3 · T4 · T5

T6 · T7 · T8 · T8-3 · T8-4 · T8-8 · T9 · T23

T25

V

V1 · V2 · V3

X

X1 · X10 · X2 · X3 · X3-2 · X3-3 · X4 · X5

X6 · X7 · X8 · X9

Y

Y1 · Y2 · Y3 · Y4

A practical Swedish–English glossary

These are plain-language learning explanations, not a certified legal translation. Legal meanings remain in the linked official provisions and the lessons that use them.

Swedish term	Learning meaning	Find it in
Körkortstillstånd	Learner permit required for the ordinary learning route.	M01-L01
Handledare	Approved private-practice supervisor.	M01-L01
Övningsköra	Practise driving under the applicable requirements.	M01-L01
Väjningsplikt	Duty to yield, clearly and in time.	M04-L01
Stopplikt	Duty to make a complete stop at the prescribed position.	M03-L01
Högerregeln	The general yielding rule for a vehicle approaching from the right.	M04-L01

Glossary continued

Swedish term	Learning meaning	Find it in
Huvudled	Priority road, with its associated rules.	M04-L01, M05-L03
Körbana / körfält	Carriageway / lane.	M03-L02, M04-L02
Vägren	Road shoulder, with its own use restrictions.	M06-L03, M10-L01
Övergångsställe	Pedestrian crossing.	M04-L03
Cykelpassage / cykelöverfart	Distinct cycle passage / cycle crossing arrangements.	M04-L03
Cirkulationsplats / rondell	Roundabout traffic arrangement / its central island.	M04-L04

Glossary continued

Swedish term	Learning meaning	Find it in
Gågata / gångfartsområde	Pedestrian street / walking-speed area.	M05-L02
Cykelgata	Cycle street with special vehicle duties.	M05-L02
Motorväg / motortrafikled	Motorway / expressway subject to access and movement restrictions.	M06-L03
Plankorsning	Level crossing between road and rail/tram on its own track formation.	M06-L04
Halvljus / helljus	Dipped beam / main beam.	M07-L01
Vinterväglag	Winter road conditions, including snow, ice, slush or frost.	M07-L02

Glossary continued

Swedish term	Learning meaning	Find it in
Tjänstevikt / totalvikt	Defined ready weight / registered maximum weight.	M08-L02
Bruttovikt / maximilast	Actual weight / maximum load.	M08-L02
Påställd / avställd	Registered for road use / formally placed off road.	M08-L03
Trafikförsäkring	Compulsory motor insurance.	M08-L03
Miljözon	Environmental zone with specified vehicle criteria.	M09-L04
Nollvisionen	Vision Zero: no one killed or seriously injured in road traffic.	M01-L03

Glossary continued

Swedish term	Learning meaning	Find it in
Mikrosömn	A brief involuntary sleep episode; do not treat alertness tricks as a cure.	M01-L02
Tillfälligt reservhjul	Temporary spare wheel, used only within the actual vehicle handbook limits.	M02-L01
Säkring	Electrical fuse protecting its circuit from excessive current.	M02-L01
Deformationszon	Vehicle structure designed to deform and manage crash energy.	M02-L03
Understyrning / överstyrning	Front-grip loss can widen the turn; rear-grip loss can make the rear step outward.	M07-L02
Vattenplaning	Water separates tyre contact from the road, reducing grip/control.	M07-L02

Glossary continued

Swedish term	Learning meaning	Find it in
Kultryck	Downward load at the trailer coupling, distinct from whole trailer weight.	M08-L02
Lätt lastbil	Lorry with registered total weight at most 3,500 kg.	M08-L01
Inträtt körförbud	Automatic driving prohibition after a missed inspection deadline; restricted trips apply.	M08-L03
Kolmonoxid / koldioxid	CO impairs blood oxygen transport; added fossil CO_2 contributes to warming.	M09-L01
Kväveoxider	NOx: airway irritation, acidification and ground-level ozone formation.	M09-L01
Motorbromsning	In a conventional manual car, slowing with accelerator released and suitable gear engaged.	M09-L02

Glossary continued

Swedish term	Learning meaning	Find it in
Laddhybrid / elhybrid	Plug-in hybrid externally rechargeable; conventional non-plug-in hybrid is not.	M09-L01
Kylvätska / kylarlock	Coolant / cooling-system cap; a hot pressurised system can release scalding liquid or steam.	M10-L01

Personal practice record

Repeat this entry after study or supervised practice. Its purpose is honest self-assessment, not a score predicting an examination result.

Prompt · Your record

Date, lesson and situation

What I noticed early

What I noticed late or did not understand

The rule or recommendation involved

What could have happened if I had continued

Continue your practice record

Prompt · Your record

My safer alternative

Official reference to check

Specific study or supervised practice action

Evidence I will look for at the next review

A useful entry identifies something observable. “Check the near cycle path before the turn, then revisit it as the gap develops” is more actionable than “be better at junctions.” Keep adapting the task to your own experience and the feedback from your instructor or supervisor.

Sources and references

Original source checks are dated 1 October 2026. Chapter additions retain their individual 12–13 October checks below and in the evidence records. Official agency, legal, public-health and research references are distinguished from manufacturer technical handbooks. Use current guidance and the actual vehicle handbook; references do not make this book official.

Chapter evidence records exact passages, dates and limitations. G11 assembles these records without claiming a new factual audit of every old source.

Trafikverket vill se säkrare lastbilssläp efter nya krocktester — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/om-oss/nyheter/nationella-nyheter/2026/juni/trafikverket-vill-se-sakrare-lastbilsslap-efter-nya-krocktester/

Luftkvalitet - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/miljo/luftkvaliet-i-tatorter/

Krockkudde - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/sakerhet-i-bil/krockkudde/

Alkohol - så påverkar den - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/alkohol-och-narkotika-i-vagtrafiken/alkohol---sa-paverkar-den/

Sources and references

B – Personbil och lätt lastbil - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/korkort/ta-korkort/valj-behorighet/personbil-och-latt-lastbil/b-personbil-och-latt-lastbil/

Bältesregler - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/i-fordonet/baltesregler/

Om du får stopp på bilen – varna, lämna och larma - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/om-du-far-stopp-pa-bilen--varna-lamna-och-larma/

Barn som färdas i bil - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/sakerhet-i-bil/barn-i-bil/

Sources and references

Så skyddar du barnen – regler och tips - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/i-fordonet/sa-skyddar-du-barnen---regler-och-tips/

Klimat och energi - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/miljo/klimat-och-energi/

Krocksäkerhet - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/sakerhet-i-bil/krocksakerhet/

Cykelpassage och cykelöverfart - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/generella-trafikregler/cykeloverfart/

Sources and references

Vad säger lagen om rattfylleri? — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/alkohol-och-narkotika-i-vagtrafiken/vad-sager-lagen-om-rattfylleri/

Sparsam körning — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/miljo/klimat-och-energi/sparsam-korning/

Akuta råd – första hjälpen — 1177 — Swedish public healthcare information; checked 2026-10-01.

https://www.1177.se/olyckor--skador/akuta-rad---forsta-hjalpen/

VTI rapport 980 (2020): Krav på belagda väg-, cykel- och gångbanors friktionsegenskaper vid barmarksförhållanden — VTI; hosted by Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/globalassets/global/regler/jarnvag/plan-och-byggregler-for-vagar-och-sparbunden-trafik/vti-rapport-friktionsegenskaper.pdf

Sources and references

Hästar i trafiken - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/gaende-rullstolsburen-rullskridskor/hastar-i-trafiken/

Förändrad viktningsfaktor för nya laddhybrider — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/om-oss/pressrum/nyhetsarkiv/2026/forandrad-viktningsfaktor-for-nya-laddhybrider/

Hastighet och krockvåld - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/hastighetsgranser-pa-vag/hastighet-och-krockvald/

Kontrollbesiktning av personbil och lastbil som inte överstiger 3500 kg i totalvikt - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/fordon/aga-kopa-eller-salja-fordon/fordonsbesiktning/besiktningsregler/personbil-och-lastbil-som-inte-overstiger-3500-kg-i-totalvikt/

Sources and references

Trafikförsäkring - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/fordon/aga-kopa-eller-salja-fordon/trafikforsakring/

Teoriprovet på annat språk - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/korkort/ta-korkort/personbil-och-latt-lastbil/teoriprovet-pa-annat-sprak/

Fordonsbelysning - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/generella-trafikregler/fordonsbelysning/

Lasta bilen säkert - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/sakerhet-i-bil/lasta-bilen-sakert/

Sources and references

Medicinska krav - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.
https://www.transportstyrelsen.se/sv/vagtrafik/korkort/ta-korkort/medicinska-krav/

Buller - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.
https://www.transportstyrelsen.se/sv/vagtrafik/miljo/buller/

Ägarbyte av fordon - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.
https://www.transportstyrelsen.se/sv/vagtrafik/fordon/aga-kopa-eller-salja-fordon/agarbyte/

Tilläggstavlor - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.
https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/tillaggstavlor/

Sources and references

Stanna och parkera - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/generella-trafikregler/stanna-och-parkera/

Parkeringstillstånd för rörelsehindrade - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/parkeringstillstand-for-rorelsehindrade/

Övergångsställe - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/generella-trafikregler/overgangsstalle/

Mobilanvändning och annan kommunikationsutrustning - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/i-fordonet/regler-for-mobilanvandning-och-kommunikationsutrustning/

Sources and references

Goda råd på vägen vid storhelger - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/goda-rad-for-bilkorning-vid-storhelger/

Så går körprovet till - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/korkort/ta-korkort/personbil-och-latt-lastbil/sa-gar-korprovet-till/

Högerregeln - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/generella-trafikregler/hogerregeln/

Säkerhet vid plankorsningar — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/contentassets/e9665c2ef2134eb68306c0c45338f1ef/sakra-plankorsningar.pdf

Sources and references

Registreringsbevis - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/fordon/aga-kopa-eller-salja-fordon/registreringsbevis/

Riskutbildning för personbil - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/korkort/ta-korkort/riskutbildning/riskutbildning-bil/

Att köra i cirkulationsplats — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/globalassets/global/publikationer-och-rapporter/vag/trafikant/produkter/att-koera-i-cirkulationsplats-a5-webb.pdf

Säten och huvudstöd - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/sakerhet-i-bil/saten-och-huvudstod/

Sources and references

Vägmärkesförordning (2007:90) — Sveriges riksdag — official SFS consolidation; checked 2026-10-01.

https://www.riksdagen.se/sv/dokument-och-lagar/dokument/svensk-forfattningssamling/vagmarkesforordning-200790_sfs-2007-90/

Vägmärken - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/

Säkerhet på fyrhjuling, mopedbil, traktor och motorredskap - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/sakerhet-pa-fyrhjuling-mopedbil-traktor-och-motorredskap/

Gågata, cykelgata och gångfartsområde - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/generella-trafikregler/gagata-cykelgata-och-gangfartsomrade/

Sources and references

Ställ av eller på ditt fordon - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.
https://www.transportstyrelsen.se/sv/vagtrafik/fordon/aga-kopa-eller-salja-fordon/stall-av-eller-pa-ditt-fordon/

Svensk trafikföreskriftssamling — Transportstyrelsen; checked 2026-10-01.
https://rdt.transportstyrelsen.se/rdt/Default.aspx?UseStfs=1

Handledare - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.
https://www.transportstyrelsen.se/sv/vagtrafik/korkort/ta-korkort/handledarskap-och-ovningskorning/handledare/

Teoriprov och yrkesprov med stöd - www.trafikverket.se — Trafikverket; checked 2026-10-01.
https://www.trafikverket.se/korkort/ta-korkort/teoriprov-och-yrkesprov-med-stod/

Sources and references

TSFS 2011:20 - category B syllabus — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/TSFS/TSFS%202011_20.pdf

Personbil och lätt lastbil - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/korkort/ta-korkort/personbil-och-latt-lastbil/

Hastighet och restid - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/hastighetsgranser-pa-vag/hastighet-och-restid/

Vikter att ta hänsyn till när du drar en släpvagn - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/fordon/fordonsregler/regler-for-olika-fordonsslag/slap/vikter/

Sources and references

Trafikförordning (1998:1276) — Sveriges riksdag — official SFS consolidation; checked 2026-10-01.

https://www.riksdagen.se/sv/dokument-och-lagar/dokument/svensk-forfattningssamling/trafikforordning-19981276_sfs-1998-1276/

Personbil med släp - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/korkort/har-korkort/fordon-du-far-kora/personbil-med-slap/

Köra personbil eller lätt lastbil med släp- eller husvagn - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/fordon/fordonsregler/regler-for-olika-fordonsslag/slap/slapvagn-husvagn/

Säkerhet i vägtunnlar - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/sakerhet-i-vagtunnlar/

Sources and references

Däck - www.trafikverket.se — Trafikverket; checked 2026-10-01.
https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/dack/

Däck - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.
https://www.transportstyrelsen.se/sv/vagtrafik/fordon/fordonsregler/dack/

Krav på däck för personbil - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.
https://www.transportstyrelsen.se/sv/vagtrafik/fordon/fordonsregler/dack/dackbyte-pa-personbil/

TSFS 2026:47 - amendment to driving-test validity — Transportstyrelsen; checked 2026-10-01.
https://www.transportstyrelsen.se/TSFS/TSFS%202026_47.pdf

Sources and references

Vikter - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/fordon/fordonsregler/vikter/

Trafikregler för rullstolsburna - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/gaende-rullstolsburen-rullskridskor/trafikregler-for-rullstolsburna/

Se upp för vilt på vägarna - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/se-upp-for-vilt-pa-vagarna/

Vinterdäck - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/vinterdack

Sources and references

Säkerhet vid vägarbeten - www.trafikverket.se — Trafikverket; checked 2026-10-01.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/sakerhet-vid-vagarbeten/

Miljözoner - Transportstyrelsen — Transportstyrelsen; checked 2026-10-01.

https://www.transportstyrelsen.se/sv/vagtrafik/miljo/miljozoner/

Official agency, legal and research additions

Keep each reference within the scope stated in its lesson and evidence record.

Nollvisionen – tillsammans räddar vi liv — Trafikverket; checked 2026-10-12; Last updated/reviewed 5 November 2024.

https://bransch.trafikverket.se/for-dig-i-branschen/samarbete-med-branschen/Samarbeten-for-trafiksakerhet/tillsammans-for-nollvisionen/

Drowsy Driving — NHTSA (United States government); checked 2026-10-12; Live page; publication date not displayed in retrieved passage.

https://www.nhtsa.gov/risky-driving/drowsy-driving

Microsleeps — Module 3, Negative Impacts on Sleep — CDC/NIOSH (United States government); checked 2026-10-12; Last reviewed 31 March 2020; Module 3, page 3 of 28.

https://www.cdc.gov/niosh/work-hour-training-for-nurses/longhours/mod3/03.html

Drograttfylleri och sjöfylleri — proposition 1998/99:43 — Swedish Government; published by Sveriges riksdag; checked 2026-10-12; Proposition 1998/99:43.

https://www.riksdagen.se/sv/dokument-och-lagar/dokument/proposition/drograttfylleri-och-sjofylleri_gm0343/html/

Official agency, legal and research additions

Drugs and Human Performance Fact Sheets — NHTSA (United States government); checked 2026-10-12; DOT HS 809 725, April 2004.

https://www.nhtsa.gov/sites/nhtsa.gov/files/809725-drugshumanperformfs.pdf

TSFS 2013:63 – vehicle technical requirements — Transportstyrelsen; checked 2026-10-12; Consolidated through TSFS 2025:6 (effective 2 June 2025).

https://www.transportstyrelsen.se/TSFS/TSFS%202013_63k.pdf

TSFS 2017:54 – control inspection — Transportstyrelsen; checked 2026-10-12; Consolidated through TSFS 2026:1 (effective 5 January 2026).

https://www.transportstyrelsen.se/TSFS/TSFS%202017_54k.pdf

Taxi Driver Manual — Department for Infrastructure / Driver & Vehicle Agency, Northern Ireland government; checked 2026-10-12; Version 2.1 March 2024; hosted file August 2025.

https://www.northernireland.gov.uk/sites/default/files/2025-08/taxi-manual-august-2025.pdf

Official agency, legal and research additions

The Highway Code – Rule 120 — UK Government – Department for Transport; checked 2026-10-12; Updated 22 October 2025.

https://www.gov.uk/guidance/the-highway-code/general-rules-techniques-and-advice-for-all-drivers-and-riders-103-to-158

New or used vehicle buyers — Government of Western Australia – Road Safety Commission; checked 2026-10-12; Live page; publication date not displayed in inspected passage.

https://www.wa.gov.au/organisation/road-safety-commission/new-or-used-vehicle-buyers

Elektrisk utrustning och elinstallationer — Transportstyrelsen; checked 2026-10-12; Live supplementary guidance; retrieved 12 October 2026.

https://www.transportstyrelsen.se/sv/om-oss/dina-rattigheter-lagar-och-regler/lagar-och-regler/regler-for-sjofart/regler-for-nationell-sjofart/regler-kompletterade-upplysningar/elektrisk-utrustning-och-elinstallationer/

Safe stopping distance — Transport for NSW / NSW Government (Australia); checked 2026-10-12; Live guidance; publication date not displayed in inspected passage.

https://www.nsw.gov.au/driving-boating-and-transport/driving-nsw/roads-safety-and-rules/safe-driving/safe-stopping-distance

Official agency, legal and research additions

Hastighet och stoppsträcka — Trafikverket; checked 2026-10-13. Supports reaction plus braking and dependence on speed/conditions, not the exercise shortcut constants.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/hastighetsgranser-pa-vag/stoppstracka/

KRAV Grundvärden, Vägar och gators utformning (VGU) — Trafikverket; checked 2026-10-12; TRV publication 2024:148, version 1.0; recognised by current Trafikverket VGU overview as part of current framework.

https://trafikverket.diva-portal.org/smash/get/diva2%3A1909331/FULLTEXT01.pdf

Driver’s Manual, Chapter 5: Intersections and Turns — New York State Department of Motor Vehicles (government); checked 2026-10-13; Live official driver manual; publication/update date not displayed in inspected passage.

https://dmv.ny.gov/new-york-state-drivers-manual-and-practice-tests/chapter-5-intersections-and-turns

Fakta om ledarhundar — Myndigheten för delaktighet (MFD); checked 2026-10-13; Last updated 30 April 2026.

https://www.mfd.se/ledarhundsverksamheten/fakta-om-ledarhundar/

Official agency, legal and research additions

Cykel — Transportstyrelsen; checked 2026-10-13; Last updated 16 February 2026.

https://www.transportstyrelsen.se/sv/vagtrafik/fordon/fordonsregler/regler-for-olika-fordonsslag/cykel/

Complex Driving Skills — Online Parent Guide to Teen Driving — Oregon Department of Transportation, Driver and Motor Vehicle Services; checked 2026-10-13; Live official guide; publication/update date not displayed in inspected passage.

https://www.oregon.gov/odot/dmv/pages/online_parent_guide_to_teen_driving/08_complex_driving_skills.aspx

Avstängning för förberedande arbeten — E4 Förbifart Stockholm — Trafikverket; checked 2026-10-13; Published 7 February 2025; historical works notice.

https://www.trafikverket.se/vara-projekt/projekt-i-stockholms-lan/e4-forbifart-stockholm/nyheter-for-e4-forbifart-stockholm/2025-02/avstangning-for-forberedande-arbeten/

Gestaltningsprogram — Väg 26/47 Jönköping–Mullsjö, Hedenstorp–Månseryd — Trafikverket; project authors Charlotta Gard, Liselott Nykvist, Rebecka Olsson and Lovisa Norlin, Sweco; checked 2026-10-13; Version 2.0; 30 June 2023, revised 11 April 2025; TRV 2021/46509.

https://bransch.trafikverket.se/contentassets/2f37f57af38d4d38b7a961b71b7e8988/gestaltningsprogram.pdf

Official agency, legal and research additions

Choose the right vehicle lighting — Transportstyrelsen; checked 2026-10-13; TS 201621, first edition August 2016; current agency publication link and live lighting page checked.

https://www.transportstyrelsen.se/globalassets/global/publikationer-och-rapporter/vag/trafikant/produkter/tran-049-choose-the-right-vehicle-lighting_a5_webb.pdf

Vision Impairment and DMV Requirements — California Department of Motor Vehicles; checked 2026-10-13; Live page; update date not displayed.

https://www.dmv.ca.gov/portal/driver-education-and-safety/medical-conditions-and-driving/vision-conditions/

Halvljus – vanligaste felet vid besiktning — Transportstyrelsen; checked 2026-10-13; Updated 11 April 2025.

https://www.transportstyrelsen.se/sv/om-oss/pressrum/nyhetsarkiv/2025/halvljus--vanligaste-felet-vid-besiktning/

Winter Driving — Bridges Freeze First — NOAA National Weather Service; checked 2026-10-13; Live safety page; date not displayed.

https://www.weather.gov/wrn/winter-driving-sm

Official agency, legal and research additions

På glid? Nej! Så jobbar vi mot halka — Trafikverket; checked 2026-10-13; Published 21 November 2025.

https://www.trafikverket.se/om-oss/nyheter/lansnyheter/stockholm/2025/2025-11/pa-glid-nej-sa-jobbar-vi-mot-halka-i-stockholmstrakten/

Arrive safely with these winter driving safety tips — San Bernardino County Fire; checked 2026-10-13; Published 4 December 2019.

https://main.sbcounty.gov/2019/12/04/arrive-safely-with-these-winter-driving-safety-tips/

Överstyrning på is och snö med olika vinterdäck — VTI rapport 708 — VTI; report hosted by Trafikverket, funded by Skyltfonden; checked 2026-10-13; Hjort, Bruzelius and Andersson; May 2011; publication approved 23 May 2011.

https://fudinfo.trafikverket.se/fudinfoexternwebb/Publikationer/Publikationer_001601_001700/Publikation_001666/overstyrn-pa-is-o%20sno-med-olika-vinterdack.pdf

Electronic Stability Control Systems — final-rule technical appendix — US Department of Transportation, NHTSA; checked 2026-10-13; Docket NHTSA–2007–27662; 2007 prepublication final-rule PDF, 327 pages.

https://www.nhtsa.gov/document/final-rule-federal-motor-vehicle-safety-standards-electronic-stability-control-systems-0

Official agency, legal and research additions

Managing Speed — Online Driver’s Manual, Chapter 3 — Pennsylvania Department of Transportation (PennDOT); checked 2026-10-13; Live official manual; update date not displayed.

https://www.pa.gov/agencies/dmv/driver-services/pennsylvania-drivers-manual/online-drivers-manual/everyday-driving-skills/managing-speed

Lastbil — Transportstyrelsen; checked 2026-10-13; Updated 31 October 2025.

https://www.transportstyrelsen.se/sv/vagtrafik/fordon/fordonsregler/regler-for-olika-fordonsslag/personbil-lastbil-och-buss/lastbil/

Towing a Trailer in Oregon — Being Equipped for Safety — Oregon Department of Transportation; checked 2026-10-13; Live agency-hosted 32-page brochure; publication date not printed in inspected text.

https://www.oregon.gov/odot/Safety/Documents/TowingATrailer.pdf

Besiktning av fordon — Transportstyrelsen; checked 2026-10-13; Updated 8 October 2025.

https://www.transportstyrelsen.se/sv/vagtrafik/fordon/aga-kopa-eller-salja-fordon/fordonsbesiktning/

Official agency, legal and research additions

Vehicle Regulation (2009:211) — Swedish Government; published by Sveriges riksdag; checked 2026-10-13; Consolidated live text; chapter 6 §§15–21 checked 13 October 2026.

https://www.riksdagen.se/sv/dokument-och-lagar/dokument/svensk-forfattningssamling/fordonsforordning-2009211_sfs-2009-211/

Ställa av ditt fordon — Transportstyrelsen; checked 2026-10-13; Live page; checked 13 October 2026.

https://www.transportstyrelsen.se/sv/vagtrafik/fordon/aga-kopa-eller-salja-fordon/stall-av-eller-pa-ditt-fordon/stalla-av-ditt-fordon/

Kolets kretslopp rubbas — Naturvårdsverket; checked 2026-10-13; Reviewed 7 January 2025.

https://www.naturvardsverket.se/amnesomraden/klimatforandringar/darfor-blir-det-varmare/kolets-kretslopp-rubbas/

Hastighet och hållbarhet — Trafikverket; checked 2026-10-13; Updated 31 March 2022.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/hastighetsgranser-pa-vag/hastighet-och-hallbarhet/

Official agency, legal and research additions

Åtgärder mot manipulering av viss fordonsutrustning – avgasrening och vägmätare — Transportstyrelsen; checked 2026-10-13; 27 June 2022, TSG 2021-3376.

https://www.transportstyrelsen.se/globalassets/global/publikationer-och-rapporter/rapporter/vagtrafik/atgarder-mot-manipulering-av-viss-fordonsutrustning.pdf

Vägtrafikens luftföroreningar — Trafikverket; checked 2026-10-13; Reviewed 11 November 2021.

https://bransch.trafikverket.se/for-dig-i-branschen/miljo---for-dig-i-branschen/luftkvalitet/vagtrafikens-luftfororeningar/

Elfordon – så funkar det — Trafikverket; checked 2026-10-13; Updated 19 April 2024.

https://www.trafikverket.se/om-oss/skydda-klimat-miljo-och-halsa-i-vart-arbete/elfordon--sa-funkar-det/

Energi- och klimatrådgivning — Gagnefs kommun; checked 2026-10-13; Updated 19 August 2026.

https://www.gagnef.se/bygga-bo-och-miljo/boende-och-miljo-2/energi-och-klimatradgivning/

Official agency, legal and research additions

Features that affect the environment — NZ Transport Agency Waka Kotahi; checked 2026-10-13; Live official page; no editorial revision date shown.

https://nzta.govt.nz/vehicles/choosing-the-right-vehicle/features-that-affect-the-environment

Fuel efficient driving tips — UK Vehicle Certification Agency; checked 2026-10-13; Live government agency page; editorial revision date not shown.

https://www.vehicle-certification-agency.gov.uk/fuel-consumption-co2/fuel-consumption-guide/fuel-efficient-driving-tips/

Sparsam körning — Energimyndigheten / municipal Energi- och klimatrådgivningen; checked 2026-10-13; Live advisory page; no editorial revision date shown.

https://energiochklimatradgivningen.se/hushall/resahallbart/sparsamkorning.685.html

Tvätta bilen rätt — Göteborgs Stad, Miljöförvaltningen; checked 2026-10-13; Live municipal guidance; article revision date not shown (site-wide maintenance banner has its own unrelated date).

https://goteborg.se/wps/portal/start/bygga-bo-och-leva-hallbart/leva-hallbart/smarta-resor/tvatta-inte-bilen-pa-gatan

Official agency, legal and research additions

Uppdrag att utreda när det ska vara tillåtet att använda dubbdäck — Transportstyrelsen; checked 2026-10-13; 16 August 2024, TSG 2023-7800.

https://www.transportstyrelsen.se/globalassets/global/publikationer-och-rapporter/rapporter/vagtrafik/utredning-om-nar-det-ska-vara-tillatet-att-anvanda-dubbdack.pdf

C44 Förbud mot trafik med annat motordrivet fordon med dubbdäck än moped klass II — Transportstyrelsen; checked 2026-10-13; Updated 5 November 2024.

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/forbudsmarken/forbud-mot-trafik-med-annat-motordrivet-fordon-med-dubbdack-an-moped-klass-ii/

Supplementary commercial teaching references

Keep each reference within the scope stated in its lesson and evidence record.

Approximate stopping-distance method — Trafiko, commercial teaching source; checked 2026-10-13. Limited to the one-second reaction shortcut and 0.4 braking shortcut under good-brake/good-tyre/dry-asphalt assumptions. Variable reaction time is editorial proportional arithmetic; not official agency guidance or a real-world stopping prediction.

https://trafiko.se/faktabank/stoppstracka-reaktionsstracka-bromsstracka

Manufacturer technical references

These are manufacturer technical handbooks, not official agency or legal references.

V60 Twin Engine – Reservhjul — Volvo Cars (manufacturer); checked 2026-10-12; V60 Twin Engine model-year 2019 / 18w46; updated 19 March 2020.

https://www.volvocars.com/se/support/car/v60-twin-engine/18w46/article/73e14f8cc7f8d151c0a81f6f7932e5d8/45dffbb5c7f91239c0a81f6f36dce48d/c73c954b9380b97ac0a801512086b8d5/

2011 Explorer Owner’s Guide — Ford Motor Company (manufacturer); checked 2026-10-12; 2011 Explorer, 4th Printing, USA.

https://www.fordservicecontent.com/Ford_Content/catalog/owner_guides/11expog4e.pdf

Kontrollera kylarvätskenivån — Kia, manufacturer owner handbook; checked 2026-10-13; MQ4 / 2022 / Swedish manual; live manufacturer edition, no revision date shown.

https://ownersmanual.kia.com/full_webhelp/MQ4/2022/sv_SE/topics/chapter7_8_1.html

Later checks of existing references

Keep each reference within the scope stated in its lesson and evidence record.

Se upp för vilt på vägarna - www.trafikverket.se — Trafikverket; additional passage checks: 2026-10-13; original check retained above.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/se-upp-for-vilt-pa-vagarna/

Lasta bilen säkert - www.trafikverket.se — Trafikverket; additional passage checks: 2026-10-13; original check retained above.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/sakerhet-i-bil/lasta-bilen-sakert/

Om du får stopp på bilen – varna, lämna och larma - www.trafikverket.se — Trafikverket; additional passage checks: 2026-10-13; original check retained above.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/om-du-far-stopp-pa-bilen--varna-lamna-och-larma/

Säkerhet i vägtunnlar - www.trafikverket.se — Trafikverket; additional passage checks: 2026-10-13; original check retained above.

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/sakerhet-i-vagtunnlar/

Later checks of existing references

Trafikförordning (1998:1276) — Sveriges riksdag — official SFS consolidation; additional passage checks: 2026-10-13; original check retained above.

https://www.riksdagen.se/sv/dokument-och-lagar/dokument/svensk-forfattningssamling/trafikforordning-19981276_sfs-1998-1276/

Däck - Transportstyrelsen — Transportstyrelsen; additional passage checks: 2026-10-13; original check retained above.

https://www.transportstyrelsen.se/sv/vagtrafik/fordon/fordonsregler/dack/

Artwork and source credits

Road-sign illustrations: Transportstyrelsen. Source links and verification dates are recorded in the official references.

English sign labels and explanations are editorial translations. The sign reference uses official catalogue artwork in its teaching context. This learning material is not endorsed by Transportstyrelsen.

Individual sign-caption checks are dated in each entry. Original entries: source pages retrieved on 1 October 2026, captions reviewed on 2 October and resolved official vectors verified on 3 October. H1/H2/H3 additions: exact official source pages, artwork and captions checked on 13 October 2026. Original artwork is preserved.

Transportstyrelsen · road-sign reuse guidance

https://www.transportstyrelsen.se/sv/om-oss/pressrum/pressbilder/

Transportstyrelsen · official sign catalogue

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/vagmarken/

The first-aid reference is limited to 1177 public healthcare guidance. No clinical procedure is reproduced.