CHAPTER 05

Make room in busy streets

In a busy street, a small change can create a new conflict: a door opens, someone steps around a parked van, or a bus prepares to leave. Good driving leaves room for those changes.

In this chapter

M05-L01 · See the person behind the movement

M05-L02 · When the street changes purpose

M05-L03 · Choose a lawful place to stop

M05-L04 · Manoeuvre where people may appear

M05-R · Review and self-assessment

Answers and review guidance

Official references

This material is a learning aid to help you understand Swedish driving theory. It is not an official source and cannot replace official information from Trafikverket and Transportstyrelsen. Always consult their current guidance and the applicable rules.

M05-L01

See the person behind the movement

Your goal: Anticipate the needs of different road users without assuming that everyone sees, hears or moves as you do.

Requirements. Show particular consideration for children, older people, school patrols and people whose disability or illness is apparent and affects their use of traffic. Reduce speed appropriately near children, stopped passenger transport and other situations with foreseeable risks. Give pedestrians sufficient room and time when meeting or passing them. Traffic Regulation, chapter 2 §1 and chapter 3 §§15 and 58

Learning approach. Look for the space a person needs, not only the space they occupy now. A child may be hidden by a parked car. A cyclist may need to move out from an obstruction. A wheelchair user may need a usable kerb transition. You cannot reliably infer someone's hearing, vision or intentions from a quick glance. Allow time and observe their movement rather than demanding a response through the horn.

Observe people and possible movement

Children, cyclists and riders have different needs. Sensory-impairment panels are separate examples; absence of a sign does not prove absence of risk.



A14 · Pedestrians ahead

Varning för gående

People often cross, walk on or remain near this stretch of road. Allow for someone entering your path. Adult and child inside a warning triangle.

Transportstyrelsen · official description

Continue the learning



A15 · Children ahead

Varning för barn

Children often cross or remain near this stretch. The sign supplies a warning, not a numerical speed limit. Two children inside a warning triangle.

Transportstyrelsen · official description




A16 · Cyclists and moped riders ahead

Varning för cyklande och mopedförare

Cyclists or moped riders often cross or enter the road here. Cyclist inside a warning triangle.

Transportstyrelsen · official description

Sensory-impairment panels



T9 · People with impaired vision

Nedsatt syn

People with impaired vision commonly use the area. Give them time and space without assuming they have seen you. Five black dots arranged horizontally on yellow.

Transportstyrelsen · official description

Continue the learning



T10 · People with impaired hearing

Nedsatt hörsel

People with impaired hearing commonly use the area. Do not assume a horn will be heard. Three black dots inside a black circle on yellow.

Transportstyrelsen · official description

Horses and riders also belong in your traffic assessment. Vehicle rules apply to riding and leading horses in relevant respects; they are not simply pedestrians because they travel slowly. Give them an unhurried, spacious interaction, and avoid unnecessary noise. This is a cautious application of the general duty of care, not a fixed passing-distance rule. Transportstyrelsen: horses in traffic

Horses and riders

This warning supports early observation. It does not specify a fixed passing distance.



A18 · Horse riders ahead

Varning för ridande


Riders often cross or use this stretch of road. Prepare for an unhurried, spacious encounter. Horse and rider inside a warning triangle.

Transportstyrelsen · official description

Bus rule. Where the maximum permitted speed is 50 km/h or lower, a driver approaching a bus whose driver signals to leave a bus stop must slow and give it the opportunity to leave, stopping if needed. The bus driver must also take particular care. If passing on the right of a bus or tram stopped at a stop without a refuge, stop to allow boarding or alighting passengers free passage. Traffic Regulation, chapter 3 §§45 and 58

Recognise a bus stop and speed limit

The bus-stop marker and the 40 km/h speed sign are independent examples. The bus marker itself does not set the speed limit.



E22 · Bus stop

Busshållplats

This identifies a stop for scheduled services and school transport. Keep the stopping area available and watch for passengers. White bus on a blue rectangular sign.

Transportstyrelsen · official description



C31-4 · Maximum speed

Hastighetsbegränsning

Do not exceed the displayed speed in km/h. A junction alone does not necessarily end the limit, and conditions may require a lower speed. Red-bordered yellow circle displaying 40: maximum 40 km/h.

Transportstyrelsen · official description

Share the space

Bus comparison · Check the road limit. The threshold concerns the maximum permitted speed on the road, not how fast you happen to be travelling. At a 70 km/h limit, the special bus-stop departure rule above does not apply. The bus must wait for an entry that can be made without danger or unnecessary obstruction. You still have a duty to adapt speed to facilitate an observed entry into your lane. A bus indicator does not create unconditional priority, and the higher road limit does not excuse deliberately blocking it. Traffic Regulation, chapter 3 §§43–45

Road limit	Duties when the bus signals to leave its stop
50 km/h or lower	Slow and let the bus leave; stop if needed. The bus driver must take particular care.
70 km/h, ordinary entry into your lane	The special bus-exit duty does not apply. The bus waits for a safe entry; you adapt speed to facilitate the observed entry.

Safety advice · Let a guide dog work. Do not pet, call to or talk to a working guide dog to attract its attention. Distraction can endanger the person it is helping. Allow the pair room and time; if you need to communicate, address the handler rather than trying to direct the dog. The handler chooses the route and remains in control. For example, a passenger beside your parked car wants to greet a guide dog at a crossing. Ask them to leave it working and keep the path clear. MFD: meeting a working guide dog

Traffic terminology · A bicycle is a vehicle. A person riding an ordinary pedal bicycle is operating a vehicle, even without an engine. “Vehicle” does not mean only “motor vehicle”. Apply the relevant cyclist duties and protections; crossing distinctions remain in M04-L03. Transportstyrelsen: bicycle definition

Leave room for the bus and people



The bus signals to leave its stop. The full-width middle lane remains separate from the opposing lane. In the worked decision the road limit is 40 km/h; available road width does not remove the bus duty.

Worked decision. On a 40 km/h street, a bus signals out. You ease speed early and leave room rather than trying to squeeze past. You also watch for people near the stop; making space for the bus is not your only task. Compare an otherwise ordinary 70 km/h road: the bus waits for a safe entry, while you still adapt speed to help an observed entry into your lane. Travelling at 40 on that 70 road does not activate the special bus rule.

Check your understanding

Knowledge check. (1) Does a narrow visible gap beside a cyclist prove passing is safe? (2) A bus signals from its stop on a 70 km/h road while you drive at 40. Does the special bus rule apply, and what must both drivers do? (3) Should you greet a working guide dog? (4) Is a person riding a pedal bicycle operating a vehicle?

Remember: Predict possible needs without assuming a person will behave exactly as expected.

M05-L02

When the street changes purpose

Your goal: Distinguish ordinary streets from pedestrian streets, walking-speed areas and cycle streets.

Requirements. On a pedestrian street (gågata) and in a walking-speed area (gångfartsområde), drive no faster than walking pace and yield to pedestrians. The general rule prohibits parking; a specifically signed lawful parking arrangement must be assessed on its own terms. Walking pace is a condition to match, not a universal speedometer number. Special streets · Traffic Regulation, chapter 8 §1 and chapter 10 §1

Pedestrian streets and walking-speed areas

Two matched start/end pairs. Pedestrian-street access limits differ from walking-speed-area rules.

Pedestrian street



E7 · Pedestrian street

Gågata

Special pedestrian-street rules apply, including walking pace and yielding to pedestrians. Motor access is restricted to the permitted purposes; it is not a general shortcut. Adult and child within a blue rectangular sign.

Transportstyrelsen · official description

Continue the learning



E8 · End of pedestrian street

Gågata upphör

The pedestrian street ends. Reassess the rules before entering another road. Pedestrian-street symbol crossed by a red diagonal.

Transportstyrelsen · official description

Walking-speed area



E9 · Walking-speed area

Gångfartsområde

Drive at walking pace and yield to pedestrians. Parking is generally prohibited except where a lawful signed arrangement provides otherwise. Street scene with pedestrians, a car, houses and a playing child.

Transportstyrelsen · official description



E10 · End of walking-speed area

Gångfartsområde upphör

The walking-speed area ends. Leaving it does not give you priority over the road you enter. Walking-speed street scene crossed by a red diagonal.

Transportstyrelsen · official description

Continue the learning

Motor vehicles may use a pedestrian street only to cross it, apart from the specified necessary journeys: goods to or from shops or equivalent premises; goods or residents to or from addresses there; guests to or from hotels or equivalent premises; and sick people or people with mobility impairments to or from an address. A convenient shortcut does not qualify. Check additional signs and local restrictions. Traffic Regulation, chapter 8 §1

On a cycle street (cykelgata), the maximum is 30 km/h, and motor vehicles must adapt speed to bicycle traffic. Vehicles entering from another road yield to vehicles already on it. Parking is restricted to specially provided places. When leaving a cycle street for another road, the exit yielding rule applies. Special streets · Traffic Regulation, chapter 3 §21 and chapter 8 §1a

Cycle streets

Matched beginning and ending signs. Retain the entry and exit yielding duties in the lesson.



E33 · Cycle street

Cykelgata

The maximum is 30 km/h and motor vehicles must adapt to bicycle traffic. Apply the cycle-street entry, exit and parking rules too. Bicycle with a smaller car above it on blue.

Transportstyrelsen · official description



E34 · End of cycle street

Cykelgata upphör

The cycle street ends. Apply the yielding rule when leaving it for another road. Cycle-street bicycle and car crossed by a red diagonal.

Transportstyrelsen · official description

Continue the learning

Learning approach. A change in street function changes your expectations. People may use more of the width; a car's arrival should not force them into hurried avoidance. Read the beginning and ending signs and identify whether your proposed journey is permitted before entering.

Check before entering



At a pedestrian-street boundary, the official E7 sign identifies the street’s purpose. Check whether your journey is permitted before entering; a navigation shortcut is not an exemption.

Worked decision. Your navigation suggests a pedestrian street as a shortcut. You continue to another permitted route. The navigation suggestion does not establish an exemption from the access rule.

Check access before choosing a route

Independent examples of access prohibitions, paths, reserved lanes and no-through roads. These are not all installed at the illustrated pedestrian street.

Access prohibitions



C1 · No entry

Förbud mot infart med fordon

Vehicles must not enter from this direction. Do not confuse this with a prohibition applying in both directions. Red circle with a horizontal yellow bar.

Transportstyrelsen · official description



C2 · No vehicles

Förbud mot trafik med fordon

Vehicle traffic is prohibited. Read any applicable supplementary qualifications. Yellow circle with a red border.

Transportstyrelsen · official description



C3 · No motor vehicles except class II mopeds

Förbud mot trafik med annat motordrivet fordon än moped klass II

Motor vehicles are prohibited, with class II mopeds excluded unless a panel also prohibits them. Car and motorcycle crossed by a red diagonal.

Transportstyrelsen · official description

Paths and reserved lanes



D4 · Cycle path

Påbjuden cykelbana

This is a designated cycle path. A supplementary panel states if class II mopeds are excluded. White bicycle on blue.

Transportstyrelsen · official description



D5 · Pedestrian path

Påbjuden gångbana

This path is intended only for pedestrians. White adult and child on blue.

Transportstyrelsen · official description



D6 · Shared pedestrian and cycle path

Påbjuden gång- och cykelbana

Pedestrians and cyclists share the path. Read any panel excluding class II mopeds. Pedestrian and bicycle symbols share a blue circle without a dividing line.

Transportstyrelsen · official description



D7 · Separated pedestrian and cycle paths

Påbjudna gång- och cykelbanor

The symbol positions identify each group's side. The paths are separated by a marking, strip or similar division. Pedestrians on the left and bicycles on the right, separated by a vertical line.

Transportstyrelsen · official description

Continue the learning



D7-2 · Separated pedestrian and cycle paths

Påbjudna gång- och cykelbanor

The symbol positions identify each group's side. The paths are separated by a marking, strip or similar division. Bicycles on the left and pedestrians on the right, separated by a vertical line.

Transportstyrelsen · official description



D10 · Lane or carriageway for scheduled public transport and other permitted users

Påbjudet körfält eller körbana för fordon i linjetrafik med flera

Do not assume an ordinary car may enter. Certain other users are permitted by the traffic rules, and panels can specify additional permissions or restrictions. Bus symbol on blue.

Transportstyrelsen · official description




D11 · End of designated path or lane

Slut på påbjuden bana, körfält, väg eller led

The designation shown by the crossed symbol ends. The symbol must match the preceding path or lane designation. Bus-lane symbol crossed by a red diagonal.

Transportstyrelsen · official description

No-through roads




E17 · No through road

Återvändsväg

The road does not provide through passage. A bicycle symbol can indicate through access for bicycles and class II mopeds. A T-shaped road ends at a red block.

Transportstyrelsen · official description



E17-4 · No through road

Återvändsväg

The road does not provide through passage. A bicycle symbol can indicate through access for bicycles and class II mopeds. A bicycle symbol beyond the red block identifies through access for bicycles and class II mopeds.

Transportstyrelsen · official description

Check your understanding

Knowledge check. Is 30 km/h always appropriate on a cycle street?

Remember: Recognise the area's purpose and adapt before crossing its boundary.

M05-L03

Choose a lawful place to stop

Your goal: Distinguish stopping from parking and interpret the rules, signs and time panels for a proposed place.

Parking is leaving a vehicle stationary for a reason other than traffic conditions, avoiding danger, boarding or alighting, or loading or unloading goods. Remaining behind the wheel does not automatically make waiting “stopping.” Nor does switching on hazard lights create permission. Transportstyrelsen: stopping and parking

Stopping or parking restrictions

Compare no parking with no stopping and parking. An extent marking needs its actual accompanying restriction; it does not create permission.



C35 · No parking

Förbud mot att parkera fordon

Parking is prohibited on the signed side for the applicable extent. This does not make stopping lawful where another rule prohibits it. Single red diagonal across a blue circle.

Transportstyrelsen · official description



C39 · No stopping or parking

Förbud mot att stanna och parkera fordon

Both stopping and parking are prohibited for the indicated extent. Waiting with the engine running is not a general exemption. Red cross on a blue circle.

Transportstyrelsen · official description

Continue the learning



M21 · No stopping or parking edge marking

Förbud mot att stanna och parkera

The continuous yellow edge marking indicates a stopping and parking prohibition. Continuous yellow line at the road edge.

Transportstyrelsen · official description



M22 · No parking edge marking

Förbud mot att parkera

The broken yellow edge marking indicates a parking prohibition; it can also show the extent of a bus stop. Broken yellow line at the road edge.

Transportstyrelsen · official description



M23 · Reinforcement of a stopping or parking restriction

Förbud mot att stanna och parkera eller att parkera

This yellow marking reinforces the applicable M21 or M22 restriction. Identify which prohibition applies. Yellow zigzag marking reinforcing a stopping or parking restriction.

Transportstyrelsen · official description

Core requirements. Do not stop or park where you create danger, unnecessarily obstruct traffic or hide a sign or signal. Normally use the right side in your direction of travel; one-way roads and specified rail-track situations have exceptions. Secure the vehicle against rolling and prevent unauthorised use. Open doors only without danger or unnecessary inconvenience. Traffic Regulation, chapter 3 §§47, 50 and 52

Continue the learning

Place	General restriction for an ordinary car
Pedestrian crossing, cycle passage or cycle crossing	No stopping on it or within 10 m before it.
Road junction	No stopping in it or within 10 m of the nearest edge of the crossing carriageway.
Crossing footway or cycle path	No stopping on it or within 10 m before it.
Tunnel, road underpass, hidden crest or obscured bend	No stopping in the prohibited location.
Beside a continuous lane boundary	No stopping if less than 3 m remains, unless a broken line lies between the car and the continuous line.
Railway level crossing	No stopping on it; no parking within 30 m on the road.
Property access	No parking in front of it or where vehicle access is substantially obstructed.
Priority road or signed passing place	No parking under the general rule; check any lawful signed provision.

Other prohibitions cover cycle lanes, hatched areas, roundabouts and lanes reserved for regular public transport. These examples are not an exhaustive catalogue of local restrictions. Traffic Regulation, chapter 3 §§47–55

Other parking instructions

Keep starts and ends paired by type. C45's 8–18 and E30's 30-minute conditions are separate examples, not the Tuesday two-hour exercise.

Date-based parking restrictions



C36 · No parking on odd-numbered dates

Förbud mot att parkera fordon på dag med udda datum

The parking prohibition applies on dates with an odd number. Read the time and extent qualifications as well. Single upright stroke on the no-parking symbol: odd-numbered dates.

Transportstyrelsen · official description



C37 · No parking on even-numbered dates

Förbud mot att parkera fordon på dag med jämnt datum

The parking prohibition applies on dates with an even number. Read the time and extent qualifications as well. Two upright strokes on the no-parking symbol: even-numbered dates.

Transportstyrelsen · official description



C38 · Date-dependent parking prohibition

Datumparkering

On even dates, do not park on the side with even address numbers; on odd dates, do not park on the odd-numbered side. Check any time conditions. Odd/even-date symbols divided by a red diagonal.

Transportstyrelsen · official description

Reserved purposes and places




C40 · Place reserved for a stated purpose

Ändamålsplats

Read the stated purpose. A loading place concerns loading or unloading heavy or bulky goods, not unrestricted waiting. Lastplats: loading place.

Transportstyrelsen · official description



C41 · End of reserved-purpose place

Slut på ändamålsplats

The place reserved for the stated purpose ends. Loading-place symbol crossed by black lines.

Transportstyrelsen · official description




C42 · Turning area

Vändplats

This space is intended for turning and parking is prohibited. If a no-stopping symbol is inserted, stopping is prohibited too. Vändplats with a no-parking symbol.

Transportstyrelsen · official description

Continue the learning



C43 · End of turning area

Slut på vändplats

The signed turning area ends. Turning-area sign with a no-parking symbol, crossed out.

Transportstyrelsen · official description



C45 · Combined stopping or parking restriction

Särskilda bestämmelser för stannande och parkering

Read the inserted prohibition and its times together with the sign above. This panel can qualify or vary that sign; artwork variants are not interchangeable. No parking, 8–18.

Transportstyrelsen · official description

Zone and combined instructions



E20 · Zone begins

Områdesmärke

The inserted restrictions or permissions apply throughout the signed area. Locally signed exceptions do not automatically end the wider zone rule. Zone board displaying no parking.

Transportstyrelsen · official description

Continue the learning



E21 · Zone ends

Slut på område

The zone restriction or permission shown by the matching E20 sign ends. Zone board crossed by black diagonal lines, ending no parking.

Transportstyrelsen · official description



E30 · Parking with stated conditions

Särskilda bestämmelser för parkering


Read the parking permission, duration and times together with the sign above. The conditions may vary the main restriction. Parking permitted for 30 minutes during 8–18.

Transportstyrelsen · official description

At a marked bus stop, other vehicles may stop only for boarding or alighting without obstructing the relevant service. If its extent is not marked, the restricted area is normally 20 m before and 5 m after the stop sign. Loading goods is not the same exception as letting a passenger get out. Traffic Regulation, chapter 3 §54

Bus-stop extent

The marked extent and the unmarked 20 m/5 m case are different situations. The later illustration shows the unmarked case.



E22 · Bus stop

Busshållplats

This identifies a stop for scheduled services and school transport. Keep the stopping area available and watch for passengers. White bus on a blue rectangular sign.

Transportstyrelsen · official description

Continue the learning



M22 · No parking edge marking

Förbud mot att parkera

The broken yellow edge marking indicates a parking prohibition; it can also show the extent of a bus stop. Broken yellow line at the road edge.

Transportstyrelsen · official description

Read the whole parking instruction. On a T6 time panel, ordinary black/white times without brackets mean weekdays other than the day before a Sunday or public holiday; bracketed times mean those preceding days; red times mean Sundays and public holidays. A named day applies to that day. Check the actual date, fee, duration, vehicle group and any permit condition. A disabled-parking permit has defined benefits, not unrestricted permission to stop anywhere. Road Signs Regulation, T6–T8 and T16–T19 · Parking permits

Read each parking condition

Individual reference panels, not one sign assembly. T6 and T17 contain sample times that differ from the 09–18 worked example. Do not transfer their conditions to that exercise.




E19 · Parking

Parkering

Parking is permitted subject to the sign's extent, panels and other applicable restrictions. The sign does not automatically cancel general stopping and parking prohibitions. White P on blue.

Transportstyrelsen · official description

Continue the learning



T6 · Time qualification

Tidsangivelse

Unbracketed black/white times apply on weekdays other than the day before a Sunday or public holiday; brackets mean those preceding days; red means Sundays and public holidays. A named day governs regardless of its category. A period crossing midnight continues into the next day.

Transportstyrelsen · official description




T7 · Accessible-parking permit holders

Rörelsehindrade

Below E19, the parking instruction applies to users entitled to park with the specified accessible-parking permit. Read any time limits too. White wheelchair symbol on blue.

Transportstyrelsen · official description

Continue the learning



T8 · Vehicle or road-user qualification

Symboltavla

The sign above applies only to the vehicle or road-user group shown on the panel. Read time qualifications as part of the same instruction.

Transportstyrelsen · official description




T16 · Parking fee

Avgift

Pay according to the stated tariff and follow the other conditions at the payment facility. Read any time qualification. Text Avgift: fee.

Transportstyrelsen · official description



T17 · Parking disc required

Parkeringsskiva

Indicate the start of parking with a parking disc or equivalent. Read the applicable time and duration conditions. Parking-disc symbol with 2 tim and 8–17.

Transportstyrelsen · official description

Continue the learning



T18 · Maximum parking duration

Tillåten tid för parkering

This gives the longest permitted parking time. Any time panel determines when the qualification applies. 2 tim: maximum two hours.

Transportstyrelsen · official description



T19 · Resident-permit conditions

Boende

Residents with the required permit may park under the stated special conditions. Residence alone is not enough. Text Boende: resident conditions.

Transportstyrelsen · official description



T20 · Free parking ticket required

Parkeringsbiljett

Parking is free, but a parking ticket must be used. Do not interpret the ticket symbol as a fee requirement. Text P-biljett: parking ticket.

Transportstyrelsen · official description



T21 · How to position the vehicle

Uppställning av fordon

Park in the arrangement shown by the panel, as adapted to the parking place. Vehicles positioned perpendicular to the panel's lower edge.

Transportstyrelsen · official description

Continue the learning



M33 · Accessible parking marking


Rörelsehindrad

This marks a space reserved for people with mobility impairments. Check the applicable permit conditions. Wheelchair symbol painted on the road.


Transportstyrelsen · official description

On municipally maintained public places within built-up areas and within public-road areas, parking is normally limited to 24 consecutive hours on weekdays other than the day before a Sunday or public holiday. This is not a blanket rule for every private car park. Where a parking disc is required, set it to the next half-hour after arrival; if you arrive before the restricted period and remain into it, set its beginning time. Display it so it can be read. Always check the applicable signs and conditions. Traffic Regulation, chapter 3 §49a


Read the extent of the restriction



Travel is left to right. No stopping on the crossing or within 10 m before it. Shading shows the rule’s extent, not a braking distance; the drawing is not to scale.



Travel is left to right. No stopping in the junction or within 10 m of the nearest edge of the crossing carriageway. Distances run from the junction edges; this schematic is not to scale.



Travel is left to right. With no marked stop extent, the restriction extends 20 m before and 5 m after the stop sign. Other vehicles may stop only for boarding or alighting without obstructing the service. Shading is explanatory, not a road marking.

Worked decision. It is an ordinary Tuesday, not a holiday or the day before one. A parking sign permits at most two hours during black unbracketed 09–18. You arrive at 10:00. The two-hour restriction applies; check the other conditions before leaving the car.

The worked example’s components

E19 and the two-hour T18 are shown separately here. The following exercise uses the illustrative assembly with 2 tim and black 9–18 on one plate.



E19 · Parking

Parkering

Parking is permitted subject to the sign's extent, panels and other applicable restrictions. The sign does not automatically cancel general stopping and parking prohibitions. White P on blue.

Transportstyrelsen · official description



T18 · Maximum parking duration

Tillåten tid för parkering

This gives the longest permitted parking time. Any time panel determines when the qualification applies. 2 tim: maximum two hours.

Transportstyrelsen · official description

Read the time conditions

Try it first



Illustrative sign combination

Ordinary Tuesday, not a holiday or the day before one.

In this example, parking is limited to two hours during 09–18.

Arrival: 10:00.

When is the two-hour limit reached, and what else must you check?

Read the worked example after answering.

Time-panel meaning · Official E19 artwork with an illustrative condition plate.

Check your understanding

Knowledge check. Can you wait 8 m before a pedestrian crossing with the engine running?

Remember: First check whether the place is lawful at all; then check its conditions.

M05-L04

Manoeuvre where people may appear

Your goal: Plan low-speed parking and reversing while observing changing space.

Requirements. Reverse or turn around only without danger or obstruction to other road users. Secure the parked vehicle and check before opening a door or letting passengers out. Parking inside a marked space requires the wheels to remain within its boundary. Traffic Regulation, chapter 3 §§46, 49–50

Marked spaces and parking arrangements

Each positioning panel is a separate arrangement. The marked-space boundary does not establish that a reversing path is safe.



M24 · Parking-space boundary

Uppställningsplats

This marks the limits of a space for a vehicle; the boundary may be broken rather than continuous. White outline of a parking space.

Transportstyrelsen · official description




T21 · How to position the vehicle

Uppställning av fordon

Park in the arrangement shown by the panel, as adapted to the parking place. Vehicles positioned perpendicular to the panel's lower edge.

Transportstyrelsen · official description

Continue the learning




T21-2 · How to position the vehicle

Uppställning av fordon

Park in the arrangement shown by the panel, as adapted to the parking place. Vehicles positioned parallel to the panel's lower edge.

Transportstyrelsen · official description




T21-3 · How to position the vehicle

Uppställning av fordon

Park in the arrangement shown by the panel, as adapted to the parking place. Vehicles positioned diagonally, sloping down to the right.

Transportstyrelsen · official description



T21-4 · How to position the vehicle

Uppställning av fordon

Park in the arrangement shown by the panel, as adapted to the parking place. Vehicles positioned diagonally, sloping down to the left.

Transportstyrelsen · official description

Learning approach. Select a place that offers both a safe entry and a safe departure. Check the full route of the vehicle: front corners can move sideways while you watch behind. Revisit both sides and the path ahead as the manoeuvre develops. Do not treat a camera, sensor or a helper's signal as proof that every part of the area is clear.

Stop when information is lost. If you need to inspect the area, first secure the vehicle and choose a safe way to do so. In supervised practice, learn the car's dimensions and the effect of steering gradually. A useful successful outcome is not “I parked in one movement”; it is “I kept control and did not move into uncertain space.”

Observe behind the parked vehicles



Parking bays are above the footway; the access lane is below it. The white van can hide a pedestrian from the reversing driver. No path is cleared or recommended by this drawing.

Worked decision. A delivery vehicle blocks the view of the footway behind your parking place. Rather than reversing across it in one continuous movement, you reassess the layout with your supervisor and choose a method or another place that provides the necessary view. If a pedestrian enters the path, you wait.

Check your understanding

Knowledge check. Is a pedestrian obliged to avoid your car because you began reversing first?

Remember: A small adjustment or a pause can be evidence of good judgement.

Review and self-assessment

Scenario: You reach a busy neighbourhood to collect a passenger. A bus is signalling out, a cyclist is beside parked cars and the nearest space is before a crossing.



Bus detail: identify the signal and the applicable road limit before explaining your approach.



Cyclist detail: observe the parked cars, opening door and space the rider may need.

Choose a lawful collection point



Crossing detail: assess the proposed collection point. The drawing provides no measured clearance and does not label a lawful stopping place.

Explain how you will approach and choose a lawful collection point.

Keep a practice record

Record one observation that was difficult to make early, and plan a supervised exercise to improve it. Syllabus self-assessment, chapter 3 §3

Review after answering

M05-L01

Answer: (1) No. Consider possible rider movement, obstacles, oncoming traffic and a safe lateral margin; wait if needed. (2) No: the road limit determines the threshold. The bus must enter safely without unnecessary obstruction; you must adapt speed to facilitate the observed entry into your lane. At limits of 50 or lower, slow and let the bus leave, stopping if necessary; the bus driver must take particular care. (3) No. Avoid distracting it by petting, calling or talking to it; communicate with the handler if needed. (4) Yes. A bicycle is a vehicle even without an engine.

M05-L02

Answer: No. It is a maximum. You must adapt to the actual bicycle traffic and any lower speed needed for safety.

M05-L03

Answer: No. The general prohibition includes stopping, not just parking.

M05-L04

Answer: No. Your reversing duty remains; stop before creating a conflict.

M05-R

Review guide: Account for the bus duty where applicable, the cyclist's space, the crossing restriction and safe boarding. Convenience does not create a parking exemption.

Read the time conditions

Worked example



Illustrative sign combination

Ordinary Tuesday, not a holiday or the day before one.

In this example, parking is limited to two hours during 09–18.

Arrival: 10:00.

Schematic timeline - not to scale



The two-hour limit is reached at 12:00.

Check all other conditions before leaving the car.

Time-panel meaning · Official E19 artwork with an illustrative condition plate.

Official references

Original references checked 5 October 2026; G5 additions checked 13 October 2026. Sign captions and artwork use the verified official asset register. Consult current guidance and applicable rules.

Traffic Regulation, chapter 2 §1 and chapter 3 §§15 and 58

https://www.riksdagen.se/sv/dokument-och-lagar/dokument/svensk-forfattningssamling/trafikforordning-19981276_sfs-1998-1276/

Transportstyrelsen: horses in traffic

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/gaende-rullstolsburen-rullskridskor/hastar-i-trafiken/

MFD: meeting a working guide dog

https://www.mfd.se/ledarhundsverksamheten/fakta-om-ledarhundar/

Transportstyrelsen: bicycle definition

https://www.transportstyrelsen.se/sv/vagtrafik/fordon/fordonsregler/regler-for-olika-fordonsslag/cykel/

Special streets

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/generella-trafikregler/gagata-cykelgata-och-gangfartsomrade/

Official references

Original references checked 5 October 2026; G5 additions checked 13 October 2026. Sign captions and artwork use the verified official asset register. Consult current guidance and applicable rules.

Transportstyrelsen: stopping and parking

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/generella-trafikregler/stanna-och-parkera/

Road Signs Regulation, T6–T8 and T16–T19

https://www.riksdagen.se/sv/dokument-och-lagar/dokument/svensk-forfattningssamling/vagmarkesforordning-200790_sfs-2007-90/

Parking permits

https://www.transportstyrelsen.se/sv/vagtrafik/trafikregler-och-vagmarken/trafikregler/parkeringstillstand-for-rorelsehindrade/

Syllabus self-assessment, chapter 3 §3

https://www.transportstyrelsen.se/TSFS/TSFS%202011_20.pdf

Road-sign illustrations: Transportstyrelsen. Each reference example links to its official description. Swedish names are official; English labels and explanations are editorial translations. Road scenes are simplified illustrations, not to scale.

T6 and T8 use exact vector extracts from the official Swedish road-sign poster, retained at their reviewed size.

Transportstyrelsen · Sveriges vägmärken (official poster)