CHAPTER 10

Respond, reflect and keep learning

When a journey is interrupted, the setting determines the safest response. Afterwards, use what happened to identify a specific learning need rather than simply deciding that you were lucky or unlucky.

In this chapter

M10-L01 · When the car cannot continue

M10-L02 · When someone may be hurt

M10-L03 · Explain a whole journey

M10-L04 · Make a realistic readiness plan

M10-R · Review and self-assessment

Answers and review guidance

Official references

This material is a learning aid to help you understand Swedish driving theory. It is not an official source and cannot replace official information from Trafikverket and Transportstyrelsen. Always consult their current guidance and the applicable rules.

M10-L01

When the car cannot continue

Your goal: Compare a breakdown on an ordinary road, a motorway and in a tunnel.

Requirement. If a breakdown leaves a vehicle where stopping is prohibited, it must be moved to a suitable place as soon as possible, subject to the special rules for an accident scene. Warning obligations depend on the situation. A warning triangle must give approaching drivers enough warning; the law does not prescribe one universal distance for every road. Traffic Regulation, chapter 3 §§51 and 57

Official motorway/2+1-road advice. If possible, reach the safest available stopping place. Switch on hazard lights, warn other traffic and leave the vehicle and carriageway promptly. Move away from traffic, outside a barrier where one exists. Trafikverket recommends placing the triangle at least 100 m away, preferably farther, and taking care while doing so, walking at the side and outside the barrier where possible. Do not expose yourself in the traffic lane to carry out a roadside repair. Call professional recovery; call 112 when life is in danger. Trafikverket: breakdown advice

Tunnel advice is different. Use hazard lights, move towards the edge or an emergency bay if possible and switch off the engine. For a non-urgent incident, Trafikverket advises staying in the car or protected from traffic close to it while calling for assistance. In an urgent situation, leave for the nearest emergency exit and use the assistance point, emergency phone or 112. In a fire, leave and reach an emergency exit; follow signs, announcements and emergency personnel. Do not turn a non-urgent-tunnel recommendation into advice to stay beside a fire. Trafikverket: tunnels

Recognise tunnel safety equipment

Independent official examples. The displayed 2.0 km and 100 m belong to these sample signs; they are not universal emergency distances.



A26 · Tunnel ahead

Varning för tunnel

Prepare for a tunnel. Read any further tunnel information and traffic instructions. Tunnel entrance inside a warning triangle.

Transportstyrelsen · official description



E26 · Tunnel

Tunnel

This identifies a tunnel and states its length; repeated signs may state the remaining length. Tunnel symbol with length 2.0 km.

Transportstyrelsen · official description



E27 · Emergency stopping bay

Nöduppställningsplats

This bay is intended for breakdowns or similar incidents, not routine parking. Additional symbols may identify emergency equipment. Roadside bay diagram with SOS.

Transportstyrelsen · official description

Continue the learning



E28 · Emergency exit

Nödutgång

This is an emergency exit for people on foot. Emergency-exit figure faces right.

Transportstyrelsen · official description




E28-2 · Emergency exit

Nödutgång

This is an emergency exit for people on foot. Emergency-exit figure faces left.

Transportstyrelsen · official description



E29 · Emergency escape route

Utrymningsväg

Follow the indicated direction and distance to an emergency exit or equivalent route for people on foot. Left arrow, running figure and 100 m.

Transportstyrelsen · official description

Continue the learning



G2 · Emergency telephone

Hjälptelefon

This identifies a telephone for obtaining help. Telephone receiver above SOS.

Transportstyrelsen · official description



G9 · Fire extinguisher

Brandsläckare

This identifies the location of a fire extinguisher. Red fire extinguisher.

Transportstyrelsen · official description

Learning approach. On an ordinary road, assess traffic, visibility and the location before choosing a protected waiting place and arranging help. Do not assume that a procedure for a sheltered bay, an exposed motorway shoulder and a smoke-filled tunnel can be identical.

Keep the hot coolant cap closed

Overheating · Leave the hot cap closed. In a conventional pressurised cooling system, hot coolant and steam can remain under pressure even after the engine is switched off. Opening the radiator cap, or the cap of a pressurised coolant reservoir, can release that pressure and expel scalding liquid or steam, causing severe burns. Never loosen or remove the cap while the engine or cooling system is hot. Switching off is not proof that pressure and heat have disappeared. Manufacturer handbook: hot coolant and pressure warning


Treat a temperature warning as a reason to respond according to the actual vehicle handbook, not as an invitation to open a cap. Revisit M02-L01 for warning indicators and fault recognition. Protect people from traffic first and arrange professional assistance where needed. Cooling-system layouts and stopping instructions vary; this lesson gives no fixed waiting time, cap-opening sequence or roadside refill procedure. Manufacturer cooling-system precautions · Trafikverket: protect people and call recovery

Apply the warning. The temperature warning appears on a motorway journey. After reaching the safest available stopping place as conditions allow, follow the vehicle's stopping instructions and this lesson's motorway scene-safety advice. A passenger suggests opening the coolant cap immediately because the engine is now off. Reject that action: residual heat and pressure can still cause a burn. Call recovery from a protected position rather than attempting an exposed repair. If the event is in a tunnel, use the tunnel response above; smoke, fire or danger to life requires the urgent response, not waiting beside the vehicle to diagnose it. Trafikverket: motorway breakdown · Trafikverket: tunnel urgency

Different places, different responses



A. Motorway: the stopped car is on the shoulder; the occupants wait outside the guardrail, away from traffic. This scene does not show a safe place to repair the car.



B. Non-urgent tunnel situation: the car is in a protected emergency bay. The occupant calls for assistance from inside. This advice does not apply to fire or an urgent danger.

Worked decision. A driver with a puncture on a motorway wants to change the wheel immediately. They first protect people from traffic and arrange recovery rather than working in an exposed position. A warning triangle does not create a protected workshop.

Fire or urgent danger



C. Fire or urgent tunnel situation: people move towards the open, lit emergency exit. The approach is unobstructed; the railing is on the traffic side. Follow emergency instructions. Exact official E28-2 artwork marks the exit.

Transportstyrelsen · E28-2 · official artwork

Check your understanding

Knowledge check. (1) Is one identical waiting rule suitable for every breakdown? (2) Why must you leave a hot coolant cap closed even after switching off the engine?

Remember: Establish where the danger is before deciding where to wait.

M10-L02

When someone may be hurt

Your goal: Identify scene-safety, emergency-contact and first-aid learning needs following a collision.

Requirements. If involved in a traffic accident, remain at the scene, help injured people to the extent of your ability and assist with necessary measures. Provide your name, address and information when requested by another involved person or someone whose property was damaged. Notify the owner or police promptly if damaged property has nobody present to receive the information. Notify police promptly for a personal injury that is not insignificant. Traffic Regulation, chapter 2 §8

A vehicle creating danger or obstruction after a collision should be moved to a suitable place. However, where someone has died or been seriously injured, move it only if it endangers other traffic, and preserve evidence as required. Staying at the scene does not mean standing in an active traffic lane. Protect yourself and others while arranging help. Traffic Regulation, chapter 2 §8

Emergency response. At danger to life, call 112. Give the location, direction of travel, what happened and what dangers you can see; follow the operator's instructions. Make observations from a safe position rather than walking into moving traffic to gather details. Trafikverket: emergency contact

Recognise warnings at an incident

Recognition examples only. Neither sign authorises a learner to manage traffic or stand in an active lane.



A41 · Accident ahead

Varning för olycka

Prepare for an accident-related hazard and respond to the traffic conditions and further instructions. Overturned car inside a warning triangle.

Transportstyrelsen · official description



X6 · Temporary obstruction warning device

Särskild varningsanordning

A temporary obstruction restricts passage. Read the text identifying its cause. Temporary warning device reads Olycka: accident.

Transportstyrelsen · official description

First-aid reference. Use 1177's first-aid guidance to learn more about helping someone in an acute situation, including when a person is unconscious or has breathing difficulties. Practical first-aid training can help you prepare. This lesson is deliberately brief and does not reproduce clinical procedures or a pulse-check sequence. In an emergency, call 112 rather than spending time searching a website.

Wildlife collisions. Trafikverket advises calling 112 and marking the collision location safely so responders can find it, even if the animal has left. Avoid approaching an injured animal. Its guidance gives a separate precaution for wild boar, bear, lynx and wolf: continue 200 m before stopping and marking, then call police immediately. Only move the vehicle when safe and possible; explain the actual collision location and the animal's direction clearly. This is agency safety guidance, not a claim that every animal species has identical statutory reporting rules. Trafikverket: wildlife collisions

Call from a protected place



Call from a protected place, away from traffic. For a life-threatening emergency, call 112 and describe the location, direction of travel, what happened and immediate dangers. Follow the operator's instructions.

Worked decision. After a collision, a person is badly injured and vehicles are still passing. You call 112 and describe the immediate traffic danger from a protected position, following instructions and helping within your ability. Photographing damage is not the first priority.

Check your understanding

Knowledge check. Should you leave a collision you were involved in simply because you believe you were not at fault?

Remember: Protect people, summon help and cooperate. Learn detailed first aid from the dedicated healthcare guidance and training.

M10-L03

Explain a whole journey

Your goal: Review a mixed journey, justify decisions, identify missed hazards and propose safer alternatives.

This exercise brings the earlier lessons together. It is an original learning scenario, not an official test question or a court case.

Scenario. You plan to take a passenger to a rural appointment using an unfamiliar car. The outward journey includes a residential area, a roundabout and a faster road. Rain is expected later. At the destination, the nearest empty space is before a pedestrian crossing. On the return journey you become delayed; the passenger asks you to pass a slower vehicle near a bend.

Work through the decisions.

1. Before leaving, establish fitness, entitlement, vehicle readiness, passenger protection and the controls you may need. Check the route and alternatives.

2. In the residential area, identify crossings, people hidden by parked vehicles and the applicable speed. At the roundabout, separate entry, lane and exit decisions.

3. On the faster section, preserve a following gap and a view ahead. If the weather worsens, reassess both lighting and speed.

4. At the destination, apply the stopping restrictions before considering convenience. Choose a lawful place with a safe manoeuvre and passenger exit.

5. On the return trip, reject an overtaking attempt without a complete clear path. Change the arrival expectation instead of the safety margin.

The rules behind these decisions are explained in M02–M07. The duties to adapt speed, yield where required and avoid dangerous manoeuvres remain applicable throughout. Traffic Regulation, chapters 2–3

Explain the whole journey



Residential area: describe crossings, people near parked vehicles and the appropriate speed.



Roundabout: explain entry, lane and exit decisions separately. D3 is an official recognition example; it does not by itself show every entry duty.

Transportstyrelsen · D3 · official artwork



Rain: reassess the view, lighting, speed and following gap as conditions change.



Traffic and parked vehicles: preserve visibility and room for others. This urban detail does not depict the later rural bend; use the written scenario to assess that decision.

Worked reflection. “I noticed the bend but focused on the passenger's request. Next time I will state that I am waiting before I start looking for a gap.” This identifies a trigger and an action. “I must be more careful” does not explain what to practise.

Check your understanding

Knowledge check. If no collision occurred, does that prove every decision was sound?

Remember: Assess the decision process as well as the outcome.

M10-L04

Make a realistic readiness plan

Your goal: Compare knowledge, practical performance and confidence, then plan further learning and accessible examination preparation.

The official theory test covers vehicle knowledge/manoeuvring, environment, road safety, traffic rules and personal factors. It checks understanding across those areas; memorising the wording of practice questions is not equivalent preparation. The practical test requires you to apply knowledge through vehicle checks, manoeuvres and driving in traffic. Trafikverket: category B tests · Practical test

Current standard theory-test format, checked 1 October 2026: 70 questions, of which 65 count towards the score; at least 52 points are needed to pass; standard time is 50 minutes. These administrative figures can change, so verify them before booking. They are not a recommended pass mark for this book's short learning checks. Trafikverket: theory-test format

Trafikverket provides language options, including English, and application routes for support such as extended time, oral support or an interpreter where appropriate. Support generally needs approval before the supported test can be booked. Check the current requirements and apply early enough for a decision; do not assume that support can be added at the door. Languages · Test support

Learning approach. Review three kinds of evidence: Can you explain the rule and its exceptions? Can you recognise the situation without a prompt? Can you act safely and consistently during supervised practice? A high confidence rating with little evidence is a learning signal, not a readiness certificate.

Write your next practice plan in concrete terms: “Recognise cycle passages after a turn and explain the duty before reaching them,” or “Demonstrate the safety check and explain each defect response.” Revisit errors after a delay and in a changed scenario so that you are practising understanding rather than recognising an answer.

Worked decision. A learner answers most checks correctly but still needs reminders to scan at junctions. They continue targeted supervised practice instead of treating their theory score as proof of practical readiness.

Check your understanding

Knowledge check. Can this manuscript or its checks certify that you will pass or are ready to drive alone?

Remember: Readiness is supported by evidence across knowledge, judgement and practical performance.

Review and self-assessment

Scenario: Review an entire journey that included an unexpected stop and a decision you would now change.

Start	Traffic	Conditions

Unexpected stop	Reflection

Separate what you knew, what you noticed and what you did.

Keep a practice record

Write a dated plan for further study or supervised practice, including how you will know that the skill has improved. Reassess again after practising; completing the book is the beginning of a continuing habit. Syllabus self-assessment, chapters 2–5 §3

Review after answering

M10-L01

Answer: (1) No. Apply the guidance for the location and urgency, with people’s safety first. (2) Heat and pressure can remain; opening the cap can release scalding coolant or steam and cause severe burns. Do not open it while hot. Follow the actual handbook and arrange assistance; no fixed waiting time proves it safe.

M10-L02

Answer: No. The duty to remain and assist applies regardless of fault.

M10-L03

Answer: No. Review whether the decision depended on luck, another person avoiding you, or a margin you could not justify.

M10-L04

Answer: No. Use it to guide learning alongside official requirements, qualified instruction and demonstrated practical competence.

M10-R

Review guide: Identify the relevant duty, the information available at the time, a safer alternative and one practical learning action. Refer back to the appropriate module and official source.

Official references

Original references checked 7 October 2026; G10 coolant and scene-safety passages checked 13 October 2026. Official sign artwork retained. Consult current guidance and the actual vehicle handbook.

Traffic Regulation, chapter 3 §§51 and 57

https://www.riksdagen.se/sv/dokument-och-lagar/dokument/svensk-forfattningssamling/trafikforordning-19981276_sfs-1998-1276/

Trafikverket: breakdown advice

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/om-du-far-stopp-pa-bilen--varna-lamna-och-larma/

Trafikverket: tunnels

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/sakerhet-i-vagtunnlar/

Manufacturer handbook: hot coolant and pressure warning

https://ownersmanual.kia.com/full_webhelp/MQ4/2022/sv_SE/topics/chapter7_8_1.html

Official references

Original references checked 7 October 2026; G10 coolant and scene-safety passages checked 13 October 2026. Official sign artwork retained. Consult current guidance and the actual vehicle handbook.

1177's first-aid guidance

https://www.1177.se/olyckor--skador/akuta-rad---forsta-hjalpen/

Trafikverket: wildlife collisions

https://www.trafikverket.se/resa-och-trafik/trafiksakerhet/sakerhet-pa-vag/se-upp-for-vilt-pa-vagarna/

Trafikverket: category B tests

https://www.trafikverket.se/korkort/ta-korkort/personbil-och-latt-lastbil/

Practical test

https://www.trafikverket.se/korkort/ta-korkort/personbil-och-latt-lastbil/sa-gar-korprovet-till/

Official references

Original references checked 7 October 2026; G10 coolant and scene-safety passages checked 13 October 2026. Official sign artwork retained. Consult current guidance and the actual vehicle handbook.

Languages

https://www.trafikverket.se/korkort/ta-korkort/personbil-och-latt-lastbil/teoriprovet-pa-annat-sprak/

Test support

https://www.trafikverket.se/korkort/ta-korkort/teoriprov-och-yrkesprov-med-stod/

Syllabus self-assessment, chapters 2–5 §3

https://www.transportstyrelsen.se/TSFS/TSFS%202011_20.pdf

Road-sign illustrations: Transportstyrelsen. Each reference example links to its official description. Swedish names are official; English labels and explanations are editorial translations. Road scenes are simplified illustrations, not to scale.