

MikroTik.MTCNA.v2022-05-18.q76

Exam Code:	MTCNA
Exam Name:	MikroTik Certified Network Associate Exam
Certification Provider:	MikroTik
Free Question Number:	76
Version:	v2022-05-18
# of views:	5506
# of Questions views:	103118
https://www.freecram.net/torrent/MikroTik.MTCNA.v2022-05-18.q76.html	

NEW QUESTION: 1

What letters appear next to a route, which is automatically created by RouterOS when user adds a valid address to an active interface?

- A. A
- B. C
- C. D
- D. S
- E. I

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

What is necessary for PPPoE client configuration?

- A. Static IP address on PPPoE client interface
- B. ip firewall nat masquerade rule
- C. Interface (on which PPPoE client is going to work)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

What is the default protocol/port of (secure) winbox?

- A. TCP/22
- B. TCP/8080
- C. TCP/8291
- D. UDP/5678

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Why is it useful to set a Radio Name on the radio interface?

- A. To identify a station in Neighbor discovery
- B. To identify a station in the Access List
- C. To identify a station in a list of connected clients

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

What wireless card can we use to achieve 100 Mbps actual wireless throughput?

- A. 802.11 a
- B. 802.11 a/b/g
- C. 802.11 a/n
- D. 802.11 a/b/g/n
- E. 802.11 b/g

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Which of the following are layers in the TCP/IP model?

Application

Session

Transport

Internet

Data Link

Physical

- A. 1, 3 and 4
- B. 3, 4 and 5
- C. 2, 3 and 5
- D. 1 and 2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

The network address is

- A. The first usable address of the subnet
- B. The last address of the subnet
- C. The first address of the subnet

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

You have 10 users plugged into a hub running 10Mbps half-duplex. There is a server connected to the switch running 10Mbps half-duplex as well. How much bandwidth does each host have to the server?

- A. 2 Mbps
- B. 1 Mbps

- C. 10 Mbps
- D. 100 kbps

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

If ARP=reply-only is configured on an interface, tcarmehis interface will

- A. accept all MAC-addresses listed in '/ip arp' as static entries
- B. accept all IP addresses listed in '/ip arp' as static entries
- C. add new MAC addresses in '/ip arp' list
- D. accept IP and MAC address combinations listed in '/ip arp' list
- E. add new IP addresses in '/ip arp' list

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 10

Firewall NAT rules process only the first packet of each connection.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

Select all tunnels that support authentication of clients with a username and password.

- A. EoIP
- B. IPIP
- C. PPPoE
- D. PPTP/L2TP
- E. OpenVPN

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

What can be used as 'target-address' in the simple queue?

- A. client's address
- B. server's address
- C. address list name
- D. client's MAC address

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Which of the following are valid IP addresses?

- A. 192.168.256.1
- B. 192.168.13.255
- C. 10.10.14.0

D. 1.27.14.254

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

To connect your MikroTik router to a wireless access point, you have to:

- A. Use the same Radio Name
- B. Use the same SSID as on accesspoint
- C. Use the same Band (5 GHz, 2.4 GHz, ...)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Which command is used to determine if an IP access list is enabled on a particular interface?

- A. show ip interface
- B. show access-lists
- C. show interface
- D. show interface access-lists

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

RouterOS log messages are stored on disk by default

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Valid MTCNA Dumps shared by PassTestKing.com for Helping Passing MTCNA Exam!
PassTestKing.com now offer the **newest MTCNA exam dumps**, the PassTestKing.com
MTCNA exam **questions have been updated** and **answers have been corrected** get the
newest PassTestKing.com MTCNA dumps with Test Engine here:
<https://www.passtestking.com/MikroTik/MTCNA-practice-exam-dumps.html> (216 Q&As
Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 17

In order to use dynamic keys in your wireless security profile for an AP, you MUST set up the dhcp server to provide the dynamic keys.

- A. true
- B. false

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

What PPP protocol provides dynamic addressing, authentication, and multilink?

- A. HDLC
- B. LCP
- C. X.25
- D. NCP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

How many IP addresses can one find in the header of an IP packet?

- A. 4
- B. 3
- C. 1
- D. 2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

A PC with IP 192.168.1.2 can access internet, and static ARP has been set for that IP address on gateway.

When the PC Ethernet card failed, the user change it with a new card and set the same IP for it. What else should be done? [multiple answers]

- A. MAC-address of the new card has to be changed to MAC address of old card
- B. Nothing - it will work as before
- C. Another IP has to be added for Internet access
- D. Old static ARP entry on gateway has to be updated for the new card

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

Mark all packages required for PPPoE server on MikroTik RouterOS

- A. user-manager
- B. ppp
- C. system
- D. synchronous
- E. radius

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

What does the firewall action "Redirect" do? Select all true statements.

- A. Redirects a packet to a specified port on the router
- B. Redirects a packet to a specified IP
- C. Redirects a packet to the router
- D. Redirects a packet to a specified port on a host in the network

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

What protocols are used to configure trunking on a switch?

VLAN Trunking Protocol

VLAN

802.1Q

ISL

A. 1 and 2

B. 1 only

C. 2 only

D. 3 and 4

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

What protocol is used for Ping and Trace route?

A. IP

B. ICMP - ping

C. UDP - trace route

D. DHCP

E. TCP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

For user in local PPP Secrets/PPP Profiles database, it is possible to

A. Allow only PPPoE login

B. Deny services (like telnet) only for this user or for one group of users

C. Set max values for transferred data (Rx/Tx)

D. Allow/deny use of more than one login by this user

E. Allow login by PPPoE and PPTP, but deny login by L2TP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Which are necessary sections in /queue simple to set bandwidth limitation?

A. max-limit

B. target-address, dst-address, max-limit

C. target-address, max-limit

D. target-address, dst-address

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

How many collision domains are created when you segment a network with a 12-port switch?

- A. 2
- B. 12
- C. 5
- D. 1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

What command will display the line, protocol, DLCI, and LMI information of an interface?

- A. show run
- B. show interface
- C. show frame-relay pvc
- D. sh pvc

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

Router A and B are both running as PPPoE servers on different broadcast domains of your network. It is possible to set Router A to use "/ppp secret" accounts from Router B to authenticate PPPoE customers.

- A. true
- B. false

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

Consider the following network diagram. In R1, you have the following configuration:

```
/ip route
```

```
add dst-address=192.168.1.0/24 gateway=192.168.99.2
```

```
/ip firewall nat
```

```
add chain=srcnat out-interface=Ether1 action=masquerade
```

On R2, if you wish to prevent all access to a server located at 192.168.1.10 from LAN1 devices, which of the following rules would be needed?

- A. /ip firewall filter add chain=forward srcaddress=192.168.99.1 dst-address=192.168.1.10 action=drop
- B. /ip firewall filter add chain=forward srcaddress=192.168.0.0/24 dst-address=192.168.1.10 action=drop
- C. /ip firewall nat add chain=dstnat srcaddress=192.168.99.1 dst-address=192.168.1.10 action=drop
- D. /ip firewall filter add chain=input srcaddress=192.168.99.1 dst-address=192.168.1.10 action=drop

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

On the advanced menu of the wireless setup there is a parameter called "Area", it works directly with:

- A. Access List
- B. Security Profile
- C. None of these
- D. Connect List

Answer: ([SHOW ANSWER](#))

Valid MTCNA Dumps shared by PassTestKing.com for Helping Passing MTCNA Exam! PassTestKing.com now offer the **newest MTCNA exam dumps**, the PassTestKing.com MTCNA exam **questions have been updated** and **answers have been corrected** get the **newest** PassTestKing.com MTCNA dumps with Test Engine here:

<https://www.passtestking.com/MikroTik/MTCNA-practice-exam-dumps.html> (216 Q&As

Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 32

Which of the following services use UDP?

DHCP
SMTP
SNMP
FTP
HTTP
TFTP

- A. 1, 2 and 4
- B. All of the above
- C. 2 and 4
- D. 1, 3 and 6

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

How many layers does Open Systems Interconnection model have?

- A. 9
- B. 5
- C. 7
- D. 6
- E. 12

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

Action=redirect allows you to make

- A. Enable Local Service
- B. Forward DNS to another device IP address
- C. Transparent HTTP Proxy
- D. Transparent DNS Cache

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

Which class of IP address provides a maximum of only 254 host addresses per network ID?

- A. Class C
- B. Class D
- C. Class A
- D. Class B

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

What are the two main types of access control lists (ACLs)?

Standard

IEEE

Extended

Specialized

- A. 1 and 3
- B. 1 and 2
- C. 2 and 4
- D. 3 and 4

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

It is possible to create a configuration where VLAN and PTPP interfaces are bridged together.

- A. FALSE
- B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

How many usable IP addresses are there in a 20-bit subnet?

- A. 4094
- B. 2048
- C. 2047
- D. 4096
- E. 2046

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Destination NAT (chain dstnat, action dst-nat) can be used to:

- A. Hide your local network from the Internet
- B. Direct users from the Internet to a server within your local network
- C. Change source port
- D. Change destination port

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

What is the minimal possible wireless configuration to create an Access Point?

- A. radio name
- B. band
- C. mode
- D. WDS
- E. frequency
- F. scan-list
- G. DFS mode
- H. ssid

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

Can you manually add drivers to RouterOS in case your PCI Ethernet card is not recognized, and you suspect it is a driver issue?

- A. Yes
- B. No

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

Is it possible to limit how many clients are able to connect to an access point?

- A. Yes
- B. No it's not possible at all
- C. Yes, but only with access-lists

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Where can you monitor (see addresses and ports) real-time connections which are processed by the router?

- A. Firewall Connection Tracking
- B. Tool Torch
- C. Firewall Counters

D. Queue Tree

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

For static routing functionality, additionally to the RouterOS 'system' package, you will also need the following software package:

- A. no extra package required
- B. dhcp
- C. advanced-tools
- D. routing

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 45

Action=redirect is applied in

- A. chain=dstnat
- B. chain=srcnat
- C. chain=forward

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

Which default route will be active?

/ip route

add disabled=no distance=10 dst-address=0.0.0.0/0 gateway=1.1.1.1

add disabled=no distance=5 dst-address=0.0.0.0/0 gateway=2.2.2.2

- A. Route via gateway 1.1.1.1
- B. Route via gateway 2.2.2.2

Answer: ([SHOW ANSWER](#))

Valid MTCNA Dumps shared by PassTestKing.com for Helping Passing MTCNA Exam! PassTestKing.com now offer the **newest MTCNA exam dumps**, the PassTestKing.com MTCNA exam **questions have been updated** and **answers have been corrected** get the **newest** PassTestKing.com MTCNA dumps with Test Engine here:
<https://www.passtestking.com/MikroTik/MTCNA-practice-exam-dumps.html> (216 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 47

Which of the following is the decimal and hexadecimal equivalents of the binary number 10011101?

- A. 185, 0xB9

- B. 159, 0x9F
- C. 157, 0x9D
- D. 155, 0x9B

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

/interface wireless access-list is used for

- A. Authenticate Hot-Spot users
- B. Contains the security profiles settings
- C. Shows a list of Client's MAC Address that are already registered at AP
- D. Handles a list of Client's MAC Address to permit/deny connection to AP

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 49

How long is level 1 (free) license valid?

- A. 1 year
- B. Infinite time
- C. 24 hours
- D. 1 month

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

Select minimal set of software packages in RouterOS required to configuring a wireless AP

- A. advanced-tools
- B. Wireless
- C. routing
- D. dhcp
- E. System

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

Mark the queue types that are available in RouterOS

- A. LIFO - Last In First Out
- B. DRR - Deficit Round Robin
- C. RED - Random Early Detect (or Drop)
- D. SFQ - Stochastic Fairness Queuing
- E. FIFO - First In First Out (for Bytes or for Packets)
- F. PCQ - Per Connection Queuing

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

Which of the following is NOT a valid MAC Address?

- A. 88:0C:00:99:5F:EF
- B. EA:BA:AA:EE:FF:CB
- C. 95:B5:DD:EE:78:8A
- D. 13:16:86:53:89:43
- E. 80:GF:AA:67:13:5D

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

If ARP=reply-only is configured on an interface, what will this interface do

- A. Accept all IP addresses listed in /ip arp as static entries
- B. Accept all MAC-addresses listed in /ip arp as static entries
- C. Add new MAC addresses in /ip arp list
- D. Accept all IP/MAC combinations listed in /ip arp as static entries
- E. Add new IP addresses in /ip arp list

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

A routing table has following entries:

- 0 dst-address=10.0.0.0/24 gateway=10.1.5.126
- 1 dst-address=10.1.5.0/24 gateway=10.1.1.1
- 2 dst-address=10.1.0.0/24 gateway=25.1.1.1
- 3 dst-address=10.1.5.0/25 gateway=10.1.1.2

Which gateway will be used for a packet with destination address 10.1.5.126?

- A. 10.1.5.126
- B. 10.1.1.2
- C. 25.1.1.1
- D. 10.1.1.1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

How long is level 1 (demo) license valid?

- A. 1 year
- B. Infinite time
- C. 1 month
- D. 24 hours

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

Is action=masquerade allowed in chain=dstnat?

- A. yes, but it works only for incoming connections

- B. no
- C. yes, but only if dst-addr is specified
- D. yes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

How many different priorities can be selected for queues in MikroTik RouterOS?

- A. 8
- B. 0
- C. 1
- D. 16

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

Mark all features that are compatible with Nstreme

- A. WDS between a device in station-wds mode and a device in station-wds mode
- B. WDS between a device in ap-bridge mode with a device in station-wds mode
- C. Bridging a device in station mode with a device in ap-bridge mode
- D. Encryption

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 59

There are two wireless cards (wlan1 and wlan2) which are bridged together. On wlan1 card there is a setting

"Forwarding=no". Choose the correct answer(s):

- A. Stations on wlan1 will be able to communicate with stations on wlan1
- B. To prevent communication between wlan1 and wlan2 one cannot use Bridge Filters
- C. Stations on wlan1 will be able to communicate with stations on wlan2
- D. Stations on wlan2 will be able to communicate with stations on wlan1
- E. Stations on wlan2 will be able to communicate with stations on wlan2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

Which option in the configuration of a wireless card must be disabled to cause the router to permit ONLY known clients listed in the access list to connect?

- A. Default Authenticate
- B. Security Profile
- C. Enable Access List
- D. Default Forward

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

In which situations Netinstall can not be used to install RouterOS on a RouterBOARD?

- A. The router is connected only to a wireless network
- B. The router is connected only to a secondary Ethernet port
- C. The password of the router is not known
- D. The router does not have an operating system

Answer: ([SHOW ANSWER](#))

Valid MTCNA Dumps shared by PassTestKing.com for Helping Passing MTCNA Exam!

PassTestKing.com now offer the **newest MTCNA exam dumps**, the PassTestKing.com MTCNA exam **questions have been updated** and **answers have been corrected** get the **newest** PassTestKing.com MTCNA dumps with Test Engine here:

<https://www.passtestking.com/MikroTik/MTCNA-practice-exam-dumps.html> (216 Q&As

Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 62

Which command is used to upgrade an IOS on a Cisco router?

- A. config net
- B. copy tftp flash
- C. copy tftp run
- D. copy tftp start

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

Which firewall chain you should use to filter SSH access to the router itself?

- A. input
- B. prerouting
- C. forward
- D. output

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

What kind of users are listed in the Secrets window of the PPP menu?

- A. pppoe users
- B. Hot-Spot users
- C. l2tp users
- D. wireless users
- E. winbox users
- F. pptp users

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

A client that has successfully connected to a wireless network is considered to be which of the following?

Choose all that apply :

- A. Unauthenticated
- B. Authenticated
- C. Associated
- D. Unassociated

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

What does the passive command provide to dynamic routing protocols?

- A. Stops an interface from sending periodic dynamic updates but not from receiving updates.
- B. Stops the router from receiving any dynamic updates.
- C. Stops an interface from sending or receiving periodic dynamic updates.
- D. Stops the router from sending any dynamic updates.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

What is the meaning of letter "R" on an active session in the menu PPP Active Connections?

- A. Running
- B. Remote
- C. Radius

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 68

Which layer 4 protocol is used for a Telnet connection?

- A. TCP/IP
- B. IP
- C. TCP
- D. UDP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

Which of the following is the valid host range for the subnet on which the IP address 192.168.168.188 resides?

- A. 192.168.168.129-191
- B. 192.168.168.129-190

C. 192.168.168.128-192

D. 192.168.168.128-190

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

You have a router with configuration

- Public IP :202.168.125.45/24
- Default gateway:202.168.125.1
- DNS server: 248.115.148.136, 248.115.148.137
- Local IP: 192.168.2.1/24

Mark the correct configuration on client PC to access to the Internet

A. IP:192.168.2.115/24 gateway: 192.168.2.1

B. IP:192.168.2.253/24 gateway:202.168.0.1

C. IP:192.168.2.2/24 gateway:202.168.125.45

D. IP:192.168.1.223/24 gateway:248.115.148.136

E. IP:192.168.0.1/24 gateway:192.168.2.1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 71

Which protocol does Ping use?

A. BootP

B. ARP

C. ICMP

D. TCP

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 72

MikroTik RouterOS is sending logs to an external syslog server. Which protocol and port is used by RouterOS for sending logs (by default)?

A. UDP 113

B. UDP 21

C. TCP 110

D. UDP 514

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

There are two routes in the routing table:

0 dst-addr=10.1.1.0/24 gateway=5.5.5.5

1 dst-addr=10.1.1.4/30 gateway=5.6.6.6

Which gateway will be used to get to the IP address 10.1.1.6?

A. 5.5.5.5

B. the required route is not in the routing table

- C. both - half of the traffic will be routed through one gateway, half through the other
- D. 5.6.6.6

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

For a Simple Queue to apply a bandwidth restrictions on a bridged interface, following must be done:

- A. Associate the Simple Queue to the bridge interface
- B. Configure an IP address on the bridge interface
- C. Enable 'Use IP Firewall' in bridge settings
- D. Use mangle to mark the connections

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

What does the firewall action "log" do?

- A. It logs and blocks the packet
- B. It logs the packet
- C. It blocks and logs the packet
- D. It adds a prefix to the packet and passes it through

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

MAC layer by OSI model is also known as

- A. Layer 2
- B. Layer 7
- C. Layer 3
- D. Layer 1
- E. Layer 6

Answer: ([SHOW ANSWER](#))

Valid MTCNA Dumps shared by PassTestKing.com for Helping Passing MTCNA Exam!
PassTestKing.com now offer the **newest MTCNA exam dumps**, the PassTestKing.com MTCNA exam **questions have been updated** and **answers have been corrected** get the **newest** PassTestKing.com MTCNA dumps with Test Engine here:
<https://www.passtestking.com/MikroTik/MTCNA-practice-exam-dumps.html> (216 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

Valid MTCNA Dumps shared by PassTestKing.com for Helping Passing MTCNA Exam!
PassTestKing.com now offer the **newest MTCNA exam dumps**, the PassTestKing.com
MTCNA exam **questions have been updated** and **answers have been corrected** get the
newest PassTestKing.com MTCNA dumps with Test Engine here:
<https://www.passtestking.com/MikroTik/MTCNA-practice-exam-dumps.html> (216 Q&As
Dumps, **35%OFF** Special Discount Code: **freecram**)